

22500149611

SEVENTY-THIRD
ANNUAL REPORT

OF THE

REGISTRAR-GENERAL

OF

BIRTHS, DEATHS, AND MARRIAGES
IN ENGLAND AND WALES.

(1910.)

Presented to both Houses of Parliament by Command of His Majesty.



LONDON:
PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE.
To be purchased, either directly or through any Bookseller, from
WYMAN AND SONS, LIMITED, FETTER LANE, E.C., and
32, ABINGDON STREET, S.W.; or
OLIVER & BOYD, TWEEDDALE COURT, EDINBURGH; or
E. PONSONBY, LTD., 116, GRAFTON STREET, DUBLIN.

PRINTED BY
DARLING AND SON, LIMITED, BACON STREET. E.
1912.

WELLCOME INSTITUTE LIBRARY	
Coll.	weIMOmec
Call	
No.	

CONTENTS

OF THE

REGISTRAR-GENERAL'S ANNUAL REPORT FOR 1910.

	PAGES
CHANGES of BIRTH, DEATH, and MARRIAGE RATES	v, vi
CANCER, DIABETES, TUBERCULOSIS, BRONCHITIS, PNEUMONIA, certain EPIDEMIC DISEASES and INFANTILE MORTALITY	vi
ARRANGEMENTS for presenting STATISTICS for ADMINISTRATIVE AREAS	vi
DISTRIBUTION of DEATHS to DISTRICT of RESIDENCE of DECEASED PERSONS	vi, vii
MANUAL of INTERNATIONAL LIST of CAUSES of DEATH	vii
VALUE of MECHANICAL SYSTEM of TABULATION by CARDS	vii-ix
REVIEW by DR. STEVENSON of the VITAL STATISTICS of the YEAR:—	
POPULATION. Method of estimating for inter-censal and post- censal years	xi-xiii
MARRIAGES. Number; First Marriages and re-marriages; Divorced persons; Ages at Marriage; Unstated ages; Marriages of Minors; Mean age at marriage; Signatures in Marriage Register; Buildings in which Marriages may be Solemnized; Mode of Solemnization	xiii-xxiii
BIRTHS. Number; Sex; Illegitimate Births:—Number; Rates in Counties	xxiii-xxvi
NATURAL INCREASE	xxvii
DEATHS. Number; General death-rate; Corrected death-rate; Sex; Ages; Infantile Mortality; Centenarians; Urban and Rural Mortality; Causes of Death; Certification of Causes of Death; Inquests; Uncertified Deaths:—Reported to Coroners; Assigned Causes of; Deaths in Public Institutions	xxvii-lxxxix
UNITED KINGDOM. Population; Marriages; Births; Deaths ...	lxxxix-lxxxiii
ARMY AND NAVY. STRENGTH and MORTALITY of the ARMY at HOME and ABROAD; STRENGTH and MORTALITY of the NAVY	lxxxiii, lxxxiv
BIRTHS AND DEATHS AT SEA. MARINE REGISTER BOOK; MORTALITY of MERCANTILE MARINE	lxxxiv
INTERNATIONAL VITAL STATISTICS	lxxxiv-xcix
PROGRESS OF REGISTRATION	xcix
OFFENCES AGAINST THE REGISTRATION ACTS	xcix
SEARCHES AND CERTIFICATES	xcix, c
METEOROLOGY; Remarks by Dr. Shaw, Director of the Metro- logical Office	ci-cvi
TABLES; Population; Ratios of Marriages, Births and Deaths, International Tables	1-141

ABSTRACTS:—

BIRTHS (distinguishing Legitimate and Illegitimate), DEATHS and MARRIAGES Registered in England and Wales, and in the several Registration Divisions, Counties, and Districts; and BIRTHS and DEATHS in sub-districts... ..	143-205
--	---------

ABSTRACTS— <i>continued.</i>	PAGES
MARRIAGES, Analysis of, in Registration Divisions and Counties ; showing, (<i>a</i>) mode of Solemnization, (<i>b</i>) number in each quarter of the year, (<i>c</i>) Previous Civil Condition of Persons married, (<i>d</i>) Marriages of Persons not of Full Age, and (<i>e</i>) Signatures by mark in Marriage Register	206-209
AGES of Persons married in England and Wales and in London, distinguishing ages of Bachelors, Spinsters, Widowers Widows... ..	210-224
DEATHS of Males and Females in PUBLIC INSTITUTIONS	225-276
DEATHS of Males and Females at different AGE-PERIODS, in REGISTRATION DIVISIONS and COUNTIES	277-286
CAUSES of DEATH of Males and Females at different Periods of Life in ENGLAND and WALES	287-307
CAUSES of DEATH of Males and Females at different Periods of Life in LONDON	308-327
CAUSES of DEATH of Males and Females in each REGISTRATION COUNTY	328-397
DEATHS from SEVERAL CAUSES, and INQUEST CASES, in REGIS- TRATION DIVISIONS, COUNTIES, and DISTRICTS... ..	398-440
DEATHS from ACCIDENT and NEGLIGENCE in ENGLAND and WALES, distinguishing AGE, and CAUSE or NATURE of ACCIDENT ; MALES and FEMALES	441-459
DEATHS from SUICIDE in ENGLAND and WALES, distinguishing AGE and METHOD ; MALES and FEMALES	460, 461
DEATHS from MURDER in ENGLAND and WALES, distinguishing AGE and METHOD ; MALES and FEMALES	462-463
DEATHS from MANSLAUGHTER in ENGLAND and WALES, dis- tinguishing AGE and METHOD ; MALES and FEMALES	464-465
<hr/>	
INDEXES OF REGISTRATION DISTRICTS, of SUB-DISTRICTS, and of URBAN DISTRICTS, referring to Numbers used in the several TABLES of ABSTRACTS	466-490
CHANGES in the CONSTITUTION of REGISTRATION DISTRICTS and SUB-DISTRICTS	491-496
ALPHABETICAL INDEX to REPORT, TABLES, and ABSTRACTS... ..	497-522
<hr/>	
DIAGRAMS :—	
I. CORRECTED DEATH RATES, 1838-1910	xxviii
II. INFANTILE MORTALITY (COUNTIES), 1910 Facing page	xxxiv
III. CAUSES of DEATH : PROPORTIONS, 1910	xxxix
IV. CAUSES of DEATH : INCREASE or DECREASE, 1910	xl
V. ENTERIC FEVER—DEATH RATES, 1869-1910	xlvi
VI. PNEUMONIA AND BRONCHITIS. MALE MORTALITY PER CENT. of FEMALE, 1901-10	liv
VII. TUBERCULOSIS AND PHTHISIS. DEATH RATES, 1851-1910	lvi
VIII. CANCER, DEATH RATES, 1861-1910 Facing page	lx
IX & X. CANCER, PARTS of BODY affected, ALL AGES, 1897-1910... ..	lxix, lxx

REPORT

TO

THE RIGHT HONOURABLE JOHN BURNS, M.P.,

President of the Local Government Board, &c., &c.

(1910.)

SIR,

I HAVE the honour to submit to you my Report on the estimated population, and on the marriages, births, and deaths registered in England and Wales during the year 1910.

From returns furnished by the registrars acting throughout the country, the provisional numbers of marriages, births, and deaths for the year 1910 have already been published in the "General Abstract," and in somewhat greater detail as regards the causes of death for the counties of England and Wales, and for London and other large towns, in the "Annual Summary," which publication was issued in May, 1911.

The present Report also relates to the year 1910, but the statistics have been compiled from the registers deposited in this office, and they have been analysed in far greater detail than was possible in the Annual Summary.

The Census of 1911 has furnished the means of revising the estimates of population that have been made for the years 1901 to 1910, and of the marriage-, birth-, and death-rates based upon those estimates of population. The population of the country having increased at a somewhat slower rate in the last intercensal period than it did between 1891 and 1901, the population in each of the years 1901 to 1910 has been slightly overestimated, and the corresponding rates slightly underestimated. For the country as a whole the revised birth-rate in the year 1910, when the error of estimation was probably at a maximum, is raised by about 0·3 per 1000 persons living, and the death-rate and marriage-rate by about 0·1 per 1000.

The salient features of the vital statistics of 1910 are as follows :— The marriage-rate was 15·0 per 1000, being 0·6 below the average in the ten years 1900 to 1909, but 0·3 above the rate in 1909. The provisional figures available for the year 1911 show a further slight increase of 0·2 per 1000.

The birth-rate was 25·1 per 1000. This is again the lowest rate on record, and is no less than 2·5 per 1000 below the average in the preceding decennium, and 0·7 below the rate in 1909. The provisional rate in 1911 shows a further fall of 0·7 per 1000.

The death-rate was 13·5 per 1000, and was again the lowest on record. It is interesting to note that lowest records of mortality were successively established in seven of the ten years 1901 to 1910, viz., in 1902, 1903, 1905, 1907, 1908, 1909, and 1910. The death-rate in 1910 was 1·1 per 1000 below that of the preceding year and 2·4 below the average in the preceding decennium. The provisional figures for 1911 show, however, an increase of 1·1 per 1000; this is mainly accounted for by excessive mortality in the third quarter of the year, although the rates in the first two quarters also showed a slight increase.

The improvement in mortality in 1910 upon the low rate in 1909, was shared by each sex at every period of life.

Infantile mortality was equal to 105 per 1000 births registered, and showed a still further improvement upon that in 1909, which was 109, and was far lower than that recorded in any preceding year.

Of the principal epidemic diseases, scarlet fever and enteric fever showed the lowest rates on record, as also did diphtheria if the combined mortality from diphtheria and croup be taken as an indication of the changes of the mortality from that disease. From measles a lower death-rate than that in 1910 has only once been recorded, viz., in 1908, and from whooping-cough only twice, viz., in 1906 and 1909. From phthisis and from other forms of tuberculosis in the aggregate, as well as from bronchitis, the rates were the lowest recorded, while from pneumonia a lower rate than that in 1910 has not been recorded since 1894.

On the other hand, the aggregate death-rate from cancer reached its highest point in 1910, but it is worthy of remark that this increase was confined to the mortality of males, the death-rate of females having shown a slight decline. The death-rate from diabetes has continued to increase.

As the changes in the presentation of the Vital Statistics of this department which I foreshadowed last year are now being introduced, the present Report is the last of a series, dating back to the beginning of registration in this country, which have presented the statistics in relation to registration areas. Future Reports upon natality and mortality will have regard solely to administrative areas, and will also embody the other improvements described in my Report for the year 1909.

The introduction of the new system has involved much expansion of the work of the statistical branch of this office in various directions. It has rendered necessary, for instance, the organisation of a system of distributing to the areas of their usual residence the deaths of persons dying in institutions or elsewhere away from their homes. The method adopted for carrying out this work depends, as mentioned in my last Report, upon the voluntary co-operation of County Medical Officers of Health without whose aid the difficulties of the task would have been greatly increased, if indeed they had not proved insuperable. The system of distribution has been so planned that County and District Medical Officers of Health receive in return for the indispensable help given by them copies of all information under this head affecting their areas, so that a uniform and comprehensive scheme is now in operation which serves local requirements as well as those of this office. With the ever increasing proportion of deaths occurring in institutions for the sick the need for a move in this direction has been constantly growing, and I have no doubt that, with necessary modifications of detail suggested by experience, the scheme which has

now been in operation for a year is capable of yielding results which should be satisfactory to all concerned. It is my duty in this connection to record my high appreciation of the help which I have received from Medical Officers of Health and their staffs, with the sanction of the Sanitary Authorities of the country. The amount of work involved especially in the case of the larger counties has been very considerable, but there can be no doubt that the consequent improvement of the vital statistics of this country, which demand the treatment in question more urgently perhaps than do those of any other, will be more than commensurate to the labour expended.

Another task necessitated by the change in our system of tabulation has been the preparation of a "Manual of the International List of Causes of Death," which was issued in January last in order to standardise as far as possible the first use in England and Wales of the international scheme of tabulation, and to regulate its application to the peculiar requirements and conditions of English mortality records. This publication also supplies information relative to the practice of this office in compiling its mortality returns which is essential to thorough appreciation of their significance. Such information has never before been made available to students of these Reports, and I hope that its publication now will add considerably to their value.

The other increases in the work of the office involved by tabulation under administrative areas are mainly incidental to the very inconvenient system of collecting from one set of areas information which has to be tabulated for different and largely unrelated areas, and need not be described here. It will suffice to say that if by a reform in the law relating to registration the facts dealt with could be collected from the areas for which they are to be presented, the processes of tabulation would not only gain greatly in speed and convenience but also to some extent in accuracy.

The mechanical system of tabulation by cards, which has now been in operation for some months, has already proved its value, and will render possible the introduction of some important improvements in our statistics. A few of these may be mentioned.

1. Details of the cause of death in relation to age and sex for aggregates of large towns (outside of London), of smaller towns, and of rural areas, such as have hitherto only been given for the country as a whole and for London.

2. Double classification of causes of death, both for certain important causes every year, as described on page xi of the "Manual" referred to above, and for all causes in small sections of the list of causes at regularly recurring intervals. It is hoped that by dividing the International List of Causes of Death into ten sections and dealing with one of these sections annually it may be possible to publish details as to the certification of deaths allocated to each heading in the list once in ten years. This has never yet been attempted in England, and should, if the plan can be successfully carried out, throw much fresh light upon the causes of mortality in this country. It will be shown, for instance, how much of the mortality returned as due to acute specific fevers is certified as directly due to the diseases in question and how much to their various complications and sequelæ; while on the other hand the same process will for the first time render it possible to obtain an estimate of the total number of fatal cases of such diseases as bronchitis and pneumonia, many deaths from which

under the ordinary system of classification by single causes of death are necessarily listed to the diseases primarily responsible for these conditions.

It is interesting to note that in his Report on the Nomenclature and Statistical Classification of Diseases, appended to the Annual Report for 1853, Dr. Farr wrote (p. 78) as follows :—

“To render the analysis of the *causes of death* complete it will be necessary to subject a certain number of them to a *second analysis* ; showing, for example, the various ways in which *child-birth* is fatal, the circumstances in which *fatal accidents* occur, the cases of *measles* that terminate in *bronchitis* or *pneumonia*, of *scarlatina* that pass into *dropsy*, and the *duration* of each fatal case.”

Except in the case of childbirth it has not been found practicable to carry out this suggestion under the old system of tabulation, but the introduction of tabulation by cards now gives the opportunity for considerable progress in the direction laid down almost sixty years ago. The certification of duration of fatal disease has never been sufficiently complete or reliable to warrant analysis of the information received under this head.

3. Statement, where required, of the nature of the place where death occurred, as private house, hospital, poor law infirmary, &c. A demand for this information has recently arisen in the case of pulmonary tuberculosis as a means of measuring the amount of the protection secured to healthy members of the community by the isolation in institutions of those affected during the final and most infectious stages of the disease. In the case of cancer and some other diseases the same information is required for quite another purpose, namely, in order to distinguish those returns in which the statement of cause of death is presumably most reliable, having as a rule been verified by post mortem examination where required. It is obvious that, when tables can be presented showing the site of fatal cancers certified in hospital practice, an increase may be looked for in the usefulness of the returns hitherto presented in regard to this matter. It may be anticipated also that a knowledge of the extent to which institutional accommodation is provided and used for various forms of fatal disease in different parts of the country and for persons of different occupations will be found of considerable sociological interest.

4. Classification of deaths by date of occurrence. This will not be undertaken generally in much detail, but where the nature of the disease under investigation renders such information of special interest it will be very much more readily obtainable under the new system than under the old.

5. More detailed statement of age distribution of mortality. The distribution of mortality according to age will in future be more fully stated than hitherto ; and in the case of females its distribution in relation to marriage will also be shown in cases where this is of special interest.

In the first thirteen Annual Reports of the Registrar-General deaths were classified in age-groups of not more than five years each throughout the whole of life, but from the year 1851 onwards the decennial grouping has been substituted at ages over 25. The reason for the change does not appear to have been recorded, but presumably it was introduced on account of the undue proportion of deaths

registered as occurring at such ages as 40, 50, 60, &c. It has been felt that a system of grouping was unsuitable under which such deaths were necessarily allocated in many instances to an age-group to which they did not properly belong, and that it was better to use a larger group with the points of maximum uncertainty of statement as far as possible removed from the limiting ages.

As a result, however, of study of the returns made as to age at the Census of 1901 it was stated in the General Report upon that Census (page 64) that "the errors that would result from the use of multiples of ten years as the boundaries of age-groups are now less serious than had been supposed." This opinion was founded upon the tabulation by single years of the ages of about half a million of the enumerated population. All the deaths registered during 1910 have been similarly tabulated, the result being shown in Table XX. Examination of these tables shows that the "heaping up" of deaths at ages which are multiples of 10 is caused mainly by transfer from the next succeeding year of age in each case. This fact is of importance in justifying reversion to the practice of quinquennial grouping, for transfer in registration from true age $10x + 1$ to age $10x$ does not affect the quinquennial group total, whereas transfer from $10x - 1$ to $10x$ would do so.

Additional reasons for the adoption of quinquennial grouping are (1) that it has been in use for the statement of the ages of the living in every Census from 1841 onwards; (2) that if for any purpose decennial grouping is considered preferable it can easily be reverted to by summing together the appropriate quinquennial groups; and (3) that quinquennial grouping will furnish material for comparison of mortality in relation to age with those countries which use decennial age-groups bounded by even multiples of ten, as 30—, 40—, 50—, &c. There has hitherto been difficulty in comparing these groups with our 25—, 35—, 45—, &c.

Table XX showing the number of deaths returned at each individual year of age appears for the first time in this Report. It will be repeated in subsequent issues, as it is hoped that in conjunction with the similar tables to be issued in the Census Report such tables may be of use in connexion with the calculation of life tables.

The delay in the publication of the present Report is due mainly to the pressure of work in connexion with the changes above referred to; but one of the incidental advantages of these changes is that it will be possible, in future, to issue the Annual Report at an earlier date than has been customary in the past.

I cannot conclude without a reference to the recent deaths, on the 12th and 18th of April respectively, of Dr. Ogle and Mr. Waters, both of whom have been intimately connected with the statistical work of this Department. Dr. William Ogle was appointed Superintendent of Statistics in 1880 and, until his retirement in 1893, he carried on with marked ability and energy the work of developing and improving the national system of vital statistics founded by his eminent predecessor Dr. Farr. During this period he was the author of many valuable contributions to sanitary science in the Annual Reports of the Registrar-General and elsewhere, and he was responsible for the Reports on the Censuses of 1881 and 1891 as also for the Decennial Supplement to the Annual Reports for 1871 to 1880 which involved the construction of new English Life Tables and embodied the results of much investigation on the question of occupational mortality. Mr. Alfred Charles Waters, I.S.O., who had served for nearly 46

years in this Office and had been Chief Clerk since 1905, was well known in connexion with several improvements in life table construction and other statistical methods, and took a prominent part in the preparation of the various sections of the Reports on the Census of 1901 as well as in the preparatory work for the Census of 1911. His competence in statistics and mathematics made him a most valuable member of my staff which will be seriously weakened by his unexpected death.

In conclusion, I have to convey my thanks to the various foreign and colonial authorities for the information from which the International Vital Statistics have been compiled, and to Dr. W. N. Shaw, F.R.S., for the Meteorological Report of the year 1910.

I have the honour to be,

Sir,

Your obedient Servant,

BERNARD MALLET,

Registrar-General.

*General Register Office,
Somerset House,
April, 1912.*

R E V I E W OF THE VITAL STATISTICS OF THE YEAR 1910.

POPULATION.

Since the issue of the last Annual Report a Census has been taken, and the result, subject to final revision, was that on April 3rd, 1911, the population of England and Wales consisted of 36,075,269 persons, as compared with 32,527,843 in 1901. It has therefore become possible to abandon the provisional estimates of population, which had been in use for the middle of 1901 and subsequent years, and to substitute more trustworthy estimates based on the ascertained increase of population in the recently completed intercensal period.

For the country as a whole the population at the middle of each of the years 1901 to 1910 has been calculated on the assumption of uniform increase by geometrical progression. Estimated in this way the population of England and Wales at the middle of the year 1910 was 35,796,289 persons. Allowing for the change between 1901 and 1910 in the proportion of the sexes, as estimated from the result of the recent census, 17,313,221 of these persons were males and 18,483,068 were females. These figures have been used in the calculations of the Marriage, Birth and Death rates for the present Report.

For parts of the country the method adopted in this Report for the calculation of estimates of population is that described in the Annual Report for 1907, pages cxxxii.-cxxxiv.

By this method, P_0 and P_1 being the enumerated population of England and Wales in 1901 and 1911, and π_0 and π_1 the corresponding populations of any part of the country, if P_t be the population (however estimated) of the country as a whole at an intercensal time t , the estimated population π_t of the part of the country at the same time is

$$\frac{P_1 - P_t}{P_1 - P_0} \pi_0 + \frac{P_t - P_0}{P_1 - P_0} \pi_1$$

Representing $\frac{P_1 - P_t}{P_1 - P_0}$ by m and $\frac{P_t - P_0}{P_1 - P_0}$ by n , and assuming the population of England and Wales in the middle of each year to be calculated by geometrical progression, the factors m and n for values of t corresponding to the middle of each of the years 1901 to 1910, are as follows :—

Year.				Factor m .	Factor n .
1901	*97623883	*02376117
1902	*88058609	*11941391
1903	*78393771	*21606229
1904	*68628155	*31371845
1905	*58761057	*41238943
1906	*48791434	*51208566
1907	*38718017	*61281983
1908	*28539623	*71460377
1909	*18255405	*81744595
1910	*07864294	*92135706

Take, for example, the case of London. The population in 1901 was 4,536,267 ; in 1911 it was (subject to revision) 4,522,961. Multiplying

these numbers by the factors m and n in the above table corresponding to the year, say, 1908, the sum of the two products gives the estimated population at the middle of that year.

$$\begin{array}{rcl} \text{Thus} & 4,536,267 \times \cdot 28539623 & = 1,294,634 \\ & 4,522,961 \times \cdot 71460377 & = 3,232,125 \end{array}$$

$$\text{Sum} \quad \dots \quad \dots \quad \underline{\underline{4,526,759}}$$

This estimate, 4,526,759, is the population that has been used for calculating the death-rates in London during 1908 for the purpose of this Report.

The factors in the above table are based upon the unrevised populations of 1911, as shown in the Preliminary Report on the Census and are given here because it was necessary to use the unrevised Census populations for the purpose of this Report.

At a period so close to the date of a Census it may be assumed that estimates of population for the most part approximate very closely to the truth, whatever the method of estimation employed, but the case is different with years nearer the centre of the intercensal period, and when estimates have to be made for years considerably subsequent to the date of the last available Census the uncertainty is still further increased. The methods to be used for estimating populations for dates subsequent to the Census of 1911 are therefore at present receiving careful consideration, in order that errors of estimation, inevitably large in the absence of a quinquennial Census, may be reduced as far as practicable.*

Although the total numbers of males and females can be closely estimated from the results of the recent Census, it is not yet possible

*It may be stated here that for the purposes of the Annual Summary for 1911, and of the Weekly and Quarterly Returns for 1912 the method above referred to has been adopted for estimates of populations at the middle of each of the years 1911 and 1912. In this case, P_t being greater than P_1 the formula for the population of a district becomes

$$\frac{P_t - P_0}{P_1 - P_0} \pi_1 - \frac{P_t - P_1}{P_1 - P_0} \pi_0.$$

Writing $\frac{P_t - P_0}{P_1 - P_0} \pi_1$ in the form $\frac{(P_t - P_1) + (P_1 - P_0)}{P_1 - P_0} \pi_1$ the whole expression becomes

$$\begin{aligned} & \frac{(P_t - P_1) + (P_1 - P_0)}{P_1 - P_0} \pi_1 - \frac{P_t - P_1}{P_1 - P_0} \pi_0 \\ &= \frac{P_t - P_1}{P_1 - P_0} \pi_1 + \frac{P_1 - P_0}{P_1 - P_0} \pi_1 - \frac{P_t - P_1}{P_1 - P_0} \pi_0 \\ &= \pi_1 + \frac{P_t - P_1}{P_1 - P_0} (\pi_1 - \pi_0) \end{aligned}$$

Thus the population of each part of the country has been calculated by adding to the population enumerated in 1911 the product of the increase or decrease of population in the last intercensal period multiplied by the factor $\frac{P_t - P_1}{P_1 - P_0}$. The estimates by this method of the population of the several parts of the country, however divided, will sum to the total population of the whole country.

For values of t corresponding to the middle of the years 1911, 1912 and 1913, the values of $\frac{P_t - P_1}{P_1 - P_0}$ calculated upon the revised population of England and Wales in 1911 are as follows :—

$$\begin{array}{l} 1911 \cdot 02634780 \\ 1912 \cdot 13242746 \\ 1913 \cdot 23960799 \end{array}$$

Thus, the population of the extended City of Birmingham was 759,063 in 1901, and 840,202 in 1911, the increase in the intercensal period having been 81,139. The estimated population of the City at the middle of the year 1912 is therefore

$$840,202 + 81,139 \times \cdot 13242746 = 850,947.$$

to extend this calculation to the ages and civil condition of the people in 1910, as the Census tabulation of these matters is not yet complete. For this reason a considerable number of tables relating to marriages and births which have been inserted in recent years, and which involve an assumption of the constitution of the population in regard to age and civil condition, are omitted in this Report. The assumptions hitherto in use can no longer be continued, as a portion of the material requisite for their revision is available, nor can they as yet judiciously be revised, as this material is not yet complete. In the case of deaths, however, the assumptions involved are fewer, condition as to marriage not being taken into consideration, and owing to the great importance of the statement of death-rates in a corrected form it has been deemed advisable to continue the publication of many of these, even under the peculiar circumstances of the present year.

MARRIAGES.

The marriages in England and Wales during the year 1910 numbered 267,721, corresponding to a rate of 15·0 persons married per 1000 of the population at all ages. This rate was 0·3 per 1000 above the corresponding rate in 1909, but 0·6 below the average rate in the ten years 1900–1909.

Complete statistics of the marriages recorded in England and Wales are available only from 1st July, 1837, on which date the Births, Deaths, and Marriages Registration Acts of 1836 came into operation. The proportion to the total population of persons married during the 73 years (1838–1910) has ranged between a maximum of 17·9 per 1000 living in 1853, and a minimum of 14·2 per 1000 in 1886, the mean annual rate in the whole period being 16·0 per 1000.

The discussion of marriage-rates in proportion to numbers of marriageable persons, which has been included in recent Annual Reports, is omitted on this occasion for the reason stated above.

Re-Marriages.—The subjoined table gives a general view of the changes in the proportions of first marriages and re-marriages since the year 1876. It will be observed that the proportion of re-marriages shows an almost continuous decrease.

TABLE I.—ENGLAND AND WALES.—PROPORTIONS OF FIRST MARRIAGES AND RE-MARRIAGES IN 1000 MARRIAGES.

Period.		Men.		Women.		Bachelors who married.		Widowers who married.	
		Bachelors.	Widowers.	Spinsters.	Widows.	Spinsters.	Widows.	Spinsters.	Widows.
1876–80	...	864	136	902	98	820	44	82	54
1881–85	...	874	126	911	89	834	40	77	49
1886–90	...	881	119	917	83	844	37	73	46
1891–95	...	887	113	921	79	851	36	70	43
1896–1900	...	904	96	931	69	871	33	60	36
1901–05	...	911	89	933	67	877	34	56	33
1906–10	...	916	84	938	62	884	32	54	30
1906	...	917	83	938	62	885	32	53	30
1907	...	916	84	939	61	885	31	54	30
1908	...	914	86	936	64	881	33	55	31
1909	...	915	85	939	61	884	31	55	30
1910	...	916	84	938	62	884	32	54	30

The Divorced.—The numbers of persons divorced annually had been increasing for many years, but were fewer in 1910 than in any other year since 1906. The marriages of persons described as divorced which had also steadily increased until the year 1909 showed a decrease in 1910.

TABLE II.—ENGLAND AND WALES.—AVERAGE ANNUAL **Number** OF PERSONS DIVORCED, AND OF DIVORCED PERSONS WHO RE-MARRIED, 1876-1910.

Period.	Number of Persons divorced.	Number of Divorced persons who re-married.							
		Total.	Men.	Women.	Divorced men and spinsters.	Divorced men and widows.	Divorced men and divorced women.	Divorced women and bachelors.	Divorced women and widowers.
1876-80 ...	554	104	56	48	42	12	2	31	15
1881-85 ...	671	128	68	60	53	12	3	42	15
1886-90 ...	707	169	80	89	65	11	4	65	20
1891-95 ...	744	214	110	104	89	15	6	75	23
1896-1900 ...	980	345	172	173	138	24	10	126	37
1901-05 ...	1126	509	262	247	205	38	19	181	47
1906-10 ...	1247	693	356	337	276	53	27	253	57
1906... ..	1092	676	351	325	268	55	28	227	70
1907... ..	1288	636	309	327	259	31	19	259	49
1908... ..	1276	708	365	343	276	63	26	267	50
1909... ..	1388	737	383	354	287	61	35	260	59
1910... ..	1192	710	372	338	292	54	26	256	56

The number of divorced persons who re-married in 1876-80 was equal to about 19 per cent. of the number divorced during that period, whereas in 1910 the proportion had risen to about 60 per cent. It should be pointed out, however, that in some cases persons who have been divorced abroad re-marry in this country, and also that the figures given in the table refer only to persons described in the marriage register as divorced, and possibly this description is not given in all cases in which it is applicable.

Ages at Marriage.—When civil registration commenced the ages of both parties were stated in only about six per cent. of the marriages. Since then this proportion has gradually risen. The proportions in 1910 were 99·22 per cent. in the case of husbands and 99·14 in that of wives, showing a slight decrease upon the proportions in the preceding year. Unstated ages are more frequent in re-marriages than in first marriages and most frequent of all in re-marriages of widowers.

For the purposes of Table III. the marriages in which the ages were not stated have been distributed to the various ages in the proportions shown in the stated cases, as, although it is probable that the proportion of unstated ages is higher in the later age-groups, there is no means of estimating to what extent this may be the case. The calculations have been restricted to the last three census periods in order to avoid errors which might arise from erroneous estimates of sections of the population for intercensal years.

TABLE III.—ENGLAND AND WALES.—AVERAGE ANNUAL MARRIAGE-RATES of UNMARRIED and WIDOWED PERSONS at SIX AGE-GROUPS, 1880-2; 1890-2; and 1900-2.

—		Aged 15 years and upwards.*	15-	20-	25-	35-	45-	55 and up-wards.
<i>Bachelors.</i>								
1880-2	...	58·7	4·6	106·8	112·4	40·5	14·3	3·0
1890-2	...	57·1	3·1	94·7	122·4	43·4	15·2	3·5
1900-2	...	54·7	2·5	85·9	123·7	44·2	14·6	3·3
<i>Widowers.†</i>								
1880-2	...	52·9	30·6	192·9	246·5	157·8	76·9	16·0
1890-2	...	50·7	14·1	153·4	231·7	151·1	74·7	15·5
1900-2	...	44·4	—	132·6	201·7	134·1	65·3	13·5
<i>Spinsters.</i>								
1880-2	...	59·0	21·5	121·9	80·6	26·3	10·4	1·6
1890-2	...	55·7	16·2	112·4	85·7	26·4	10·3	1·7
1900-2	...	53·0	13·0	104·8	88·5	25·3	9·1	1·5
<i>Widows.†</i>								
1880-2	...	15·5	56·6	155·3	114·5	50·2	18·6	2·6
1890-2	...	15·2	49·3	150·4	114·3	50·3	17·8	2·4
1900-2	...	14·4	54·9	140·7	115·9	48·9	15·6	2·1

* The rates in each period are based on the age-constitution and proportions of these particular sections of the population as enumerated at the Census of 1901, in the same manner as is described in reference to death-rates in the footnote on page xxviii.

† The apparent anomaly, that the rates for widowers and widows at all ages are much lower than those for bachelors and spinsters respectively, while at each separate age-period they are higher, is explained by the fact that the higher rates for the single of both sexes relate to age-periods at which their numbers are comparatively large, while the higher rates for the widowed relate to age-periods at which their numbers are comparatively small.

The table shows that while the marriage rates for widowers in each age-group have steadily declined, those for bachelors have generally increased at ages above 25, below which age there is a large decrease. The rates for women, whether single or widowed, have declined in all age-groups except 25-35. The increase at this period of life clearly shows the effect of the modern tendency towards postponement of marriage.

Tables IV. and V. show the proportions by age of bachelors, spinsters, widowers, and widows who married during the period 1886-1910.

TABLE IV.—ENGLAND AND WALES.—AGE-CONSTITUTION of BACHELORS and SPINSTERS who MARRIED, reduced to 1,000 MARRIAGES at ALL AGES, 1886-1910.

Period.	All Ages.	Minors.				Full Age.									Age not Stated.
		Under 18 Years.	18-	19-	20-	21-	25-	30-	35-	40-	45-	50-	55 and upwards.		
<i>Bachelors.</i>															
1886-1890	1000	0	4	20	47	424	309	96	33	13	6	3	2	43	
1891-1895	1000	0	3	17	43	415	333	108	37	14	6	3	2	19	
1896-1900	1000	0	3	15	39	411	346	110	39	15	6	3	2	11	
1901-1905	1000	0	3	13	35	390	360	122	41	16	7	3	2	8	
1906-1910	1000	0	3	11	30	370	372	132	46	17	8	3	2	6	
1906 ..	1000	0	3	12	32	380	368	127	43	16	7	3	2	7	
1907 ..	1000	0	2	11	31	379	368	130	44	16	7	3	2	7	
1908 ..	1000	0	2	11	30	374	369	132	46	18	7	3	2	6	
1909 ..	1000	0	3	12	29	362	373	136	48	18	8	3	2	6	
1910 ..	1000	0	3	11	27	356	381	137	48	18	8	3	2	6	
<i>Spinsters.</i>															
1886-1890	1000	9	37	72	97	417	219	62	23	10	5	2	1	46	
1891-1895	1000	7	31	66	94	425	241	70	25	11	5	2	1	22	
1896-1900	1000	6	27	59	89	434	253	74	26	11	5	2	1	13	
1901-1905	1000	5	23	53	82	428	272	79	28	12	5	2	1	10	
1906-1910	1000	5	21	48	75	420	284	87	30	12	6	2	2	8	
1906 ..	1000	5	22	51	77	428	278	83	28	11	6	2	1	8	
1907 ..	1000	5	22	48	76	423	281	85	29	12	6	2	2	9	
1908 ..	1000	5	21	48	75	419	282	88	31	12	6	3	2	8	
1909 ..	1000	5	21	47	72	414	289	90	31	13	6	3	2	7	
1910 ..	1000	5	21	45	71	410	293	92	32	13	6	3	2	7	

TABLE V.—ENGLAND AND WALES.—AGE-CONSTITUTION of WIDOWERS and WIDOWS who MARRIED, reduced to 1,000 MARRIAGES at ALL AGES, 1886-1910.

Period.	All Ages.	Minors.	Full Age.												Age not Stated.
			21-	25-	30-	35-	40-	45-	50-	55-	60-	65-	70 and up-wards.		
Widowers.															
1886-1890	1000	0	13	81	133	151	139	120	94	70	53	27	15	104	
1891-1895	1000	0	12	76	132	153	148	126	106	74	55	29	18	71	
1896-1900	1000	0	10	73	131	158	150	136	109	84	56	30	19	44	
1901-1905	1000	0	10	68	130	155	152	136	116	83	62	32	20	36	
1906-1910	1000	0	8	61	123	153	152	141	119	90	62	37	24	30	
1906 ..	1000	0	10	66	125	149	152	143	117	87	60	36	20	35	
1907 ..	1000	—	8	63	126	150	155	136	119	91	62	38	22	30	
1908 ..	1000	0	8	60	123	154	156	142	118	87	64	37	23	28	
1909 ..	1000	0	9	59	119	154	149	143	119	91	64	37	27	29	
1910 ..	1000	0	8	56	122	154	149	144	122	93	62	36	26	28	
Widows.															
1886-1890	1000	1	30	119	164	173	145	117	73	46	26	10	3	93	
1891-1895	1000	1	27	115	170	177	157	119	78	47	29	10	4	66	
1896-1900	1000	1	26	113	175	188	157	127	81	50	28	11	3	40	
1901-1905	1000	1	28	122	182	190	158	118	78	47	29	11	4	32	
1906-1910	1000	1	23	106	177	192	160	129	82	52	30	14	6	28	
1906 ..	1000	1	23	113	180	184	162	131	78	48	31	12	4	33	
1907 ..	1000	1	25	108	180	192	158	128	82	50	30	14	5	27	
1908 ..	1000	1	23	108	174	196	160	131	78	53	31	14	5	26	
1909 ..	1000	1	22	101	175	195	162	126	84	55	29	15	7	28	
1910 ..	1000	1	22	102	175	194	157	132	86	53	29	16	7	26	

Marriages of Minors.—The proportion of marriages under age was at its maximum in the year 1874 both for males and females. It will be seen from Table 9, page 10, that since that year the ratio of such marriages to total marriages has declined continuously.*

Among registration counties with populations exceeding 100,000 persons the highest and lowest proportions in the year 1910 per 1,000 of husbands and of wives under age at marriage were as shown in Table VI. Similar information is stated for all counties in Table 12, page 13.

The highest proportions of marriages of minors were recorded in the mining and manufacturing counties and the lowest in the agricultural counties.

It may be observed that marriages of minors are proportionately more common in Scotland than in England and Wales; while in Ireland the proportion of such marriages is far below the English and Scottish ratios.

* The decreasing tendency to early marriage is more accurately indicated by the proportion of men and women who marry at the earlier ages to the numbers living at those ages. See Table III.

TABLE VI.

Registration Counties.	Highest proportions of minors per 1000 Marriages.	Registration Counties.	Lowest proportions of minors per 1000 Marriages.
<i>Husbands.</i>			
England and Wales, 38.			
Nottinghamshire	67	Gloucestershire	24
Durham	55	Wiltshire	24
Derbyshire	53	Shropshire	22
Leicestershire	52	Hampshire	20
Staffordshire	52	Kent	20
West Riding of Yorkshire	50	Denbighshire	19
Monmouthshire	48	Surrey	17
North Riding of Yorkshire	47	Herefordshire	12
		Carnarvonshire	11
<i>Wives.</i>			
England and Wales, 133.			
Durham	222	Sussex	94
Monmouthshire	209	Berkshire	93
Nottinghamshire	202	Surrey	93
Glamorganshire	187	Middlesex	92
Derbyshire	172	Herefordshire	87
Northumberland	170	Gloucestershire	85
North Riding of Yorkshire	168	Somersetshire	83
Staffordshire	168	Carnarvonshire	46

Mean Age at Marriage.—Although the mean age at marriage is for many purposes a convenient summary of the statement as to age, it must be borne in mind that it forms only a very imperfect measure of changes in the age at which marriage takes place.

The great reduction that has taken place in the disturbing factor of unstated ages, has rendered it possible to measure with approximate accuracy for a series of recent years the mean age at marriage, based on the recorded ages.

TABLE VII.—ENGLAND AND WALES.—MEAN AGES at MARRIAGE 1896-1910 (recorded ages).—HUSBANDS.

Year.	All Husbands.	All Bachelors.	All Widowers.	Bachelors with Spinsters.	Bachelors with Widows.	Widowers with Spinsters.	Widowers with Widows.
1896 ...	28·43	26·59	44·49	26·30	33·93	41·38	49·60
1897 ...	28·38	26·63	44·53	26·35	34·10	41·43	49·73
1898 ...	28·34	26·62	44·70	26·34	33·94	41·82	49·69
1899 ...	28·34	26·65	44·90	26·37	34·29	41·87	49·81
1900 ...	28·41	26·68	45·02	26·39	34·35	42·19	49·75
1901 ...	28·55	26·76	45·18	26·48	33·94	42·43	49·69
1902 ...	28·53	26·88	44·96	26·60	33·94	42·11	49·81
1903 ...	28·49	26·91	44·94	26·63	34·24	42·16	49·72
1904 ...	28·46	26·93	45·03	26·66	34·06	42·25	49·98
1905 ...	28·56	27·01	45·27	26·74	34·26	42·47	50·18
1906 ...	28·56	27·03	45·37	26·76	34·39	42·59	50·25
1907 ...	28·66	27·10	45·62	26·84	34·58	42·85	50·56
1908 ...	28·78	27·19	45·69	26·92	34·57	42·92	50·66
1909 ...	28·88	27·29	45·93	27·02	35·00	43·23	50·85
1910 ...	28·92	27·36	45·93	27·09	34·96	43·14	50·89

Tables VII. and VIII. show that the mean age at marriage has steadily increased during the whole period both for bachelors and for spinsters, and a similar tendency, with slight fluctuations, is noticeable in the case of widowers. In the case of widows the mean age has shown a progressive increase since 1902.

TABLE VIII.—ENGLAND AND WALES.—MEAN AGES at MARRIAGE 1896-1910 (recorded ages).—WIVES.

Year.	All Wives.	All Spinsters.	All Widows.	Spinsters with Bachelors.	Widows with Bachelors.	Spinsters with Widowers.	Widows with Widowers.
1896 ...	26·21	25·08	40·58	24·54	35·69	32·43	44·81
1897 ...	26·18	25·10	40·74	24·59	35·95	32·31	45·00
1898 ...	26·18	25·14	40·59	24·62	35·85	32·68	45·04
1899 ...	26·21	25·16	40·83	24·65	36·12	32·83	45·16
1900 ...	26·29	25·23	40·74	24·71	36·19	32·97	44·95
1901 ...	26·39	25·31	40·43	24·77	35·65	33·04	44·96
1902 ...	26·37	25·36	40·25	24·86	35·62	32·86	44·95
1903 ...	26·35	25·37	40·27	24·89	35·69	32·93	45·01
1904 ...	26·32	25·37	40·35	24·90	35·82	33·03	45·22
1905 ...	26·38	25·43	40·53	24·96	36·02	33·08	45·29
1906 ...	26·41	25·46	40·79	24·99	36·27	33·30	45·53
1907 ...	26·49	25·54	40·91	25·06	36·32	33·43	45·68
1908 ...	26·61	25·63	41·02	25·13	36·43	33·71	45·86
1909 ...	26·69	25·73	41·27	25·22	36·71	33·85	45·98
1910 ...	26·75	25·79	41·33	25·30	36·83	33·85	46·07

The following comparison for the year 1910 between the mean age at marriage in London and the rest of England and Wales may be of interest.

TABLE IX.—MEAN AGE AT MARRIAGE.

Marriages of—					Husbands.		Wives.	
					England and Wales, less London.	London.	England and Wales, less London.	London.
Bachelors	27·24	28·05	25·63	26·10
Widowers	45·74	47·02	38·31	37·88
Spinsters	27·89	28·69	25·74	26·09
Widows	42·77	42·43	41·44	40·76
Bachelors with spinsters	26·98	27·70	25·25	25·62
Bachelors with widows	34·77	35·87	36·75	37·19
Widowers with spinsters	42·85	44·78	33·86	33·82
Widowers with widows	50·84	51·23	46·16	45·54
In all marriages	28·80	29·62	26·70	27·08

NOTE.—The table is to be read as follows:—The mean age of all the bachelors who married was 28·05 years in London, and 27·24 in the rest of the country; the mean age of their wives being 26·10 and 25·63 years respectively. The mean age of all the spinsters who married was 26·09 years in London, and 25·74 in the rest of the country: the mean age of their husbands being 28·69 and 27·89 years respectively.

Signature in Marriage Register.—The proportion of husbands who failed at the time of marriage to sign their names in the marriage register has gradually fallen from 32·6 per cent. in 1841-45 to 1·1 in 1910,

and of wives from 48·9 to 1·2. In the home and the agricultural counties the proportion of illiterate men is higher, and in the mining and industrial counties lower, than that of the opposite sex.

Buildings in which Marriages may be Solemnized.—At the end of the year 1910 the number of churches or chapels of the Established Church, and of registered buildings in which marriages could be legally solemnized were as follows :—

Established Church	15,811
All other Religious Denominations	15,787
Total	<u>31,598</u>

The increase upon the numbers at the end of the previous year was : Established Church 41, other religious denominations 253.

By the Acts 15 and 16 Vict., c. 36, and 18 and 19 Vict., c. 81, it was enacted that all places of religious worship not being churches or chapels of the Established Church should, if the congregations desired, but not otherwise, be certified to the Registrar General ; certification for public worship being a necessary preliminary to the registration of a building for the solemnization of marriages. The number of places of meeting for religious worship on the official register on 31st December, 1910, and the number of buildings registered for the solemnization of marriages appear in the following table :—

TABLE X.

Denomination.	Buildings certified to the Registrar- General as Meeting places for Religious Worship.	Buildings registered for the Solemnization of Marriages.*
Roman Catholics	1,376	1,321
Wesleyan Methodists	7,429	3,628
Congregationalists	3,228	2,887
Baptists	3,004	2,576
Primitive Methodists	4,225	1,618
United Methodist Church	1,945	1,146
Calvinistic Methodists	1,188	875
Presbyterians	436	438
Unitarians	180	197
New Jerusalem Church	53	56
Catholic Apostolic Church	71	49
Countess of Huntingdon's Connexion	44	43
Salvation Army	1,210	40
Society of Friends	417	—†
Jews	203	—†
All others	2,698	913

* Of these buildings nearly 1000 were certified before 1852, as Places of Meeting for Religious Worship, to some other Authority than the Registrar-General and therefore are not included in the preceding column.

† It is not necessary for buildings to be registered for the Solemnization of Quaker or Jewish Marriages. Under section 31 of the Births, Deaths, and Marriages Registration Act (1836) Registering Officers of the Society of Friends and Secretaries of Jewish Synagogues who have been certified to the Registrar-General record the Marriages in each case.

The Marriage Act, 1898, provided that under specified conditions, marriages might be solemnized in registered buildings in the presence of duly authorised persons without the attendance of a Registrar of Marriages. The governing bodies of some of the registered buildings have availed themselves of this provision, and at the end of the year 1910 the number of such buildings which had been brought under the operation of the Act, and so remained, was 3,075 out of the total of 15,787; the numbers of these buildings and the denominations to which they belonged, were as follows :—

1,378	Wesleyan Methodists.
504	Congregationalists.
363	Primitive Methodists.
303	Baptists.
281	United Methodist Church.
75	Calvinistic Methodists.
171	Other Denominations, and Unsectarian.

3,075 Total.

These 3,075 registered buildings were distributed among 497 of the registration districts. In the remaining 137 registration districts there was no registered building under the operation of this Act.

Mode of Solemnization.—The following table shows the changes in the mode of solemnization of marriages that have taken place since 1851.

TABLE XI.

Period.	Of 1000 Marriages.					Civil Marriages in Superintendent Registrars' Offices.
	With Religious Ceremonial.					
	Anglican.	Non- conformist.	Roman Catholic.	Jewish.	Total.	
1851-55	842	62	48	1·7	954	46
1856-60	820	71	46	1·8	939	61
1861-65	788	85	47	1·8	922	78
1866-70	769	96	43	1·8	910	90
1871-75	752	103	41	2·3	898	102
1876-80	727	113	42	2·4	884	116
1881-85	711	114	44	2·7	872	128
1886-90	702	116	42	3·8	864	136
1891-95	692	118	41	4·9	856	144
1896-1900	681	123	40	5·9	850	150
1901-05	650	131	41	7·3	829	171
1906-10	620	132	42	7·1	801	199
1906	631	131	42	8·3	812	188
1907	624	132	42	7·2	805	195
1908	616	132	41	6·6	796	204
1909	614	132	42	6·8	795	205
1910	616	130	42	6·8	795	205

Almost four-fifths of the marriages contracted in England and Wales during 1910 were solemnized with religious ceremonial. This proportion has been steadily decreasing since 1851 owing to the

growing tendency to resort to superintendent registrars' offices for purely civil marriage, and in 1910 it was equal to that in 1909 which was lower than in any previous year. The proportion of Established Church marriages is 2 per 1000 in excess of that in 1909, which was the lowest on record, while that of Nonconformist marriages is 2 per 1000 below the maximum attained in 1909 and some preceding years.

With regard to marriages in the Established Church it will be of further interest to give a statement showing what proportion were by Licence, Banns, and Superintendent Registrar's Certificate respectively.

TABLE XII.

Period.	Proportional Numbers of Marriages according to the Rites of the Established Church.					
	Total.	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.
1851-55	100	0·01	14·94	78·17	2·77	4·11
1856-60	100	0·01	15·54	78·51	3·01	2·93
1861-65	100	0·01	14·56	79·85	3·04	2·54
1866-70	100	0·01	13·29	81·79	2·94	1·97
1871-75	100	0·01	11·50	85·08	2·68	0·73
1876-80	100	0·02	11·12	85·96	2·46	0·44
1881-85	100	0·05	8·84	88·29	2·48	0·34
1886-90	100	0·02	7·26	90·15	2·30	0·27
1891-95	100	0·02	6·23	91·64	1·88	0·23
1896-1900	100	0·01	5·10	93·32	1·40	0·17
1901-05	100	0·02	4·80	93·97	1·09	0·12
1906-10	100	0·02	4·46	94·42	0·99	0·11
1906	100	0·02	4·43	94·41	1·05	0·09
1907	100	0·01	4·41	94·46	1·02	0·10
1908	100	0·02	4·46	94·46	0·96	0·10
1909	100	0·02	4·61	94·26	0·97	0·14
1910	100	0·02	4·40	94·53	0·94	0·11

These figures show that speaking generally while the proportion of marriages by Licence and by Superintendent Registrar's Certificate has steadily declined, the proportion of marriages by Banns has steadily increased.

It has already been stated that under the provisions of the Marriage Act, 1898, marriages may be solemnized in registered buildings in the presence of duly authorised persons without the attendance of a registrar of marriages. The proportions of such marriages per 1000 of the total from the date when the Act came into operation and the proportions of marriages before registrars (including marriages of Roman Catholics, but not those of Quakers) have been as follows :—

TABLE XIII.—PROPORTION PER 1000 OF TOTAL MARRIAGES.

Year.	In Registered Buildings.		Year.	In Registered Buildings.	
	Before Registrar.	Before Authorised Person.		Before Registrar.	Before Authorised Person.
1899 ...	154	11	1905 ...	141	32
1900 ...	146	22	1906 ...	139	33
1901 ...	145	24	1907 ...	138	35
1902 ...	142	26	1908 ...	136	37
1903 ...	143	28	1909 ...	134	40
1904 ...	142	30	1910 ...	128	44

Of the 1811 Jewish marriages contracted in the year 1910 in England and Wales, 1308, or 72 per cent., were registered in London, 160, or 9 per cent., in the city of Manchester, and 116, or 6 per cent., in the city of Leeds. Of the Jewish marriages in London, no fewer than 1059, or 81 per cent., were registered in a group of three registration districts—London City, Whitechapel, and Mile End Old Town.

Table 11 gives particulars as to the forms under which marriages have been contracted in the various counties during 1910.

BIRTHS.

The births registered in the year 1910 numbered 896,962 ; of these 860,327 were legitimate, and 36,635 were illegitimate.

In proportion to the total population of both sexes and all ages, the total births were equal to a rate of 25·1 per 1,000 living ; this rate was 0·7 per 1,000 less than that recorded in 1909, and was no less than 2·5 per 1,000 below the average of the low rates in the ten years 1900–1909.

In the year 1876 the birth-rate in this country attained the highest point on record, viz., 36·3 per 1,000 living, since which date the ratio has, with a few insignificant exceptions, fallen year by year.

The birth-rate, stated in terms of total population (crude birth-rate), must obviously vary with the proportion of females of conceptive ages in the population, and with the proportion of these married, but, for the reasons stated on p. xiii., the present time is unsuitable for any discussion of birth-rates in relation to proportions of potential mothers.

Sex Proportions at Birth.—In 1910 the births of males in England and Wales numbered 457,266 and the births of females 439,696 ; the male births were therefore to the female births in the proportion of 1040 to 1000. The proportions in successive groups of years 1838–1910 are shown in Table 4, page 6 ; since the commencement of birth registration the ratios have ranged from 1032 to 1054 per 1000. The proportion of boys to girls at birth is lower in England and Wales than in any European country. The excess in the proportional number of boys in the several counties of England and Wales varies considerably (see Table 13, p. 14) ; in registration counties with populations exceeding 100,000 the highest and lowest

proportions borne by male to female births during the ten years 1900-1909, were as follows :—

TABLE XIV.

Registration Counties.	Highest proportion of Male to 1000 Female births, 1900-1909.	Registration Counties.	Lowest proportion of Male to 1000 Female births, 1900-1909.
England and Wales, 1908.			
Carnarvonshire ...	1059	Herefordshire ...	1014
Cumberland ...	1058	Shropshire ...	1025
Bedfordshire ...	1057	Hertfordshire ...	1026
Buckinghamshire ...	1055	Nottinghamshire ...	1028
Monmouthshire ...	1054	Berkshire ...	1030
Cambridgeshire ...	1053	Leicestershire ...	1032
North Riding of Yorkshire.	1052	Oxfordshire ...	1033
Denbighshire ...	1052	Worcestershire ...	1033
Surrey ...	1045	Warwickshire ...	1033
		West Riding of Yorkshire.	1033

Illegitimate Births.—The births registered during the year 1910 included 36,635 of illegitimate children.

Illegitimacy is usually stated in the form of the proportion of illegitimate births either to total births or to total population. The first method of statement is however objectionable as expressing one variable (the rate of illegitimacy) in terms of another (the total birth-rate). A four per cent. rate of illegitimacy for instance in a district where the total birth-rate is 30 implies more illegitimacy than a five per cent. rate where the total birth-rate is 20. The second method yields the best expression of illegitimacy at present available for 1910, as for reasons already referred to the birth-rate among unmarried and widowed females aged 15-45 cannot as yet be stated.

Comparing the proportion of illegitimate births in England and Wales in the year 1910 with that obtaining in the quinquennial period 1876-80, it will be seen that the rate of illegitimacy based on total births had decreased by only about 14 per cent., while that based on the total population, showed during the same period a decline of 41 per cent. (Table xv.).

In the section of this report dealing with International Statistics, a table will be found (page lxxxviii) from which a comparison can be made between the proportion of illegitimacy in this country and in certain European and Colonial States. It will be noted from the figures in the table that in 1900-1902 the ratio of illegitimate births in proportion to the unmarried and widowed section of the population aged 15-45 years was in every country (except in the Netherlands and in Ireland) above the proportion recorded in England and Wales.

Illegitimate Births in Counties.—Table XVI. exhibits the rates of illegitimate fertility in the several counties at different periods. It will be noticed that, speaking generally, the rates in certain counties remain consistently high throughout, as in the four northern counties, East Anglia (except Essex, which is largely London) and North Wales. These counties, on the whole, contain few large towns

TABLE XV.—ENGLAND AND WALES.—ILLEGITIMATE BIRTH-RATES, 1876-1910.

Period.	In proportion to total Births.		In proportion to total Population.	
	Rate per 1000.	Compared with rate in 1876-80 taken as 100.	Rate per 1000.	Compared with rate in 1876-80 taken as 100.
1876-1880 ...	47·5	100·0	1·7	100·0
1881-1885 ...	48·0	101·1	1·6	94·1
1886-1890 ...	46·3	97·5	1·5	88·2
1891-1895 ...	42·4	89·3	1·3	76·5
1896-1900 ...	41·0	86·3	1·2	70·6
1901-1905 ...	39·5	83·2	1·1	64·7
1906-1910 ...	40·2	84·6	1·1	64·7
1876... ..	46·8	98·5	1·7	100·0
1877... ..	47·5	100·0	1·7	100·0
1878... ..	47·2	99·4	1·7	100·0
1879... ..	47·9	100·8	1·7	100·0
1880... ..	48·3	101·7	1·6	94·1
1881... ..	48·8	102·7	1·7	100·0
1882... ..	48·5	102·1	1·6	94·1
1883... ..	47·9	100·8	1·6	94·1
1884... ..	47·1	99·2	1·6	94·1
1885... ..	47·9	100·8	1·6	94·1
1886... ..	47·4	99·8	1·6	94·1
1887... ..	47·5	100·0	1·5	88·2
1888... ..	46·3	97·5	1·4	82·4
1889... ..	45·9	96·6	1·4	82·4
1890... ..	44·2	93·1	1·3	76·5
1891... ..	42·4	89·3	1·3	76·5
1892... ..	41·9	88·2	1·3	76·5
1893... ..	42·5	89·5	1·3	76·5
1894... ..	43·1	90·7	1·3	76·5
1895... ..	42·1	88·6	1·3	76·5
1896... ..	42·3	89·1	1·3	76·5
1897... ..	41·7	87·8	1·2	70·6
1898... ..	41·5	87·4	1·2	70·6
1899... ..	40·0	84·2	1·2	70·6
1900... ..	39·7	83·6	1·1	64·7
1901... ..	38·9	81·9	1·1	64·7
1902... ..	39·0	82·1	1·1	64·7
1903... ..	39·3	82·7	1·1	64·7
1904... ..	39·9	84·0	1·1	64·7
1905... ..	40·2	84·6	1·1	64·7
1906... ..	40·0	84·2	1·1	64·7
1907... ..	39·4	82·9	1·0	58·8
1908... ..	39·9	84·0	1·1	64·7
1909... ..	41·0	86·3	1·1	64·7
1910... ..	40·8	85·9	1·0	58·8

TABLE XVI.—ILLEGITIMATE BIRTH-RATES in each REGISTRATION COUNTY,
1870-72 to 1900-02.

Registration Counties.	Illegitimate Births to 1000 Unmarried and Widowed Females, aged 15-45 years.			
	Census periods.			
	1870-72.	1880-82.	1890-92.	1900-02.
England and Wales..	17'0	14'1	10'5	8'5
London	10'3	9'8	8'1	6'9
Surrey	9'5	8'5	6'6	5'9
Kent	14'7	12'1	9'3	7'5
Sussex	13'7	11'5	8'7	7'2
Hampshire ..	13'6	11'8	8'5	7'3
Berkshire ..	16'8	13'4	10'3	8'7
Middlesex ..	9'4	9'4	6'5	5'9
Hertfordshire..	18'4	15'3	10'4	7'0
Buckinghamshire	19'0	16'5	12'6	9'1
Oxfordshire ..	19'0	15'4	10'4	9'0
Northamptonshire	18'7	15'9	11'7	9'1
Huntingdonshire	19'8	14'0	12'9	10'9
Bedfordshire ..	21'1	18'0	11'2	8'4
Cambridgeshire	19'3	15'6	12'4	9'6
Essex	16'2	12'7	9'1	7'3
Suffolk.. ..	22'0	17'8	14'0	12'0
Norfolk	27'3	22'6	16'7	13'4
Wiltshire	17'1	14'7	10'3	9'2
Dorsetshire ..	14'2	13'1	9'6	7'2
Devonshire ..	14'0	10'6	8'1	6'7
Cornwall	16'5	14'8	11'2	8'6
Somersetshire ..	13'3	11'3	7'4	6'0
Gloucestershire	12'9	11'6	8'2	6'3
Herefordshire..	21'4	19'0	13'4	11'2
Shropshire	28'2	21'8	16'6	12'8
Staffordshire ..	24'6	19'4	14'5	11'2
Worcestershire	16'3	13'7	9'2	7'2
Warwickshire ..	14'9	13'2	9'7	7'6
Leicestershire ..	19'9	16'1	11'4	8'6
Rutlandshire ..	18'1	12'7	7'9	7'2
Lincolnshire ..	22'3	18'5	14'2	12'2
Nottinghamshire	24'5	21'7	15'4	12'7
Derbyshire	22'5	17'7	12'8	10'0
Cheshire	17'5	14'2	10'3	7'7
Lancashire	16'2	13'6	10'2	7'9
West Riding	20'4	16'1	11'4	9'4
East Riding	23'0	18'2	14'3	12'2
North Riding.. ..	27'7	20'2	15'4	12'1
Durham	24'0	18'0	13'8	11'1
Northumberland	21'1	17'9	12'4	10'2
Cumberland	29'2	23'9	18'6	12'3
Westmorland.. ..	21'9	17'9	13'1	8'6
Monmouthshire ..	18'6	15'9	11'3	10'2
Glamorganshire ..	17'7	13'5	10'3	8'5
Cardiganshire ..	18'2	13'9	9'4	7'7
Pembrokeshire ..	21'6	15'9	12'4	8'9
Cardiganshire ..	16'0	14'8	11'8	8'9
Brecknockshire ..	19'9	18'0	12'5	10'1
Radnorshire	41'8	33'2	20'1	14'4
Montgomeryshire	29'5	24'3	16'7	13'1
Flintshire	18'7	18'4	13'1	9'7
Denbighshire ..	21'1	17'6	13'4	12'3
Merionethshire ..	24'4	19'5	16'4	13'5
Carnarvonshire ..	18'3	13'9	12'7	10'3
Anglesey	19'7	16'7	15'7	16'1

Natural Increase.—The rate of natural increase, or excess of crude birth-rate over crude death-rate, is seen from Table XVII. to have fallen from 14·56 per 1000 living in the quinquennium 1876–80 to 11·56 in the quinquennium 1906–10, which was also the rate during 1910. Should the birth-rate continue to decrease it is to be feared that the diminution in natural increase may become accelerated, as the comparatively low death-rates now attained offer less scope than formerly for compensation in this direction.

TABLE XVII.

Period.				Mean Annual Birth-rate per 1000 living.	Mean Annual Death-rate per 1000 living.	Mean Annual rate of increase, by excess of Births over Deaths, per 1000 living.
1876–1880	35·35	20·79	14·56
1881–1885	33·51	19·40	14·11
1886–1890	31·44	18·89	12·55
1891–1895	30·48	18·71	11·77
1896–1900	29·27	17·69	11·58
1901–1905	28·17	16·04	12·13
1906–1910	26·25	14·69	11·56
1906	27·23	15·47	11·76
1907	26·46	15·11	11·35
1908	26·75	14·80	11·95
1909	25·81	14·62	11·19
1910	25·06	13·50	11·56

DEATHS.

The deaths of 483,247 persons were registered in England and Wales during the year 1910, 249,016 of these persons being males and 234,231 females.


These deaths correspond to a rate of 13·5 per 1000 of the estimated population, or 1·1 per 1000 below that for the year 1909, which was the lowest recorded up to that time. Compared with the average in the ten years 1900–1909, the death-rate in 1910 shows a decrease of 2·4 per 1000.

It is not improbable that favourable climatic conditions—especially the very cool summer—may have contributed to a considerable extent to the production of this unprecedentedly low mortality. A description of these conditions is contained in Dr. Shaw's report upon the Meteorology of the year.

During the first ten years of the present century the death-rate, with slight fluctuations, fell from 16·9 per 1000 in 1901 to 13·5 per 1000 in 1910. In seven of these ten years, viz., 1902, 1903, 1905, 1907, 1908 1909 and 1910, the rate has been successively the lowest recorded up to the year in question. This remarkable record is in accordance with the general experience of European countries. (See page lxxxviii.)

Looking back over the mortality statistics since the commencement of death registration in 1838, it will be seen from the accompanying diagram and Table XVIII. that, after correction for variations of

DIAGRAM I.—ENGLAND AND WALES.—CORRECTED DEATH-RATES
from ALL CAUSES in QUINQUENNIA, 1838-1910.*



sex and age constitution, the annual rate of mortality reached its highest recorded point for both sexes in the quinquennium 1846-50, when it stood at 22.4 per 1000 persons living. From that time it fell gradually and intermittently till 1891-95, when it stood at 18.5, but since then the fall has been steadier and much more rapid, the total decline since recorded being almost exactly equal to that exhibited during the preceding 45 years. The death-rate in 1910 was 60 per cent. only of that recorded in the later "forties."

* In recent Annual Reports attention has been drawn to the fact that the comparison of mortality rates as ordinarily stated per 1000 population may be very fallacious. The census returns show that the proportion of persons living at each age-group varies considerably in different localities and at different periods in the same locality. As the mortality both from all causes and from individual diseases varies greatly with age, and to a less degree with sex, it follows that crude death-rates at all ages, computed without allowance for these variations, are untrustworthy for the purpose of comparing the records of different localities or of the same locality at considerable intervals of time. For several years past, therefore, the death-rates in these Reports have been reduced to a common standard, showing the rates which would have obtained had the age and sex constitution of the populations in question been similar to that of England and Wales in 1901. In the Annual Report for 1905 (pp. xxxviii-xxxix) a full description was given of two methods used in this office for applying to crude death-rates the correction for differences of age and sex constitution: (1) the "direct" method (when the death-rates at the several age-groups are known) used in the Annual Reports; and (2) the "indirect" method (when the death-rates at the several age-groups are not known) used in the Annual Summaries.

TABLE XVIII.—ENGLAND AND WALES.—ANNUAL RATE OF MORTALITY per 1000 LIVING, 1838–1910, corrected for SEX and AGE CONSTITUTION.

(The figures in this table differ somewhat from those in Table 4, the latter table relating to crude death-rates.)

Period.	Persons.	Males.	Females.	Ratio, Male to Female.*	Period.	Persons.	Males.	Females.	Ratio, Male to Female.*
1838–40 ...	21·6	22·4	20·9	107	1876–80 ...	19·8	21·0	18·7	112
1841–45 ...	20·6	21·3	20·1	106	1881–85 ...	18·7	19·7	17·8	111
1846–50 ...	22·4	23·1	21·9	105	1886–90 ...	18·5	19·6	17·5	112
1851–55 ...	21·7	22·4	21·0	107	1891–95 ...	18·5	19·6	17·5	112
1856–60 ...	20·7	21·4	20·1	106	1896–1900...	17·6	18·8	16·5	114
1861–65 ...	21·4	22·3	20·6	108	1901–05 ...	16·0	17·1	15·0	114
1866–70 ...	21·2	22·2	20·3	109	1906–10 ...	14·7	15·6	13·8	113
1871–75 ...	20·9	22·0	19·8	111	1910 only ...	13·5	14·4	12·7	113

* *i.e.*, the ratio of the male to the female mortality, the latter taken as 100.

It will be observed that the passing of the Public Health Act in 1875 was followed by a considerable decline in the two succeeding quinquennia ; but that this improvement was arrested during the two succeeding periods, only to be renewed, however, with increased vigour, from the period 1896–1900 onwards.†

Mortality of each Sex.—Diagram I. shows that the excess of male over female mortality gradually increased up to about the period 1871–75, since when it has remained approximately constant, the absolute difference between the male and female death-rates in Table XVIII. being as a rule slightly over 2 per 1000 population. The increase in the proportional excess of male mortality has, of course, been greater than that in the actual excess, owing to the fall in both rates which has occurred. Prior to 1861 the percentage excess of the male over the female corrected death-rate was about 6 per cent. (Table XVIII.), whereas from 1896 to 1905 it was as much as 14 per cent., and since that period has been 13 per cent. Since 1838–40 the death-rate of females has shown a decline of 8·2 per 1000 living as against 8·0 per 1000 only in that of males. It is interesting to note that the greater decline in the mortality of females from phthisis more than accounts for the whole of this excess in the decline of female mortality from all causes.

Table XIX. sets forth the causes of death which mainly account for the difference in mortality between the sexes. It shows that the excess of mortality of males in infancy (see page xxxiii), and from phthisis, pneumonia and violence, accounts for the great bulk of the excess in the mortality in the male sex. The mortality of infants from pneumonia, tubercle, and other causes specified in the table is necessarily excluded from the figure inserted for infantile deaths, the excess in infantile mortality from all causes accounting for 48 per

† The small-pox epidemic of 1871–72 appreciably increased the mortality for the years 1871–75, and if the small-pox mortality (see Table 27) be deducted from the calculation, the fall in mortality of the years 1871–75 was about equal to that of 1876–80. Similarly the elimination of mortality due directly or indirectly to influenza lowers the death-rate for the years 1891–95 by an amount which may be very roughly estimated at about 0·7 or more per 1000 living, deducting which the decline of the mortality curve from 1886–90 to 1891–95 would be greater than that from 1891–95 to 1896–1900.

cent. of the total excess among males. The influence of alcohol is probably under-stated in the table. For instance, much of the excess of male mortality from pneumonia may be due to this cause, though the fact does not appear in the certificates.

TABLE XIX.—ANALYSIS by CAUSES of DEATH of the EXCESS of MALE over FEMALE MORTALITY, 1910.

—	Male mortality.	Female mortality.	Excess or deficiency of (1) compared with (2).	Per- centage of total male excess.
	(1)	(2)	(3)	(4)
Phthisis	1·186	·855	+ ·331	19·4
Other forms of Tuberculosis ...	·458	·382	+ ·076	4·4
Pneumonia (all forms)	1·302	·932	+ ·370	21·6
Alcoholism and Cirrhosis of Liver...	·156	·109	+ ·047	2·7
Cancer (excluding generative and mammary organs).	·841	·644	+ ·197	11·5
Violence	·759	·305	+ ·454	26·6
Infantile deaths not included above	2·594	1·898	+ ·696	40·7
Causes of death not particularised in this table.	7·072	6·949	+ ·123	7·2
Total	14·368	12·074	+ 2·294	134·1
Diseases incident to Pregnancy and Child-bearing.	—	·173	— ·173	10·1
Cancer—generative and mammary	·015	·426	— ·411	24·0
All Causes	14·383	12·673	+ 1·710	100·0

Had it not been for the female mortality from child-bearing and from cancer of the generative organs, which is shared by males either not at all or to a very slight extent, the excess of male over female mortality would have been 34·1 per cent. greater than it actually was.

Mortality at Different Ages.—Discussion of this subject will be omitted in the present report, as, for the reasons stated on page xiii, it will find a much more appropriate place in that for 1911. The rates for 1910, calculated on the assumption of an age-distribution as in 1901 of the total male and female population estimated in the light of the recent census, are given in Tables XXVIII. and 14-19. The numbers of deaths at individual years of age in England and Wales during 1910 are shown in Table XX. (See also p. ix.)

Infantile Mortality.—Of the 483,247 deaths registered during the year in England and Wales, 94,579, or 20 per cent., were those of infants under one year of age, corresponding to a mortality rate of 105 per 1000 births. This rate was 27 per 1000 births, or 20 per cent., below the average in the ten years 1900-1909; and was 4 per 1000 births, or 4 per cent., below the lowest rate previously recorded, that for the immediately preceding year.

To the maintenance of this satisfactory downward tendency the cool and wet summer of 1910 doubtless contributed very materially through its effect in restraint of fatal diarrhœa. The infantile mortality from diarrhœal diseases was 13 per 1000 births, the same as that in 1909 which was the lowest figure recorded during the past 20 years except in 1894 and 1907, in both of which the

TABLE XX.—ENGLAND and WALES:—DEATHS at each YEAR of AGE registered in the YEAR 1910.

Age.	Persons.	Males.	Females.	Age.	Persons.	Males.	Females.
ALL AGES	483,247	249,016	234,231				
0 ...	94,579	53,155	41,424	50 ...	4,630	2,557	2,073
1 ...	25,390	13,251	12,139	51 ...	4,106	2,265	1,841
2 ...	9,785	5,020	4,765	52 ...	4,814	2,641	2,173
3 ...	5,829	2,950	2,879	53 ...	4,803	2,568	2,235
4 ...	4,263	2,168	2,095	54 ...	5,084	2,790	2,294
5 ...	3,422	1,733	1,689	55 ...	4,850	2,722	2,128
6 ...	2,627	1,284	1,343	56 ...	5,438	2,954	2,484
7 ...	2,067	1,005	1,062	57 ...	5,195	2,845	2,350
8 ...	1,673	814	859	58 ...	5,739	3,093	2,646
9 ...	1,427	714	713	59 ...	6,006	3,234	2,772
10 ...	1,404	706	698	60 ...	6,379	3,442	2,937
11 ...	1,213	600	613	61 ...	5,617	3,086	2,531
12 ...	1,221	606	615	62 ...	6,110	3,300	2,810
13 ...	1,367	639	728	63 ...	6,333	3,377	2,956
14 ...	1,445	682	763	64 ...	6,635	3,443	3,192
15 ...	1,557	753	804	65 ...	7,223	3,833	3,390
16 ...	1,618	798	820	66 ...	6,677	3,512	3,165
17 ...	1,820	935	885	67 ...	6,621	3,425	3,196
18 ...	1,969	1,000	969	68 ...	7,608	3,853	3,755
19 ...	1,939	1,038	901	69 ...	7,804	3,942	3,862
20 ...	2,036	1,074	962	70 ...	7,894	3,899	3,995
21 ...	2,092	1,072	1,020	71 ...	7,040	3,347	3,693
22 ...	2,175	1,157	1,018	72 ...	7,882	3,719	4,163
23 ...	2,217	1,130	1,087	73 ...	7,651	3,665	3,986
24 ...	2,278	1,174	1,104	74 ...	7,393	3,461	3,932
25 ...	2,249	1,123	1,126	75 ...	7,074	3,263	3,811
26 ...	2,325	1,182	1,143	76 ...	6,796	3,111	3,685
27 ...	2,409	1,202	1,207	77 ...	6,250	2,866	3,384
28 ...	2,415	1,235	1,180	78 ...	6,119	2,836	3,283
29 ...	2,612	1,301	1,311	79 ...	5,838	2,589	3,249
30 ...	2,632	1,377	1,255	80 ...	5,538	2,374	3,164
31 ...	2,550	1,273	1,277	81 ...	4,378	1,924	2,454
32 ...	2,897	1,472	1,425	82 ...	4,376	1,875	2,501
33 ...	2,889	1,499	1,390	83 ...	3,958	1,665	2,293
34 ...	3,026	1,565	1,461	84 ...	3,644	1,502	2,142
35 ...	3,093	1,662	1,431	85 ...	3,185	1,299	1,886
36 ...	3,186	1,670	1,516	86 ...	2,602	1,045	1,557
37 ...	3,261	1,757	1,504	87 ...	2,169	826	1,343
38 ...	3,580	1,834	1,746	88 ...	1,713	670	1,043
39 ...	3,445	1,808	1,637	89 ...	1,434	563	871
40 ...	3,644	1,949	1,695	90 ...	1,201	418	783
41 ...	3,134	1,618	1,516	91 ...	891	322	569
42 ...	3,716	1,983	1,733	92 ...	600	226	374
43 ...	3,575	1,898	1,677	93 ...	466	150	316
44 ...	3,648	1,960	1,688	94 ...	308	93	215
45 ...	4,002	2,271	1,731	95 ...	229	67	162
46 ...	3,965	2,155	1,810	96 ...	155	58	97
47 ...	4,042	2,196	1,846	97 ...	104	28	76
48 ...	4,351	2,324	2,027	98 ...	60	9	51
49 ...	4,455	2,458	1,997	99 ...	48	12	36
				100 and over.	65	22	43

The 483,247 deaths at all ages include 1,158 cases (774 males and 384 females) in which the ages were not stated precisely, approximate ages being given in the case of 736 males and of 379 females, while in the remaining 43 cases (38 males and 5 females) the ages were stated to be unknown. The latter cases have been distributed with regard as far as possible to the causes of death.

rate was 12 per 1000. The meteorological conditions of the summer and the downward tendency of infantile mortality experienced in 1910 so closely reproduced those of 1909 that the remarks made in the Report for the former year upon the relation between the two are equally applicable to the year now under review.

Table 37 contrasts the mortality of 1910 with the average for the five preceding years, and Table XXI. presents an analysis of the fall of 13 per cent. shown.

TABLE XXI.—INFANTILE MORTALITY.—ENGLAND AND WALES, 1910.—
Percentage reduction as compared with 1905-09.

Cause of Death.	Under 3 Months.	3-6 Months.	6-12 Months.	Under 1 Year.
All Causes	9	19	17	13
Common Infectious Diseases ...	16*	1	10	5
Diarrhoeal Diseases	29	38	37	35
Developmental and Wasting Diseases	5	11	4	5
Tuberculous Diseases	28	18	12	16
Convulsions	18	21	14	18
Bronchitis and Pneumonia	13	10	11	11

* Increase.

The mortalities in each portion of the first year of life were the lowest on record. That for the first three months, 58·50, is 9 per cent. lower than the average for the five preceding years, while the corresponding fall at ages 3-6 months is no less than 19 per cent., and at 6-12 months 17 per cent., the resultant mortalities being respectively 18·77 and 28·17 per 1000 births. If these rates are compared with those of ten years ago, *i.e.*, the year 1900, we find falls of 21, 43 and 40 per cent. respectively, for the three age-periods, so that the mortality at ages over three months is not very much more than half what it was then.

All the important causes of death except whooping-cough and congenital defects contributed to the decline shown in Table 37. The greatest fall was that from diarrhoeal diseases, 35 per cent., and next to it convulsions, 18 per cent., tuberculous diseases, 16 per cent., the principal respiratory diseases (bronchitis and pneumonia), 11 per cent., and the common infectious diseases as a whole, 5 per cent., the small reduction under the last heading being due to increased mortality from whooping-cough, which mainly accounts for the increase of 16 per cent. in mortality under three months of age from infectious diseases shewn in Table XXI. The large group of developmental and wasting diseases, which find their victims almost entirely amongst young infants, shows a reduction of 5 per cent. only. This accounts for the comparative smallness of the reduction from all causes at 0-3 months, as from most other causes, except infectious diseases, the reduction at this age compares not unfavourably with those at the later periods. The deaths from developmental and wasting diseases formed 61 per cent. of all deaths at this age, so it is evident that without a substantial improvement under this head comparatively little reduction can be looked for in the mortality at this period, which is so much the most important of the three, as contributing more than half the total mortality. Even here, however, it is satisfactory to note that the tendency to increased mortality displayed up to about

the year 1900 has been replaced by a more decided tendency towards diminution.

TABLE XXII.—INFANTILE MORTALITY.—ENGLAND AND WALES, 1910.—
MORTALITY OF MALE and FEMALE INFANTS.

Cause of Death.	Under 3 Months.			3 to 6 Months.			6 to 12 Months.			Under 1 Year.		
	Proportion per 1000 Births.		Ratio.*	Proportion per 1000 Births.		Ratio.*	Proportion per 1000 Births.		Ratio.*	Proportion per 1000 Births.		Ratio.*
	Males.	Fe-males.		Males.	Fe-males.		Males.	Fe-males.		Males.	Fe-males.	
All Causes	65'58	51'14	128	20'50	16'98	121	30'17	26'09	116	116'25	94'21	123
Whooping-cough ..	0'97	1'27	76	1'03	1'25	82	2'27	2'75	83	4'27	5'27	81
Diarrhoeal Diseases ..	4'46	3'13	142	4'54	3'65	124	5'05	4'38	115	14'05	11'16	126
Premature Birth ..	21'28	17'43	122	0'16	0'17	94†	0'03	0'04	75†	21'47	17'64	122
Congenital Defects ..	6'68	5'21	128	0'48	0'41	117	0'27	0'30	90†	7'43	5'92	126
Atrophy, Debility, Marasmus.	11'34	8'33	136	2'39	2'16	111	1'45	1'48	98	15'18	11'97	127
Tuberculous Diseases..	0'59	0'47	126	1'35	1'00	135	2'47	1'93	128	4'41	3'40	130
Convulsions	6'92	5'03	138	1'89	1'63	116	1'56	1'27	123	10'37	7'93	131
Bronchitis and Pneumonia.	5'64	4'20	134	5'00	3'82	131	9'64	7'80	124	20'28	15'82	128

* *i.e.*, the ratio of Male to Female mortality, the latter taken as 100.

† These ratios are of little or no significance owing to the paucity of the data upon which the rates are founded.

Table XXII. contrasts the mortality of male with that of female infants, and shows that the mortality of males was 23 per cent. above that of females, and that all the principal causes of death except whooping-cough display the same feature, and on the whole to a very uniform extent. The features of this table—excess of male mortality of almost 25 per cent. from all causes, and from each of the principal groups of causes, excess of female mortality from whooping-cough, and the decrease with advancing age of the excess in male mortality—reproduce themselves with curious fidelity from year to year.

TABLE XXIII.—INFANTILE MORTALITY.—ENGLAND AND WALES, 1910.—
MORTALITY OF LEGITIMATE and ILLEGITIMATE INFANTS.—ALL CAUSES.

Age.	England and Wales.			Urban Counties.			Rural Counties.		
	All Infants.	Legitimate.	Illegitimate.	All Infants.	Legitimate.	Illegitimate.	All Infants.	Legitimate.	Illegitimate.
Under 1 year ..	105'44	101'64	194'84	115'31	111'35	213'27	87'43	84'15	145'55
Under 3 months ..	58'50	56'34	109'67	61'55	59'36	115'71	53'18	51'20	88'55
3-6 months	18'77	17'88	39'49	21'12	20'18	44'36	14'72	14'03	26'75
6-12 months	28'17	27'42	45'68	32'64	31'81	53'20	19'53	18'92	30'25

Tables 38 and 39 and Table XXIII. compare the mortality of legitimate and illegitimate infants, showing an excess for the latter of no less than 92 per cent. As in the four preceding years this excess was more marked in the urban than in the rural group of counties*, in the first than in the second six months of life, and in the female sex. The excess is greatest in the case of diarrhœal, tuberculous and wasting diseases.

The mortality of infants in the urban and the rural groups of counties is compared in Tables 35, 36, 38, and 39, as well as in the following summary table :—

TABLE XXIV.—INFANTILE MORTALITY in URBAN and RURAL COUNTY GROUPS, 1910.

Cause of Death.	Under 3 Months.			3 to 6 Months.			6 to 12 Months.			Under 1 Year.		
	Proportion to 1000 Births.		Ratio.†	Proportion to 1000 Births.		Ratio.†	Proportion to 1000 Births.		Ratio.†	Proportion to 1000 Births.		Ratio.†
	Urban.	Rural.		Urban.	Rural.		Urban.	Rural.		Urban.	Rural.	
All Causes	61·55	53·18	116	21·12	14·72	143	32·64	19·53	167	115·31	87·43	132
Whooping-cough ..	1·10	0·89	124	1·15	0·93	124	2·86	1·69	169	5·11	3·51	146
Diarrhœal Diseases ..	4·51	2·50	180	5·00	2·23	224	5·79	2·17	267	15·30	6·90	222
Premature Birth ..	19·89	17·81	112	0·17	0·13	131‡	0·05	0·02	250‡	20·11	17·96	112
Congenital Defects ..	6·28	5·08	124	0·50	0·45	111	0·30	0·25	120‡	7·08	5·78	122
Atrophy, Debility, Marasmus.	9·89	10·31	96	2·48	1·85	134	1·72	1·02	169	14·09	13·18	107
Tuberculous Diseases ..	0·59	0·43	137	1·32	0·81	163	2·51	1·27	198	4·42	2·51	176
Convulsions	6·29	6·38	99	1·85	1·88	98	1·49	1·53	97	9·63	9·79	98
Bronchitis and Pneumonia.	5·53	3·61	153	5·09	3·29	155	10·05	6·15	163	20·67	13·05	158

† *i.e.*, the ratio of Urban to Rural mortality, the latter taken as 100.
‡ These ratios are of little or no significance owing to the paucity of the data upon which the rates are founded.


These tables as usual show considerable excess of urban mortality, and great increase of this excess as age advances. For the first month of life, during which over one-third of the total infant mortality occurs, the urban excess is usually only about 8 per cent. In the year 1910 it rose to 10 per cent., mainly owing to greater diminution of mortality from wasting diseases in the rural than in the urban area. It would seem that at birth the urban infant is almost as healthy as the rural, but that the adverse post-natal influences of town life soon diminish its relative chances of survival. This is well shown in Diagram II. from which it may be seen that the differences in mortality during the first month of life between counties of high and low infantile mortality are very much less than at higher ages.

Infantile Mortality in Registration Counties.—The incidence of infantile mortality in the several Registration Counties may be seen from the figures in Table XXV.; from that table and the accompanying diagram it will be observed that the rates differ widely in different counties, and that these differences are not merely casual is shown by

* See page xxxvi.

DIAGRAM II.—INFANTILE MORTALITY IN EACH REGISTRATION COUNTY OF ENGLAND & WALES, 1910.

= 0-1 mo.
 = 1-3 mos.
 = 3-6 mos.
 = 6-12 mos. .



NOTE :- THE THICK VERTICAL LINE MARKS THE PROPORTION OF DEATHS UNDER
ONE YEAR OF AGE TO 1000 BIRTHS IN ENGLAND AND WALES AS A WHOLE.

TABLE XXV.—INFANTILE MORTALITY RATES in each REGISTRATION COUNTY in QUINQUENNIAL PERIODS 1876-1910, and in the YEAR 1910.

Registration Counties.	Deaths of Children under 1 year to 1000 Births.								Increase (+) or Decrease (-) per cent. in each County between the period 1876-80 and 1910.
	Quinquennial Periods.							Year.	
	1876- 1880.	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906- 1910.		
England and Wales	145	139	145	151	156	138	117	105	-27·6
England, exclud- ing Monmouth- shire.	146	139	145	150	156	137	116	104	-28·8
Wales, including Monmouthshire.	129	128	141	153	157	145	126	117	- 9·3
London	154	150	154	156	163	140	116	104	-32·5
Surrey	115	110	109	116	127	105	87	72	-37·4
Kent	123	114	119	123	135	118	92	80	-35·0
Sussex	114	107	111	115	121	101	87	81	-28·9
Hampshire ..	116	108	116	122	132	110	90	81	-30·2
Berkshire ..	117	102	108	110	118	101	84	69	-41·0
Middlesex ..	130	127	130	130	146	121	94	73	-43·8
Hertfordshire ..	115	108	109	109	111	92	80	63	-45·2
Buckinghamshire	129	115	117	113	114	98	82	74	-42·6
Oxfordshire ..	125	109	116	114	113	99	82	67	-46·4
Northamptonshire	141	129	134	134	132	115	94	88	-37·6
Huntingdonshire	121	107	106	120	116	95	82	73	-39·7
Bedfordshire ..	146	130	131	124	128	106	96	82	-43·8
Cambridgeshire ..	135	120	123	124	124	107	93	80	-40·7
Essex	125	124	128	132	150	127	99	82	-34·4
Suffolk	123	112	116	121	121	111	93	80	-35·0
Norfolk	147	131	138	141	143	128	104	84	-42·9
Wiltshire	108	101	104	103	102	91	77	69	-36·1
Dorsetshire ..	107	97	96	100	103	92	80	74	-30·8
Devonshire ..	126	116	125	128	134	118	101	88	-30·2
Cornwall	145	133	142	144	137	117	98	87	-40·0
Somersetshire ..	119	110	110	114	115	95	84	73	-38·7
Gloucestershire ..	135	123	125	132	131	114	98	83	-38·5
Herefordshire ..	117	104	114	115	108	101	86	80	-31·6
Shropshire ..	124	114	120	115	114	105	93	84	-32·3
Staffordshire ..	155	152	160	168	176	151	131	113	-27·1
Worcestershire ..	135	129	139	141	141	124	106	96	-28·9
Warwickshire ..	152	145	154	160	178	152	127	112	-26·3
Leicestershire ..	169	161	168	167	161	140	119	107	-36·7
Rutlandshire ..	120	110	113	113	108	97	83	65	-45·8
Lincolnshire ..	135	127	136	141	144	131	112	101	-25·2
Nottinghamshire	159	154	155	156	170	153	134	121	-23·9
Derbyshire ..	137	131	138	144	148	133	114	102	-25·5
Cheshire	140	137	146	155	157	138	115	105	-25·0
Lancashire ..	165	161	170	177	181	161	140	129	-21·8
West Riding ..	158	152	160	164	165	152	129	120	-24·1
East Riding (with York).	156	147	152	164	168	149	123	120	-23·1
North Riding ..	135	132	138	144	149	140	128	119	-11·9
Durham	153	150	154	166	169	158	138	128	-16·3
Northumberland..	142	139	146	155	167	151	128	119	-16·2
Cumberland ..	131	120	125	128	132	127	120	111	-15·3
Westmorland ..	107	102	99	109	104	89	85	76	-29·0
Monmouthshire ..	133	132	148	149	154	142	121	110	-17·3
Glamorganshire ..	138	143	159	173	175	158	137	126	- 8·7
Carmarthenshire..	117	115	124	141	143	142	125	136	+16·2
Pembrokeshire ..	115	111	120	124	122	116	105	105	- 8·7
Cardiganshire ..	99	93	100	120	119	119	111	111	+12·1
Brecknockshire ..	128	124	137	140	134	124	106	105	-18·0
Radnorshire ..	124	115	113	125	114	105	93	86	-30·6
Montgomeryshire	111	104	108	106	114	103	85	69	-37·8
Flintshire	126	106	112	120	126	101	99	86	-28·3
Denbighshire ..	134	123	131	139	153	136	124	116	-13·4
Merionethshire ..	129	120	122	141	152	130	110	90	-30·2
Carnarvonshire ..	132	122	118	135	138	136	114	101	-23·5
Anglesey	114	113	120	115	128	131	111	115	+ 0·9

their being repeated with great persistency year after year. Speaking generally, the rates are lowest in the purely agricultural counties and highest in the counties with mining, textile, and pottery industries. The diagram shows that the excess in the latter as compared with the former increases progressively throughout the first year of life.

Among counties with populations of more than 100,000 persons the highest and lowest proportions of deaths of children under one year to 1000 births were as follows :—

TABLE XXVI.

Registration Counties with Highest Rates of Infantile Mortality.	Deaths of Children under 1 year to 1000 Births.	Registration Counties with Lowest Rates of Infantile Mortality.	Deaths of Children under 1 year to 1000 Births.
<p>England and Wales 105.</p>			
Carmarthenshire	136	Middlesex	73
Lancashire	129	Somersetshire	73
Durham	128	Surrey	72
Glamorganshire	126	Berkshire	69
Nottinghamshire	121	Wiltshire	69
West Riding of Yorkshire	120	Oxfordshire	67
East Riding of Yorkshire ...	120	Hertfordshire	63

Centenarians.—Among the deaths registered during the year there were 65 of reputed centenarians, 22 of whom were males and 43 females. In the preceding three years the numbers had been 59, 64, and 61, respectively.

Mortality in Urban and Rural Districts.—In order to show the incidence of mortality in the chief centres of industry as compared with that of the rural areas, the selection from the English and Welsh counties, first made in 1901, has been retained since that date. The counties in each selected group are enumerated at foot.*

Table XXVII. states the annual rates of mortality at all ages and from all causes in the year 1910, side by side with the corresponding average rates for the quinquennium, 1905–09, for these two groups

* (i) *Urban Registration Counties.*

Glamorgan.
Lancaster.
London.
Middlesex.
Monmouth.
Northumberland.
Nottingham.
Stafford.
Warwick.
East Riding } Yorks.
West Riding }

(ii) *Rural Registration Counties.*

Buckingham.
Cambridge.
Cornwall.
Hereford.
Huntingdon.
Lincoln.
Norfolk.
Oxford.
Rutland.
Salop.
Somerset.
Suffolk.
Welsh Division (less Mon-
mouth and Glamorgan).
Westmorland.
Wilts.

Estimated population of Urban Counties,
middle of 1910—19,243,636.

Estimated population of Rural Counties.
middle of 1910—4,521,084.

TABLE XXVII.

All Causes. Mortality per Thousand Living at All Ages.		Crude Rates.		Corrected Rates.*		
		Average 1905-09.	Year 1910.	Average 1905-09.	Year 1910.	Ratio.†
Both Sexes	{ England and Wales.	15·056	13·500	15·056	13·500	90
	{ Urban Counties ...	15·822	14·121	16·608	14·889	90
	{ Rural Counties ...	14·464	13·354	12·579	11·493	91
Males ...	{ England and Wales.	16·018	14·383	16·018	14·383	90
	{ Urban Counties ...	16·915	15·141	17·741	15·960	90
	{ Rural Counties ...	15·088	13·166	13·187	12·045	91
Females ...	{ England and Wales.	14·154	12·673	14·154	12·673	90
	{ Urban Counties ...	14·797	13·910	15·547	13·885	89
	{ Rural Counties ...	13·878	12·830	12·009	10·976	91

* See footnote, p. xxviii.

† *i.e.*, the ratio of the corrected death-rates in 1910 to those in 1905-09, the latter taken as 100.

TABLE XXVIII.

All Causes. Mortality at Age-groups, per Thousand Living.		Average 1905-1909.			Year 1910.		
		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	{ 0—	41·876	47·831	30·309	34·191	39·533	24·724
	{ 5—	3·371	3·675	2·750	2·923	3·254	2·456
	{ 10—	2·001	2·147	1·818	1·808	1·953	1·663
	{ 15—	2·794	2·848	2·825	2·492	2·586	2·443
	{ 20—	3·532	3·476	3·971	3·144	3·078	3·416
	{ 25—	5·058	5·164	5·047	4·496	4·608	4·616
	{ 35—	8·504	9·291	7·104	7·796	8·406	6·719
	{ 45—	14·858	16·807	11·591	13·856	15·594	11·350
	{ 55—	29·208	33·305	23·040	27·263	30·892	22·020
	{ 65—	89·016	95·201	83·064	85·614	91·083	80·730
Males ...	{ 0—	45·767	52·138	33·523	37·480	43·304	27·382
	{ 5—	3·319	3·627	2·708	2·899	3·191	2·557
	{ 10—	1·943	2·100	1·736	1·758	1·901	1·599
	{ 15—	2·903	3·009	2·734	2·557	2·690	2·395
	{ 20—	3·853	3·766	4·222	3·459	3·380	3·755
	{ 25—	5·518	5·618	5·262	4·834	4·865	4·904
	{ 35—	9·365	10·180	7·686	8·530	9·186	7·172
	{ 45—	16·786	19·041	12·925	15·763	17·763	12·930
	{ 55—	33·219	38·173	25·926	31·514	36·045	24·691
	{ 65—	94·183	101·708	86·961	91·344	98·773	84·150
Females ...	{ 0—	37·997	43·556	27·068	30·910	35·790	22·035
	{ 5—	3·424	3·723	2·791	2·946	3·317	2·353
	{ 10—	2·059	2·194	1·901	1·859	2·004	1·729
	{ 15—	2·688	2·694	2·921	2·429	2·487	2·492
	{ 20—	3·245	3·216	3·746	2·862	2·808	3·113
	{ 25—	4·644	4·750	4·859	4·192	4·373	4·362
	{ 35—	7·698	8·446	6·569	7·108	7·663	6·300
	{ 45—	13·069	14·699	10·388	12·087	13·546	9·919
	{ 55—	25·690	29·045	20·500	23·533	26·381	19·661
	{ 65—	85·027	90·378	79·914	81·189	85·381	77·956

of counties, and Table XXVIII. shows the death-rates of each sex per 1000 living at several groups of ages in the same areas.

As the age distribution of the populations assumed in these tables is that of 1901, and as it will be possible next year to publish corresponding tables with ages distributed as at the recent census for the aggregates of actual urban and rural districts, thereby representing urban and rural mortality much more accurately than the present tables can, it seems inadvisable to consider these tables in detail in the present report.

CAUSES OF DEATH.


As in previous Annual Reports, the causes of death of males and females at specified age-groups will be found in the abstracts (*see* pages 288 to 307 of the present volume); and in the tables on pages 22 to 63 the deaths are shown at all ages, from the same causes, for a series of 20 years. In the lower part of these tables the facts have been reduced to rates per million living of the respective sexes. On page 21 Table 20 is continued from previous reports; it shows the average mortality from certain causes in each of seven quinquennia, beginning with the year 1876. On page 64 Table 27 is likewise continued from previous reports; this table traces back the annual mortality from the principal epidemic diseases during a period of 50 years.

The proportions in which the more prevalent diseases contribute to the death roll are shown by Diagram III., in which the whole area of the circle represents deaths from all causes, and the various segments deaths from particular causes or groups of causes. It will be noted what a large proportion of the whole number of deaths is attributed to a few of the more important diseases, especially tuberculosis, pneumonia, bronchitis, and cancer, which together contribute one-third of the total mortality.

It has already been mentioned that the death-rate from all causes was lower during 1910 than in any previous year. The same remark holds good of the death-rates from tuberculosis of all forms, pulmonary tuberculosis, enteric fever, and scarlet fever. The mortality from measles, whooping-cough and diarrhoea was also exceptionally low, though lower rates had been recorded in one or two previous years. The death-rate from bronchitis was lower than any hitherto recorded, while that from pneumonia was lower than in any year since 1894. The mortality from diphtheria was the lowest experienced since 1880, and was the lowest on record if the deaths ascribed to diphtheria and croup are considered conjointly as representing most nearly the true mortality due to this disease. The main factor in the reduction of the total death-rate was, as in several recent years, the unprecedentedly low mortality of children under five years of age, but at every age-group and in both sexes mortality from all causes was lower in 1910 than in 1909, itself a year of unprecedentedly low death-rate. On the other hand, cancer and diabetes caused increased mortality during the year, the death-rates from both of these being once more the highest recorded.

It is desirable to extend the comparison so as to indicate which diseases have contributed most to the great fall in mortality of recent years. Diagram IV. does this for a period of about 30 years, comparison being made with the average for the quinquennium 1876-80, when the Public Health Act had just come into force. It will be seen that the principal contribution to the general decrease comes from the mortality attributed to bronchitis, but reasons were given in the


DIAGRAM III.—ENGLAND AND WALES.—PROPORTIONS of DEATHS from the PRINCIPAL CAUSES to TOTAL DEATHS, 1910.



	Proportion per 1000 deaths from All Causes.	Rate per 1000 living.
Measles	17.2	0.23
Influenza	13.5	0.18
Whooping-cough	18.2	0.25
Diphtheria	8.9	0.12
Diarrhoea and Dysentery	22.2	0.30
Pneumonia	82.3	1.11
Tuberculosis (all forms)	106.2	1.43
Phthisis	(75.2)	(1.02)
Cancer	71.6	0.97
Premature Birth and Congenital Defects	46.3	0.62
Diseases of Nervous System	62.3	0.84
Diseases of Heart	100.8	1.36
Diseases of Blood Vessels	65.7	0.89
Diseases of Respiratory System	85.6	1.16
Bronchitis	(71.3)	(0.96)
Diseases of Digestive System... ..	55.5	0.75
Diseases of Urinary System	35.8	0.48
Atrophy, Debility	27.0	0.36
Old Age	65.5	0.89
Violence	38.7	0.52
Other Causes	76.7	1.04
All Causes	1000.0	13.50

Report for 1909 for believing this to be largely due to transfer of many of these deaths to pneumonia. But although the increase under pneumonia is probably fictitious, and the decrease under bronchitis has to be considerably discounted, still, when allowance is made for transfer between the two headings by considering them jointly, a

DIAGRAM IV.—ENGLAND AND WALES.—CAUSES OF DEATH showing the greatest INCREASE or DECREASE in 1910, as compared with 1876-80.



very large balance remains on the side of diminution in mortality from inflammation of the lungs and bronchi. The most notable diminutions, however, are those from the diseases against which the efforts of sanitarians have been chiefly directed—phthisis, diarrhoeal diseases, scarlet and enteric fevers especially. The decrease in

diarrhœal mortality is largely due to the accident of a cool wet summer, but in the other three cases the improvement is regularly sustained from year to year. There has been considerable improvement in mortality from both whooping-cough and measles of late years, though both diseases have been generally regarded as refractory to the influences of preventive medicine. The explanation may lie in a more general realisation of their gravity, and consequent greater care in nursing, as well as in the effect of improvement of the sanitary surroundings of patients attacked by these diseases which would tend to lessen their fatality. On the other hand, it is necessary to bear in mind that diseases of the epidemic type are liable to cyclical changes in virulence acting independently of any known modification of the conditions affecting their spread and course.

Cancer stands out as the one cause of death accounting for a really considerable and significant increase of mortality. How far improvement in diagnosis and certification accounts for this increase it is difficult to say. Doubtless it does so to a very large extent, but on the other hand, certain facts seem to point to the reality of increase, in the case, at all events, of some organs.

GENERAL DISEASES.

Small-pox.—The deaths attributed to small-pox numbered 19, comparing with 116, 21, 10, 12, and 21 in the five preceding years. Three of the 19 deaths occurred in Cheshire, two each in Essex, Nottinghamshire, Lancashire, the East Riding of Yorkshire and Durham, and one each in six other counties. Eight deaths have been tabulated under the heading cow-pox and other effects of vaccination; but these include not only the deaths which were stated by medical practitioners or by coroners to have been due to vaccination, but also those in which vaccination appeared from the certificates to have been in any way connected with the cause of death.

Measles.—The death-rate at all ages from measles, which in 1908 was the lowest on record, 228 per million, after increasing in 1909 to 356, fell in 1910 to 232, the lowest on record except that of 1908. Reference to Table 27 will show that alternation of years of high and low mortality is somewhat characteristic of measles, though, on the whole, the death-rate attributed to this disease has been considerably lower since the commencement of the present century than in previous years.

Dealing with children under five years of age, who furnished no less than 93 per cent. of the deaths at all ages, Table 37 shows that the mortality, 1·88 per 1000 living at that age, was considerably below the average for the preceding quinquennium. The urban rate, 2·53 (Table 35), was considerably, and that in the rural group of counties, 0·99 (Table 36), slightly below the quinquennial average. It may be assumed that the contrast in mortality between the purely urban and the purely rural areas is still more remarkable than that shown by these groups of counties. The highest county rates among children were experienced by Glamorganshire, 3·20 per 1000, Monmouthshire, 3·44, London, 3·80, and Denbighshire, 6·99. In all these counties the mortality was above the average in the preceding quinquennium, the rate in Denbighshire being more than twice the average. The deaths under one year of age numbered 1,879, and the distribution of this mortality throughout the year, as well as the mortality of each year of the first quinquennium of life, is set out in Table 32. As in many previous years, measles was most destructive to infants during the

second year of life, the mortality for which amounted to 4·14 per 1000 living. Infantile mortality from measles in the several counties is shown in Table 40, where the deaths under one year appear in terms of the total births.

Scarlet Fever.—The deaths referred to scarlet fever in the year 1910 numbered 2,370 at all ages and of both sexes, and corresponded to a rate of 66 per million living. This rate is 25 per million below the rate in the preceding year, and is the lowest on record, the smallest mortality previously met with having been in 1908. During the four years from 1907 onwards the mortality has been below 100 per million, whereas until that date so low a rate as 100 had not once been recorded. Tables 20 and 27 show a steady and very large decrease in the mortality from scarlet fever from the time when separate tabulation of the disease commenced—the death-rate in 1906–10 being little more than one-eighth of that in 1876–80.

In the report for 1910 of the Metropolitan Asylums Board, which mainly relates to London, there appears a table showing the case-fatality among the admissions for scarlet fever in each of the years since the opening of the first hospital in 1870. If the period of 35 years last ended be divided into quinquennia, the following data may be derived from that table :—

TABLE XXIX.

Scarlet Fever. (Quinquennia.)	Metropolitan Asylums Board Hospitals.			County of London.
	Admissions.	Deaths.	Fatality. (Ratio per cent. of deaths to admissions.)	Mean Annual Mortality per 1000 living.
1876–1880 ...	5,247	688	13·1	0·62
1881–1885 ...	8,445	955	11·3	0·42
1886–1890 ...	23,143	2,017	8·7	0·24
1891–1895 ...	55,772	3,405	6·1	0·24
1896–1900 ...	66,853	2,465	3·7	0·14
1901–1905 ...	67,500	2,287	3·4	0·11
1906–1910 ...	84,492	2,247	2·7	0·10

Although the mortality and the hospital fatality in London have declined to the striking and very similar extents shown, so that the decline in mortality would seem from the table to be due principally to that in fatality, it should be borne in mind that in earlier years the cases admitted were for the most part severe, with high fatality ; whereas in recent years most of the known cases, including the milder ones, have been treated in hospital. In future years it will be possible to state in a similar way the ratio of deaths to cases notified throughout the whole country, as from the year 1911 onwards tabulation of all notified cases of infectious disease has been undertaken by the Local Government Board.

The local distribution of mortality from scarlet fever varies widely. Table 31 shows that among the several counties with populations exceeding 100,000, the highest crude death-rates at all ages in 1910 were 124 per million in Cumberland, 138 in Staffordshire and in Lancashire, and 139 in Warwickshire. The county rates in this table have not been adjusted for deaths in public institutions, otherwise the death-rate in Middlesex would be lower, and that in London would be raised from 41 to 47 per million.

The deaths among children under five years of age amounted to 57 per cent. of the total, and yielded a mortality of 0·44 per 1,000 living at this age in the urban counties, as against only 0·15 in the rural (Tables 35 and 36). The mortality was greatest in the fourth year of life (Table 32). Table 41 shows the incidence of fatal scarlet fever upon children under five years of age in the several registration counties of England and Wales.

Influenza.—From 1890, the year in which influenza reappeared as a serious factor in English mortality, onwards, the death-rate has averaged 281 annually per million living. It was 182 per million in 1910, and was, as usual, about equal for each sex, namely 188 per million for males and 176 for females. The previously noted excess in influenza mortality of the rural as compared with the urban counties is again observable, the crude death-rate in the former group being as much as 94 per cent. above that in the latter. Among counties containing populations exceeding 100,000, the highest rates were 397 per million in Denbighshire, 403 in Shropshire, and 502 in Carnarvonshire; while the lowest were 125 in Middlesex, 130 in Cheshire, and 133 in Lancashire.

Whooping-cough.—The death-rate from whooping-cough at all ages was 246 per million and was 43 per million above the rate in 1909, which was much the lowest on record. The rate in 1910 was, however, 9 per million below the average of the preceding five years, and was lower than the rate in any other year on record except 1906 and 1909.

About 97 per cent. of the total deaths occurred among children under the age of five years. The mortality per 1,000 children of this age was 2·08, being slightly below the average of the previous five years. As usual, the mortality amongst females has exceeded that amongst males, the death-rate having been 1·84 for boys and 2·32 for girls, and the mortality in the urban group of counties has been considerably greater than that in the rural, though the relative excess is not nearly so great as in the cases of measles and scarlet fever. Table 41 shows that among counties containing more than 100,000 inhabitants at all ages, the highest death-rates from this disease in each 1,000 children under five years of age were 2·71 in London, 3·09 in Lancashire, and 3·55 in Carmarthenshire. The rate in each of these counties was above the quinquennial average, the rate in Carmarthenshire being more than twice the average. Table 32 shows that this disease is especially destructive to children in the first two years of life.

Diphtheria and Croup.—Owing to the probability that a large proportion of the deaths certified as due to croup were really caused by diphtheria it has been the custom in these Reports to study the mortality ascribed to the two diseases conjointly as representing more accurately than any other figure the total sacrifice of life from diphtheria.

On this occasion the opportunity arises of stating more precisely than has been possible hitherto the true nature of the 261 deaths registered during 1910 as due to croup. Inquiries addressed to the practitioners certifying these deaths elicited further information which resulted in the transfer of 123 of them to laryngitis, 42 to diphtheria, and 18 to laryngismus stridulus, reducing the number finally classified to croup to 73 as against 241 in 1909. The number as recently as 1891 had been no less than 2638.

Although it would seem that in 1910 the deaths certified as due to croup were really caused by laryngitis much more than by diphtheria,

the diminution in mortality ascribed to croup in recent years cannot well have been caused by transfer to laryngitis, as the mortality from the latter cause has diminished by 50 per cent. during the last 20 years. Indeed it is very possible that a considerable part of the diminution in mortality from laryngitis may be due to transfer to diphtheria. It is obvious that no study of diphtheria mortality could be adequate which left out of account the large numbers of deaths certified not many years ago as due to croup, and on the whole the most satisfactory way of meeting the difficulty seems to be by considering the mortality from the two causes together, as has been the practice hitherto.

The death-rate from diphtheria and croup in 1910—122 per million—is much the lowest recorded since 1855, when diphtheria was first shown separately from scarlet fever in the tables, and in this connexion it must be borne in mind that the effect of increasing accuracy in diagnosis is probably to minimize the fall in mortality. If the mortalities from “diphtheria” only are compared, as in Table 27, that for 1910 is by no means the lowest, though we have to go back to 1880 to find a lower, but when the croup deaths are added the advantage of the earlier year disappears.

Tables XXX. and XXXI. show in detail the diminution in mortality from diphtheria and croup in 1910 as compared with the preceding quinquennium, but for the reasons stated on page xxxviii comment on these tables, and on similar tables dealing with other causes of death, is omitted on this occasion.

TABLE XXX.

Diphtheria and Croup.		Crude Rates.		Corrected Rates.*		
		Average 1905-09.	Year 1910.	Average 1905-09.	Year 1910.	Ratio.†
Mortality per Million Living at all Ages.						
Both Sexes	England and Wales	173	122	173	122	71
	Urban Counties ...	179	124	177	123	69
	Rural Counties ...	150	109	153	111	73
Males ...	England and Wales	174	120	174	120	69
	Urban Counties ...	182	122	181	121	67
	Rural Counties ...	148	110	149	111	74
Females ...	England and Wales	171	123	171	123	72
	Urban Counties ...	176	126	174	125	72
	Rural Counties ...	153	109	156	111	71

* See footnote, page xxviii.
† *i.e.*, the ratio of the corrected death-rates in 1910 to those in 1905-09, the latter taken as 100.

Table XXXII., condensed from a more extended table in the last report of the Metropolitan Asylums Board, shows the alteration in case-fatality among patients admitted to hospital for diphtheria and in the general London mortality from that disease in the four quinquennia that have elapsed since 1890. As in the case of scarlet fever (Table XXIX.), there has been a very great decline in the ratio of diphtheria deaths to admissions, and also in the general London mortality from the disease—both being about 70 per cent. lower in 1906-10 than in 1891-95, *i.e.*, less than one-third of the earlier figure.

TABLE XXXI.

Diphtheria and Croup. Mortality at Age-groups, per Million Living.		Average 1905-1909.			Year 1910.		
		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	893	996	617	605	664	442
	5—	523	478	564	399	369	421
	10—	84	67	123	59	46	85
	15—	17	12	32	11	9	23
	20—	9	7	15	7	6	13
	25—	8	7	10	4	2	12
	35—	7	7	11	4	4	2
	45—	6	5	8	3	2	5
	55—	7	7	8	4	6	6
	65—	5	5	5	5	4	3
Males ...	0—	908	1,013	654	621	680	448
	5—	478	445	488	334	302	380
	10—	80	68	103	55	44	78
	15—	17	12	25	11	11	26
	20—	10	8	14	6	4	11
	25—	7	6	4	3	1	13
	35—	7	6	13	4	3	4
	45—	5	3	8	5	4	10
	55—	6	7	5	4	6	7
	65—	5	6	6	5	3	7
Females ...	0—	878	979	580	589	648	437
	5—	569	511	642	464	435	462
	10—	87	67	145	63	47	92
	15—	18	12	38	12	8	18
	20—	8	6	15	8	7	15
	25—	8	8	14	5	2	12
	35—	7	8	9	4	5	—
	45—	7	7	8	1	1	—
	55—	7	8	11	4	5	6
	65—	5	5	4	4	5	—

TABLE XXXII.

Diphtheria. (Quinquennia.)			Metropolitan Asylums Board Hospitals.			County of London.
			Admissions.	Deaths.	Fatality. (Ratio per cent. of deaths to admissions.)	Mean Annual Mortality per 1000 living.
1891-1895	13,470	3,700	27·5	0·53
1896-1900	33,296	5,096	15·3	0·45
1901-1905	28,049	2,908	10·4	0·20
1906-1910	24,651	2,214	9·0	0·14

It is pointed out in the Annual Report of the Metropolitan Asylums Board for 1910 (page 139) that the London mortality from diphtheria reached a maximum in 1893, since when the rate has fallen greatly, "and this fall has been coincident with the introduction and "increasing use of the antitoxic serum treatment of diphtheria."

Of the 4357 deaths at all ages from diphtheria and croup, 2475, or 57 per cent., occurred within the first five years of life. These deaths correspond to a rate of 0·61 per 1000 children living at that age, or 0·28 per 1000 below the average in the previous quinquennium (Table 37). In the year 1910, the mortality steadily increased from birth to the fifth year of age (Table 32). Table 41 shows the distribution of the mortality from these deaths in the several counties of England and Wales. Among counties containing more than 100,000 inhabitants at all ages, the highest death-rates in each 1000 children were 0·81 in Lancashire and in Carmarthenshire, 0·86 in Cheshire, 0·91 in Cumberland, and 1·11 in the North Riding of Yorkshire.

Cerebro-spinal Fever.—To this disease there were ascribed in the year under notice 132 deaths, 88 of which were eventually referred to this heading as the result of medical inquiry respecting deaths originally certified as from cerebro-spinal meningitis. In the preceding five years the deaths classed to cerebro-spinal fever averaged 121 annually.


Enteric (Typhoid) Fever.—In the course of the year 1910 the deaths of 1889 persons at all ages and of both sexes were ascribed to enteric fever. These deaths correspond to a rate of 53 per million persons living, which is the lowest on record, and is 24 per million below the average for the quinquennium immediately preceding. Among males the death-rate was equal to 60 per million, and among females to 46 per million (Table XXXIV.). During the 42 years which have elapsed since the disease was first differentiated in these reports enteric fever mortality has fallen to less than a seventh of its former amount, namely, from a rate of 390 per million in 1869 to 53 per million in 1910 (Table 27).

The progress of this great decline can be traced in Diagram V. It will be seen that the statistical history of enteric fever mortality can be divided into three main periods, two of decline, from 1869 to 1885 inclusive, and from 1900 to the present date, and one showing no decline, from 1886 to 1899. The first period, however, may be subdivided into two portions, that prior to and including 1875, the date of the Public Health Act, which shows very slight decline, and that from 1876 to 1885 inclusive, which shows a sudden and relatively enormous reduction in the mortality. The decline in the ten years following the passage of the Public Health Act was from 371 to 175 per million persons living, a reduction equal to 196 deaths annually per million living, or 53 per cent. of the earlier total. The fourteen years of arrested decline which followed increased the death-rate slightly, from 175 to 198 per million persons, though it may be noted that this increase was almost wholly confined to males. The second period of eleven years decline has reduced the mortality by 145 per million persons, from 198 to 53 per million, a reduction of no less than 73 per cent.

The arrest in the decline of mortality from enteric fever during the last years of the nineteenth century may be compared with that shown in Diagram I. to have occurred at about the same time in mortality from all causes. It will be seen also from Table 27 that the same period was one of increasing infantile mortality, and that the present period of decline in mortality from enteric fever corresponds precisely with the similar period of recent improvement in regard to infantile mortality, both commencing with the year 1900.

While, however, the experience of this country in regard to infantile mortality has been paralleled by that of most other European countries,

DIAGRAM V.—ENGLAND AND WALES.—ENTERIC FEVER.
CORRECTED DEATH-RATES at ALL AGES, 1869-1910.*



* The death-rates throughout the entire period are based upon the sex and age constitution of the population as enumerated in 1901. For method of correction, see page xxviii.

in that considerable declines in them also have dated from about the same year, there is no such parallelism in the case of enteric fever. Continuous decline in mortality has been the prevailing rule in the more progressive countries of Europe, and the interruption in the line of descent during the last fifteen years or so of the last century finds no place in the curves of their mortality. It is, on the other hand, well marked in the Scottish curve, though the cessation of decline was not absolute (Table LXXVIII), while in Ireland the mortality actually increased up to the period 1896-1900, since when the fall has been greater than in either England or Scotland.

Diagram V. also shows the changes which have taken place in the sex incidence of enteric fever mortality. Prior to 1881 the mortality of both sexes was about equal, but since then that of males has been uniformly and, at times, very much higher. The maximum of actual excess is shown by the diagram to have been reached about the year 1900, when the relative excess was 51 per cent. In 1910, the relative excess was only 30 per cent., although in 1908 it had been as high as 67 per cent.

In Table XXXIII., which is condensed from a more extended table in the last report of the Metropolitan Asylums Board, the ratio of deaths to admissions on account of enteric fever, and the general London mortality from that disease are given for the period 1876-1910. This table shows that the diminished mortality is due in the main to diminished prevalence rather than diminished fatality of the disease.

TABLE XXXIII.

Enteric Fever. (Quinquennia.)	Metropolitan Asylums Board Hospitals.			County of London.
	Admissions.	Deaths.	Fatality. (Ratio per cent. of deaths to admissions.)	Mean Annual Mortality per 1,000 living.
1876-1880	1,777	355	20·0	0·23
1881-1885	2,129	398	18·7	0·23
1886-1890	2,012	314	15·6	0·14
1891-1895	2,924	496	17·0	0·13
1896-1900	5,396	848	15·7	0·14
1901-1905	4,852	735	15·1	0·08
1906-1910	2,588	382	14·8	0·05

As is the case with many other diseases, the mortality from enteric fever is partly determined by the density of the population. In Table XXXIV. urban and rural mortalities are contrasted for each sex and those for 1910 compared with the average of the preceding quinquennium.

TABLE XXXIV.

Enteric Fever. Mortality per Million Living at all Ages.		Crude Rates.		Corrected Rates.*		
		Average 1905-09.	Year 1910.	Average 1905-09.	Year 1910.	Ratio.†
Both Sexes	England & Wales ...	77	53	77	53	69
	Urban Counties ...	87	63	86	63	73
	Rural Counties ...	58	29	60	29	48
Males ...	England & Wales ...	93	60	93	60	65
	Urban Counties ...	106	71	104	71	68
	Rural Counties ...	68	33	70	34	49
Females ...	England & Wales ...	61	46	61	46	75
	Urban Counties ...	70	56	69	56	81
	Rural Counties ...	49	24	51	25	49

* See footnote, p. xxviii.

† *i.e.*, the ratio of the corrected death-rates in 1910 to those in 1905-09, the latter taken as 100.

Taking both sexes together the mortality in the urban group of counties in 1905-09 exceeded that in the rural by 43 per cent. Among males the excess was 49 per cent., whilst among females it amounted to only 35 per cent.

From Table 31 it appears that among registration counties with populations exceeding 100,000, the highest crude death-rates† from enteric fever were 98 per million in Lancashire, 85 in the North Riding of Yorkshire, and 84 in Hampshire. Compared with the respective decennial averages, these three counties in common with

† In the case of enteric fever, correction does not greatly modify the death-rates.

all but two of the 55 registration counties, showed considerable decreases.

In Table XXXV. the sex and age incidence of the mortality from enteric fever in recent years is shown for England and Wales and for the urban and rural groups of counties, but as in the case of other similar tables comment is omitted on this occasion.

TABLE XXXV.

Enteric Fever. Mortality at Age-groups, per Million Living.		Average 1905-1909.			Year 1910.		
		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	24	29	16	12	13	14
	5—	44	51	27	28	28	16
	10—	60	72	48	44	56	31
	15—	93	99	81	63	74	38
	20—	105	107	107	67	76	21
	25—	119	130	90	77	91	47
	35—	104	123	67	78	91	28
	45—	81	95	58	59	77	33
	55—	59	67	55	45	62	31
	65—	26	30	29	22	33	16
Males	0—	25	30	16	14	17	8
	5—	41	49	21	22	22	12
	10—	58	66	48	37	48	25
	15—	111	118	94	68	76	31
	20—	137	139	117	77	84	28
	25—	157	171	105	96	108	70
	35—	132	155	92	100	116	39
	45—	102	120	76	72	90	45
	55—	73	85	65	59	78	39
	65—	32	41	41	27	35	21
Females	0—	23	28	15	10	9	20
	5—	46	53	32	33	35	20
	10—	63	77	48	52	65	38
	15—	77	80	66	59	73	46
	20—	77	77	98	58	68	15
	25—	85	93	76	60	75	26
	35—	77	92	43	59	67	18
	45—	61	72	42	48	65	23
	55—	46	52	46	32	47	23
	65—	21	22	20	18	31	12

Diarrhœal Diseases.—This term includes the following headings of the extended list of causes of death (Tables 21-26 and pages 290-303 &c.) :

- (1) Diarrhœa due to food ;
- (2) Infective Enteritis, Epidemic Diarrhœa ;
- (3) Diarrhœa not otherwise defined (including Gastro-intestinal Catarrh) ;
- (4) Ulceration of intestines ;
- (5) Enteritis ;
- (6) Gastro-enteritis,

It practically corresponds to the "diarrhœa and enteritis" of the International List of Causes of Death.*

The number of deaths at all ages ascribed to these causes during 1910 was 18,163, corresponding to a rate of 507 per million living, or 237 per million below the average rate in the preceding quinquennium.

More than four-fifths of these deaths occurred among children under five years of age. The following table shows the mortality per 1000 children living at this age :—

TABLE XXXVI.—MORTALITY from DIARRHŒAL DISEASES among CHILDREN aged 0-5 years.

—				England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	{	1910	3·64	4·60	1·73
		1905-09	...	5·62	6·94	2·69
Males ...	{	1910	4·08	5·14	1·92
		1905-09	...	6·14	7·55	2·98
Females ...	{	1910	3·22	4·07	1·55
		1905-09	...	5·11	6·34	2·40

From this table it will be seen that in the year 1910, as compared with the quinquennium 1905-09, the diarrhœal mortality of children under five years declined by about 35 per cent. both in England and Wales as a whole and in the urban and rural areas. The same table shows that the child mortality during 1910 in the urban group of counties was more than twice as great as that in the rural group. Table 41 shows that among counties with populations above 100,000 the lowest death-rates from diarrhœal diseases were 0·65 per 1,000 children living in Wiltshire, 1·00 in Hertfordshire, and 1·10 in Dorsetshire. The highest death-rates were 5·85 in the North Riding of Yorkshire, 5·96 in Lancashire, and 6·51 in the East Riding of Yorkshire.

Rabies (Hydrophobia).—One death from hydrophobia was registered during 1910. This death was that of a private soldier and resulted from a dog bite in Gibraltar. No deaths from this disease had been reported in any of the seven years immediately preceding. In the course of the last twelve years only three deaths from hydrophobia have been reported in England and Wales. In the closing ten years of the nineteenth century the deaths from this disease averaged seven annually.

Pyæmia, Septicæmia, Septic Intoxication.—The deaths of 65 males and 53 females were referred to pyæmia, and the deaths of 173 males and 127 females to septicæmia, in the year under notice; the deaths of females from puerperal affections of this nature being excluded from this heading. Before the commencement of the present century the deaths from pyæmia were included with those from septicæmia in the returns of the Registrar-General.

Puerperal Fever.—The deaths referred to one or other of the definite headings comprised under this term (*i.e.*, puerperal septicæmia and septic intoxication, puerperal pyæmia, and phlegmasia alba dolens) numbered 1113. In addition to these 161 deaths were indefinitely

* For an account of the changes made in the grouping of these diseases *see* Annual Report, 1908, pages xcv-xcvi. In addition to the alterations there described it has been found necessary to include deaths from intestinal ulceration under the heading diarrhœal diseases.

certified as due to "Puerperal Fever" (variety unspecified), a term no longer recognised by the Royal College of Physicians as adequate for the description of the cause of any individual death. The total number, 1274, is 155 below that so returned in 1909. The number of deaths certified as due to "puerperal fever" (161) is 29 below that in 1909, and compares with 478 so recently as 1901. It is much to be hoped that this satisfactory improvement in certification will continue.

Of the 1274 deaths referred to puerperal septic affections 186 were further complicated; the complicating cause was stated to be scarlet fever in 4 cases, influenza in 4, pneumonia in 81, tuberculous disease in 3, anæmia in 3, diseases of the heart in 13, cerebral hæmorrhage in 3, embolism or thrombosis in 31, pleurisy in 6, liver disease in 2, and kidney disease in 8 cases. In addition to the 1274 mentioned above there occurred in connexion with pregnancy or childbirth 3003 other deaths, of which particulars are given in Tables LI. and LII.

Pneumonia.—In the year under notice the deaths assigned to pneumonia in its various forms numbered 39,760, 22,541 being deaths of males and 17,219 of females. Of these deaths 5277 were referred to lobar pneumonia, 17,547 to broncho-pneumonia, and 9 to epidemic pneumonia, while in the case of the remaining 16,927 "pneumonia" was returned as the cause of death without further qualification.

The deaths from pneumonia of all forms were equal to a rate of 1110 per million of the population at all ages, 1302 per million among males, and 932 per million among females, the corresponding rates during the preceding quinquennium having been 1273 per million persons, 1483 per million males, and 1077 per million females. The total pneumonia death-rate was lower in 1910 than in any year since 1894, a fact which acquires increased significance in view of the reasons given in last year's Report for believing that many deaths formerly ascribed to bronchitis are now certified as due to pneumonia.

If we examine the distribution of pneumonia deaths under the principal headings to which they have been classified from the year 1901 onwards we find evidence of improved certification, for whereas, with some fluctuations, the death-rate from lobar pneumonia rose from 69 per million persons living in 1901 to 147 in 1910; and that from broncho-pneumonia from 460 to 490, the rate from undefined pneumonia fell from 615 to 473 per million. These changes of mortality suggest transference from the undefined to the definite headings. The proportions of total deaths from pneumonia have varied as follows:—

TABLE XXXVII.

—	Proportion per cent. of total pneumonia mortality.		
	Lobar Pneumonia.	Broncho- Pneumonia.	Pneumonia Undefined.
1901... ..	6·3	40·1	53·6
1902... ..	7·5	40·1	52·4
1903... ..	7·9	42·8	49·3
1904... ..	9·0	44·8	46·2
1905... ..	11·0	42·4	46·6
1906... ..	11·9	41·3	46·8
1907... ..	11·5	45·4	43·1
1908... ..	11·5	45·6	42·9
1909... ..	13·2	42·9	43·9
1910... ..	13·3	44·1	42·6

It will be seen from these figures that taking the total mortality from pneumonia as 100 throughout the period seven per cent. of this mortality has been transferred from the less definite heading "pneumonia" to lobar, and four per cent. to broncho-pneumonia.

It might perhaps be conjectured from the nature of the transference which has been in progress that the majority of the large proportion of deaths still certified as due to pneumonia without further qualification are caused by lobar pneumonia. This view is strongly confirmed on examination of the age and sex distribution of the three groups of deaths. Table XXXVIII. compares the mortalities recorded during the years 1901-1910 for both sexes at various ages for the three classes of pneumonia deaths, those for bronchitis being also stated for purposes of comparison. The table also shows the percentage distribution at different ages of the mortality from each of these diseases. It shows that the age-distribution of the less defined group of deaths approximates much more closely to that of lobar than of broncho-pneumonia. As is perhaps to be expected the number of cases in which the exact type of disease is left unstated is greater at the extremes of life than at other ages; making allowance for this the age-distribution of "pneumonia not otherwise defined," with its considerable incidence upon the ages 25-75 in both sexes, conforms pretty closely to that of lobar, and contrasts sharply with that of broncho-pneumonia, which is mainly fatal to infants and young children.

The same lesson is taught even more clearly by comparison of the distribution between the two sexes of mortality from these diseases at different ages. The materials for this comparison are furnished by Table XXXIX. and by Diagram VI., which graphically compares the proportions stated in this table. Lobar contrasts with broncho-pneumonia by exhibiting a very great excess of mortality amongst males during early and middle adult life. In this respect it is closely followed by "pneumonia not otherwise defined"; whereas broncho-pneumonia, with its relatively small excess of male mortality at any age, and its excess of female mortality at ages 5-15 and over 75, conforms much more closely to the sex distribution of bronchitis than of either of the other pneumonia groups. The tables and curves in fact suggest that the group of deaths certified only as "pneumonia" consists mainly of deaths from lobar pneumonia with some admixture of broncho-pneumonia. The resemblance between the sex distribution at various ages of deaths from broncho-pneumonia and from bronchitis is also noticeable and suggests that, as is indeed to be expected, the transference of deaths from bronchitis to pneumonia, shown in last year's Report to have occurred of late years, has been a transference chiefly of deaths now certified as due to broncho-pneumonia.

The probable constitution of the less defined group of pneumonia deaths is a matter of importance both as profoundly affecting the true mortality of such an important and distinctive disease as lobar pneumonia, and because of its bearing upon international comparisons of pneumonia mortality. The International List of Causes of Death, by grouping together deaths from lobar pneumonia and from pneumonia not otherwise defined, may be said to assume that "pneumonia" unqualified generally means lobar pneumonia. If this were not so, no comparison of mortality from lobar pneumonia in the different countries using the International List would be possible at the present time. The evidence however appears to show that the assumption holds good in this country at least, but the distinction hitherto made here between the more and the less definitely certified cases will be maintained when the International List is in use.

TABLE XXXVIII.—MORTALITY FROM PNEUMONIA AND BRONCHITIS, 1901-10.

		Death-rates per Million Living.*				Percentage of Deaths to those at All Ages.			
		Lobar Pneumonia.	Broncho-Pneumonia.	Pneumonia (not defined).	Bronchitis.	Lobar Pneumonia.	Broncho-Pneumonia.	Pneumonia (not defined).	Bronchitis.
Both Sexes	All Ages	130	539	585	1,165	100·0	100·0	100·0	100·0
	0— ...	258	8,027	2,790	10,302	5·4	40·5	13·0	24·0
	1— ...	126	2,189	959	1,245	8·7	36·5	14·7	9·6
	5— ...	30	117	158	53	2·5	2·3	2·9	0·5
	10— ...	18	23	79	14	1·5	0·4	1·4	0·1
	15— ...	41	19	139	18	3·2	0·4	2·4	0·2
	20— ...	60	22	185	23	4·5	0·4	3·0	0·2
	25— ...	95	36	283	52	11·9	1·1	7·8	0·7
	35— ...	165	79	512	195	15·5	1·8	10·8	2·1
	45— ...	228	168	782	706	15·6	2·8	11·9	5·4
	55— ...	328	405	1,264	2,545	15·1	4·5	12·8	13·1
	65— ...	449	876	2,114	7,704	11·4	5·4	12·0	21·9
	75— ...	447	1,483	2,985	17,181	4·2	3·3	6·2	17·8
	85— ...	445	2,294	4,422	34,574	0·5	0·6	1·1	4·4
Males	All Ages	167	592	707	1,175	100·0	100·0	100·0	100·0
	0— ...	302	9,000	3,149	11,408	5·2	43·6	12·8	27·8
	1— ...	139	2,269	1,021	1,262	7·7	35·5	13·4	9·9
	5— ...	32	111	166	51	2·1	2·1	2·6	0·5
	10— ...	18	22	81	14	1·2	0·4	1·2	0·1
	15— ...	52	20	173	18	3·2	0·3	2·5	0·2
	20— ...	85	22	246	25	4·8	0·4	3·3	0·2
	25— ...	130	38	369	57	12·3	1·0	8·3	0·8
	35— ...	229	88	685	200	16·8	1·8	11·9	2·1
	45— ...	329	190	1,085	766	17·4	2·9	13·5	5·8
	55— ...	448	452	1,688	2,763	15·5	4·4	13·7	13·6
	65— ...	554	905	2,552	7,947	10·1	4·6	11·0	20·5
	75— ...	525	1,477	3,371	17,057	3·3	2·6	5·0	15·2
	85— ...	540	2,175	4,847	33,914	0·4	0·4	0·8	3·3
Females	All Ages	95	489	471	1,155	100·0	100·0	100·0	100·0
	0— ...	212	7,017	2,418	9,154	5·8	37·0	13·3	20·5
	1— ...	113	2,109	897	1,229	10·4	37·6	16·7	9·3
	5— ...	28	124	150	56	3·1	2·6	3·3	0·5
	10— ...	19	24	77	15	2·0	0·5	1·6	0·1
	15— ...	30	19	106	17	3·1	0·4	2·2	0·1
	20— ...	38	21	131	21	3·9	0·4	2·7	0·2
	25— ...	64	35	205	48	11·1	1·2	7·2	0·7
	35— ...	104	70	350	191	13·5	1·8	9·1	2·0
	45— ...	135	147	500	651	12·7	2·7	9·5	5·1
	55— ...	223	363	893	2,354	14·4	4·6	11·7	12·6
	65— ...	365	852	1,763	7,510	13·7	6·2	13·3	23·1
	75— ...	391	1,488	2,706	17,271	5·6	4·1	7·8	20·3
	85— ...	389	2,365	4,172	34,962	0·7	0·9	1·6	5·5

* The mortality under one year is calculated per million births, that at other ages per million living.

DIAGRAM VI.—PNEUMONIA and BRONCHITIS : MALE MORTALITY per cent. of FEMALE MORTALITY at each AGE-GROUP, 1901-1910.




TABLE XXXIX.—PNEUMONIA AND BRONCHITIS: MALE MORTALITY PER CENT. OF FEMALE MORTALITY AT EACH AGE-GROUP, 1901-1910.

Ages.	Lobar Pneumonia.	Broncho- Pneumonia.	Pneumonia Undefined.	Bronchitis.
All Ages	176	121	150	102
0—1	142	128	130	125
1—5	123	108	114	103
5—10	114	90	111	91
10—15	95	92	105	93
15—20	173	105	163	106
20—25	224	105	188	119
25—35	203	109	180	119
35—45	220	126	196	105
45—55	244	129	217	118
55—65	201	125	189	117
65—75	152	106	145	106
75—85	134	99	125	99
85 and upwards ...	139	92	116	97


Tuberculosis.—The mortality from this cause continues to decrease, and was lower in 1910 than in any previous year. The deaths assigned to tuberculous affections in the aggregate numbered 51,317, or 6,247 below the average number in the previous five years, corrected for estimated increase of population. Tuberculosis was responsible for 10.6 per cent. of the mortality from all causes, and for a death-rate of 1,434 per million living, at all ages and of both sexes.

Diagram VII. shows the incidence of the mortality in each sex, both from all forms of the disease and from phthisis, in each quinquennium since 1851. It will be apparent from the diagram that although there has been a steady decrease in the mortality from tuberculosis in both sexes, the decrease has been much greater among females than males. In the first quinquennium the rates were the same in each sex (3,637 per million), but in the last the rate among females had fallen to 1350 per million, or 25 per cent. lower than that for the males, 1798 per million. In the case of phthisis it will be seen that the mortality among females did not fall below that of males till a later period (1866-70), but that since then the excess in decrease of female mortality has been more marked than in the case of tuberculosis generally, the death-rate from phthisis among females during the last quinquennium being 29 per cent. lower than that among males.

Among counties containing populations above 100,000 the highest uncorrected death-rates from tuberculosis in 1910 were 1739 in Carmarthenshire, 1772 in Northumberland, and 2072 in Carnarvonshire.

Phthisis (including tuberculous laryngitis).—In the year under notice tuberculous phthisis accounted for the deaths of 20,792 persons, and “phthisis” not otherwise defined, for the deaths of 15,542 persons, at all ages and of both sexes. Together these deaths were equal to 71 per cent. of the total deaths from tuberculosis, and to a rate of 1015 per million of the population, or 7.5 per cent. of the total death-rate. This rate is the lowest on record, as were those also of 1908 and 1909. It is 10 per cent. below the average for the five years 1905-09.

DIAGRAM VII.--ENGLAND AND WALES.—TUBERCULOSIS (all forms) and PHTHISIS. CORRECTED DEATH-RATES at ALL AGES, in quinquennia 1851-1910.*



* The death-rates throughout the entire period are based upon the sex and age constitution of the population as enumerated in 1901. For method of correction, see p. xxviii.

TABLE XL.

Phthisis.			Crude Rates.		Corrected Rates.*		
Mortality per Million Living at all Ages.			Average 1905-09.	Year 1910.	Average 1905-09.	Year 1910.	Ratio.†
Both Sexes	England & Wales ...		1,133	1,015	1,133	1,015	90
	Urban Counties ...		1,216	1,073	1,212	1,072	88
	Rural Counties ...		1,039	961	1,069	983	92
Males ...	England & Wales ...		1,332	1,186	1,332	1,186	89
	Urban Counties ...		1,473	1,290	1,470	1,290	88
	Rural Counties ...		1,124	1,047	1,153	1,069	93
Females ...	England & Wales ...		946	855	946	855	90
	Urban Counties ...		975	870	970	868	89
	Rural Counties ...		960	879	990	903	91

* See foot-note, page xxviii.

† i.e., the ratio of the corrected death-rates in 1910 to those in 1905-09, the latter taken as 100.

The phthisis mortality has fallen during the past half century by nearly 60 per cent. at all ages, and by about 70 per cent. at ages 0-25.

From that age onwards the fall has been considerably less marked, and has been more pronounced in females than in males.

TABLE XLI.

Phthisis.		Average 1905-1909.			Year 1910.		
Mortality at Age-groups, per Million Living.		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	305	364	223	287	339	183
	5—	159	180	123	126	141	102
	10—	264	271	273	260	273	271
	15—	829	816	912	744	736	807
	20—	1,274	1,181	1,640	1,131	1,058	1,359
	25—	1,689	1,653	1,861	1,486	1,433	1,699
	35—	2,002	2,200	1,669	1,776	1,806	1,630
	45—	2,043	2,398	1,489	1,794	2,062	1,432
	55—	1,709	2,050	1,300	1,601	1,919	1,150
	65—	975	1,205	775	971	1,139	851
Males	0—	326	392	220	323	380	206
	5—	129	148	93	100	115	97
	10—	157	168	143	161	182	147
	15—	712	727	701	624	614	662
	20—	1,392	1,286	1,736	1,256	1,194	1,427
	25—	1,946	1,923	2,019	1,687	1,642	1,829
	35—	2,480	2,771	1,942	2,173	2,378	1,893
	45—	2,802	3,360	1,936	2,454	2,859	1,868
	55—	2,464	3,073	1,700	2,260	2,809	1,449
	65—	1,350	1,790	961	1,340	1,693	1,082
Females	0—	285	336	225	250	298	159
	5—	188	211	152	153	167	106
	10—	372	374	405	358	362	399
	15—	944	901	1,131	861	853	958
	20—	1,168	1,088	1,554	1,020	936	1,298
	25—	1,458	1,407	1,722	1,307	1,243	1,585
	35—	1,554	1,657	1,417	1,404	1,438	1,387
	45—	1,340	1,490	1,086	1,182	1,309	1,038
	55—	1,047	1,154	948	1,022	1,140	886
	65—	685	771	625	685	727	664

In Tables 29, 30 and 31, the crude rates of mortality from phthisis in 1910 are shown in the several registration counties of England and Wales. Among counties with populations exceeding 100,000 the highest rates among persons of both sexes were 1223 per million in London, 1289 in Carmarthenshire, and 1506 in Carnarvonshire.

Tuberculous Meningitis.—The deaths classified under this heading during 1910 numbered 5471 at all ages, being fewer by 655 than the average number in the previous five years, after allowance for increase of population. As the deaths from simple meningitis were also below the quinquennial average, there appears no reason to doubt the reality of the decrease in the mortality from meningeal tuberculosis.

The Tables on pages 294-295 illustrate the fact that tuberculous meningitis is, for the most part, a disease of early life. Of the deaths at all ages registered during 1910 3512, or 64 per cent., occurred within the first five years of life—a number corresponding to a rate of 86 per 100,000 living at that age. The deaths under one year were equal to 131 in every 100,000 infants born.

The following table shows the mortality of young children from tuberculous meningitis and tuberculous peritonitis since the year 1847, before which there are no data available for comparison :—

TABLE XLII.—TUBERCULOUS MENINGITIS and TUBERCULOUS PERITONITIS.—
DEATH-RATES per 100,000 among CHILDREN under 5 years of age.

Quinquennia.	Tuberculous Meningitis.			Tuberculous Peritonitis.		
	Boys.	Girls.	Both Sexes.	Boys.	Girls.	Both Sexes.
1847-1850 (4 years) ...	305	231	268	162	139	150
1851-1855 ...	311	233	272	179	153	166
1856-1860 ...	275	202	239	172	148	160
1861-1865 ...	277	196	236	190	163	176
1866-1870 ...	242	176	209	210	181	196
1871-1875 ...	223	158	191	215	182	199
1876-1880 ...	227	155	191	226	191	209
1881-1885 ...	175	126	150	205	166	185
1886-1890 ...	163	119	141	196	157	176
1891-1895 ...	155	118	137	176	144	160
1896-1900 ...	141	114	127	147	117	132
1901-1905 ...	118	103	110	118	94	106
1906-1910 ...	103	89	96	84	66	75

Note.—The figures for tuberculous meningitis are not strictly comparable throughout. Previous to 1881 deaths from chronic hydrocephalus were classed to tuberculous meningitis.

The continuous decline in the mortality attributed to tuberculous meningitis is striking, notwithstanding the alteration in classification mentioned in the footnote to Table XLII., which does not appear to have affected the figures very profoundly.

The malady is generally more destructive to young children in the town than in the country. Tables 35 and 36 show that in the selected urban counties the mortality of children under five years of age was equal in 1910 to a rate of 97, and in the rural counties to a rate of 49 per 100,000 living at this age.

Tuberculous Peritonitis (including *Tabes Mesenterica*).—Under this head during 1910 there were returned 4,345 deaths at all ages, or fewer by 556 than the corrected average number in the preceding five years. Of this total 3,554 were definitely ascribed to tuberculous peritonitis, the remaining 791 being indefinitely assigned to *tabes mesenterica*.* The deaths of children under five years amounted to 62 per cent. of the total mortality. Among 100,000 boys living at this age the deaths were 75 in number, while among the same number of girls living, the deaths numbered 58.

The mortality ascribed to tuberculous peritonitis is seen from Table XLII. to have displayed since 1876-80 a continuous decline, which since 1891-95 has become remarkably rapid. This is the more noteworthy in contrast with the tendency to increase up to about 1880. The death-rate of boys has exceeded that of girls by about 25 per cent. of late years, as against 15-20 per cent. in the earlier periods dealt with in the table.

* In the year 1901 more than half of the deaths under this head were thus indefinitely returned.

From Tables 35 and 36 it will be seen that as in previous years the mortality among young children from tuberculous peritonitis (as from tuberculous meningitis) is far higher in the town than in the country. In the year 1910 the death-rate from this disease among children under five years of age was 78 per 100,000 living in the urban counties, and 35 in the rural counties.

Other Tuberculous Diseases.—The deaths at all ages returned under this head were 5,167 in number, and corresponded to a rate of 145 per million living, which is 22 per million below the average rate in the preceding five years (*see* Table 22). This total consists of 2,884 deaths from general tuberculosis, and of 2,283 deaths from scrofula and the local tuberculous affections, such as lupus and tuberculous diseases of the bones and joints, not dealt with in the preceding sections. Of the 5,167 deaths at all ages from “other tuberculous diseases,” 1,500 were those of children under five years of age (*see* pages 294 and 295).

Of the decrease of 755 deaths from general tuberculosis as compared with the preceding year, 385 are accounted for by transference to other tuberculous headings as the result of inquiries addressed to medical practitioners with regard to deaths certified as due to tuberculosis without further qualification, and which in previous years had been assigned without inquiry to general tuberculosis. The majority (222) of these were transferred to pulmonary tuberculosis.

The 2,188 deaths from “tubercle of other organs” (pp. 24, 294 and 295) show an increase of 320 over the corresponding figure for the previous year. This is largely due to transference to this heading of deaths previously classed to caries and to spinal curvature. These 2,188 deaths comprise 760 cases of spinal disease, 550 of joint disease, and 878 of disease of other organs.

Alcoholism and Cirrhosis of Liver.—The deaths of 1,490 persons, 862 males and 628 females, were returned in 1910 under the heading “Alcoholism, delirium tremens”; of this total, 59 had been originally certified as from hæmatemesis, hæmoptysis, peritonitis, dropsy, or some other indefinite cause, the true nature of the fatal malady having been ascertained subsequently in each case by correspondence with the medical attendant. Among males the deaths at all ages were equal to a rate of 50 per million, and among females to a rate of 34 per million, or 31 and 28 per cent., respectively, below the average in the preceding five years. Nine-tenths of the deaths directly ascribed to alcoholism occur within the main working period of life, *i.e.*, at ages from 25 to 65 years.

The mortality ascribed to alcoholism and cirrhosis of the liver, which had been increasing for many years, and especially in the years 1896–1900, reached its highest point in the last year of that quinquennium. Since that year there has been a steady decline in the mortality ascribed to these causes.

Rheumatic Fever (Acute and Sub-acute Rheumatism).—The deaths referred to this disease numbered 1,680, corresponding to a death-rate of 46 per million among males and 48 per million among females. Few deaths of young children are ascribed to rheumatic fever, but after the age of five years or so there is comparatively little variation in the death-rate at different ages. The maximum mortality occurs in later childhood, and about this period of life females suffer more than males, the reverse being generally the case at other ages.

Cancer.—The deaths ascribed to cancer or malignant disease during 1910 numbered 34,607, of which 20,320 were referred to

carcinoma, 2,073 to sarcoma, and 12,214 to "cancer" not otherwise defined. The latter number remains about stationary year by year, but the deaths ascribed to carcinoma are rapidly increasing, while those ascribed to sarcoma are also increasing, although less rapidly. The mortality among males was 856 per million living as compared with 833 in 1909, and that among females 1,070 as compared with 1,082. The total mortality from cancer in 1910 was the highest on record, the increase among males more than counterbalancing the decrease among females. Diagram VIII. shows that from 1861 to about 1880 the increase in female mortality was greater than that in the mortality of males, but that since 1890 the reverse has been the case, male mortality (as recorded) having increased by 333 and female by 218 per million living.

Table XLIII., which shows the increase of mortality from cancer during 1910 as compared with the average of the preceding five years, indicates cancer to be more destructive in the urban than in the rural group of counties, although the crude rates would seem to show the reverse. It must be borne in mind, however, that the figures upon which this table is based are uncorrected for deaths in institutions. A considerable number of cancer patients die in hospitals; these are situated mainly in large towns but draw their patients from rural as well as urban counties. The death-rates for urban counties may be slightly overstated and those for rural correspondingly understated on this account. This source of error, it may be remarked, will be eliminated in future Reports.

TABLE XLIII.

Cancer.			Crude Rates.		Corrected Rates.*		
Mortality per Million Living at all Ages.			Average 1905-09.	Year 1910.	Average 1905-09.	Year 1910.	Ratio.†
Both Sexes	England and Wales	924	967	924	967	105
	Urban Counties	888	934	974	1026	105
	Rural Counties	1,066	1,120	846	887	105
Males	England and Wales	799	856	799	856	107
	Urban Counties	768	845	850	935	110
	Rural Counties	928	958	723	745	103
Females	England and Wales	1,041	1,070	1,041	1,070	103
	Urban Counties	1,000	1,019	1,089	1,111	102
	Rural Counties	1,196	1,272	962	1,021	106


* See footnote, p. xxviii.

† *i.e.*, the ratio of the corrected death-rates in 1910 to those in 1905-09, the latter taken as 100.

Contrary to the general tendency, pointed out in last year's Report, for cancer mortality to remain stationary of late years among women under 55 years of age, Table XLIV. appears to indicate increase over the average for the previous quinquennium at all ages over 25. In view of what has been said on page xxxviii, however, as to the reliability of such tables in the present Report conclusions of this nature must be received with caution.

DIAGRAM VIII.— ENGLAND & WALES — CANCER; CORRECTED DEATH-RATES AT ALL AGES 1861-1910.*

NOTE :— THE PORTION SHADED VERTICALLY REPRESENTS THE MORTALITY ASCRIBED TO CANCER OF THE GENERATIVE AND MAMMARY SYSTEMS DURING THE YEARS 1897-1910.



* THE DEATH-RATES THROUGHOUT THE ENTIRE PERIOD ARE BASED UPON THE AGE CONSTITUTION OF THE POPULATION AS ENUMERATED IN 1901. FOR METHOD OF CORRECTION SEE PAGE XXVIII.

TABLE XLIV.

Cancer.	Mortality at Age-groups, per Million Living.	Average 1905-1909.			Year 1910.		
		England and Wales.	Urban Counties.	Rural Counties.	England and Wales.	Urban Counties.	Rural Counties.
Both Sexes	0—	30	32	28	33	32	37
	5—	15	17	14	18	24	18
	10—	16	17	14	15	18	19
	15—	29	32	32	28	32	32
	20—	46	48	46	46	41	53
	25—	142	153	131	152	169	151
	35—	666	719	600	689	737	614
	45—	2,056	2,224	1,783	2,145	2,366	1,847
	55—	4,411	4,729	3,914	4,526	4,810	4,045
	65—	7,374	7,593	7,089	7,876	8,318	7,420
	75—	8,412	8,281	7,994	8,885	8,731	8,809
Males	0—	33	36	27	35	30	32
	5—	18	20	16	18	26	12
	10—	18	20	11	16	18	16
	15—	32	39	33	35	41	44
	20—	53	56	47	54	51	57
	25—	115	121	118	123	131	143
	35—	438	474	395	471	510	397
	45—	1,650	1,833	1,365	1,808	2,079	1,479
	55—	4,198	4,556	3,719	4,380	4,863	3,520
	65—	7,433	7,696	7,030	8,203	8,881	7,181
	75—	8,277	8,205	7,928	8,688	8,581	8,951
Females	0—	23	29	29	32	35	41
	5—	12	13	12	19	23	25
	10—	14	14	18	15	17	21
	15—	27	26	30	21	24	18
	20—	40	41	45	39	32	51
	25—	166	181	142	178	204	158
	35—	878	953	789	894	952	814
	45—	2,433	2,593	2,169	2,459	2,637	2,180
	55—	4,598	4,881	4,142	4,655	4,765	4,509
	65—	7,327	7,513	7,138	7,614	7,883	7,621
	75—	8,508	8,330	8,045	9,024	8,829	8,701

Tables XLV. and XLVI. show, for males and females respectively, the deaths attributed during 1901-10 to cancer of the various parts of the body. It is probable, however, that in many cases the organ mentioned in the certificate was not the primary seat of disease. The excess of female over male mortality is accounted for by the enormously greater frequency with which the female generative and mammary organs are affected than are those of men. In the decennium ending with 1910 the recorded deaths of males from cancer, other than that of the generative and mammary organs, were equal to a rate of 760 per million, whilst the corresponding deaths of females amounted only to 610 per million. In the same period the death-rate from cancer of all parts of the body was 773 per million among males against 1,027 among females. Mortality from cancer of the generative and mammary organs is represented by distinctive shading in Diagram VIII. The information upon which this distinction is based was not regularly abstracted prior to 1897.

TABLE XLV.—ENGLAND and WALES.—DEATHS from CANCER,
MALES.

Part of the Body Affected.*	All Ages.	Ages								
		Under I Year.	I—	2—	3—	4—	Total under 5 Years.	5—	10—	15—
TOTAL	127,807	134	131	144	153	113	675	325	297	501
Skin of—										
Face	2,312	1	2	1	1	2	7	2	1	8
Lip	2,001	—	1	—	—	—	1	—	—	—
Nose	235	1	—	—	—	—	1	1	3	6
Scalp	119	—	2	2	—	—	4	1	—	1
Ear	279	2	—	1	2	—	5	2	1	2
Stomach	27,324	1	—	—	1	—	2	1	2	5
Intestines	10,322	3	2	3	2	4	14	9	7	16
Rectum	12,963	—	2	—	—	—	2	—	4	19
Breast	236	—	—	—	—	—	—	—	—	1
Æsophagus	8,406	—	—	—	—	—	—	—	1	1
Liver and Gall Bladder ...	15,823	11	6	10	13	4	44	25	14	21
Pancreas	2,391	1	1	—	1	—	3	—	1	3
Bladder and Urethra ...	3,960	—	2	2	9	1	14	7	3	2
Pharynx, Throat	2,967	3	—	—	1	2	6	9	12	19
Larynx and Trachea ...	2,518	1	—	—	1	—	2	1	1	—
Thyroid	232	—	—	—	—	1	1	1	1	2
Tongue	7,092	—	—	—	—	—	—	1	—	1
Mouth	2,241	—	1	1	2	1	5	—	1	4
Prostate	1,879	—	1	1	—	—	2	1	—	3
Peritoneum	1,076	6	6	4	7	7	30	4	5	8
Pleura	112	1	—	—	—	—	1	—	2	1
Brain	1,071	3	4	7	12	15	41	51	47	54
Spinal Cord	66	1	—	1	—	—	2	—	1	1
Heart and Pericardium ...	15	—	—	—	—	—	—	—	—	1
Globe of Eye, Orbit ...	370	5	5	29	22	11	72	27	7	5
Axilla	168	—	—	1	—	1	2	3	1	—
Groin	252	—	—	—	1	—	1	—	—	2
Lymphatic Glands	243	3	—	1	—	2	6	8	6	2
Shoulder	205	—	1	—	1	1	3	5	5	6
Arm, Leg	1,692	7	6	2	4	2	21	14	35	102
Hip	90	1	—	—	—	—	1	1	1	7
Skull	162	—	3	4	5	2	14	12	5	3
Rib, Sternum	199	—	2	—	—	—	2	5	4	10
Spinal Column	317	—	2	—	1	—	3	2	3	11
Jaw	3,697	5	7	2	6	4	24	15	14	16
Buttock	31	1	—	—	—	—	1	—	—	1
Pelvic Bones	686	4	8	1	2	2	17	16	10	25
Kidney and Supra-Renals	1,381	36	46	46	31	27	186	38	11	6
Testes and Penis	1,936	2	1	2	4	2	11	3	3	15
Parotid Gland	409	3	—	—	1	1	5	2	1	—
Lung	1,688	2	—	3	4	1	10	7	11	20
Mediastinum	1,339	—	1	2	2	1	6	11	15	28
Mesentery	264	3	—	—	1	1	5	6	3	3
Lymphatic Glands of Neck	3,585	9	2	1	2	6	20	15	23	20
Spleen	261	2	6	2	—	1	11	4	2	4
Abdomen	1,642	3	8	4	11	6	32	5	6	14
Thorax	365	3	1	—	—	3	7	3	4	7
Part not stated	1,185	10	2	11	3	2	28	7	20	15

* The arrangement of this column has been fixed in consultation

1901-1910, CLASSIFIED according to AGE, and PART AFFECTED.

MALES.

at Death.								Part of the Body Affected.*
20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
784	2,883	8,773	23,779	38,675	35,831	13,810	1,474	TOTAL.
5	23	120	294	457	661	576	158	Skin of—
1	4	56	179	427	630	566	137	Face
2	6	9	35	53	63	43	13	Lip.
4	6	5	14	29	23	26	6	Nose.
—	6	8	26	34	74	92	29	Scalp.
33	436	1,833	5,130	8,688	8,233	2,772	189	Ear.
41	262	706	1,708	2,954	3,242	1,261	102	Stomach.
77	285	762	2,130	3,989	3,981	1,573	141	Intestines.
2	4	11	39	64	70	37	8	Rectum.
3	34	434	1,934	3,087	2,202	661	49	Breast.
41	228	927	2,605	5,046	4,892	1,803	177	Œsophagus.
16	63	232	488	779	617	175	14	Liver and Gall Bladder.
4	40	176	566	1,112	1,423	551	62	Pancreas.
16	45	201	675	1,028	723	217	16	Bladder and Urethra.
3	13	154	641	891	638	160	14	Pharynx, Throat.
3	2	21	61	70	51	19	—	Larynx and Trachea.
2	37	490	1,832	2,410	1,704	569	46	Thyroid.
7	17	132	462	709	632	241	31	Tongue.
3	4	28	132	494	829	351	32	Mouth.
18	67	108	198	299	243	90	6	Prostate.
1	8	14	15	38	25	7	—	Peritoneum.
73	171	212	209	150	57	5	1	Pleura.
5	8	11	17	11	8	2	—	Brain.
—	2	—	7	2	2	1	—	Spinal Cord.
3	10	19	31	55	80	49	12	Heart and Pericardium.
—	11	16	16	34	45	35	5	Globe of Eye, Orbit.
3	19	33	56	67	50	17	4	Axilla.
9	12	30	40	63	49	17	1	Groin.
10	17	21	33	46	37	18	4	Lymphatic Glands.
97	120	135	206	317	345	250	50	Shoulder.
3	9	11	15	14	15	11	2	Arm, Leg.
17	7	17	19	30	24	12	2	Hip.
8	14	19	44	41	38	13	1	Skull.
11	25	30	64	93	61	13	1	Rib, Sternum.
12	46	255	829	1,145	930	380	31	Spinal Column.
1	4	1	2	10	7	4	—	Jaw.
24	62	74	104	153	152	47	2	Buttock.
15	53	123	258	348	251	89	3	Pelvic Bones.
44	222	282	359	369	375	220	33	Kidney and Supra-Renals.
4	9	27	78	113	120	45	5	Testes and Penis.
52	110	255	416	441	288	67	11	Parotid Gland.
25	89	159	331	365	249	56	5	Lung.
11	12	34	51	55	60	21	3	Mediastinum.
36	85	277	851	1,128	772	324	34	Mesentery.
2	14	28	46	71	59	18	2	Lymphatic Glands of Neck
16	72	117	267	459	470	170	14	Spleen.
4	28	43	70	109	66	21	3	Abdomen.
17	62	117	196	328	265	115	15	Thorax.
								Part not stated.

with Dr. Bashford, Director of the Imperial Cancer Research Fund,

TABLE XLVI.—ENGLAND and WALES.—DEATHS from CANCER,

FEMALES.

Part of the Body Affected.*	All Ages.	Ages								
		Under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—
TOTAL	181,334	97	103	131	122	95	548	241	258	446
Skin of—										
Face ...	1,575	1	—	1	2	2	6	2	4	2
Lip ...	169	1	2	—	—	—	3	—	—	—
Nose ...	211	2	—	—	—	—	2	1	—	—
Scalp...	181	—	—	1	—	1	2	—	1	—
Ear ...	86	—	—	—	—	—	—	—	—	—
Stomach ...	25,814	—	—	—	—	1	1	—	2	3
Intestines ...	14,069	—	1	—	1	—	2	2	4	16
Rectum ...	10,819	—	1	1	—	—	2	—	—	18
Uterus ...	39,562	—	4	1	1	—	6	—	2	11
Breast ...	30,493	1	—	—	—	—	1	—	1	3
Œsophagus ...	2,804	—	—	—	—	—	—	—	—	—
Liver and Gall Bladder ...	24,021	12	6	9	11	9	47	15	8	13
Pancreas ...	2,268	—	—	1	—	—	1	2	2	2
Bladder and Urethra ...	1,688	—	1	—	4	1	6	1	—	—
Pharynx, Throat ...	831	—	—	—	1	—	1	5	6	8
Larynx and Trachea ...	824	—	—	—	—	—	—	1	—	2
Thyroid ...	631	1	—	1	—	—	2	—	—	3
Tongue ...	854	1	—	—	—	—	1	—	—	—
Mouth ...	370	—	1	—	1	1	3	2	2	7
Peritoneum ...	2,634	2	4	1	5	2	14	4	6	7
Pleura ...	99	—	—	1	—	—	1	—	1	2
Brain ...	820	3	6	6	7	10	32	38	31	39
Spinal Cord ...	62	—	1	—	—	—	1	1	—	1
Heart and Pericardium ...	3	—	—	—	—	—	—	—	—	—
Globe of Eye, Orbit ...	376	6	8	18	24	11	67	14	8	3
Axilla ...	243	—	—	—	—	—	—	—	—	1
Groin ...	219	—	—	—	—	—	—	1	—	—
Lymphatic Glands ...	200	—	1	—	1	1	3	3	7	2
Shoulder ...	186	—	—	—	1	1	2	3	8	5
Arm, Leg ...	1,703	8	2	4	1	6	21	23	49	74
Hip ...	75	—	—	—	1	—	1	2	3	3
Skull ...	127	3	2	4	4	1	14	3	2	5
Rib, Sternum ...	157	—	—	—	1	—	1	2	4	2
Spinal Column ...	263	3	1	1	2	—	7	—	2	10
Jaw ...	1,335	2	3	1	5	2	13	6	14	9
Buttock ...	40	1	—	4	—	—	5	—	—	3
Pelvic Bones ...	1,110	5	4	5	1	—	15	5	12	30
Ovary ...	3,617	—	2	2	1	1	6	8	9	44
Kidney and Supra-Renals	1,411	21	44	48	31	34	178	50	10	8
Parotid Gland ...	200	1	—	—	1	1	3	2	1	4
Lung ...	1,317	2	1	—	3	2	8	10	16	26
Mediastinum ...	843	—	—	1	—	—	1	3	5	10
Mesentery ...	394	—	1	1	—	—	2	4	1	3
Lymphatic Glands of Neck	1,102	11	1	3	2	1	18	8	15	33
Spleen ...	273	—	—	1	2	1	4	2	—	2
Abdomen ...	3,255	2	2	9	4	2	19	8	8	12
Thorax ...	372	—	1	1	1	1	4	1	2	5
Part not stated	1,628	8	3	5	3	3	22	9	12	15

* The arrangement of this column has been fixed in consultation

1901-1910, CLASSIFIED according to AGE, and PART AFFECTED.

FEMALES.

at Death.								Part of the Body Affected.*
20—	25—	35—	45—	55—	65—	75—	85 and up-wards.	
647	4,990	19,219	38,508	49,322	44,774	19,747	2,634	TOTAL.
4	19	54	152	239	431	503	159	Skin of—
—	1	3	10	24	57	56	15	Face.
4	4	4	16	38	71	59	12	Lip.
1	3	9	21	34	50	46	14	Nose.
—	5	11	23	15	15	11	6	Scalp.
21	420	1,723	4,446	7,574	8,036	3,290	298	Ear.
38	307	893	2,266	3,898	4,414	2,002	227	Stomach.
55	316	881	1,874	3,040	3,063	1,408	162	Intestines.
55	1,512	6,804	11,320	10,611	6,732	2,258	251	Rectum.
23	629	3,819	7,505	7,853	6,467	3,482	710	Uterus.
5	128	369	542	660	715	350	35	Breast.
24	249	1,309	4,033	7,402	7,527	3,105	289	Œsophagus.
6	52	161	422	733	639	229	19	Liver and Gall Bladder.
—	21	100	232	449	554	284	41	Pancreas.
11	49	126	176	199	161	83	6	Bladder and Urethra.
—	63	150	191	204	153	52	8	Pharynx, Throat.
4	23	60	112	171	178	68	10	Larynx and Trachea.
3	59	92	137	184	227	134	17	Thyroid.
2	14	31	54	94	109	45	7	Tongue.
6	89	230	545	773	692	246	22	Mouth.
2	3	8	25	28	21	7	1	Peritoneum.
48	109	169	179	111	50	13	1	Pleura.
1	4	14	17	11	11	1	—	Brain.
—	—	—	—	1	1	1	—	Spinal Cord.
2	8	19	43	72	70	52	18	Heart and Pericardium.
—	5	17	34	53	76	47	10	Globe of Eye, Orbit.
3	8	26	42	56	43	34	6	Axilla.
5	14	22	39	40	47	15	3	Groin.
6	14	17	28	38	40	21	4	Lymphatic Glands.
49	99	116	203	311	382	291	85	Shoulder.
9	5	6	14	10	15	7	—	Arm, Leg.
4	10	10	18	28	20	10	3	Hip.
9	13	16	26	31	33	17	3	Skull.
7	19	36	50	65	48	17	2	Rib, Sternum.
19	41	108	235	357	329	182	22	Spinal Column.
2	2	2	5	8	7	6	—	Jaw.
31	60	166	236	246	223	75	11	Buttock.
52	224	622	1,079	931	506	126	10	Pelvic Bones.
11	50	119	255	336	281	102	11	Ovary.
5	8	16	34	42	49	29	7	Kidney and Supra-Renals.
26	66	187	336	356	228	55	3	Parotid Gland.
19	47	104	175	243	175	57	4	Lung.
4	10	36	74	99	109	46	6	Mediastinum.
25	65	80	182	245	255	151	25	Mesentery.
2	5	36	49	78	80	14	1	Lymphatic Glands of Neck.
16	56	203	612	835	975	465	46	Spleen.
7	13	32	79	103	72	40	14	Abdomen.
21	69	203	362	393	337	155	30	Thorax.
								Part not Stated.

with Dr. Bashford, Director of the Imperial Cancer Research Fund.

TABLE XLVII.—ENGLAND and WALES.—MALES.—MORTALITY per MILLION LIVING at several AGES from CANCER of specified ORGANS or PARTS of the BODY, 1901-10.

Part of Body Affected.	All Ages.	Ages at Death.						
		0—35	35—	45—	55—	65—	75—	85 and up-wards.
TOTAL	772·7	48·0	431·8	1619·6	4050·7	7130·4	7948·0	7799·8
Skin of—								
Face	14·0	0·4	5·9	20·0	47·9	131·5	331·5	836·1
Lip	12·1	0·1	2·8	12·2	44·7	125·4	325·7	725·0
Nose	1·4	0·2	0·4	2·4	5·6	12·5	24·7	68·8
Scalp	0·7	0·1	0·2	1·0	3·0	4·6	15·0	31·7
Ear	1·7	0·1	0·4	1·8	3·6	14·7	52·9	153·5
Stomach	165·2	4·2	90·2	349·4	910·0	1638·4	1595·4	1000·1
Intestines	62·4	3·1	34·8	116·3	309·4	645·2	725·7	539·7
Rectum	78·4	3·4	37·5	145·1	417·8	792·2	905·3	746·1
Breast	1·4	0·1	0·5	2·7	6·7	13·9	21·3	42·3
Œsophagus	50·8	0·3	21·4	131·7	323·3	438·2	380·4	259·3
Liver and Gall Bladder	95·7	3·3	45·6	177·4	528·5	973·5	1037·7	936·6
Pancreas	14·5	0·8	11·4	33·2	81·6	122·8	100·7	74·1
Bladder and Urethra ...	23·9	0·6	8·7	38·6	116·5	283·2	317·1	328·1
Pharynx, Throat	17·9	0·9	9·9	46·0	107·7	143·9	124·9	84·7
Larynx and Trachea ...	15·2	0·2	7·6	43·7	93·3	127·0	92·1	74·1
Thyroid	1·4	0·1	1·0	4·2	7·3	10·1	10·9	—
Tongue	42·9	0·4	24·1	124·8	252·4	339·1	327·5	243·4
Mouth	13·5	0·3	6·5	31·5	74·3	125·8	138·7	164·0
Prostate	11·4	0·1	1·4	9·0	51·7	165·0	202·0	169·3
Peritoneum	6·5	1·2	5·3	13·5	31·3	48·4	51·8	31·7
Pleura	0·7	0·1	0·7	1·0	4·0	5·0	4·0	—
Brain	6·5	3·8	10·4	14·2	15·7	11·3	2·9	5·3
Spinal Cord	0·4	0·1	0·5	1·2	1·2	1·6	1·2	—
Heart and Pericardium	0·1	0·0	—	0·5	0·2	0·4	0·6	—
Globe of Eye, Orbit ...	2·2	1·1	0·9	2·1	5·8	15·9	28·2	63·5
Axilla	1·0	0·1	0·8	1·1	3·6	9·0	20·1	26·5
Groin	1·5	0·2	1·6	3·8	7·0	9·9	9·8	21·2
Lymphatic Glands	1·5	0·4	1·5	2·7	6·6	9·8	9·8	5·3
Shoulder	1·2	0·4	1·0	2·2	4·8	7·4	10·4	21·2
Arm, Leg	10·2	3·4	6·6	14·0	33·2	68·7	143·9	264·6
Hip	0·5	0·2	0·5	1·0	1·5	3·0	6·3	10·6
Skull	1·0	0·5	0·8	1·3	3·1	4·8	6·9	10·6
Rib, Sternum	1·2	0·4	0·9	3·0	4·3	7·6	7·5	5·3
Spinal Column	1·9	0·5	1·5	4·4	9·7	12·1	7·5	5·3
Jaw	22·4	1·1	12·6	56·5	119·9	185·1	218·7	164·0
Buttock	0·2	0·1	0·0	0·1	1·0	1·4	2·3	—
Pelvic Bones	4·1	1·4	3·6	7·1	16·0	30·2	27·0	10·6
Kidney and Supra-Renals	8·3	2·7	6·1	17·6	36·4	49·9	51·2	15·9
Testes and Penis	11·7	2·6	13·9	24·5	38·6	74·6	126·6	174·6
Parotid Gland	2·5	0·2	1·3	5·3	11·8	23·9	25·9	26·5
Lung	10·2	1·8	12·6	28·3	46·2	57·3	38·6	58·2
Mediastinum	8·1	1·5	7·8	22·5	38·2	49·6	32·2	26·5
Mesentery	1·6	0·4	1·7	3·5	5·8	11·9	12·1	15·9
Lymphatic Glands of Neck,	21·7	1·7	13·6	58·0	118·1	153·6	186·5	179·9
Spleen	1·6	0·3	1·4	3·1	7·4	11·7	10·4	10·6
Abdomen	9·9	1·3	5·8	18·2	48·1	93·5	97·8	74·1
Thorax	2·2	0·5	2·1	4·8	11·4	13·1	12·1	15·9
Part not stated	7·3	1·3	6·0	13·1	34·5	52·7	66·2	79·1

TABLE XLVIII.—ENGLAND and WALES.—FEMALES.—MORTALITY per MILLION
LIVING at several AGES from CANCER of specified ORGANS or PARTS of
the BODY, 1901-10.

Part of Body Affected.	All Ages.	Ages at Death.						
		0—35	35—	45—	55—	65—	75—	85 and up- wards.
TOTAL	1026·7	59·8	885·7	2432·2	4531·5	7120·2	8237·7	8207·0
Skin of—								
Face	8·9	0·3	2·5	9·6	22·0	68·5	209·8	495·4
Lip	1·0	0·0	0·1	0·6	2·2	9·1	23·4	46·7
Nose	1·2	0·1	0·2	1·0	3·5	11·3	24·6	37·4
Scalp... ..	1·0	0·1	0·4	1·3	3·1	8·0	19·2	43·6
Ear	0·5	0·0	0·5	1·5	1·4	2·4	4·6	18·7
Stomach	146·2	3·8	79·4	280·8	695·9	1277·9	1372·5	928·5
Intestines	79·7	3·1	41·2	143·1	358·1	701·9	835·2	707·3
Rectum	61·3	3·3	40·6	118·4	279·3	487·1	587·4	504·8
Uterus	224·0	13·3	313·6	715·0	974·9	1070·6	942·0	782·1
Breast	172·7	5·5	176·0	474·0	721·5	1028·4	1452·6	2212·2
Œsophagus	15·9	1·1	17·0	34·2	60·6	113·7	146·0	109·1
Liver and Gall Bladder	136·0	3·0	60·3	254·7	680·1	1197·0	1295·3	900·5
Pancreas	12·8	0·5	7·4	26·7	67·3	101·6	95·5	59·2
Bladder and Urethra ...	9·6	0·2	4·6	14·7	41·3	88·1	118·5	127·7
Pharynx, Throat	4·7	0·7	5·8	11·1	18·3	25·6	34·6	18·7
Larynx and Trachea ...	4·7	0·6	6·9	12·1	18·7	24·3	21·7	24·9
Thyroid	3·6	0·3	2·8	7·1	15·7	28·3	28·4	31·2
Tongue	4·8	0·5	4·2	8·7	16·9	36·1	55·9	53·0
Mouth	2·1	0·3	1·4	3·4	8·6	17·3	18·8	21·8
Peritoneum	14·9	1·1	10·6	34·4	71·0	110·0	102·6	68·6
Pleura	0·6	0·1	0·4	1·6	2·6	3·3	2·9	3·1
Brain	4·6	2·5	7·8	11·3	10·2	8·0	5·4	3·1
Spinal Cord	0·4	0·1	0·6	1·1	1·0	1·7	0·4	—
Heart and Pericardium	0·0	—	—	—	0·1	0·2	0·4	—
Globe of Eye, Orbit ...	2·1	0·9	0·9	2·7	6·6	11·1	21·7	56·1
Axilla	1·4	0·1	0·8	2·1	4·9	12·1	19·6	31·2
Groin	1·2	0·1	1·2	2·7	5·1	6·8	14·2	18·7
Lymphatic Glands	1·1	0·3	1·0	2·5	3·7	7·5	6·3	9·3
Shoulder	1·1	0·3	0·8	1·8	3·5	6·4	8·8	12·5
Arm, Leg	9·6	2·6	5·3	12·8	28·6	60·7	121·4	264·8
Hip	0·4	0·2	0·3	0·9	0·9	2·4	2·9	—
Skull	0·7	0·3	0·5	1·1	2·6	3·2	4·2	9·3
Rib, Sternum	0·9	0·3	0·7	1·6	2·8	5·2	7·1	9·3
Spinal Column	1·5	0·4	1·7	3·2	6·0	7·6	7·1	6·2
Jaw	7·6	0·9	5·0	14·8	32·8	52·3	75·9	68·6
Buttock	0·2	0·1	0·1	0·3	0·7	1·1	2·5	—
Pelvic Bones	6·3	1·3	7·6	14·9	22·6	35·5	31·3	34·3
Ovary	20·5	2·9	28·7	68·2	85·5	80·5	52·6	31·2
Kidney and Supra-Renals	8·0	2·6	5·5	16·1	30·9	44·7	42·6	34·3
Parotid Gland	1·1	0·2	0·7	2·1	3·9	7·8	12·1	21·8
Lung	7·5	1·3	8·6	21·2	32·7	36·3	22·9	9·3
Mediastinum	4·8	0·7	4·8	11·1	22·3	27·8	23·8	12·5
Mesentery	2·2	0·2	1·7	4·7	9·1	17·3	19·2	18·7
Lymphatic Glands of Neck.	6·2	1·4	3·7	11·5	22·5	40·6	63·0	77·9
Spleen	1·5	0·1	1·7	3·1	7·2	12·7	5·8	3·1
Abdomen	18·4	1·0	9·4	38·7	76·7	155·0	194·0	143·3
Thorax	2·1	0·3	1·5	5·0	9·5	11·4	16·7	43·6
Part not stated	9·1	0·8	9·2	22·7	36·1	53·8	64·3	93·4

In Tables XLVII. and XLVIII. the mortalities per million living from cancer of different parts of the body are set forth. These tables afford a ready means of studying the differences in mortality from cancer of the same organ at different ages and in the two sexes, while Table XLIX. shows the relative frequency of deaths from cancer of the more important organs in persons of the same sex and age.


TABLE XLIX.—ENGLAND and WALES.—CANCER: PARTS of BODY, 1901-10.—PERCENTAGE of DEATHS at each AGE-GROUP to TOTAL DEATHS from CANCER in the same SEX and AGE-GROUP.

—				0—35	35—	45—	55—	65—	75—	85 and up-wards.	All Ages.
MALES.											
Face	0·8	1·4	1·2	1·2	1·8	4·2	10·7	1·8
Lip	0·1	0·6	0·8	1·1	1·8	4·1	9·3	1·6
Stomach	8·8	20·9	21·6	22·5	23·0	20·1	12·8	21·4
Intestines	6·4	8·0	7·2	7·6	9·0	9·1	6·9	8·1
Rectum	7·1	8·7	9·0	10·3	11·1	11·4	9·6	10·1
Breast	0·1	0·1	0·2	0·2	0·2	0·3	0·5	0·2
Œsophagus	0·7	4·9	8·1	8·0	6·1	4·8	3·3	6·6
Liver and Gall Bladder	6·8	10·6	11·0	13·0	13·7	13·1	12·0	12·4
Bladder and Urethra	1·3	2·0	2·4	2·9	4·0	4·0	4·2	3·1
Tongue	0·8	5·6	7·7	6·2	4·8	4·1	3·1	5·5
Mouth	0·6	1·5	1·9	1·8	1·8	1·7	2·1	1·8
Jaw	2·3	2·9	3·5	3·0	2·6	2·8	2·1	2·9
Other organs	64·2	32·8	25·4	22·2	20·1	20·3	23·4	24·5
FEMALES.											
Face	0·5	0·3	0·4	0·5	1·0	2·5	6·0	0·9
Lip	0·1	0·0	0·0	0·0	0·1	0·3	0·6	0·1
Stomach	6·3	9·0	11·5	15·4	17·9	16·7	11·3	14·2
Intestines	5·2	4·6	5·9	7·9	9·9	10·1	8·6	7·8
Rectum	5·5	4·6	4·9	6·2	6·8	7·1	6·2	6·0
Uterus	22·2	35·4	29·4	21·5	15·0	11·4	9·5	21·8
Breast	9·2	19·9	19·5	15·9	14·4	17·6	27·0	16·8
Œsophagus	1·9	1·9	1·4	1·3	1·6	1·8	1·3	1·5
Liver and Gall Bladder	5·0	6·8	10·5	15·0	16·8	15·7	11·0	13·2
Bladder and Urethra	0·4	0·5	0·6	0·9	1·2	1·4	1·6	0·9
Tongue	0·9	0·5	0·4	0·4	0·5	0·7	0·6	0·5
Mouth	0·4	0·2	0·1	0·2	0·2	0·2	0·3	0·2
Jaw	1·4	0·6	0·6	0·7	0·7	0·9	0·8	0·7
Other organs	41·0	15·7	14·8	14·1	13·9	13·6	15·2	15·4

This Table shows that amongst males cancer of the stomach, and next to it, cancer of the liver, cause most deaths at each age-period after 35. Cancer of the rectum takes third place except at the latest age-period, when cancer of the face causes rather more deaths. Amongst women the uterus is the principal seat of fatal cancer up to 65, the stomach from 65 to 75, and the breast after 75. The breast comes second up to 65, but only fourth from 65 to 75. Apart from the reproductive system the stomach and liver come first, as in men.

The changes in mortality at all ages from cancer of the different organs during the last 14 years are contrasted in Diagrams IX. and X., which also indicate the relative amount of mortality in each case.

DIAGRAM IX.—ENGLAND AND WALES.—CANCER of various parts of the body ; MORTALITY at ALL AGES, 1897-1910. MALES.




Amongst males, cancer of the stomach is not only the most important but the most rapidly increasing form of the disease. Its apparent increase may be to some extent due to transference from the liver, the next commonest site in the male sex. Secondary growths in the liver, many of them due to primary growths in the stomach, being exceedingly common, it is possible that with improvement of certification the primary seat is returned now in a number of instances where some years ago the disease would have been referred to in its seat of secondary occurrence. This surmise is suggested by the fact that the returns of cancer of the stomach are rapidly increasing in both sexes, whereas those from cancer of the liver show little increase of recent years.

There is also a marked contrast in this respect between the two chief seats of the disease in the female sex, the uterus and the breast. Cancer of the former organ shows little or no increase during the 14 years, but the mortality from mammary cancer has increased by about 29 per cent., notwithstanding lives saved by improved methods of operation.

In both sexes the greatest relative increase, and in the female sex the greatest absolute increase, has been that from cancer of the intestines, the mortality attributed to which amongst women has

practically doubled during the last 14 years. Doubtless this is very largely due to improved diagnosis. In the case of rectal cancer on the other hand, the increase has been greater amongst men.

DIAGRAM X.—ENGLAND AND WALES. CANCER of various parts of the body ; MORTALITY at ALL AGES, 1897-1910. FEMALES.



Diabetes Mellitus was the certified cause of death in 3,937 instances in the year under notice—this number being in excess of the quinquennial average, corrected for increase of population, by 394. Nearly three-quarters (72 per cent.) of the total mortality occurred at ages above 45 years. From a table published in the Annual Report for 1905, it appears that in recent years there has been an increase in the loss of life from this disease, which has been greatest among women ; and that in both sexes the increase has been mainly at ages beyond mid-life. The mortality in each sex in 1910 was the highest on record.

DISEASES OF PARTICULAR ORGANS.

Convulsions.—The number of deaths referred to this indefinite heading during 1910 was 9,396, corresponding to a mortality of 262 per million living at all ages. Deaths of infants under one year of age accounted for 8,229 out of this total, the corresponding infantile mortality being 9·2 per 1000 births. One death out of 11 at this age is attributed to convulsions.

As the term is merely the name of a symptom, not of a disease, it is to be hoped that its use on the scale indicated above will not be continued. There has already been very great improvement in this respect. Going back a quarter of a century we find that the proportion of infantile deaths so certified in 1885 was one in seven, corresponding to a mortality of 20 per 1000 births. The mortality at all ages was 808 per million living, or three times as high as at present. It must also be borne in mind that convulsions as a cause of death cannot be expected to disappear altogether from our records. In a very large number of cases lack of opportunity for more exact diagnosis, or its intrinsic difficulty, must continue to stand in the way of satisfactory certification of some of these deaths, and it is much to be preferred that indefinite certificates should be issued in cases where no evidence has been obtained on which to found a definite diagnosis. But though we cannot hope to get rid of this unsatisfactory heading altogether, the restriction of its use is still being continued at such a rate as to indicate that it will probably be carried much further than the point at present attained.

Diseases of the Heart.—In the year under notice diseases of the heart are reported to have caused the deaths of 48,724 persons, the corresponding death-rate being 1,361 per million living, or 1,348 for males and 1,373 for females. These rates vary little from year to year as a rule, but were appreciably increased in the earlier years of influenza prevalence, that for persons reaching 1,701 per million in 1891. Diagram III. shows the large proportion of all deaths due to this class of diseases, and Diagram IV. shows how little they have contributed to the fall in the death-rate. The reduction of mortality which has occurred has been much more marked in the male sex.

According to the experience of the last ten years the mortality from valvular disease of the heart has been greater in the female than the male sex up to the age of 55 years, whilst after that age the reverse has been the case. During the first twenty years of life the mortality increases gradually, and from the 35th year onward very rapidly.

Tables 21 and 22 indicate that valvular disease, including endocarditis, has been in recent years the most frequent of all the definite forms of this malady. The fact that the mortality from valvular affections and also from angina pectoris, dilatation, and fatty degeneration of the heart is apparently increasing from year to year must be considered in relation to the associated fact that the death-rate from less definite forms of heart disease is decreasing.

Diseases of the Blood Vessels.—About four-fifths of the deaths under this heading are referred to cerebral hæmorrhage or to its symptoms apoplexy or hemiplegia. On the average of the last ten years the deaths at all ages from cerebral hæmorrhage (together with apoplexy and hemiplegia) correspond to a rate of 668 per million for males, and of 765 per million for females. The mortality from this cause is low until after the age of puberty, but at the age-group 35 years and upwards it accounts for the deaths of 2,096 in a million men, and of 2,306

in a million women. In the 20 years intervening between the 35th and the 55th year women fall victims to this disease in greater proportion than do men, whilst at ages above 55 years the mortality is higher among men.

Laryngitis.—During 1910 883 deaths at all ages were referred to laryngitis; membranous laryngitis, not ascertained upon inquiry to be diphtheritic, being responsible for 18 of these deaths.

Table 22 shows that in proportion to population the deaths referred to "laryngitis" are at the present time fewer than they were 20 years ago. But it must not be inferred that the mortality from laryngitis is correspondingly less now than it was formerly, as improved diagnosis, particularly in the case of diphtheria, may not improbably account for a part of the decrease. It has been pointed out in previous reports that the age distribution of laryngitis corresponds somewhat closely to that of diphtheria and "croup," and this was the case in the year 1910, when about two-thirds of the deaths from laryngitis were those of children under the age of five years.

Bronchitis.—In nearly all years previous to that under notice more deaths were assigned to this than to any other single cause of death, but in 1910 the mortality from phthisis and from cancer exceeded that attributed to bronchitis, which was lower in 1910 than in any previous year. For the past nine years the deaths referred to the various forms of pneumonia have exceeded those assigned to bronchitis.

The age and sex distribution of mortality from bronchitis is referred to in connexion with that of pneumonia on pages lii–lv.

Gastric Ulcer.—The number of deaths from gastric ulcer varies little from year to year. In the year 1910 the deaths so returned amounted to 1,825, against 1,713 and 1,728, respectively, in the two years immediately preceding. Ninety-five of the deaths now classed to gastric ulcer had originally been certified as from hæmatemesis, peritonitis or some other indefinite cause, but were transferred to this heading after correspondence with the medical attendants.

In the ten years ended 1910 the death-rate at all ages from gastric ulcer averaged 37 per million for males, and 63 per million for females, but the difference between the rates for the two sexes has been diminishing throughout the period. Among women seven-tenths of the deaths occur at ages from 15 to 45 years, whilst among men at the same ages the proportion is only four-tenths. Women experience the highest mortality from gastric ulcer at ages from 20 to 25, when it accounts for the deaths of 106 in each million living, or nearly six times the rate experienced by men at the same time of life. At all ages after the 45th year the male death-rate exceeds the female, the mortality among men attaining its maximum at ages from 65 to 75 years.

Appendicitis.—The mortality for this disease prior to 1901 cannot be stated. The recorded death-rate has increased from 38 per million in 1901 to 66 in 1910 (77 in males and 55 in females). Disregarding the ages above 75 years, when the rates are of doubtful value, the period of highest mortality in both sexes appears to be that of later childhood and adolescence.

Peritonitis.—The 554 deaths attributed to peritonitis would have been considerably more numerous but for inquiries addressed to medical practitioners respecting the cause of this condition. In all cases where peritonitis is known to depend on hernial or other obstruction, on ulceration of the stomach or intestines, on appendicitis,

puerperal septic infection, or other definite cause, the death is referred to that cause, and not to peritonitis. Fortunately the precision of certification in these cases is increasing.

The deaths ultimately referred to peritonitis in the year under notice were equal to a rate of 15 per million living, or little more than a quarter of the rate recorded even so recently as the year 1900. The mortality was 13 per million among males and 18 per million among females. It may be presumed that many of the deaths which ten years ago would have been ascribed to peritonitis are now referred to gastric ulcer, appendicitis, or some other definite disease.

Diseases of the Liver.—To these diseases in the aggregate there were ascribed in the year under notice 5,107 deaths, corresponding to a rate of 143 per million living at all ages and of both sexes. Tables 24 and 26 show that at the present time among both men and women the mortality ascribed to liver diseases is much lower than it was twenty years ago. In the year 1891, for example, the rates were 311 per million living among males, and 266 among females ; whereas in 1910 they were only 149 and 138 respectively.

Acute Nephritis, Chronic Nephritis or Bright's Disease.— These conditions together account for the greater part of the mortality from diseases of the urinary system. In the year under notice 13,947 deaths were referred to this heading—a number corresponding to a rate of 389 per million living, without distinction of age or of sex. Diagram IV. shows that this rate represents a considerable increase on those prevalent thirty years ago.

Diseases and Accidents of Pregnancy and Childbirth.— From Table L. it will be seen that, apart from 1,274 deaths from puerperal fever, 1,917 deaths were attributed to diseases and accidents of pregnancy and childbirth. Particulars of these deaths will be found in Table LI., and of 1,086 other deaths not assigned to, but definitely stated to have been connected with pregnancy and parturition, in Table LII.

TABLE L.—SUMMARY of DEATHS of WOMEN in ENGLAND and WALES during 1910 either caused by or associated with PREGNANCY and CHILDBEARING.

—	All Ages.	Ages.				
		15—	20—	25—	35—	45 and up- wards.
Diseases and Accidents of Preg- nancy and Childbearing (Table LI.)	1,917	57	259	853	720	28
Puerperal Fever*	1,274	39	224	635	368	8
Other Diseases associated with, but not classed to, Pregnancy and Childbirth (Table LII.) ...	1,086	29	141	516	384	16
Total	4,277	125	624	2,004	1,472	52

* For secondary causes associated with puerperal fever, see page li.

TABLE LI.—DEATHS of WOMEN in ENGLAND and WALES during 1910, other than those due to SEPSIS, which were definitely returned as caused by PREGNANCY and CHILDBEARING.

(Deaths classed to Diseases and Accidents of Pregnancy and Childbirth in Tables 25 and 26, and on page 305.)

Cause of Death.	All Ages.	Ages.				
		15—	20—	25—	35—	45 and up-wards.
Abortion, Miscarriage	78	—	7	35	32	4
Placenta Prævia, Flooding	612	7	39	264	295	7
Ectopic Gestation	78	2	7	39	28	2
Prolapsus Uteri	2	—	—	1	1	—
Rupture of Uterus	28	—	1	11	16	—
Inversion of Uterus	8	—	5	3	—	—
Rigidity of Os Uteri	2	—	—	—	2	—
Rupture of Vagina	2	—	1	—	1	—
Contracted Pelvis	31	1	6	13	11	—
Instrumental Delivery	3	—	—	2	1	—
Adherent Placenta	3	—	1	2	—	—
Cæsarean Section	15	—	1	8	6	—
Craniotomy	7	—	—	4	3	—
Malpresentation	16	—	3	8	3	2
Hydrocephalic Fœtus	4	—	1	1	2	—
Monstrosity	1	—	—	—	—	1
Molar Pregnancy	2	—	—	1	—	1
Hydramnios	2	—	—	1	1	—
Embolism, Thrombosis	334	7	42	146	135	4
Puerperal Mania	48	1	13	15	19	—
Puerperal Convulsions	439	34	99	197	107	2
Vomiting	38	2	6	20	10	—
Administration of Chloroform	4	—	—	3	1	—
Pregnancy and Childbirth, apart from the above complications :—						
(a) With Secondary Causes as follows :—						
Diarrhœa	2	—	—	2	—	—
Anæmia	10	—	—	7	3	—
Inflammation of Brain	6	—	2	3	1	—
Neuritis	2	—	1	—	—	1
Valvular Disease, Endocarditis	2	—	1	1	—	—
Pericarditis	1	—	—	1	—	—
Dilatation of Heart	3	—	1	1	1	—
Heart Disease	2	—	1	—	1	—
Cerebral Hæmorrhage	6	1	—	3	2	—
Bronchitis	8	—	—	5	2	1
Asthma	1	—	—	—	1	—
Pleurisy	4	—	1	2	1	—
Other Diseases of Respiratory System	7	—	3	—	4	—
Gastric Catarrh	2	—	—	1	1	—
Other Diseases of Stomach	2	—	—	1	1	—
Enteritis	5	—	—	4	1	—
Gastro-enteritis	3	—	3	—	—	—
Appendicitis	1	—	—	—	1	—
Obstruction	1	—	1	—	—	—
Paralysis of Intestines	1	—	—	1	—	—
Other Diseases of Liver	1	—	1	—	—	—
Other Diseases of Bladder	1	—	—	1	—	—
Ulcer, Bed sore	1	—	—	—	1	—
(b) Without stated Secondary Cause	88	2	12	46	25	3
Total	1,917	57	259	853	720	28

TABLE LII.—DEATHS of WOMEN in ENGLAND and WALES during 1910,
definitely returned as associated with PREGNANCY and CHILDBEARING.
(Deaths not classed to Diseases and Accidents of Pregnancy and Childbirth in
Tables 25 and 26, and page 305.)

Cause of Death.	All Ages.	Ages.				
		15—	20—	25—	35—	45 and up- wards.
Small-pox	1	—	—	—	1	—
Measles	2	—	—	—	2	—
Scarlet Fever	10	1	3	5	1	—
Influenza	36	3	7	13	13	—
Whooping-cough	1	—	—	—	1	—
Mumps	1	1	—	—	—	—
Diphtheria	1	—	—	1	—	—
Enteric Fever	16	2	—	12	2	—
Diarrhœa	6	1	—	4	1	—
Syphilis	3	1	—	1	1	—
Gonorrhœa	3	—	2	1	—	—
Infective Endocarditis	5	1	1	3	—	—
Lobar Pneumonia	47	—	6	21	20	—
Broncho-pneumonia	36	—	4	19	12	1
Pneumonia (not defined)	167	4	23	88	49	3
Tuberculous Phthisis	70	1	11	40	18	—
Phthisis (not otherwise defined)	32	1	3	14	14	—
Tuberculous Peritonitis and Tabes Mesenterica.	3	—	1	1	1	—
Other Tuberculous Diseases	20	—	5	10	5	—
Alcoholism	4	—	—	2	2	—
Rheumatic Fever, Rheumatism of Heart	14	—	4	8	2	—
Cancer	17	—	2	7	8	—
Anæmia	27	—	2	14	11	—
Diabetes Mellitus... ..	3	—	1	—	2	—
Meningitis, Inflammation of Brain	7	—	2	3	2	—
Chorea	3	—	1	2	—	—
Epilepsy	13	1	4	3	5	—
Other Diseases of Nervous System	2	—	—	1	1	—
Valvular Disease, Endocarditis	89	2	10	41	35	1
Pericarditis	2	—	—	2	—	—
Angina Pectoris	2	—	—	—	2	—
Dilatation of Heart	8	—	1	3	4	—
Fatty Degeneration of Heart	17	—	—	5	10	2
Other Diseases of Heart	91	—	10	39	39	3
Cerebral Hæmorrhage, Apoplexy, Hemiplegia.	4	—	—	—	4	—
Varicose Veins	3	—	—	2	1	—
Bronchitis	15	2	1	6	4	2
Emphysema, Asthma	5	—	—	3	2	—
Pleurisy	7	—	1	2	4	—
Other Diseases of Respiratory System	2	—	1	1	—	—
Gastric Ulcer	13	—	2	5	5	1
Gastric Catarrh, Gastritis	7	—	1	4	2	—
Other Diseases of Stomach	1	—	—	—	1	—
Enteritis, Gastro-enteritis, Ulceration of Intestines.	7	—	—	5	2	—
Appendicitis	11	2	1	5	3	—
Intestinal Obstruction	3	—	—	2	1	—
Other Diseases of Intestines	2	—	—	2	—	—
Diseases of Liver	13	—	1	8	4	—
Diseases of Thyroid Body	3	—	—	1	2	—
Diseases of Supra Renal Capsules	1	—	—	—	1	—
Acute Nephritis	101	3	17	51	30	—
Chronic Bright's Disease	91	2	9	41	37	2
Other Urinary Diseases	5	1	—	3	1	—
Ovarian Tumour	3	—	—	3	—	—
Uterine Tumour and other Diseases of Uterus.	15	—	2	1	11	1
Violence	9	—	2	3	4	—
Other Causes	6	—	—	5	1	—
Total	1,086	29	141	516	384	16

The total deaths assigned to pregnancy or childbirth numbered 3,191, and corresponded to a rate of 3·56 per 1000 births. In the ten years immediately preceding the average rate had been 4·13. Inclusion of the 1,086 deaths in Table LII. raises the rate in 1910 to 4·77 per 1000 births. The mortality amongst women aged 15-45 years from all the causes included in Table L. was 473 per million living, or 41 per million less than in the preceding year.

CAUSES OF DEATH ILL-DEFINED OR NOT SPECIFIED.

In the year 1910 the deaths of 45,951 persons, or 9·5 per cent. of the total deaths, were referred to the headings in the list of causes of death grouped under the above title. This number, however, does not include all deaths from ill-defined causes, since many others can be referred to the system attacked by disease, though the disease itself is unstated.

As in previous years inquiries have been sent to medical practitioners asking for further information respecting deaths certified as due to some indefinite condition. The number of replies received was 5,549.

The inquiries chiefly related to certificates of peritonitis, tumours of various organs, septicæmia, pyæmia, hydrocephalus, cerebro-spinal meningitis, paralysis, croup, tuberculosis (unqualified), and hæmatemesis.

The 576 replies respecting deaths from peritonitis resulted in the transference of 121 deaths to appendicitis, 50 to tuberculous peritonitis, 29 to generative diseases, 39 to gastric ulcer, 29 to ulcer of intestines, 44 to other diseases of the digestive system, 27 to puerperal sepsis, 26 to cancer, and 45 to other definite causes. The 711 replies respecting tumours of various organs led to the transference of 431 deaths to cancer, 55 to tuberculous diseases, 39 to syphilis, and 63 to other definite headings. The 288 replies respecting septicæmia, pyæmia, and other septic diseases resulted in the transference of 33 deaths to puerperal sepsis and 141 to other headings. The 221 replies respecting croup led to the addition of 42 deaths to diphtheria, 18 to laryngismus stridulus, and 123 to laryngitis. The 208 replies respecting hydrocephalus led to the addition of 129 deaths to congenital hydrocephalus and 46 to tuberculous meningitis. The 170 replies respecting cerebro-spinal meningitis led to the addition of 88 deaths to cerebro-spinal fever, 33 to posterior basal meningitis, and 22 to tuberculous meningitis. The 155 replies respecting paralysis led to the addition of 76 deaths to cerebral hæmorrhage, 43 to diseases of the spinal cord, and 20 to other definite causes. The 177 replies respecting hæmatemesis led to the addition of 42 deaths to gastric ulcer, 11 to cirrhosis of liver, 26 to cancer, 22 to alcoholism, and 33 to other definite headings.

Inquiries were also sent relating to deaths described as due to cancer, in which no mention was made of the organ or part affected, and as a result this information was supplied in 504 out of 509 cases.

The total additions to certain definite headings resulting from these inquiries were as follows:—To tuberculous diseases 1,094, to cancer 651, to congenital defects 139, to venereal diseases 138, to appendicitis 138, to laryngitis 127, to cerebral hæmorrhage 105, to gastric ulcer 95, to puerperal septic diseases 96, to cerebro-spinal fever 88, and to diphtheria 74.

VIOLENCE.

The deaths caused by different forms of accident or negligence are enumerated in the abstracts on pages 306 and 307, and also in the special Tables relating to violent deaths on pages 441 to 459. These tables show that 14,853 deaths were referred to this heading during the year 1910, corresponding to a rate of 414 per million living. Among males the deaths numbered 10,289, and were equal to a rate of 595 per million; the deaths of females numbered 4,564, and were equal to 249 per million. Of the 10,289 deaths of males from accident, 1,987 were stated to be caused by vehicles and horses; 1,871 by drowning; 1,282 by falls other than those in mines, quarries, &c., on railways, in ships, boats, and docks, and during building operations; 1,299 by accidents in mines, quarries, and excavations; and 995 by conflagrations, burns, scalds, and explosions other than those in mines, &c., on railways, and in ships, boats, and docks. Of the deaths of females due to accident, 1,330 were caused by conflagrations, burns, scalds, and explosions, and 1,074 by falls. It will be seen that, as in previous years, the deaths of males exceeded those of females under every heading except that of burns, and the exception under this heading is considerably modified if account is taken of the burns, scalds, and explosions occurring in mines, railways, ships, boats, and docks. The deaths caused by vehicles and horses on railways numbered 743, being 688 of males and 55 of females; those caused by "vehicles other than railway" numbered 1,653, being 1,299 of males and 354 of females. The different kinds of vehicles are shown on pages 444-5 and 454-5, together with the number of deaths caused by each. The coroners' certificates do not in all cases show whether the vehicles were mechanically propelled or not, but simply state that death was caused by "tramcar," "omnibus," "wagon, &c." These deaths have consequently been included in the class of "other and undefined vehicles." The tables show that 524 deaths were caused by vehicles (other than railway) propelled by mechanical power, 494 deaths were caused by horse-drawn vehicles and horses, and 635 were caused by other and undefined vehicles.

The deaths from violence (apart from those attributed to homicide) of infants under the age of one month numbered 653, *viz.*, 328 males and 325 females. Of the 653 deaths, the number attributed to suffocation in bed was 336, to other forms of suffocation 85, and to neglect 194. The number of infants at this age returned as "found drowned" was 19.

In the case of 14,593 out of the 14,853 deaths stated to be due to accident or negligence, coroners' inquests were held; the causes of 199 deaths were certified by medical practitioners, and in 61 cases the causes remained uncertified; 1 of these was not reported to the coroner.

The deaths at all ages of 2,680 men and 887 women were attributed to suicide, details of which will be found on pages 460 and 461.

Of the 287 deaths by homicide, 140 were those of males and 147 of females. The Tables on pages 462 to 465 show that 181 of these were returned by coroners' juries as murder, and 106 as manslaughter (of which 2 were returned as justifiable homicide). The 287 deaths due to homicide include 67 of infants under one month, 58 of which were described as murder and 9 as manslaughter.

There were 16 executions (all males) during the year, the numbers in the preceding three years having been 10, 12 and 19 respectively.

CERTIFICATION OF CAUSES OF DEATH.

Of the 483,247 deaths registered in England and Wales during the year 1910, the causes of 441,480, or 91·35 per cent., were certified by registered medical practitioners; inquests were held respecting 35,109, or 7·27 per cent.; whilst the causes of the remaining 6,658, or 1·38 per cent., were uncertified. This proportion of uncertified deaths is slightly above that recorded in 1909.

Of the 6,658 uncertified deaths, only 617, or 9·3 per cent., were not reported to coroners, as compared with 690, or 9·8 per cent., in the year 1909.

The subjoined table shows the changes in the proportion to total deaths of certified deaths, inquest cases, and uncertified deaths in the course of the ten years 1901-1910 :—

TABLE LIII.

Year.	Proportion per 100 Deaths.				
	Certified by Registered Medical Practitioners.	Inquest Cases.	Uncertified Deaths.		
			Total.	Reported to Coroners.	Not reported to Coroners.
1901... ..	91·52	6·67	1·81	1·50	0·31
1902... ..	91·52	6·68	1·80	1·54	0·26
1903... ..	91·40	6·91	1·69	1·47	0·22
1904... ..	91·85	6·53	1·62	1·42	0·20
1905... ..	91·52	6·86	1·62	1·43	0·19
1906... ..	91·64	6·83	1·53	1·36	0·17
1907... ..	91·59	6·96	1·45	1·29	0·16
1908... ..	91·52	7·04	1·44	1·30	0·14
1909... ..	91·61	7·03	1·36	1·23	0·13
1910... ..	91·35	7·27	1·38	1·25	0·13

In five English counties—Cumberland, Herefordshire, Shropshire, Durham, and Derbyshire, and in six Welsh counties—Carnarvonshire, Cardiganshire, Montgomeryshire, Pembrokeshire, Radnorshire, and Anglesey, the proportions of uncertified deaths were especially high, ranging from 2·91 to 5·63 per cent. of the total deaths, compared with 1·38 per cent. in the whole of England and Wales (Table LIV).

An analysis of the uncertified deaths shows that in the English counties the average proportion of such deaths registered without previous reference to coroners was 8 per cent., as against 34 per cent. in the Welsh counties.

Table LV. shows the uncertified deaths registered during 1910, arranged according to sex, age, and assigned cause of death, distinguishing the cases reported from those not reported to coroners.

It will be noted that about one-fourth of the uncertified cases which were referred to coroners, and about one-half of those which were not so referred were of infants under three months of age, and that premature birth, convulsions and debility were the assigned causes of most of these deaths.

TABLE LIV.—CERTIFIED DEATHS, INQUEST CASES, and UNCERTIFIED DEATHS
IN 1910, PROPORTIONS per 100 DEATHS in each REGISTRATION COUNTY.

REGISTRATION COUNTY.	Certified by Registered Medical Prac- titioners.	Inquest Cases.	Uncertified Deaths.		
			Total.	Reported to Coroners.	Not Reported to Coroners.
England and Wales	91'35	7'27	1'38	1'25	0'13
London { North of Thames ..	88'38	11'59	0'03	0'02	0'01
{ South of Thames ..	90'85	8'97	0'18	0'16	0'02
Surrey	91'63	7'75	0'57	0'44	0'13
Kent	91'60	6'07	2'33	2'24	0'09
Sussex	92'24	7'30	0'46	0'42	0'04
Hampshire	91'29	7'70	1'01	0'94	0'07
Berkshire	90'97	6'42	2'61	2'52	0'09
Middlesex	90'79	8'91	0'30	0'23	0'07
Hertfordshire	93'28	5'55	1'17	1'11	0'06
Buckinghamshire	90'53	8'26	1'21	1'21	—
Oxfordshire	93'22	5'64	1'14	1'02	0'12
Northamptonshire	92'56	5'15	2'29	1'83	0'46
Huntingdonshire	90'82	6'33	2'85	2'53	0'32
Bedfordshire	93'11	5'00	1'89	1'76	0'13
Cambridgeshire	92'43	5'28	2'29	2'29	—
Essex	90'96	6'99	2'05	2'00	0'05
Suffolk	91'56	5'98	2'46	2'38	0'08
Norfolk	91'80	6'15	2'05	1'70	0'35
Wiltshire	92'35	6'50	1'17	1'05	0'12
Dorsetshire	93'10	5'32	1'58	1'54	0'04
Devonshire	91'55	7'44	1'01	0'95	0'06
Cornwall	91'84	7'45	0'71	0'54	0'17
Somersetshire	92'93	6'46	0'61	0'51	0'10
Gloucestershire	91'63	7'61	0'76	0'65	0'11
Herefordshire	91'29	5'72	2'99	2'73	0'26
Shropshire	91'00	5'96	3'04	2'96	0'08
Staffordshire	90'90	7'38	1'72	1'58	0'14
Worcestershire	92'58	5'85	1'57	1'48	0'09
Warwickshire	91'50	5'95	2'55	2'50	0'05
Leicestershire	92'17	6'76	1'07	0'73	0'34
Rutlandshire	93'06	4'12	0'82	0'82	—
Lincolnshire	92'84	5'21	1'95	1'81	0'14
Nottinghamshire	92'48	5'87	1'65	1'49	0'16
Derbyshire	89'53	6'68	3'79	3'60	0'19
Cheshire	92'14	7'36	0'50	0'41	0'09
Lancashire	92'00	6'23	1'77	1'70	0'07
West Riding of Yorkshire	91'62	7'54	0'84	0'77	0'07
East Riding of Yorkshire	90'69	8'53	0'78	0'77	0'01
North Riding of Yorkshire	92'01	7'24	0'75	0'34	0'41
Durham	91'01	5'64	3'35	2'96	0'39
Northumberland	91'71	6'95	1'34	1'30	0'04
Cumberland	88'53	8'55	2'92	2'90	0'02
Westmorland	92'20	5'16	2'64	2'64	—
Monmouthshire	91'20	7'64	1'16	0'85	0'31
Glamorganshire	91'17	8'54	0'29	0'09	0'20
Carmarthenshire	92'20	5'42	2'38	1'90	0'48
Pembrokeshire	89'86	6'08	4'06	3'36	0'70
Cardiganshire	93'09	3'81	3'10	1'97	1'13
Brecknockshire	92'09	6'14	1'77	1'18	0'59
Radnorshire	92'18	3'70	4'12	2'47	1'65
Montgomeryshire	90'16	6'52	3'32	3'08	0'24
Flintshire	92'36	5'91	1'73	1'63	0'10
Denbighshire	93'52	4'85	1'63	1'18	0'45
Merionethshire	94'75	4'22	1'03	0'93	0'10
Carnarvonshire	93'25	3'84	2'91	1'83	1'08
Anglesey	91'81	2'56	5'63	1'19	4'44

TABLE LV.—UNCERTIFIED DEATHS REGISTERED in 1910 ARRANGED according to SEX, AGE, and ASSIGNED CAUSE of DEATH.

Assigned Cause of Death.	Total.	Whether Reported to Coroners.				AGES.								
		Reported.		Not Reported.		Under 3 months	3 months and under 1 year.	YEARS.						
		Males.	Females.	Males.	Females.			1—	5—	15—	25—	45—	65 and upwards.	
Small-pox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	
Measles	42	14	25	2	1	—	9	30	3	—	—	—	—	
Scarlet Fever ..	2	—	1	—	1	—	—	1	1	—	—	—	—	
Whooping-cough	32	13	13	3	3	4	18	9	1	—	—	—	—	
Diphtheria ..	10	4	4	—	2	—	1	2	7	—	—	—	—	
Enteric Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhœa ..	62	32	24	2	4	7	15	25	4	—	—	3	8	
Pneumonia ..	99	43	38	8	10	6	29	31	8	5	6	7	7	
Tuberculous Dis- eases.	147	67	57	10	13	2	12	19	16	29	48	19	2	
Alcoholism ..	6	4	1	1	—	—	—	—	—	—	2	4	—	
Cancer	33	10	16	4	3	—	—	—	—	—	3	15	15	
Premature Birth and Congenital Defects.	788	363	237	113	75	774	8	4	2	—	—	—	—	
Dentition.. ..	89	47	35	5	2	1	55	33	—	—	—	—	—	
Epilepsy	106	45	57	2	2	—	2	6	12	10	33	32	11	
Convulsions ..	1074	527	467	50	30	574	350	148	1	—	1	—	—	
Other Nervous Diseases.	76	39	30	6	1	1	5	3	9	5	5	24	24	
Cerebral Hæmor- rhage and Apo- plexy, Hemi- plegia.	257	132	112	4	9	—	—	—	5	3	16	102	131	
Other Circulatory Diseases.	1633	856	712	38	27	—	—	12	27	44	223	801	526	
Bronchitis ..	351	152	171	15	13	21	57	46	8	—	12	78	129	
Other Respiratory Diseases.	97	51	33	2	11	1	5	10	2	1	20	28	30	
Digestive Dis- eases.	120	51	53	5	11	13	16	11	8	6	15	29	22	
Childbirth	23	—	22	—	1	—	—	—	—	2	21	—	—	
Violence	61	42	18	1	—	14	2	—	3	4	13	9	16	
Atrophy, Debility, &c.	278	126	104	27	21	210	53	13	—	1	1	—	—	
Old Age	804	368	398	20	18	—	—	—	—	—	—	4	800	
Other stated Causes.	401	197	167	24	13	89	25	26	13	12	27	104	105	
Causes not stated	67	28	35	2	2	13	6	5	—	2	4	18	19	
All Causes ..	6658	3211	2830	341	273	1730	668	434	130	124	450	1277	1845	
All Causes	{	Reported to Coroners.	{	Males ..	3211	800	349	197	42	59	217	680	867	
				Females	2830	602	284	203	72	53	200	542	874	
				Males ..	344	197	16	15	7	3	20	36	50	
				Females	273	131	19	19	9	9	13	19	54	
Total					6658	1730	668	434	130	124	450	1277	1845	

DEATHS IN PUBLIC INSTITUTIONS.

Of the 483,247 deaths registered during the year, 99,194 or 20·53 per cent. occurred in Workhouses and Workhouse Infirmaries, in Hospitals, or in Asylums for the Insane, the proportion during the 10 years immediately preceding having averaged 17·33 per cent.

Thus the present figures confirm those of previous reports to the effect that the proportion of deaths occurring in public Institutions has a distinct tendency to increase. The following table shows the proportions of deaths occurring in Workhouses, Hospitals, and Lunatic Asylums (*a*) to total deaths, and (*b*), to total population.

TABLE LVI.

Public Institutions.	Percentage of Total Deaths.		Rate per 1,000 living.	
	Ten years, 1900-1909.	1910.	Ten years, 1900-1909.	1910.
Workhouses and Workhouse Infirmaries.	9·26	10·91	1·46	1·47
Hospitals	6·24	7·50	0·98	1·01
Lunatic and Idiot Asylums	1·83	2·12	0·29	0·29

A table showing the names and descriptions of the several institutions and the numbers of deaths occurring therein is given on pages 225 to 276 of this Report.

UNITED KINGDOM.

Population.

The first complete Census of the United Kingdom was taken in 1821, when the population numbered 20,893,584 persons; during the ninety years, 1821-1911, the population more than doubled itself, the numbers enumerated at the beginning of April, 1911, amounting to 45,216,665 persons.

The method adopted, in the absence of precise information as to migration, for estimating the population of England and Wales, has been described on p. xi. The populations of the several divisions of the United Kingdom are provisionally estimated as follows :—

TABLE LVII.—POPULATION ESTIMATED to the MIDDLE of the YEAR 1910.

—	Persons.	Males.	Females.
England and Wales	35,796,289	17,313,221	18,483,068
Scotland*	4,737,268	2,297,286	2,439,982
Ireland*	4,377,789	2,183,474	2,194,315
United Kingdom	44,911,346	21,793,981	23,117,365

* Furnished by the Registrars-General of these parts of the United Kingdom.

Marriages.

The marriages in the United Kingdom during the year 1910 numbered 320,699, corresponding to a rate of 14·3 persons married per 1000 of the population at all ages.

This rate was 0·2 per 1000 above the corresponding rate in 1909 but 0·5 below the average rate in the ten years, 1900–1909.

TABLE LVIII.

—	Marriages, 1910.	Persons married to 1000 living.	
		Ten years, 1900–1909.	1910.
England and Wales	267,721	15·6	15·0
Scotland	30,866	14·0	13·0
Ireland	22,112	10·3	10·1
United Kingdom	320,699	14·8	14·3

Births.

The births registered in the United Kingdom in the year 1910 numbered 1,122,925 and were in the proportion of 25·0 per 1000 of the population at all ages.

This rate was 0·7 per 1000 below the corresponding rate in 1909, and 2·3 below the average rate in the ten years 1900–1909.

TABLE LIX.

—	Births, 1910.	Births to 1000 living.	
		Ten years, 1900–1909.	1910.
England and Wales	896,962	27·6	25·1
Scotland	124,000	28·7	26·2
Ireland	101,963	23·2	23·3
United Kingdom	1,122,925	27·3	25·0

Deaths.

The deaths registered in the United Kingdom in the year 1910 numbered 630,386, and were in the proportion of 14·0 per 1000 of the population at all ages.

This rate was 1·0 per 1000 below the corresponding rate in 1909 and 2·2 below the average rate in the ten years 1900–1909.

TABLE LX.

—	Deaths, 1910.	Deaths to 1000 living.	
		Ten years, 1900–1909.	1910.
England and Wales	483,247	15·9	13·5
Scotland	72,245	16·9	15·3
Ireland	74,894	17·7	17·1
United Kingdom	630,386	16·2	14·0

Infantile Mortality.

The following Table shows the proportion of deaths of infants under one year of age to 1000 births in each division of the United Kingdom. At the time of going to press the figures for Scotland relating to the year 1910 were not available.

TABLE LXI.

—	Deaths under 1 year to 1000 Births.	
	1900–1909.	1910.
England and Wales	132	105
Scotland	118	108*
Ireland	98	95
United Kingdom	128	—

* This proportion relates to the year 1909.

In Tables 56–59, pages 112–115, the population, marriages, births, deaths and principal causes of death are given for each of the years 1881–1910 for the United Kingdom and for each of its three divisions.

MORTALITY IN THE ARMY.

The average regimental strength of the British Army at home and abroad during the year 1910 was 250,942, and the deaths during the year numbered 844, giving a death-rate of 3·4 per 1000, as compared with 4·7, 4·8, and 3·9 per 1000, respectively, in the three preceding years. The mortality in the Army abroad was 4·3 per 1000, against 6·4, 6·9, and 4·8 in the three preceding years; whilst the mortality in the Army at home was 2·5 per 1000, against 3·1, 2·6, and 3·1 (Table 46).

MORTALITY IN THE NAVY.

The average strength of the service afloat during the year 1910 was 113,530, and the deaths during the year numbered 358, being in the proportion of 3·15 per 1000 of the strength, against an average of 3·50 per 1000 in the five years immediately preceding. Of the 358 deaths in 1910, 241 were caused by disease and 117 by violence; the death-rate from disease was therefore 2·12 per 1000, and that from violence 1·03 per 1000. Of the 117 deaths by violence, 64 were due to drowning, and 2 to heatstroke, while 11 were cases of suicide.

BIRTHS AND DEATHS AT SEA.

Marine Register Book.—In accordance with the Births and Deaths Registration Act of 1874 and the Merchant Shipping Act of 1894, Commanding Officers of Ships trading to or from British Ports are required, under penalty, to transmit returns of all births and deaths occurring on board their ships to the Registrar-General of Shipping and Seamen, who furnishes certified copies of such returns to the Registrars-General of Births and Deaths for England, Scotland, and Ireland. Similar returns are furnished to the Registrars-General of Births and Deaths by Officers in charge of His Majesty's Ships. These returns of births and deaths at sea constitute the "Marine Register Book." During the year 1910, this register was increased by the addition of 172 entries of birth and 2,695 entries of death.

Mercantile Marine.—A Return received from the Marine Department of the Board of Trade shows the number of, and the mortality among, masters and seamen employed in sea-going vessels (excluding fishing vessels and yachts) registered in the United Kingdom and the Isle of Man under the Merchant Shipping Act in the years 1891–1910. At the end of the year 1909 the number employed was 241,499, of whom 21,470 were employed in sailing vessels, being 2008 fewer than in the preceding year, and 220,029 in steam vessels, being 318 more than in the preceding year.

The reported deaths from all causes in sailing or steam vessels during the year ended 30th June, 1910, numbered 2095, of which 1042 resulted from disease, suicide, &c., 579 from wreck or casualty to ship, and 474 from accident other than wreck or casualty to ship, showing a death-rate from all causes of 8·7 per 1000 of the strength; this rate was 0·9 per 1000 below the mean rate in the previous five years. (Table 48.)

INTERNATIONAL VITAL STATISTICS.

The information given in this section of the Report is based on returns courteously furnished by the Registrars-General of Scotland and Ireland, by the several Colonial Authorities, and by the Presidents of the several Foreign Statistical Bureaux.

Marriages.—Table LXII. compares the crude marriage rates (persons married annually stated in terms of total population) in the several countries and states dealt with from the years 1881–85 onwards. In the first period, 1881–85, the position of this country was twelfth out of 25 in the list; in 1896–1900 the position had risen to tenth out of 26; but in 1901–05 it had fallen to fourteenth out of 26.

TABLE LXII.—ANNUAL MARRIAGE-RATES per 1000 persons living, 1881-1910.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.						Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906- 1910.	1909.	1910.
Bulgaria	17.9	17.4	16.4	16.6	19.8	—	18.3	—
Servia	22.1	21.6	20.2	19.9	19.7	—	18.7	—
Ontario, Province of ...	14.2	13.5	13.2	13.9	17.5	19.6	20.0	20.7
Hungary	20.4	17.8	18.0	17.0	17.4	18.1	17.4	17.3
Russia (European) ...	18.0	17.1	17.9	17.8	16.6	—	—	—
Japan	—	16.6	17.0	18.1	16.3	—	17.6	—
New Zealand	13.6	12.0	12.2	14.2	16.3	17.1	16.7	16.6
Roumania	17.9	15.1	15.8	15.2	16.3	19.3	18.7	18.4
Belgium	13.7	14.2	15.1	16.6	16.1	—	15.3	—
German Empire... ..	15.4	15.8	15.9	16.8	16.1	—	15.5	—
Prussia	15.9	16.2	16.1	16.9	16.1	16.0	15.6	15.5
Spain	12.6	13.3	16.2	15.3	16.1	14.2	13.3	14.2
Austria	15.8	15.5	15.8	16.2	15.7	15.3	15.1	15.1
England and Wales... ..	15.2	14.7	15.1	16.1	15.6	15.3	14.7	15.0
France	15.0	14.4	15.0	15.1	15.3	15.8	15.7	15.8
Switzerland	13.7	14.1	14.5	15.5	14.9	—	14.9	—
The Netherlands ...	14.3	14.0	14.5	14.9	14.9	14.5	14.1	14.3
Italy	16.1	15.5	14.8	14.3	14.7	15.7	15.5	15.5
Denmark	15.4	14.0	13.9	15.0	14.3	14.9	14.7	14.6
Australian Common- wealth.	16.2	15.5	13.1	13.7	14.2	15.8	15.8	16.7
Scotland	13.8	13.0	13.6	14.6	14.0	13.6	12.8	13.0
Finland	14.9	14.5	13.0	14.9	13.0	13.2	12.8	12.2
Norway	13.4	12.8	12.9	13.7	12.3	12.1	12.0	12.4
Sweden	12.8	12.2	11.5	12.2	11.8	12.2	11.9	12.0
Ireland	8.7	8.7	9.5	9.9	10.4	10.3	10.3	10.1
Chili	12.6	7.4	9.2	9.3	10.4	12.2	11.8	11.5

TABLE LXIII.—MARRIAGE RATES PER 1000 OF THE UNMARRIED AND WIDOWED POPULATION AGED 15 YEARS AND UPWARDS.

Countries (Arranged in order of rates in 1900-2).	Approximate periods.		
	1880-82.	1890-92.	1900-02.
Servia	—	118.7	119.4
Bulgaria	—	—	87.3
Hungary	80.9	73.1	73.1
Spain... ..	—	41.1	59.3
Prussia	50.5	53.7	56.5
German Empire	48.7	51.6	55.0
Belgium	40.3	41.6	50.0
Austria	46.6	44.3	49.1
Italy	48.5	—	48.8
England and Wales	51.5	49.8	48.7
France	45.4	43.9	47.7
Denmark	47.9	45.0	46.2
The Netherlands	48.6	43.7	46.2
New Zealand	49.8	40.0	44.2
Finland	46.6	45.5	43.3
Switzerland	38.1	39.7	42.2
Australian Commonwealth	49.0	45.7	42.1
Norway	46.5	40.6	41.9
Scotland	40.7	40.1	39.7
Sweden	36.6	35.6	35.3
Ireland	21.9	22.0	23.0

Table LXIII. sets forth the relative positions when the number of persons married annually is stated in proportion to total marriageable persons. Calculated in this way the relative position of England and Wales in 1900-02 is much the same as in Table LXII.

In England and Wales and in the Netherlands there was a decline of about 5 per cent. in the twenty years ; in Denmark, Sweden and Scotland the decline was slightly less, but it amounted to 7 per cent. in Finland, to 10 per cent. in Norway and in Hungary, to 11 per cent. in New Zealand, and to 14 per cent. in the Australian Commonwealth. On the other hand, Ireland, France, and Austria each showed an increase of 5 per cent., Switzerland of 11 per cent., the German Empire of 13 per cent., and Belgium of 24 per cent.

Births.—In several previous Reports attention has been drawn to the general decline in the birth-rate that has taken place in the principal European countries.

If the average crude birth-rates in the quinquennium 1901-05 are compared with those recorded twenty years earlier (1881-85), it will be seen from Table LXIV. that, with few exceptions, the fall has been very marked. While the decline did not exceed 3 per cent. in Switzerland, in Ireland, and in Spain, it reached 14 per cent. in France and in Italy, 16 per cent. in Servia, in England and Wales, and in Hungary, 25 per cent. in the Australian Commonwealth, and 27 per cent. in New Zealand.

TABLE LXIV.—ANNUAL BIRTH-RATES per 1000 persons living, 1881-1910.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.						Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906- 1910.	1909.	1910.
Russia (European) ...	49·1	48·2	48·2	49·3	47·7	—	—	—
Bulgaria ...	37·2	35·9	37·5	41·0	40·6	—	40·6	—
Roumania ...	41·8	40·9	41·0	40·2	39·4	40·3	41·7	39·8
Jamaica ...	—	36·8	38·6	38·9	39·0	37·5	37·8	38·6
Ceylon ...	—	30·3	31·7	37·2	38·8	37·5	37·5	39·0
Servia ...	46·3	43·7	43·3	40·1	38·7	—	36·5	—
Hungary ...	44·6	43·7	41·7	39·4	37·4	36·7	37·7	35·7
Chili ...	39·1	35·5	37·0	35·0	36·4	38·3	38·8	38·4
Austria ...	38·2	37·8	37·4	37·3	35·6	33·6	33·4	32·5
Spain ...	36·4	36·0	35·3	34·3	35·3	33·6	33·5	33·1
Prussia ...	37·4	37·3	36·9	36·5	34·8	32·3	31·7	30·5
German Empire... ..	37·0	36·5	36·3	36·0	34·3	—	31·1	—
Italy ...	38·0	37·5	36·0	34·0	32·6	32·4	32·4	32·9
Japan ...	—	28·5	28·6	31·1	31·7	—	34·2	—
The Netherlands ...	34·8	33·6	32·9	32·1	31·5	29·6	29·1	28·6
Finland ...	35·5	34·5	31·8	32·6	31·3	31·0	31·3	30·2
Scotland ...	33·3	31·4	30·5	30·0	29·2	27·6	27·3	26·2
Denmark ...	32·4	31·4	30·4	30·0	29·0	28·2	28·2	27·5
Norway ...	31·2	30·8	30·2	30·1	28·6	26·3	26·1	26·1
England and Wales... ..	33·5	31·4	30·5	29·3	28·2	26·2	25·8	25·1
Switzerland ...	28·6	27·5	27·7	28·5	27·8	—	25·5	—
Belgium ...	30·7	29·3	28·9	28·9	27·7	—	23·7	—
New Zealand ...	36·3	31·2	27·7	25·7	26·6	27·1	27·3	26·2
Australian Commonwealth	35·2	35·2	32·4	27·7	26·4	26·7	26·7	26·7
Sweden ...	29·4	28·8	27·4	26·9	26·1	25·5	25·6	24·8
Ireland ...	23·9	22·8	23·0	23·3	23·1	23·4	23·5	23·3
Ontario, Province of ...	22·4	22·0	19·9	20·1	21·8	23·7	24·3	24·9
France ...	24·7	23·1	22·3	21·9	21·2	19·9	19·6	19·7

Taking as a standard the average crude birth-rate recorded in England and Wales in the quinquennium 1901-05, viz., 28·2 per 1000, it will be seen that twelve Continental countries had rates above, and only four (Switzerland, Belgium, Sweden, and France) had rates below this standard.

Since the quinquennium ending 1905 there has been a further decline in the birth-rate in most of the European countries, but in Ireland, Bulgaria and Roumania, as well as in Australia and New Zealand, slight increases are recorded.

Legitimate Fertility.—In order to eliminate the more serious inequalities of circumstance which render crude birth-rates unsuitable for purposes of comparison, the basis of fertility of married women is adopted in Table LXV. On this basis England and Wales occupies a still lower position, the recorded fertility in 1890-92 and 1900-02 being below that of any other European country except France. Ireland, on the other hand, occupies a position near the top of the list, whereas in Table LXIV. it stands almost last.

TABLE LXV.—LEGITIMATE FERTILITY. PROPORTION OF LEGITIMATE BIRTHS per 1000 WIVES aged 15-45 YEARS.

Countries (Arranged in order of rates in 1900-02).	Approximate periods.			Increase (+) or Decrease (—) per cent. in Fertility during 20 years.
	1880-82.	1890-92.	1900-02.	
The Netherlands	347·5	338·8	314·6	— 9·5
Norway	314·5	306·8	302·8	— 3·7
Prussia	312·6	307·6	290·4	— 7·1
Ireland	282·9	287·6	289·4	+ 2·3
German Empire	310·2	300·9	284·2	— 8·4
Austria	281·4	292·4	283·7	+ 0·8
Scotland	311·5	296·4	271·8	— 12·7
Italy	276·2	—	269·4	— 2·5
Sweden	293·0	280·0	269·0	— 8·2
Switzerland	284·1	274·0	265·9	— 6·4
Denmark	287·1	278·1	259·1	— 9·8
Spain	257·7	263·9	258·7	+ 0·4
Belgium	312·7	285·1	250·7	— 19·8
New Zealand	322·1	277·5	243·2	— 24·5
Australian Commonwealth	321·0	332·0	235·8	— 26·5
England and Wales	286·0	263·8	235·5	— 17·7
France	196·2	173·5	157·5	— 19·7

Illegitimate Fertility.—Table LXVI. presents the same information with regard to illegitimate as Table LXV. with regard to legitimate fertility. Except in the cases of the German Empire, Sweden, France, Belgium, and the Australian Commonwealth, the falls shown in illegitimate fertility are greater than the corresponding falls in legitimate fertility.

During the period 1900-02, the ratio of illegitimate births per 1000 single and widowed women aged 15-45 years was only 3·8 in Ireland, 6·8 in the Netherlands, 8·5 in England and Wales, and 8·9 in New Zealand, but the proportion reached 24·2 per 1000 in Denmark, 24·3 in Sweden, 27·4 in the German Empire, and 40·1 in Austria.

There is probably no single explanation of the wide variations in the rates of illegitimacy, but differences of religion, of social conditions, of race, and of the marriage laws—particularly in regard to the possibility of legitimization by subsequent marriage—must all be taken into account.

TABLE LXVI.—ILLEGITIMATE FERTILITY. PROPORTION of ILLEGITIMATE BIRTHS per 1000 UNMARRIED and WIDOWED WOMEN aged 15-45 YEARS.

Countries (Arranged in order of rates in 1900-02).	Approximate periods.			Increase (+) or Decrease (—) per cent. in Illegitimacy during 20 years.
	1880-82.	1890-92.	1900-02.	
Austria	43·4	42·7	40·1	— 7·6
German Empire	29·6	28·7	27·4	— 7·4
Sweden	22·6	22·9	24·3	+ 7·5
Denmark... ..	26·9	24·5	24·2	— 10·0
Prussia	25·8	25·1	23·7	— 8·1
Italy	25·4	—	19·4	— 23·6
France	17·6	17·7	19·1	+ 8·5
Belgium	20·0	20·6	17·8	— 11·0
Norway	19·7	16·9	17·2	— 12·7
Spain	16·0	17·5	15·5	— 3·1
Scotland	21·4	17·1	13·4	— 37·4
Australian Commonwealth	14·5	15·9	13·2	— 9·0
Switzerland	10·8	10·0	9·8	— 9·3
New Zealand	13·4	9·0	8·9	— 33·6
England and Wales	14·1	10·5	8·5	— 39·7
The Netherlands	9·7	9·0	6·8	— 29·9
Ireland	4·4	3·9	3·8	— 13·6

Deaths.—During the last five years the crude death-rates have been, on the whole, lower than in any of the earlier periods shown in Table LXVII. In England and Wales the rates in successive quinquennia since 1881-85 show a continuous decrease. All the principal countries of Europe have experienced lower death-rates during the present century than were ever recorded for them before. In the case of England and Wales and the Netherlands this has happened in no less than seven out of the ten years; Spain has had six “lowest death-rates on record” since 1900; Denmark, Prussia, Austria, and Belgium, five; Norway, Switzerland, and Italy, four; Scotland, Sweden, Hungary, and France, three; and Russia and Finland, two each. The countries showing the greatest declines are Prussia and Spain, while Norway shows the least. The lowest death-rate recorded for Ireland was that for the year 1896.

In view of the wide variations in the sex and age constitution of the several populations (*see* Table 54), corrected death-rates have been calculated for the periods indicated in Table LXVIII. for all countries that were able to furnish the requisite data. In these calculations the population of England and Wales at the census of 1901 has been adopted as a standard and the corrected death-rates for the various countries have been calculated on the rates of mortality in the eleven age-groups specified in Tables LXIX. and LXX.

TABLE LXVII.—ANNUAL CRUDE DEATH-RATES per 1000 persons living, 1881-1910.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.						Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906- 1910.	1909.	1910.
Russia (European) ...	35.4	33.2	35.8	31.9	30.9	—	—	—
Chili	26.9	35.2	32.6	28.8	30.2	31.3	31.5	32.5
Ceylon	—	25.1	28.3	27.0	26.7	30.8	31.0	27.3
Hungary	33.1	32.1	31.8	27.9	26.4	25.0	25.6	23.6
Spain	32.6	30.9	30.1	28.8	26.0	24.3	24.0	23.3
Roumania	26.2	28.7	31.0	27.4	25.5	26.0	27.8	25.2
Austria	30.1	28.9	27.9	25.6	24.2	22.3	22.9	21.2
Jamaica	—	23.5	22.0	22.1	22.6	24.4	21.7	23.1
Bulgaria	17.7	18.9	27.8	23.9	22.5	—	26.6	—
Servia	24.5	25.9	28.9	24.8	22.4	—	29.3	—
Italy	27.3	27.2	25.5	22.9	21.9	21.0	21.5	19.6
Japan	—	20.6	21.1	20.7	20.9	—	22.0	—
German Empire ...	25.3	24.4	23.3	21.2	19.9	—	17.2	—
France	22.2	22.0	22.3	20.7	19.6	19.2	19.3	17.9
Prussia	25.4	24.0	22.8	21.0	19.6	17.3	17.0	16.0
Finland	22.2	20.0	20.5	19.0	18.6	17.4	16.7	16.6
Ireland	18.0	17.9	18.5	18.1	17.6	17.3	17.1	17.1
Switzerland	21.3	20.4	19.8	18.1	17.5	—	16.1	—
Belgium	20.6	20.2	20.1	18.1	17.0	—	15.8	—
Scotland	19.6	18.8	19.0	18.0	17.0	16.1	15.9	15.3
England and Wales...	19.4	18.9	18.7	17.7	16.0	14.7	14.6	13.5
The Netherlands ...	21.4	20.5	19.6	17.2	16.0	14.3	13.7	13.6
Sweden	17.5	16.4	16.6	16.1	15.5	14.3	13.7	14.0
Denmark	18.4	18.7	18.6	16.4	14.8	13.7	13.2	12.9
Norway	17.2	17.0	16.8	15.6	14.5	13.8	13.4	13.5
Ontario, Province of ...	11.4	11.0	10.6	11.6	13.0	14.0	14.6	14.0
Australian Commonwealth	15.7	14.8	13.3	12.7	11.7	10.7	10.3	10.4
New Zealand	10.9	9.9	10.1	9.6	9.9	9.7	9.2	9.7

It will be observed from the figures in Table LXVIII. that while the death-rates of the several countries are very diversely affected by differences of sex and age constitution, no other European population was ten years ago so favourably constituted, with regard to mortality, as that of this country. In every instance the crude death-rate has to be diminished by correction in order to secure fair comparison with that of England and Wales. The reverse holds good of Australasia, but this is due to the small proportion of aged persons in the Australasian population (*see* Table 54, p. 108), which, in that respect, is affected by the large immigration of earlier years.

The exceptionally favourable constitution of the population of this as compared with other European countries in 1900-1902 was largely due to the exceptionally high proportion in it of young adults, with mortalities below the average for persons of all ages, together with its very moderate proportion of children under five years of age and of old people (*see* Table 54).

TABLE LXVIII.—MEAN ANNUAL CRUDE and CORRECTED DEATH-RATES* per 1000 living in ENGLAND and WALES and in certain EUROPEAN COUNTRIES and BRITISH COLONIES.

COUNTRIES (arranged in order of their Corrected Death-rates —Persons),	Deaths to 1000 living.						Comparative Mortality Figures (Persons), England and Wales, taken as 1000 (Corrected Death-rates).	Mean age of popu- lation. Per- sons.†
	Persons,		Males,		Females,			
	Cor- rected Death- rates,	Crude Death- rates,	Cor- rected Death- rates,	Crude Death- rates,	Cor- rected Death- rates,	Crude Death- rates,		
Russia (European) (1896-8) ..	28·61	32·80	29·80	34·59	27·49	31·09	1667	25·50
Spain (1900-02)	26·53	27·63	27·37	28·97	25·74	26·36	1546	28·48
Hungary (1899-01)	24·87	26·34	24·96	26·87	24·79	25·81	1449	26·98
Austria (1899-01)	23·12	24·83	23·86	25·80	22·42	23·90	1347	27·50
Bulgaria (1899-01)	20·92	23·26	20·89	23·47	20·96	23·03	1219	25·72
Italy (1900-02)	20·23	22·72	20·09	23·13	20·36	22·31	1179	28·53
Prussia (1899-01)	19·70	21·08	21·03	22·42	18·45	19·77	1148	26·84
German Empire (1901)	19·52	20·84	20·78	22·10	18·34	19·61	1138	27·14
Finland (1899-01)	19·12	20·54	19·98	21·26	18·32	19·84	1114	27·58
Scotland (1900-02)	17·61	17·91	18·56	18·50	16·73	17·36	1026	27·20
France (1900-02)	17·50	20·80	18·56	21·95	16·51	19·69	1020	32·28
England and Wales (1900-02)	17·16	17·16	18·37	18·37	16·04	16·04	1000	27·50
Switzerland (1899-01)	16·86	18·22	17·57	18·99	16·20	17·48	983	28·90
Belgium (1899-01)	16·78	18·53	17·80	19·55	15·82	17·52	978	28·69
Ireland (1900-02)	16·59	18·27	16·25	18·31	16·90	18·23	967	29·22
The Netherlands (1898-00) ..	15·40	17·32	16·03	18·06	14·81	16·60	897	27·74
Sweden (1899-01)	13·88	16·78	14·45	17·24	13·36	16·35	809	29·83
Denmark (1900-02)	13·63	15·80	14·41	16·66	12·90	14·98	794	28·38
Australian Commonwealth (1900-02)	12·99	12·18	13·98	13·56	12·07	10·66	757	26·02
New Zealand (1900-02)	10·80	10·01	11·12	11·05	10·51	8·86	629	26·41

* See footnote, p. xxviii.

† Excluding cases in which the age was not stated.

TABLE LXIX.—MALES :—DEATH-RATES per 1000 living at ELEVEN GROUPS of AGES in ENGLAND and WALES and in certain EUROPEAN COUNTRIES and BRITISH COLONIES.

COUNTRIES (arranged in order of their Corrected Death-rates at all Ages —Persons).	Deaths to 1000 living—MALES.											
	All Ages.*	Under 5 years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 years and upwards.
Russia (European) (1896-8) ..	29'80	144'25	12'88	5'37	5'59	7'45	8'14	11'18	18'44	32'31	65'66	116'59
Spain (1900-02)	27'37	109'85	8'49	4'03	6'93	10'07	9'07	11'76	18'04	35'07	80'43	210'22
Hungary (1899-01)	24'96	98'40	11'13	4'90	5'98	8'55	7'61	10'78	17'80	34'00	70'69	169'05
Austria (1899-01)	23'86	93'95	6'88	3'52	4'89	7'47	7'85	11'10	18'68	34'54	72'53	170'53
Bulgaria (1899-01)	20'89	80'45	12'74	5'94	6'67	10'15	8'67	10'55	16'06	23'87	41'35	85'58
Italy (1900-02)	20'09	76'86	5'98	3'15	4'68	6'73	6'73	8'44	13'59	26'99	65'56	177'30
Prussia (1899-01)	21'03	79'84	4'94	2'69	4'19	5'74	6'13	10'38	18'32	33'28	69'47	164'11
German Empire (1901)	20'78	80'33	4'47	2'59	4'06	5'57	6'16	10'10	17'69	32'49	67'56	161'97
Finland (1899-01)	19'98	68'02	11'18	5'24	5'45	7'48	7'34	9'27	14'30	27'96	64'28	152'00
Scotland (1900-02)	18'56	52'13	4'34	2'82	4'64	6'14	7'55	11'68	19'50	37'95	71'61	159'22
France (1900-02)	18'56	51'74	4'69	3'00	5'08	8'10	8'19	11'56	17'54	31'50	69'50	183'78
England and Wales (1900-02)	18'37	58'29	4'06	2'28	3'49	4'77	6'38	10'94	18'67	34'80	70'25	158'18
Switzerland (1899-01)	17'57	50'62	3'80	2'39	3'90	5'75	6'58	10'40	18'83	34'30	70'79	160'83
Belgium (1899-01)	17'80	59'39	4'02	2'19	3'72	5'64	6'17	9'14	16'37	30'11	66'52	162'40
Ireland (1900-02)	16'25	39'36	3'90	2'86	4'83	7'19	8'96	10'62	15'63	29'52	63'07	169'19
The Netherlands (1898-00) ..	16'03	55'43	3'59	2'28	3'96	5'82	5'70	7'60	12'92	25'40	59'15	142'15
Sweden (1899-01)	14'45	40'30	5'62	3'52	4'96	6'93	6'91	8'28	12'42	21'95	48'98	134'95
Denmark (1900-02)	14'41	42'13	3'67	2'52	3'55	5'34	5'52	8'10	13'54	24'71	55'43	148'53
Australian Commonwealth (1900-02)	13'98	34'18	2'40	2'06	3'49	5'44	6'39	9'13	14'91	28'41	60'56	143'21
New Zealand (1900-02)	11'12	25'02	2'35	1'72	2'89	3'90	4'55	6'88	11'94	22'04	51'34	137'86

* Corrected Death-rates. See footnote, p. xxviii.

Tables LXIX. and LXX. enable detailed comparisons to be made of the mortality in different countries of persons of the same age and sex, of the mortality of the two sexes at various ages in the different countries, of ages at which mortality is relatively high or low in one country as compared with others, &c.

TABLE LXX.—FEMALES :—DEATH-RATES per 1000 living at ELEVEN GROUPS of AGES in ENGLAND and WALES and in certain EUROPEAN COUNTRIES and BRITISH COLONIES.

COUNTRIES (arranged in order of their Corrected Death-rates at all Ages —Persons).	Deaths to 1000 living—FEMALES.											
	All Ages.*	Under 5 years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75 years and upwards.
Russia (European) (1896-8) ..	27'49	125'05	12'61	5'48	6'04	7'74	8'81	11'10	16'07	32'54	66'52	116'88
Spain (1900-02)	25'74	98'29	8'70	4'60	7'31	8'70	9'38	10'60	13'99	30'02	76'36	211'06
Hungary (1899-01)	24'79	85'54	11'40	6'25	7'73	9'42	9'75	11'36	15'86	34'11	74'36	172'10
Austria (1899-01)	22'42	79'59	7'43	4'33	5'57	7'46	8'66	10'62	14'96	31'18	72'51	165'83
Bulgaria (1899-01)	20'96	73'19	12'31	6'60	7'58	11'04	11'53	12'61	14'18	22'12	43'75	93'80
Italy (1900-02)	20'36	72'93	6'55	3'76	5'43	6'92	7'77	8'87	11'24	24'13	65'72	182'17
Prussia (1899-01)	18'45	68'08	5'06	2'94	3'71	4'76	6'23	8'11	11'79	25'37	62'16	156'19
German Empire (1901)	18'34	68'07	4'58	2'75	3'72	4'86	6'43	8'24	11'73	25'13	60'60	154'67
Finland (1899-01)	18'32	59'44	10'97	5'93	5'95	6'69	7'37	8'78	10'74	21'54	56'07	141'87
Scotland (1900-02)	16'73	43'91	4'77	3'23	4'69	5'59	7'25	10'04	15'56	30'47	60'17	142'78
France (1900-02)	16'51	43'55	4'81	3'55	5'27	6'88	7'75	9'08	12'72	24'35	58'81	163'58
England and Wales (1900-02)	16'04	48'76	4'16	2'40	3'21	3'94	5'44	8'84	14'26	27'45	59'03	143'48
Switzerland (1899-01)	16'20	41'50	3'87	2'71	4'45	5'62	6'61	8'46	12'80	28'32	68'85	160'35
Belgium (1899-01)	15'82	50'11	4'14	2'49	4'08	5'49	6'24	7'76	11'25	22'70	54'98	149'89
Ireland (1900-02)	16'90	35'01	4'82	3'92	5'99	6'65	8'58	10'81	14'98	29'65	67'15	168'01
The Netherlands (1898-00) ..	14'81	47'01	3'59	2'52	3'71	4'42	5'86	7'82	10'29	21'69	52'22	139'31
Sweden (1899-01)	13'36	34'58	5'75	4'21	5'24	6'00	6'52	7'51	9'78	17'35	42'71	126'30
Denmark (1900-02)	12'90	34'21	3'69	3'25	4'21	4'52	5'53	7'09	10'05	18'74	46'36	133'97
Australian Commonwealth (1900-02)	12'07	29'56	2'21	1'77	2'84	4'09	5'74	7'99	10'66	20'32	45'55	126'46
New Zealand (1900-02)	10'51	21'36	1'93	1'80	2'97	3'74	4'74	6'56	10'11	18'95	43'48	122'87

* Corrected Death-rates. See footnote, p. xxviii..

The position occupied by England and Wales in relation to the other 19 countries included in these Tables is as follows :—

TABLE LXXI.

—			All Ages.	Under 5 years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
Males	12	11	13	16	18	19	14	6	4	3	6	12
Females	14	11	14	18	18	19	19	11	6	8	11	11

The figure 12 relating to males at all ages indicates that the corrected death-rate amongst males at all ages in this country is the twelfth highest (*i.e.*, that 11 of the 20 countries in the list had a higher, and 8 had a lower corrected death-rate) ; and similarly in other cases.

The high mortality of men between 35 and 75 and of women between 45 and 65 in this country as compared with others is remarkable, and is in sharp contrast to its favourable position in regard to mortality of young persons.

Natural Increase.—Assuming the registration of births and deaths in the countries dealt with to be reasonably complete, the rates of natural increase of population in the several States can be compared by taking the difference between the birth- and death-rates.

The average annual rate in England and Wales in the quinquennium 1906-1910 was 11·5 per 1000 of the total population. This rate is compared with that experienced by other countries in Table LXXII.

TABLE LXXII.—NATURAL INCREASE.—Mean Annual rate of increase, by excess of Births over Deaths, per 1000 living, 1881-1910.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.						Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906- 1910.	1909.	1910.
Bulgaria	19·5	17·0	9·7	17·1	18·1	—	14·0	—
Russia (European) ...	13·7	15·0	12·4	17·4	16·8	—	—	—
New Zealand	25·4	21·3	17·6	16·1	16·7	17·4	18·1	16·5
Servia	21·8	17·8	14·4	15·3	16·3	—	7·2	—
The Netherlands ...	13·4	13·1	13·3	14·9	15·5	15·3	15·4	15·0
Prussia	12·0	13·3	14·1	15·5	15·2	15·0	14·7	14·5
Australian Common- wealth.	19·5	20·4	19·1	14·9	14·7	16·0	16·4	16·3
German Empire ...	11·7	12·1	13·0	14·8	14·4	—	13·9	—
Denmark	14·0	12·7	11·8	13·6	14·2	14·5	15·0	14·6
Norway	14·0	13·8	13·4	14·5	14·1	12·5	12·7	12·6
Roumania	15·6	12·2	10·0	12·8	13·9	14·3	13·9	14·6
Finland	13·3	14·5	11·3	13·6	12·7	13·6	14·6	13·6
England & Wales ...	14·1	12·5	11·8	11·6	12·2	11·5	11·2	11·6
Scotland	13·7	12·6	11·5	12·0	12·2	11·5	11·4	10·9
Austria	8·1	8·9	9·5	11·7	11·4	11·3	10·5	11·3
Hungary	11·5	11·6	9·9	11·5	11·0	11·7	12·1	12·1
Japan	—	7·9	7·5	10·4	10·8	—	12·2	—
Belgium	10·1	9·1	8·8	10·8	10·7	—	7·9	—
Italy	10·7	10·3	10·5	11·1	10·7	11·4	10·9	13·3
Sweden	11·9	12·4	10·8	10·8	10·6	11·2	11·9	10·8
Switzerland	7·3	7·1	7·9	10·4	10·3	—	9·4	—
Spain	3·8	5·1	5·2	5·5	9·3	9·3	9·5	9·8
Ontario, Province of ...	11·0	11·0	9·3	8·5	8·8	9·7	9·7	10·9
Chili	12·2	0·3	4·4	6·2	6·2	7·0	7·3	5·9
Ireland	5·9	4·9	4·5	5·2	5·5	6·1	6·4	6·2
France	2·5	1·1	0·0	1·2	1·6	0·7	0·3	1·8

Infantile Mortality.—Table LXXIII. shows the relative incidence of infantile mortality in those countries that have been able to furnish returns, although the comparison is to a certain extent vitiated by differences of practice in regard to the registration of stillbirths. With few exceptions the countries in which a high rate of infantile mortality prevails are those in which a high birth-rate obtains. Austria, Hungary, Prussia, and Spain come under this category; while France appears to be a notable exception, the birth-rate being low and the infantile mortality comparatively high.

In Ireland, Norway, Sweden, and Australasia the rates of infantile mortality are exceptionally low.

TABLE LXXIII.—INFANTILE MORTALITY.—DEATHS of children under one year to 1000 births, 1881-1910.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.						Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906- 1910.	1909.	1910.
Chili	—	264	336	333	306	315	315	313
Russia (European) ...	271	264	276	261	—	—	—	—
Austria	—	—	—	226	215	—	—	—
Hungary	—	—	250	219	212	204	212	194
Prussia	207	208	205	201	190	168	164	157
Jamaica	—	170	171	175	174	191	174	188
Spain	193	—	—	—	173	—	—	—
Ceylon	—	158	169	168	171	189	202	176
Italy	—	—	185	168	168	—	155	—
Japan	—	—	147	153	154	—	166	—
Servia	157	158	172	159	149	—	—	—
Belgium	156	163	164	158	148	—	137	—
Bulgaria	—	—	140	143	148	—	—	—
France	167	166	171	159	139	—	120	—
England & Wales ...	139	145	151	156	138	117	109	105
The Netherlands ...	181	175	165	151	136	114	99	108
Switzerland	171	159	155	143	134	—	115	—
Finland	162	144	145	139	131	117	111	118
Scotland	117	121	126	129	120	—	108	—
Denmark	135	136	138	132	119	—	98	—
Ontario, Province of ...	—	—	—	—	114	127	131	123
Ireland	94	95	102	106	98	94	92	95
Australian Common- wealth.	125	119	109	112	97	78	72	75
Sweden	116	105	103	101	91	—	72	—
Norway	99	96	98	96	81	—	72	—
New Zealand	90	84	87	80	75	70	62	68

Mortality from certain Epidemic Diseases.—The accompanying tables give some indication of the incidence of measles, scarlet fever, diphtheria, whooping-cough, and enteric fever in the several countries.

In comparing the rates of mortality from these diseases it must be borne in mind that methods of classification vary, and that the certification of causes of death is more complete or more accurate in some states than in others; also that differences in the age-constitution of the several populations affect the comparison of the figures. In the case of measles, scarlet fever, diphtheria, and whooping-cough, diseases mainly confined to childhood, it will be noted from the tables that in several instances considerable fluctuations occur in the mortality rates; doubtless this is due to cycles of greater or lesser prevalence of these disorders. Generally speaking, however, appreciable reductions in the rates of mortality from these diseases have taken place in many European countries.

TABLE LXXIV.—MEASLES.—DEATH-RATES per 1000 persons living, 1881-1910.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.						Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906- 1910.	1909.	1910.
Spain	—	—	—	—	0·67	0·39	0·40	0·35
Hungary	—	—	—	0·43*	0·41	0·44	0·40	0·45
Belgium	0·52	0·58	0·60	0·40	0·37	—	0·36	—
The Netherlands	0·26	0·38	0·20	0·17	0·37	0·23	0·17	0·20
Austria	0·48	0·56	0·42	0·38	0·34	0·33	0·44	0·35
England & Wales	0·41	0·47	0·41	0·42	0·33	0·29	0·36	0·23
Scotland	0·36	0·41	0·51	0·43	0·32	—	0·19	—
Roumania	—	0·13	0·18	0·17	0·26	0·16	0·10	0·21
Prussia	0·42	0·42	0·27	0·26	0·25	0·19	0·17	0·18
Italy	—	0·61*	0·42	0·25	0·21	—	0·32	—
Switzerland	0·11	0·14	0·16	0·13	0·19	—	0·10	—
Ireland	0·18	0·20	0·17	0·18	0·16	0·14	0·10	0·19
Sweden	0·21	0·18	0·13	0·11	0·08	—	0·04	—
New Zealand	0·09	0·03	0·16	0·06	0·07	0·03	0·03	0·00
Australian Common- wealth.	0·09	0·03	0·14	0·11	0·04	0·02	0·01	0·03
Ontario, Province of ...	0·06	0·07	?	0·04	0·04	0·07	0·07	0·14

* 4 years.

TABLE LXXV.—SCARLET FEVER.—DEATH-RATES per 1000 persons living, 1881-1910.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.						Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906- 1910.	1909.	1910.
Servia	—	—	—	—	0·99	—	—	—
Hungary	—	—	—	0·56*	0·67	0·54	0·52	0·51
Austria	0·62	0·56	0·54	0·56	0·45	0·47	0·57	0·48
Roumania	—	0·15	0·32	0·26	0·45	0·64	1·08	0·77
Prussia	0·58	0·30	0·23	0·27	0·30	0·20	0·21	0·15
Belgium	0·27	0·17	0·15	0·22	0·13	—	0·16	—
England & Wales	0·44	0·24	0·18	0·13	0·13	0·09	0·09	0·07
Ontario, Province of ...	0·22	0·08	?	0·08	0·13	0·07	0·09	0·11
Scotland	0·35	0·22	0·20	0·17	0·09	—	0·12	—
Sweden	0·57	0·44	0·28	0·09	0·09	—	0·05	—
Spain	—	—	—	—	0·06	0·10	0·09	0·08
Italy	—	0·31*	0·20	0·11	0·05	—	0·08	—
New Zealand	0·12	0·03	0·01	0·00	0·05	0·03	0·03	0·01
Switzerland	0·09	0·09	0·07	0·02	0·05	—	0·05	—
Ireland	0·27	0·14	0·10	0·09	0·04	0·03	0·03	0·04
The Netherlands	0·15	0·07	0·04	0·03	0·03	0·04	0·03	0·02
Australian Common- wealth.	0·08	0·05	0·04	0·04	0·02	0·01	0·02	0·01

* 4 years.

TABLE LXXVI.—DIPHTHERIA and CROUP.—DEATH-RATES per 1000 persons living 1881-1910.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.						Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906- 1910.	1909.	1910.
Servia	—	—	—	—	0·66	—	—	—
Hungary	—	—	—	0·67*	0·47	0·41	0·45	0·42
Austria	1·46	1·34	1·22	0·80	0·43	0·28	0·29	0·26
Prussia	1·72	1·57	1·34	0·59	0·40	0·25	0·25	0·24
Sweden	0·85	0·52	0·61	0·44	0·34	—	0·13	—
Ontario, Province of ...	0·70	0·65	0·44	0·34	0·30	0·19	0·19	0·19
Spain	—	—	—	—	0·25	0·20	0·22	0·22
Belgium	0·78	0·66	0·49	0·27	0·21	—	0·15	—
Switzerland	0·64	0·34	0·46	0·29	0·21	—	0·16	—
England & Wales† ...	0·16	0·17	0·25	0·27	0·20	0·15	0·15	0·12
Scotland†	0·21	0·22	0·22	0·16	0·15	—	0·18	—
Italy	—	0·74*	0·51	0·24	0·14	—	0·17	—
Roumania	—	0·19	0·20	0·29	0·13	0·06	0·05	0·10
Australian Common- wealth.	0·43	0·52	0·36	0·15	0·10	0·10	0·10	0·13
The Netherlands† ...	0·12	0·15	0·16	0·10	0·10	0·06	0·06	0·05
Japan	0·03	0·04	0·07	0·13	0·09	—	0·11	—
Ireland†	0·06	0·08	0·07	0·08	0·08	0·08	0·09	0·08
New Zealand†	0·20	0·18	0·17	0·08	0·04	0·06	0·07	0·08

* 4 years.

† Excluding Croup.

TABLE LXXVII.—WHOOPING-COUGH.—DEATH-RATES per 1000 persons living, 1881-1910.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.						Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906- 1910.	1909.	1910.
Servia	—	—	2·42*	2·27	1·96	—	—	—
Scotland	0·60	0·61	0·52	0·51	0·49	—	0·47	—
Austria	1·10	0·97	0·71	0·53	0·44	0·36	0·30	0·30
Hungary	—	—	—	0·59*	0·42	0·36	0·34	0·31
Belgium	0·68	0·63	0·55	0·48	0·38	—	0·28	—
Prussia	0·52	0·51	0·45	0·42	0·36	0·26	0·25	0·23
England & Wales ...	0·46	0·44	0·40	0·36	0·30	0·25	0·20	0·25
Ireland	0·30	0·28	0·26	0·27	0·24	0·24	0·27	0·30
Spain	—	—	—	—	0·23	0·19	0·18	0·13
The Netherlands ...	0·35	0·30	0·32	0·26	0·21	0·19	0·17	0·18
Italy	—	0·37*	0·26	0·23	0·20	—	0·15	—
Switzerland	0·24	0·22	0·19	0·17	0·20	—	0·23	—
Sweden	0·19	0·17	0·17	0·20	0·18	—	0·14	—
Roumania	—	0·04	0·12	0·17	0·16	0·23	0·16	0·28
Australian Common- wealth.	0·16	0·17	0·17	0·13	0·10	0·11	0·06	0·11
New Zealand	0·22	0·15	0·23	0·07	0·08	0·12	0·04	0·15
Ontario, Province of ...	0·10	0·09	?	0·07	0·08	0·10	0·12	0·08
Japan	—	—	—	—	0·05	—	0·07	—

* 4 years.

TABLE LXXVIII.—ENTERIC FEVER.—DEATH-RATES per 1000 persons living
1881-1910.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.						Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906- 1910.	1909.	1910.
Servia	—	—	1·53	1·13	0·68	—	—	—
Spain	—	—	—	—	0·44	0·32	0·28	0·24
Italy	—	0·79*	0·51	0·50	0·35	—	0·28	—
Hungary	—	—	—	0·38*	0·29	0·27	0·31	0·24
Australian Commonwealth.	0·55	0·51	0·28	0·36	0·21	0·16	0·15	0·15
Ontario, Province of ...	0·27	0·24	?	0·21	0·20	0·31	0·30	0·32
Austria	0·73	0·58	0·44	0·27	0·19	0·14	0·13	0·13
Belgium	0·56	0·40	0·34	0·24	0·17	—	0·09	—
Ireland	0·16	0·17	0·17	0·21	0·13	0·08	0·07	0·06
Roumania	—	—	0·16	0·12	0·13	0·20	0·29	0·16
England & Wales ...	0·22	0·18	0·17	0·17	0·11	0·07	0·06	0·05
Scotland	0·27	0·19	0·18	0·16	0·11	—	0·06	—
The Netherlands† ...	0·18	0·13	0·12	0·10	0·09	0·06	0·05	0·05
Prussia	0·46	0·25	0·17	0·13	0·09	0·05	0·05	0·05
Sweden†	0·27	0·23	0·20	0·15	0·09	—	0·04	—
New Zealand	0·23	0·22	0·17	0·14	0·08	0·07	0·06	0·06
Switzerland	0·29	0·16	0·11	0·08	0·06	—	0·03	—

* 4 years.

† Including Typhus.

‡ Including Brain Fever and acute Poliomyelitis.

Pulmonary Tuberculosis.—Disregarding variations in the methods of classification of the deaths, as well as in the sex and age constitution of the populations, it is possible to make a rough comparison among several countries as regards mortality from this disease. Several states were unable to furnish complete returns of mortality under this heading. For example, in France, Denmark, Sweden, Roumania, or Bulgaria the statistics have been limited to towns only; again in Austria, in Hungary, in Prussia, and in Ontario the returns comprise deaths from all forms of tuberculosis, while in Italy deaths from general tuberculosis are included under pulmonary tuberculosis.

In Prussia, Scotland, the Netherlands, England and Wales, and Belgium a marked diminution in the rate of mortality has taken place in recent years. In proportion to the total population the death-rate from pulmonary tuberculosis in England and Wales in the quinquennium 1906-10 was 1·11 per 1000 living as compared with 1·22 in the preceding period. The latter rate was exceeded in four continental countries, while in only two others (Belgium and Italy) were the average rates below that recorded in this country.

TABLE LXXIX.—PULMONARY TUBERCULOSIS, &c.—DEATH-RATES per 1000 persons living, 1881-1910.

Countries (Arranged in Order of Rates in 1901-5).	Quinquennial Periods.						Years.	
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906- 1910.	1909.	1910.
Pulmonary Tuberculosis:								
Servia	—	—	2·51*	2·31	2·80	—	—	—
Ireland... ..	2·08	2·12	2·14	2·13	2·15	1·91	1·84	1·72
Switzerland	2·09	2·13	1·99	1·90	1·87	—	1·63	—
Spain	—	—	—	—	1·48	1·35	1·27	1·25
Japan	—	1·01	1·36	1·45	1·46	—	1·66	—
Scotland	2·11	1·89	1·74	1·65	1·46	—	1·27	—
The Netherlands	—	—	1·89	1·65	1·33	1·25	1·23	1·18
England & Wales...	1·83	1·64	1·46	1·32	1·22	1·11	1·09	1·02
Belgium	—	—	1·56	1·42	1·18	—	1·02	—
Australian Common- wealth.	1·22	1·21	1·07	0·94	0·89	0·75	0·73	0·68
New Zealand	0·91	0·84	0·81	0·78	0·70	0·62	0·61	0·55
Pulmonary and General Tuberculosis:								
Italy	—	1·37*	1·29	1·25	1·16	—	1·22	—
Tuberculosis (all forms):								
Hungary	—	—	—	3·64*	3·97	3·74	3·69	3·48
Austria†	3·90	3·80	3·60	3·45	3·40	3·05	3·03	2·88
Prussia	3·12	2·90	2·47	2·08	1·91	1·62	1·55	1·51
England & Wales...	2·54	2·32	2·12	1·91	1·74	1·57	1·54	1·43
Ontario, Province of...	1·25	1·16	1·14	1·41	1·29	1·13	1·07	1·02

* 4 years.

† The deaths for the years 1881-1894 relate to pulmonary tuberculosis.

Cancer.—Table LXXX. shows that the mortality from cancer recorded in England and Wales exceeds that of almost all other

TABLE LXXX.—CANCER.—DEATH-RATES per 1000 persons living, 1881-1910.

Countries (Arranged in Order of crude rates in 1901-5).	Crude Rates.						Corrected Rates.		
	1881- 1885.	1886- 1890.	1891- 1895.	1896- 1900.	1901- 1905.	1906- 1910.	1906- 1910.	1909.	1910.
Switzerland	1·03	1·14	1·22	1·27	1·28	—	—	1·07	—
The Netherlands	0·60	0·70	0·81	0·92	0·97	1·03	0·90	0·90	0·93
England & Wales	0·55	0·63	0·71	0·80	0·87	0·94	0·94	0·96	0·97
Scotland	0·54	0·62	0·69	0·77	0·85	—	—	1·00	—
Austria	0·44	0·50	0·59	0·69	0·74	0·78	0·73	0·73	0·73
Ireland	0·38	0·43	0·49	0·58	0·69	0·79	0·64	0·65	0·68
New Zealand	0·30	0·42	0·52	0·59	0·67	0·72	0·81	0·82	0·84
Prussia	0·34	0·41	0·50	0·57	0·65	0·74	0·73	0·74	0·77
Australian Common- wealth.	0·36	0·42	0·49	0·57	0·63	0·70	0·83	0·85	0·87
Belgium	—	—	—	—	0·58†	—	—	0·54	—
Italy	—	0·43*	0·44	0·51	0·55	—	—	0·53	—
Ontario, Province of	0·21	0·29	?	0·44*	0·52	0·65	—	—	—
Spain	—	—	—	—	0·44	0·50	0·44	0·44	0·45
Hungary	—	—	—	0·30*	0·39	0·44	0·43	0·44	0·45
Servia	—	—	0·06*	0·08	0·10	—	—	—	—

* 4 years.

† 3 years.

countries. In all the countries from which returns have been received the mortality has shown a general tendency to increase in recent years.

PROGRESS OF REGISTRATION.

The names in the alphabetical indexes of births, deaths, and marriages recorded in the national registers of England and Wales were increased during the year 1910 by 1,915,651, this addition raising the total of names in the indexes, which at the end of 1910 embraced a period of $73\frac{1}{2}$ years, to 120,611,255.

The following statements as to the number of prosecutions for offences against the Registration Acts and searches in the Registers in connexion with Old Age Pensions have been prepared by the Chief Clerk :—

OFFENCES AGAINST THE REGISTRATION ACTS.

In 1910, 39 persons, on prosecution by order of the Registrar-General, were convicted of different offences against the Registration Acts. The offences for which convictions were obtained were as under :—

For failing to comply with a requisition to register a birth or death	2
For giving a false place of birth in order to avoid vaccination	5
For giving a false age when registering the death of an old-age pensioner	14
For otherwise giving false information to the registrar when registering a birth or death	7
For falsifying certificate of birth or death and using same as true	8
For causing the body of a live-born child to be buried as still-born	2
For falsifying a certificate of cause of death and using the same as true	1

Proceedings were taken by the Public Prosecutor in several cases of false notice and declaration for marriage, and of forged consent for marriage.

SEARCHES AND CERTIFICATES.

Besides the certified copies of the registered births, deaths, and marriages kept in England and Wales pursuant to the Registration Acts, a large number of other registers and records are deposited in this Office under statute or other arrangement. A list of these various registers and records will be found on pages xxix.-xxxii. of the Annual Report for 1895. Searches may be made in any of these registers, and certificates obtained on payment of the prescribed fees.

During the 52 weeks ended 31st December, 1910, the total number of searches was 75,369, and of certificates issued 57,015. The total amount received in fees was 10,939*l.* 5*s.* 6*d.*

TABLE LXXXI.

Years.	Total Searches.	Certificates Issued.	Amount Received.
			£ s. d.
1866 (52 weeks)... ..	12,135	10,017	1,860 15 6
1875 (52 weeks)... ..	26,356	20,282	3,879 15 6
1885 (52 weeks)... ..	36,450	27,682	5,317 13 6
1895 (52 weeks)... ..	53,289	35,727	7,200 12 6
1896 (53 weeks)... ..	57,444	37,435	7,600 0 6
1897 (52 weeks)... ..	58,664	37,485	7,686 8 6
1898 (52 weeks)... ..	63,825	41,143	8,450 19 6
1899 (52 weeks)... ..	57,670	44,793	8,551 19 6
1900 (52 weeks)... ..	57,895	45,479	8,658 9 6
1901 (52 weeks)... ..	58,445	45,254	8,645 10 0
1902 (53 weeks)... ..	61,437	48,262	9,177 15 0
1903 (52 weeks)... ..	63,519	49,469	9,437 9 6
1904 (52 weeks)... ..	62,270	48,658	9,274 12 0
1905 (52 weeks)... ..	65,142	50,310	9,611 9 0
1906 (52 weeks)... ..	64,340	49,429	9,458 6 0
1907 (52 weeks)... ..	69,249	53,058	10,194 9 0
1908 (53 weeks)... ..	72,370	54,870	10,550 8 0
1909 (52 weeks)... ..	73,543	54,674	10,568 8 0
1910 (52 weeks)... ..	75,369	57,015	10,939 5 6

Table LXXXI. affords an indication of the extent to which the records in this Office have been utilized by the public for legal evidence of births, deaths, and marriages since 1866.

In addition to the above 51,347 searches have been made free of charge for the purpose of verifying the ages of persons claiming Old Age Pensions.

T. H. C. STEVENSON.

METEOROLOGY OF THE YEAR 1910.

REMARKS ON THE CONSPICUOUS METEOROLOGICAL OCCURRENCES IN THE BRITISH ISLES IN 1910.

*(Prepared in the Meteorological Office under the direction of
W. N. Shaw, Esq., LL.D., Sc.D., F.R.S.)*

Official reports and communications, daily, weekly and monthly returns, records supplied by numerous rainfall observers in all parts of the British Isles, and logs kept at lighthouses and lightships have been utilised in the preparation of the following summary of the principal meteorological events of the year 1910:—

1. *Gales.*—Though the year as a whole was rather breezy, it was, like several of its immediate predecessors, marked by comparatively few severe gales affecting any considerable portion of the country. In January the force of a gale was felt at one or more of the telegraphic reporting stations on as many as 21 days. The passage of a very deep cyclonic system on a North-Easterly course between Scotland and Iceland was marked by wild stormy conditions over the country generally between the 9th and 12th, a Southerly to Westerly strong gale (force 9 on the Beaufort scale) being experienced in very numerous localities, a whole gale (force 10) at many places on the south-western, western and northern coasts, a storm (force 11) at Barra Head, Deerness and Sule Skerry, and a hurricane (force 12) at North Unst. The gale was maintained through 64 consecutive hours at Rathlin O'Birne, 69 hours at Inchkeith, 82 hours at Skerryvore, and 94 hours at Pladda. In a less widely felt gale on the 24th and 25th a whole gale from West, North or North-East blew at some places on the western and eastern coasts of England and Ireland, a North-East storm at Flamborough Head. On the 28th and 29th the same coasts were again affected, the North-East storm being repeated at Flamborough, where the gale was continuous through 52 hours. During February, gale force was attained on 19 days, the severe instances being more numerous than those of January. On the 14th the Southerly and South-Westerly wind rose to a whole gale on the western, southern and eastern coasts of England, while on the 17th the Irish and English coasts were involved in a South-Westerly to Westerly gale, storm force being registered at Strumble Head, a hurricane at the North-West Light ship (Mersey). The worst of the gales of the opening months of the year occurred on February 19th to the 21st, when a large number of places in England and Ireland had a whole gale from Southerly to Westerly points. At Tearaght, Bardsey, Start Point, Portland Bill and Flamborough Head storm force was reported, and at the Fastnet, the Coningbeg Lightship, and at Caldy a hurricane. The gale lasted more than 50 hours in various localities, 56 hours at St. John's Point, 57 at Flamborough, 60 at Bardsey and Caldy, and 63 hours at Strumble Head. Practically this was the end of the winter storms, the month of March proving unusually quiet, the wind rarely exceeding the force of a strong or high wind. Disturbances were rather numerous in April, and the month generally was breezy, but the only gales of note occurred in the north of Scotland, a whole gale in some exposed

situations on the 13th to 15th, and 18th to 21st, a Westerly storm at Tarbet Ness on the 18th. An occasional gale was felt during the summer months, a strong gale at isolated situations between May 3rd and 8th, on July 23rd and 26th, and August 1st and 26th to 28th. September was an abnormally quiet month, quieter than the month of the vernal equinox, the telegraphic stations affording only two instances of gale force. With October the conditions assumed a more disturbed type, and from the 2nd to the 4th South-Westerly to North-Westerly gales were experienced in many localities, a whole gale at Portland Bill, a storm at Scilly. A strong to a whole North-Easterly gale over southern England on the 13th and 14th was associated with the existence of an area of very high pressure, the barometer standing at $30\frac{3}{4}$ in. in Scotland, against 30 in. on the Bay of Biscay. On the last day of the month a disturbance coming down from the Iceland region started a spell of very disturbed weather, which was maintained generally until the end of the year. A whole Westerly gale blew at Malin Head and Spurn Head on October 31st. November had 20 days and December 25 days on which the wind rose to gale force. Between November 1st and 4th Portland Bill had a whole North-Westerly gale, Malin Head a whole South-Westerly and North-Westerly gale, and Scilly a whole Westerly gale to a North-Westerly storm. From the 6th to the 18th hard gales were felt daily—on the 7th a whole gale from North-West at Holyhead, from West at Malin Head, Scilly and Portland Bill, and an Easterly storm at Wick; on the 10th a whole Southerly gale at Spurn Head; on the 13th an Easterly storm at Sumburgh Head; on the 14th a whole Northerly gale at Sumburgh Head, and a storm at Malin Head; on the 15th a whole Westerly gale at Scilly, and on the 18th from North at Spurn Head. From December 7th to the 17th was another stormy period—a whole South-Easterly gale at Roche's Point and Scilly on the 7th; at Malin Head and Roche's Point on the 8th, and at Scilly on the 9th; a South-Westerly storm at Scilly on the 12th; a whole Southerly gale at Portland Bill on the 13th; from South or South-West at Dungeness and Scilly on the 15th, and at Oxford, Pembroke and Scilly on the 16th, a storm at Portland Bill; and a South-Westerly whole gale at Dungeness, and a storm at Dover on the 17th. Strong gales from South-West to North-West occurred daily from the 22nd to the 28th, a whole South-Westerly gale at Malin Head on the 24th. Self-registering anemometers at 26 stations disclosed the following instances of mean hourly velocities of 60 or more miles of wind:—

February 18–19th, Pendennis, 60; 20th–21st, Pendennis, 62.

„ 21st, Southport, 63.

December 16th, Pendennis, 63.

In gusts the highest velocities attained were 87 miles per hour at Pendennis on February 18th–19th, and 86 miles per hour at Scilly on the 20th–21st. (For more detailed records, *see* Appendix III. of the Weekly Weather Report.)

2. *Rainfall.*—The year's precipitation was rather irregularly distributed, and this was more noticeable in Scotland and Ireland than over England. In Scotland Glencarron returned a deficiency of 10·4 in., and Fort William of 9·5 in., while several localities had an excess of 5 in. and upwards, Cargen an excess of 12·7 in. In Ireland there was an excess of 11·5 in. at Markree Castle, and 7·4 at Dublin, against a deficiency of 5·7 in. at Roche's Point. Over England generally the totals were above the average, the excess being greatest in the south, 10·2 in. at Jersey, 10·7 in. at Salisbury, 10·8 in. at Polapit Tamar Launceston, 11·1 in. at Cullompton, and 12·7 in. at Dungeness. The

aggregate totals ranged from 134·3 in. at Seathwaite, 83 in. at Loch Torridon, 78·8 in. at Glencarron, 77·1 in. at Sheepstor, 69·1 in. at Fort William, 61·6 in. at Whitchurch, 61·1 in. at Arlington, 60·6 in. at Darwen, and 60·4 in. at Eskdalemuir to 23·4 in. at Westminster, 22·8 in. at Cambridge, 22·5 in. at Hawarden Bridge, 22 in. at Southend, 21·5 in. at Clacton-on-Sea, 21·1 in. at Shoeburyness, and 20·6 in. at Spurn Head. Greenwich had nearly 5 in. more than Westminster. As a rule the frequency of precipitation was considerably in excess of the normal, rain being measured on more than 200 days at the great majority of stations, Foynes 294 days, Roche's Point 277, Stornoway 275, Killarney 270, Valencia 268, and Balta Sound 260. The frequency was least in the south-east, 170 days at Yarmouth, 169 at Rugby, 163 at Clacton-on-Sea, and 156 at Tottenham. In several months falls of an inch and upwards in a day were very numerous, those of 2 in. or more being the following:—January 13th, Kinlochewe (Rossshire), 2·4 in.; 15th, Stonyhurst, 2·1 in.; March 1st, Killarney, 2·5 in.; 2nd, Caragh Lake, 2·5 in.; June 5th, Abergavenny (Mon.), 2 in.; Cardiff and Salisbury (west), 2·1 in.; Salisbury (east), 3·5 in.; 7th, Old Windsor, 2·5 in.; Stow-on-the-Wold, 3·6 in.; 9th, Kidmore End, Reading and Wheatley, Oxon, 5·5 in.; 20th, Mount Mellick, 2 in.; July 20th, Bethesda, 2 in.; August 1st, Newcastle, Wicklow, 2·2 in.; 24th, Crieff, 2·4 in.; 25th, Markree Castle, 2·3 in.; 26th, Stornoway, 2·2 in.; October 20th, Dover, 2·4 in., and Dover Waterworks, 2·2 in.; 31st, Kinlochewe, 2·2 in., Cruachan (Loch Awe), Glencarron and Fort William, 2 in.; December 1st, Ruthin, 2·4 in. There were several very heavy falls in short periods, the most striking being 0·71 in. in 14 minutes (3 in. per hour) during a terrific thunderstorm at Abergavenny on May 16th; 3·2 in. in an hour at Kidmore End, on June 9th, when 2·7 in. fell at Wheatley, Oxon, in 48 minutes (3·4 in. per hour), and 1·7 in. in another 20 minutes (5·1 in. per hour); 0·15 in. in 1½ minutes (6 in. per hour) at Epsom on June 25th. At the same place on September 14th, 0·3 in. in 2½ minutes (7·2 in. per hour); and on October 1st, 0·25 in. in 4 minutes (3¼ inches per hour). Nearly the whole of the 3·5 in. at Salisbury on June 5th fell in 3 hours.

3. *Snowstorms*.—The snowfalls of the year were unusually rare. The most important occurred towards the end of January, 15 in. at Oban on the 26th; 12 in. at Bradford on the 28th, and an accumulation of 17 in. at Marchmont as the result of a week's falls to the 29th. Snow showers were noted as late as May, and the earliest reference in the autumn was a sharp shower at Epsom on September 19th, when the temperature was at 52°. During the remainder of the year, however, slight showers were almost wholly limited to November, there being a singular freedom from snow in December.

4. *Thunderstorms*.—The opening months were remarkable for the abnormal frequency of electrical disturbances. There were at least 23 days in January on which lightning, thunder or thunderstorms were observed. At Gruline, Mull, thunder was reported on eight successive days; and at Markree Castle, between the 8th and the 16th, lightning was registered on one day and thunderstorms on seven days. They were not so general during February, excepting on the 20th, when the southern half of England was affected. March, on the other hand, produced not a single thunderstorm, only four observers reporting thunder. With April the records became fairly numerous again in many parts of the kingdom, and during May and June they were very numerous and widespread, reported by one or more observers on 55 days. Many of the storms of this period were very severe, and occasioned considerable material damage and some loss of life. A peculiarity

of many of these storms was that in numerous places they produced only small quantities of rain, or none at all, while others brought with them tropical downpours. The disturbed electrical conditions were maintained until July 3rd. After this date there was a great falling off both in the frequency and the severity of the storms. Many neighbourhoods were visited on August 3rd, 4th, 5th, 14th and 15th, but September was almost as barren as March. On October 1st there were numerous records over the area from Yorkshire to the Isle of Wight and the Channel Islands, the remainder of the year being marked by only a few sporadic cases.

5. *Dry Periods.*—Notwithstanding the unusually frequent rainfalls, the year had several spells of dry weather. In many parts of England a rainless period set in about the middle of March and lasted into the opening days of April. A large number of places had no rain for 16 or more days, Worcester Lodge, Forest of Dean, 22 days, and Cuckfield 24 days. Numerous other stations had only one or two trifling showers during this period. The second half of May was marked over a considerable area by either no rain or only a slight shower or two in 10 to 12 days. In spite of the numerous thunderstorms of June there was little or no rain over a wide area in the first three weeks, none on 14 days at Bethesda, 15 days at Lincoln, 18 days at Skegness, and 19 days at Hovingham Hall. There was a similar experience between July 5th and 22nd, when many parts of Wales, Ireland and Scotland had magnificent weather, 14 rainless days in succession. Deerness, Orkney, had only 0·1 in. in 19 days, and Shetland $\frac{3}{4}$ in. during the month. September was a record month for dryness, many observers measuring a little rain on only two or three days, so that a large proportion totalled less than 0·2 in. for the month, Portsmouth less than 0·1 in. Even Seathwaite, the wettest station in the kingdom, had only 1·4 in. or 10 in. less than the average. At Prestwich there were 22 consecutive rainless days. This dry spell continued in many localities until October 10th, at Armagh and York until the 16th.

6. *Temperature.*—During the year there were few maximum temperatures of 80° and above. On May 20th Lincoln, Norwich and Rauceby touched 80°, and Hillington 83°. The warmest days were June 19th and 20th, when Hillington and Raunds rose to 83°, and Camden Square and Maidenhead to 84°. July 13th and 14th had some isolated instances of 80° and 81°. The most remarkable warmth of the year occurred in Shetland on August 6th, when the thermometer touched 77° at Balta Sound, and 82° at Sumburgh Head, the latter being 12° above the previous highest recorded in the locality. The Orkneys were not affected by this singular local visitation.

Over practically the whole kingdom the coldest period was January 26th to 28th, when temperature fell below 20° at the majority of stations, to 10° and under at a considerable number, to 0° at Kilmarnock, -5° at West Linton, and -10° at Balmoral. Scilly had a minimum of 35° on April 4th, the only other stations that did not pass below 32° being Falmouth, Penzance and Guernsey.

At Balmoral the range of temperature amounted to 90°, and at Kilmarnock and West Linton to 80°, against 39° at Falmouth, Scilly and Deerness. For the entire year the mean temperature in nearly all places differed less than $\frac{1}{2}$ ° from the normal.

7. *Bright Sunshine.*—The duration of bright sunshine was variable. At Blackpool there was an excess of 218 hours, at Fort Augustus of 127, at Stornoway of 112, and at Llandudno of 108, whereas at Jersey

there was a deficiency of 188 hours, at Cirencester and Southampton of 148, at Hillington of 144, and at some other stations of more than 100 hours. The largest aggregate totals were in Guernsey, 1,794 hours (41 per cent. of the possible) at Villa Carey, and 1,773 hours (40 per cent.) at Brooklyn, several other southern stations between Newquay and Felixstowe returning more than 1,700 hours. Some urban stations had less than 25 per cent. of the possible, Manchester City 982 hours, and Whitworth Park 976 hours (22 per cent.), and Newcastle-on-Tyne 933 hours (21 per cent.). One of the principal sunshine features of the year was the exceptional dulness of July over a great part of England, Margate returning 102 hours of sunshine, Geldeston 112, Greenwich 123 less than the average. Ireland, western Scotland and north-western England at the same time had brilliant weather, Armagh an excess of 61 hours, Phoenix Park 63, and Markree Castle 86 hours.

8. *Fog*.—The diminution in the frequency and intensity of inland fog, so noticeable in recent years, was maintained during 1910, there being no reports of any unusual visitations. In November it was fairly frequent in some localities, while neighbouring observers noted uncommon freedom from it.

On the coasts it was rather frequent in all seasons, and at times very dense, interfering with navigation. During a very dense fog on the south-western coasts between April 17th and 19th, the Atlantic liner *Minnehaha* ran on the rocks at Scilly.

9. *Barometer*.—The mean pressure for the year was everywhere below the normal, by 0.02 in. at Scilly, and 0.04 in. at Stornoway, but by as much as 0.08 in. in some places, 0.09 in. at Dungeness. The values indicated a low pressure area from Shetland across to Iceland, barometer below 29.75 in., and a relatively high area on the Continent, above 29.95 in. Only in October did the mercury rise to or above 30 $\frac{3}{4}$ in., touching 30.81 in. at Sumburgh Head on the 14th. There were numerous instances of readings below 29 in., the lowest, 28.14 in., being recorded at Blacksod Point on February 20th. At some Channel stations the range of pressure was 1 $\frac{3}{4}$ in., but at most stations it exceeded 2 in., 2.5 in. at Malin Head and Blacksod Point. On December 16th a barometric fall of 0.22 in. was registered at Bidston Observatory in half-an-hour; and at Stonyhurst Observatory 0.07 in. in 20 minutes, and 0.07 in. in the next 10 minutes.

10. *Floods*.—Owing to the very persistent wet weather of February, rain falling on 25 to 28 days at a large number of stations, much land was under water in many parts of the country. Much damage was occasioned by a flood in the Esk Valley, Yorkshire, as the result of a tropical downpour in a thunderstorm of terrific violence on May 8th. In County Clare a great flood was caused by a heavy rainstorm on July 28th, when 1.5 in. of rain fell at Mount Callan, most of it in about an hour. Between August 23rd and 28th serious floods were reported in Scotland, following very heavy rains. Nearly all rivers in the southern half of England overflowed their banks consequent upon the almost daily rains of November and December, the flooded areas being unusually extensive.

12. *Earthquakes*.—A slight shock of earthquake was felt at Oban on July 27th; a heavy shock at Scilly at 8.2 a.m. on October 30th. In the middle of December the influence of severe earthquakes in distant countries was felt in this country on the 13th and 14th, at Cardiff, West Bromwich, Glasgow, &c.

13. *Aurora Borealis*.—Aurora was most frequently reported during March, one of the least windy months of the year. It was moderately frequent in January, October and November; rarely observed in other months.

14. *Black Rain*.—At St. Asaph, North Wales, on June 4th, the rain collected, 0·4 in., was very black.

15. *Observations in the Upper Air*.—In the Weekly Weather Report details have been published of 174 ascents of kites or captive balloons, 29 pilot balloons, and 85 registering balloons. Of the latter, 70 reached the advective region. The greatest heights attained were, with kites 1,700 metres from Brighton on August 28th, with pilot balloons 17 kilometres from Pyrton Hill on March 16th, and with registering balloons 22 kilometres from Manchester on April 14th. The lowest temperature observed was 205° A. or -68° C. at 13 and 14·4 kilometres on January 6th, in an ascent from Pyrton Hill.

In continuation of the remarks given in previous annual reports, the following notes refer exclusively to the stations, the results from which are included in the tables already printed in the Quarterly Returns :—

The highest temperatures of the air were at Tottenham, 86°; Camden Square, 84°; and at Hillington, 83°.

The lowest temperatures were at Buxton, 1°; Llangammarch Wells, 8°; and at Durham and Wakefield, 10°.

The heaviest totals of rain at any of the stations were at Llangammarch Wells, 58·8 in.; Bettws-y-Coed, 58·7 in.; and at Stonyhurst, 53·3 in.

The least falls of rain were at Spurn Head, 20·6 in.; Clacton, 21·5 in.; and at Cambridge, 22·8 in.

The greatest number of days of rain were at Cromer, 255; Llangammarch Wells, 239; and at Salisbury, 235.

The least number of days of rain were at Tottenham, 156; Clacton, 163; and at Wakefield, Portsmouth and Lowestoft, 172.

The highest temperatures in the sun were at the Royal Observatory, Greenwich, 145°; and at Bettws-y-Coed, 143° and 142°.

The lowest temperatures on the grass were at Buxton, -9°; at Durham and Llangammarch Wells, 4°; and at Sheffield, 5°.

The greatest number of days of temperature on the grass at 30° or below were at Sheffield, 137; and at Cambridge and Llangammarch Wells, 136.

T A B L E S .

TABLE 1.—United Kingdom: Population of its several portions estimated of the Islands in the British Seas, and of the portions

YEAR.	UNITED KINGDOM. AREA 77,507,378 ACRES.			ENGLAND AND WALES. AREA 37,337,630 ACRES.		
	Persons.	Males.	Females.	Persons.	Males.	Females.
1861	28,977,133	14,086,431	14,890,702	20,119,314	9,801,152	10,318,162
1862	29,243,610	14,218,788	15,024,822	20,371,013	9,923,272	10,447,741
1863	29,470,969	14,329,606	15,141,363	20,625,855	10,046,909	10,578,946
1864	29,680,437	14,431,943	15,248,494	20,883,889	10,172,089	10,711,800
1865	29,925,177	14,552,746	15,372,431	21,145,151	10,298,826	10,846,325
1866	30,147,755	14,656,115	15,491,640	21,409,684	10,427,146	10,982,538
1867	30,409,132	14,781,924	15,627,208	21,677,525	10,557,066	11,120,459
1868	30,689,977	14,917,163	15,772,814	21,948,713	10,688,600	11,260,113
1869	30,978,278	15,056,678	15,921,600	22,223,299	10,821,775	11,401,524
1870	31,256,535	15,189,549	16,066,986	22,501,316	10,956,608	11,544,708
1871	31,555,694	15,331,177	16,224,517	22,788,594	11,092,620	11,695,974
1872	31,874,183	15,485,219	16,388,964	23,096,495	11,242,495	11,854,000
1873	32,177,550	15,630,140	16,547,410	23,408,556	11,394,394	12,014,162
1874	32,501,517	15,788,489	16,713,028	23,724,834	11,548,346	12,176,488
1875	32,838,758	15,957,608	16,881,150	24,045,385	11,704,378	12,341,007
1876	33,199,994	16,138,194	17,061,800	24,370,267	11,862,519	12,507,748
1877	33,575,941	16,325,250	17,250,691	24,699,539	12,022,796	12,676,743
1878	33,943,773	16,508,370	17,435,403	25,033,259	12,185,238	12,848,021
1879	34,302,557	16,687,367	17,615,190	25,371,489	12,349,875	13,021,614
1880	34,622,930	16,844,178	17,778,752	25,714,288	12,516,737	13,197,551
1881	34,934,476	16,995,577	17,938,899	26,046,142	12,673,435	13,372,707
1882	35,206,617	17,122,482	18,084,135	26,334,942	12,808,460	13,526,482
1883	35,449,721	17,237,225	18,212,496	26,626,949	12,944,923	13,682,026
1884	35,724,231	17,367,248	18,356,983	26,922,192	13,082,837	13,839,355
1885	36,015,501	17,505,360	18,510,141	27,220,706	13,222,216	13,998,490
1886	36,313,582	17,646,573	18,667,009	27,522,532	13,363,079	14,159,453
1887	36,599,143	17,780,591	18,818,552	27,827,706	13,505,441	14,322,265
1888	36,881,271	17,912,256	18,969,015	28,136,258	13,649,314	14,486,944
1889	37,178,929	18,052,088	19,126,841	28,448,239	13,794,721	14,653,518
1890	37,484,764	18,196,143	19,288,621	28,763,673	13,941,671	14,822,002
1891	37,802,440	18,346,840	19,455,600	29,085,819	14,092,535	14,993,284
1892	38,134,110	18,504,779	19,629,331	29,421,392	14,252,190	15,169,202
1893	38,490,333	18,674,558	19,815,775	29,760,842	14,413,657	15,347,185
1894	38,859,067	18,851,843	20,007,224	30,104,201	14,576,948	15,527,253
1895	39,221,109	19,027,140	20,193,969	30,451,528	14,742,091	15,709,437
1896	39,599,072	19,209,015	20,390,057	30,802,858	14,909,104	15,893,754
1897	39,987,294	19,396,275	20,591,019	31,158,245	15,078,010	16,080,235
1898	40,380,792	19,586,134	20,794,658	31,517,725	15,248,823	16,268,902
1899	40,774,296	19,774,970	20,999,326	31,881,365	15,421,578	16,459,787
1900	41,154,646	19,956,716	21,197,930	32,249,187	15,596,283	16,652,904
1901	41,537,078	20,141,530	21,395,548	32,612,134	15,769,478	16,842,656
1902	41,892,019	20,316,946	21,575,073	32,951,455	15,933,989	17,017,466
1903	42,245,403	20,491,647	21,753,756	33,294,308	16,100,211	17,194,097
1904	42,609,678	20,671,117	21,938,561	33,640,736	16,268,166	17,372,570
1905	42,978,588	20,851,875	22,126,713	33,990,764	16,437,866	17,552,898
1906	43,358,371	21,036,379	22,321,992	34,344,429	16,609,330	17,735,099
1907	43,734,635	21,218,819	22,515,816	34,701,776	16,782,579	17,919,197
1908	44,120,134	21,407,948	22,712,186	35,062,847	16,957,634	18,105,213
1909	44,515,297	21,601,568	22,913,729	35,427,672	17,134,508	18,293,164
1910	44,911,346	21,793,981	23,117,365	35,796,289	17,313,221	18,483,068

to the **middle** of each of the **Years 1861-1910, exclusive** of the **Population** of the **Army, Navy, and Merchant Service Abroad.**

SCOTLAND.* AREA 19,459,155 ACRES.			IRELAND.* AREA 20,710,593 ACRES.			YEAR.
Persons.	Males.	Females.	Persons.	Males.	Females.	
3,069,404	1,453,496	1,615,908	5,788,415	2,831,783	2,956,632	1861
3,097,009	1,468,180	1,628,829	5,775,588	2,827,336	2,948,252	1862
3,126,879	1,483,008	1,643,871	5,718,235	2,799,689	2,918,546	1863
3,156,021	1,497,988	1,658,033	5,640,527	2,761,866	2,878,661	1864
3,185,437	1,513,120	1,672,317	5,594,589	2,740,800	2,853,789	1865
3,215,129	1,528,404	1,686,725	5,522,942	2,700,565	2,822,377	1866
3,245,098	1,543,843	1,701,255	5,486,509	2,681,015	2,805,494	1867
3,275,350	1,559,438	1,715,912	5,465,914	2,669,125	2,796,789	1868
3,305,885	1,575,190	1,730,695	5,449,094	2,659,713	2,789,381	1869
3,336,707	1,591,101	1,745,606	5,418,512	2,641,840	2,776,672	1870
3,368,921	1,607,775	1,761,146	5,398,179	2,630,782	2,767,397	1871
3,404,798	1,626,461	1,778,337	5,372,890	2,616,263	2,756,627	1872
3,441,056	1,645,361	1,795,695	5,327,938	2,590,385	2,737,553	1873
3,477,704	1,664,480	1,813,224	5,298,979	2,575,663	2,723,316	1874
3,514,744	1,683,821	1,830,923	5,278,629	2,569,409	2,709,220	1875
3,552,183	1,703,388	1,848,795	5,277,544	2,572,287	2,705,257	1876
3,590,022	1,723,180	1,866,842	5,286,380	2,579,274	2,707,106	1877
3,628,268	1,743,204	1,885,064	5,282,246	2,579,928	2,702,318	1878
3,665,443	1,762,787	1,902,656	5,265,625	2,574,705	2,690,920	1879
3,705,994	1,783,950	1,922,044	5,202,648	2,543,491	2,659,157	1880
3,742,564	1,802,923	1,939,641	5,145,770	2,519,219	2,626,551	1881
3,770,657	1,816,785	1,953,872	5,101,018	2,497,237	2,603,781	1882
3,798,961	1,830,754	1,968,207	5,023,811	2,461,548	2,562,263	1883
3,827,478	1,844,830	1,982,648	4,974,561	2,439,581	2,534,980	1884
3,856,207	1,859,016	1,997,191	4,938,588	2,424,128	2,514,460	1885
3,885,155	1,873,308	2,011,847	4,905,895	2,410,186	2,495,709	1886
3,914,318	1,887,711	2,026,607	4,857,119	2,387,439	2,469,680	1887
3,943,701	1,902,225	2,041,476	4,801,312	2,360,717	2,440,595	1888
3,973,305	1,916,851	2,056,454	4,757,385	2,340,516	2,416,869	1889
4,003,132	1,931,589	2,071,543	4,717,959	2,322,883	2,395,076	1890
4,036,245	1,948,183	2,088,062	4,680,376	2,306,122	2,374,254	1891
4,078,910	1,970,197	2,108,713	4,633,308	2,282,392	2,351,416	1892
4,122,029	1,992,461	2,129,568	4,607,462	2,268,440	2,339,022	1893
4,165,606	2,014,976	2,150,630	4,589,260	2,259,919	2,329,341	1894
4,209,645	2,037,746	2,171,899	4,559,936	2,247,303	2,312,633	1895
4,254,153	2,060,773	2,193,380	4,542,061	2,239,138	2,302,923	1896
4,299,132	2,084,060	2,215,072	4,529,917	2,234,205	2,295,712	1897
4,344,589	2,107,610	2,236,979	4,518,478	2,229,701	2,288,777	1898
4,390,530	2,131,427	2,259,103	4,502,401	2,221,965	2,280,436	1899
4,436,958	2,155,512	2,281,446	4,468,501	2,204,921	2,263,580	1900
4,479,065	2,177,000	2,302,065	4,445,879	2,195,052	2,250,827	1901
4,507,048	2,190,052	2,316,996	4,433,516	2,192,905	2,240,611	1902
4,535,201	2,203,177	2,332,024	4,415,894	2,188,259	2,227,635	1903
4,563,530	2,216,381	2,347,149	4,405,412	2,186,570	2,218,842	1904
4,592,036	2,229,664	2,362,372	4,395,788	2,184,345	2,211,443	1905
4,620,720	2,243,027	2,377,693	4,393,222	2,184,022	2,209,200	1906
4,649,586	2,256,470	2,393,116	4,383,273	2,179,770	2,203,503	1907
4,678,629	2,269,993	2,408,636	4,378,658	2,180,321	2,198,337	1908
4,707,858	2,283,599	2,424,259	4,379,767	2,183,461	2,196,306	1909
4,737,268	2,297,286	2,439,982	4,377,789	2,183,474	2,194,315	1910

* The Estimates of Population for Scotland and Ireland have been supplied by the Registrars-General for those parts of the United Kingdom.

TABLE 2.—ENGLAND AND WALES.—Marriages, Births, and Deaths,
1861-1910.

YEAR.	MAR- RIAGES.	BIRTHS.					DEATHS.		
		Total.	Males.	Females.	Le- gitimate.	Ille- gitimate.	Persons.	Males.	Females.
1861	163,706	696,406	355,972	340,434	652,249	44,157	435,114	222,281	212,833
1862	164,030	712,684	363,534	349,150	667,462	45,222	436,566	222,622	213,944
1863	173,510	727,417	372,019	355,398	680,276	47,141	473,837	242,203	231,634
1864	180,387	740,275	377,719	362,556	692,827	47,448	495,531	253,619	241,912
1865	185,474	748,069	381,444	366,625	701,484	46,585	490,909	252,218	238,691
1866	187,776	753,870	384,955	368,915	708,369	45,501	500,689	256,402	244,287
1867	179,154	768,349	392,224	376,125	723,163	45,186	471,073	242,588	228,485
1868	176,962	786,858	400,383	386,475	740,520	46,338	480,622	247,107	233,515
1869	176,970	773,381	394,570	378,811	728,690	44,691	494,828	254,863	239,965
1870	181,655	792,787	404,305	388,482	748,050	44,737	515,329	265,586	249,743
1871	190,112	797,428	405,605	391,823	752,653	44,775	514,879	265,563	249,316
1872	201,267	825,907	421,307	404,600	781,141	44,766	492,265	255,135	237,130
1873	205,615	829,778	422,757	407,021	786,617	43,161	492,520	254,985	237,535
1874	202,010	854,556	435,179	419,777	811,853	43,103	526,632	272,178	254,454
1875	201,212	850,607	434,225	416,382	809,794	40,813	546,453	282,202	264,251
1876	201,874	887,968	452,278	435,690	846,374	41,594	510,315	265,076	245,239
1877	194,352	888,200	451,896	436,304	846,045	42,155	500,496	260,567	239,929
1878	190,054	891,906	455,048	436,858	849,806	42,100	539,872	278,772	261,100
1879	182,082	880,389	447,914	432,475	838,200	42,189	526,255	271,496	254,759
1880	191,965	881,643	448,709	432,934	839,101	42,542	528,624	273,442	255,182
1881	197,290	883,642	450,180	433,462	840,522	43,120	491,935	253,605	238,330
1882	204,405	889,014	452,752	436,262	845,859	43,155	516,654	265,767	250,887
1883	206,384	890,722	453,076	437,646	848,076	42,646	522,997	269,262	253,735
1884	204,301	906,750	462,481	444,269	864,083	42,667	530,828	273,522	257,306
1885	197,745	894,270	455,809	438,461	851,477	42,793	522,750	268,305	254,445
1886	196,071	903,760	460,368	443,392	860,922	42,838	537,276	275,874	261,402
1887	200,518	886,331	451,603	434,728	844,197	42,134	530,758	272,137	258,621
1888	203,821	879,868	447,172	432,696	839,138	40,730	510,971	263,294	247,677
1889	213,865	885,944	451,218	434,726	845,317	40,627	518,353	266,102	252,251
1890	223,028	869,937	442,070	427,867	831,525	38,412	562,248	290,448	271,800
1891	226,526	914,157	465,660	448,497	875,376	38,781	587,925	302,494	285,431
1892	227,135	897,957	456,622	441,335	860,376	37,581	559,684	286,062	273,622
1893	218,689	914,572	465,711	448,861	875,714	38,858	569,958	291,889	278,069
1894	226,449	890,289	453,016	437,273	851,946	38,343	498,827	256,015	242,812
1895	228,204	922,291	468,886	453,405	883,455	38,836	568,997	290,704	278,293
1896	242,764	915,331	465,660	449,671	876,602	38,729	526,727	270,575	256,152
1897	249,145	921,683	469,180	452,503	883,274	38,409	541,487	280,211	261,276
1898	255,379	923,165	468,920	454,245	884,832	38,333	552,141	283,981	268,160
1899	262,334	928,646	473,172	455,474	891,522	37,124	581,799	299,472	282,327
1900	257,480	927,062	471,044	456,018	890,248	36,814	587,830	303,823	284,007
1901	259,400	929,807	473,944	455,863	893,608	36,199	551,585	285,618	265,967
1902	261,750	940,509	479,144	461,365	903,835	36,674	535,538	277,216	258,322
1903	261,103	948,271	482,229	466,042	910,969	37,302	514,628	266,290	248,338
1904	257,856	945,389	481,322	464,067	907,715	37,674	549,784	283,206	266,578
1905	260,742	929,293	472,886	456,407	891,978	37,315	520,031	267,601	252,430
1906	270,038	935,081	476,939	458,142	897,691	37,390	531,281	274,233	257,048
1907	276,421	918,042	467,728	450,314	881,853	36,189	524,221	269,259	254,962
1908	261,940	919,383	478,410	461,973	902,852	37,531	520,456	268,714	251,742
1909	260,544	914,472	466,463	448,009	876,963	37,509	518,003	265,203	252,800
1910	267,721	893,962	457,268	436,696	860,327	36,635	483,247	249,016	234,231

TABLE 3.—ENGLAND AND WALES.—Annual Marriage-, Birth-, and Crude Death-rates and Infantile Mortality, 1861-1910.

YEAR.	MAR- RIAGES.	BIRTHS.					DEATHS.				
	Persons Married to 1000 living.	Births to 1000 living.			Illegi- timate Births in 1000 Births.	Births of Males to 1000 Births of Females.	Deaths to 1000 living.			Deaths of Males to 1000 Deaths of Females, in equal Numbers Living.*	Deaths of Child- ren under one year to 1000 Births
		Total.	Legi- timate.	Illegi- timate.			Persons.	Males.	Females.		
1861	16·3	34·6	32·4	2·2	63	1046	21·6	22·7	20·6	1099	153
1862	16·1	35·0	32·8	2·2	63	1041	21·4	22·4	20·5	1095	142
1863	16·8	35·3	33·0	2·3	65	1047	23·0	24·1	21·9	1101	149
1864	17·2	35·4	33·1	2·3	64	1042	23·7	24·9	22·5	1104	153
1865	17·5	35·4	33·2	2·2	62	1040	23·2	24·5	22·0	1113	160
1866	17·5	35·2	33·1	2·1	60	1043	23·4	24·6	22·2	1106	160
1867	16·5	35·4	33·3	2·1	59	1043	21·7	23·0	20·5	1118	153
1868	16·1	35·8	33·7	2·1	59	1036	21·8	23·1	20·7	1115	155
1869	15·9	34·8	32·8	2·0	58	1042	22·3	23·6	21·0	1119	156
1870	16·1	35·2	33·2	2·0	56	1041	22·9	24·2	21·6	1121	160
1871	16·7	35·0	33·0	2·0	56	1035	22·6	23·9	21·3	1123	158
1872	17·4	35·6	33·7	1·9	54	1041	21·3	22·6	19·9	1134	150
1873	17·6	35·4	33·6	1·8	52	1039	21·0	22·4	19·8	1132	149
1874	17·0	36·0	34·2	1·8	50	1037	22·2	23·6	20·9	1128	151
1875	16·7	35·4	33·7	1·7	48	1043	22·7	24·1	21·4	1126	158
1876	16·5	36·3	34·6	1·7	47	1038	20·9	22·3	19·6	1140	146
1877	15·7	36·0	34·3	1·7	47	1036	20·3	21·7	18·9	1145	136
1878	15·2	35·6	33·9	1·7	47	1042	21·6	22·9	20·3	1126	152
1879	14·4	34·7	33·0	1·7	48	1036	20·7	22·0	19·6	1124	135
1880	14·9	34·2	32·6	1·6	48	1036	20·5	21·8	19·3	1130	153
1881	15·1	33·9	32·2	1·7	49	1039	18·9	20·0	17·8	1123	130
1882	15·5	33·8	32·2	1·6	49	1038	19·6	20·7	18·5	1119	141
1883	15·5	33·5	31·9	1·6	48	1035	19·6	20·8	18·5	1122	137
1884	15·1	33·6	32·0	1·6	47	1041	19·7	20·8	18·5	1125	147
1885	14·5	32·9	31·3	1·6	48	1040	19·2	20·3	18·2	1116	138
1886	14·2	32·8	31·2	1·6	47	1038	19·5	20·6	18·5	1118	149
1887	14·4	31·9	30·4	1·5	48	1039	19·1	20·2	18·1	1116	145
1888	14·4	31·2	29·8	1·4	46	1033	18·1	19·2	17·0	1128	136
1889	15·0	31·1	29·7	1·4	46	1038	18·2	19·3	17·2	1121	144
1890	15·5	30·2	28·9	1·3	44	1033	19·5	20·8	18·3	1136	151
1891	15·6	31·4	30·1	1·3	42	1038	20·2	21·5	19·0	1128	149
1892	15·4	30·4	29·1	1·3	42	1035	19·0	20·0	18·0	1113	148
1893	14·7	30·7	29·4	1·3	42	1038	19·2	20·3	18·1	1118	159
1894	15·0	29·6	28·3	1·3	43	1036	16·6	17·6	15·6	1123	137
1895	15·0	30·3	29·0	1·3	42	1034	18·7	19·7	17·7	1113	161
1896	15·7	29·6	28·3	1·3	42	1036	17·1	18·1	16·1	1126	148
1897	16·0	29·6	28·4	1·2	42	1037	17·4	18·6	16·2	1143	156
1898	16·2	29·3	28·1	1·2	42	1032	17·5	18·6	16·5	1130	160
1899	16·5	29·1	27·9	1·2	40	1039	18·2	19·4	17·2	1132	163
1900	16·0	28·7	27·6	1·1	40	1033	18·2	19·5	17·1	1142	154
1901	15·9	28·5	27·4	1·1	39	1040	16·9	18·1	15·8	1147	151
1902	15·9	28·5	27·4	1·1	39	1039	16·3	17·4	15·2	1146	133
1903	15·7	28·5	27·4	1·1	39	1035	15·5	16·5	14·4	1145	132
1904	15·3	28·0	26·9	1·1	40	1037	16·3	17·4	15·3	1134	145
1905	15·3	27·3	26·2	1·1	40	1036	15·3	16·3	14·4	1132	128
1906	15·7	27·2	26·1	1·1	40	1041	15·5	16·5	14·5	1139	132
1907	15·9	26·5	25·5	1·0	39	1039	15·1	16·0	14·2	1128	118
1908	15·1	26·7	25·6	1·1	40	1036	14·8	15·8	13·9	1140	120
1909	14·7	25·8	24·7	1·1	41	1041	14·6	15·5	13·8	1120	109
1910	15·0	25·1	24·1	1·0	41	1040	13·5	14·4	12·7	1135	105

* The figures in this column are based upon death-rates per million living.

TABLE 4.—ENGLAND AND WALES.—**Annual Marriage-, Birth-, and Crude Death-rates, in Groups of Years, 1838-1910.**

PERIOD.	MAR- RIAGES.	BIRTHS.					DEATHS.			
	Persons Married to 1000 Living.	Births to 1000 Living.			Illegi- timate Births in 1000 Births.	Births of Males to 1000 Births of Females.	Deaths to 1000 Living.			Deaths of Males to 1000 Deaths of Females, in equal Numbers Living.†
		Total.	Legi- timate.	Illegi- timate.			Persons.	Males.	Females.	
1838-1910	16·0	32·4	30·7*	1·7*	52*	1041	20·3	21·3	19·3	1108
1841-50	16·1	32·6	—	—	—	1049	22·4	23·1	21·6	1070
1851-60	16·9	34·1	31·9	2·2	65	1046	22·2	23·1	21·4	1079
1861-70	16·6	35·2	33·1	2·1	61	1042	22·5	23·7	21·4	1109
1871-80	16·2	35·4	33·6	1·8	50	1038	21·4	22·7	20·1	1130
1881-90	14·9	32·4	30·9	1·5	47	1037	19·1	20·3	18·1	1122
1891-1900	15·6	29·9	28·7	1·2	42	1036	18·2	19·3	17·1	1127
1901-10	15·5	27·2	26·1	1·1	40	1038	15·4	16·4	14·4	1137
1841-45	15·7	32·3	—	—	—	1052	21·4	22·1	20·6	1074
1846-50	16·5	32·8	30·6	2·2	67	1045	23·3	24·1	22·6	1067
1851-55	17·1	33·9	31·7	2·2	66	1046	22·7	23·5	21·8	1079
1856-60	16·7	34·4	32·2	2·2	65	1046	21·8	22·6	21·0	1079
1861-65	16·8	35·1	32·9	2·2	64	1043	22·6	23·7	21·5	1103
1866-70	16·4	35·3	33·2	2·1	58	1041	22·4	23·7	21·2	1116
1871-75	17·1	35·5	33·7	1·8	52	1039	22·0	23·3	20·7	1129
1876-80	15·3	35·3	33·6	1·7	48	1038	20·8	22·1	19·5	1133
1881-85	15·2	33·5	31·9	1·6	48	1038	19·4	20·5	18·3	1121
1886-90	14·7	31·4	29·9	1·5	46	1036	18·9	20·0	17·8	1124
1891-95	15·1	30·5	29·2	1·3	42	1036	18·7	19·8	17·7	1119
1896-1900	16·1	29·3	28·1	1·2	41	1035	17·7	18·8	16·6	1135
1901-05	15·6	28·2	27·1	1·1	39	1037	16·0	17·1	15·0	1141
1906-10	15·3	26·3	25·2	1·1	40	1039	14·7	15·6	13·8	1132

* For the period 1845-1910 only.

† The figures in this column are based upon death-rates per million living.

TABLE 5.—ENGLAND AND WALES.—**Annual Marriage-, Birth-, and Crude Death-rates in each Quarter, in Groups of Years, 1838-1910, and in each Year, 1901-1910.**

PERIOD.	PERSONS MARRIED TO 1000 LIVING.				BIRTHS TO 1000 LIVING.				DEATHS TO 1000 LIVING.			
	Quarter ended				Quarter ended				Quarter ended			
	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.	March.	June.	Sept.	Dec.
1838-1910	12·8	16·4	15·9	18·6	33·5	33·3	31·6	31·1	22·7	19·8	18·6	20·0
1841-50	13·3	16·4	15·2	19·2	34·2	33·7	31·2	31·2	24·7	22·0	21·0	21·7
1851-60	14·1	17·1	16·3	20·1	35·8	35·5	32·8	32·5	24·7	22·1	20·3	21·9
1861-70	13·8	16·9	16·2	19·6	36·6	36·3	34·0	33·9	25·2	21·8	21·0	22·1
1871-80	13·4	16·5	15·8	19·2	36·6	36·1	34·6	34·5	23·7	20·9	19·6	21·3
1881-90	11·9	15·4	14·9	17·6	33·4	33·2	31·9	31·5	21·6	18·7	17·3	19·1
1891-1900	11·7	16·6	16·4	17·7	30·5	30·5	29·7	28·9	20·7	17·6	17·0	17·7
1901-10	11·4	16·5	17·2	16·7	27·7	28·0	27·3	26·0	17·7	14·6	13·8	15·4
1901 ..	10·9	17·8	17·6	17·3	28·7	28·7	28·7	27·9	18·2	15·8	17·0	16·7
1902 ..	13·3	15·2	17·2	17·8	28·5	28·9	29·1	27·7	18·5	16·1	13·9	16·5
1903 ..	11·1	17·6	17·1	16·8	28·6	29·1	28·8	27·4	16·8	14·9	13·9	16·2
1904 ..	10·7	17·1	16·8	16·5	28·7	28·5	28·0	27·0	18·3	14·8	15·8	16·3
1905 ..	10·8	16·7	17·0	16·8	28·4	27·9	27·5	25·6	17·7	14·5	14·1	14·9
1906 ..	10·7	17·4	17·5	17·1	28·0	27·7	27·1	26·1	16·6	14·6	14·9	15·7
1907 ..	12·4	16·1	18·1	17·0	26·8	27·6	26·4	25·1	18·7	14·7	12·2	14·9
1908 ..	10·9	16·8	16·7	15·9	27·5	27·9	26·8	24·8	17·9	13·8	12·9	14·6
1909 ..	10·3	16·3	16·5	15·6	26·2	26·9	25·6	24·6	18·4	14·2	11·7	14·3
1910 ..	12·8	13·7	17·0	16·3	25·1	26·3	25·2	23·6	15·5	13·0	11·5	14·1

TABLE 6.—ENGLAND AND WALES.—Churches and Chapels of the Established Church, and Registered Buildings in which Marriages could be legally Solemnized, 31st December, 1910.

REGISTRATION COUNTY.	ALL RELIGIOUS DENOMI- NATIONS.	ESTABLISHED CHURCH.	Other Religious Denominations.													All Others.
			ALL OTHER RELIGIOUS DENOMINATIONS.	Roman Catholics.	Westeyan Methodists.	Congregationalists.	Baptists.	Primitive Methodists.	United Methodist Church.	Calvinistic Methodists.	Presbyterians.	Unitarians.	New Jerusalem Church.	Catholic Apostolic Church.	Countess of Hunting- don's Connexion.	
ENGLAND AND WALES	31,598	15,811	15,787	1321	3628	2887	2576	1618	1146	875	438	197	56	49	43	953
I.—LONDON.																
London	1407	633	774	110	106	148	164	44	31	10	50	17	6	7	1	80
II.—SOUTH EASTERN.																
Surrey	538	263	275	31	55	62	64	15	3	—	12	2	1	—	1	29
Kent	872	515	357	35	84	69	99	23	13	—	9	3	1	—	3	17
Sussex	687	418	269	30	49	70	56	10	7	—	9	3	—	1	6	28
Hampshire	809	456	353	27	71	76	57	39	27	—	8	4	—	1	2	41
Berkshire	404	270	134	14	31	21	29	22	—	—	4	1	—	—	2	10
III.—SOUTH MIDLAND.																
Middlesex	441	188	253	32	40	48	60	18	5	1	16	1	1	2	2	27
Hertfordshire ..	336	199	137	9	28	44	39	7	—	—	1	—	—	1	2	6
Buckinghamshire	322	199	123	5	23	21	46	16	—	—	—	—	—	—	—	12
Oxfordshire	384	270	114	12	36	23	28	6	3	—	1	—	—	1	—	4
Northamptonshire	515	324	191	7	44	44	62	14	3	—	—	1	1	—	—	15
Huntingdonshire ..	129	80	49	2	14	6	22	3	—	—	—	—	—	—	—	2
Bedfordshire .. .	264	140	124	4	48	15	37	14	—	—	—	—	—	1	—	5
Cambridgeshire ..	338	198	140	5	34	21	49	21	5	—	1	—	—	—	1	3
IV.—EASTERN.																
Essex	823	452	371	31	63	116	65	25	17	—	8	6	2	3	2	33
Suffolk	708	509	199	11	35	56	56	21	5	—	3	2	—	—	—	10
Norfolk	953	712	241	12	50	34	45	66	18	—	2	2	1	1	2	8
V.—SOUTH WESTERN.																
Wiltshire	538	332	206	9	38	46	58	35	5	—	1	—	—	—	—	11
Dorsetshire	437	311	126	12	38	35	14	14	2	—	—	3	—	—	—	8
Devonshire	995	557	438	23	116	88	67	9	80	—	5	7	—	1	—	42
Cornwall	550	256	294	11	135	19	8	7	108	—	—	—	—	—	2	4
Somersetshire .. .	922	561	561	19	111	79	60	19	38	—	3	4	1	1	1	25
VI.—WEST MIDLAND.																
Gloucestershire ..	744	431	313	15	60	76	74	17	23	2	5	4	1	1	3	32
Herefordshire .. .	308	229	79	7	14	13	16	17	—	2	—	—	—	—	1	9
Shropshire	524	319	205	13	40	47	17	60	11	10	2	—	—	1	—	4
Staffordshire .. .	861	381	480	49	152	58	38	89	60	1	7	—	—	3	—	16
Worcestershire ..	432	269	163	20	34	19	28	23	6	—	6	3	2	1	7	14
Warwickshire .. .	598	337	261	39	55	53	52	12	10	2	3	6	—	2	—	27
VII.—NORTH MIDLAND.																
Leicestershire .. .	568	307	261	19	73	36	67	37	9	—	1	4	—	—	—	15
Rutlandshire .. .	74	56	18	2	3	4	7	2	—	—	—	—	—	—	—	—
Lincolnshire .. .	1,006	663	343	16	148	25	35	76	32	—	1	3	1	—	—	6
Nottinghamshire ..	586	306	280	15	88	26	45	43	43	—	2	4	1	1	—	12
Derbyshire	532	222	310	22	93	41	28	60	43	—	3	3	2	—	1	14
VIII.—NORTH WESTERN.																
Cheshire	725	269	456	36	128	71	31	62	38	18	33	10	1	2	—	26
Lancashire	2705	847	1858	303	402	273	179	161	168	31	74	45	24	6	3	183
IX.—YORKSHIRE.																
West Riding	2092	725	1367	83	436	202	133	183	203	—	10	18	6	7	1	85
East Riding (with York)	453	255	198	18	71	23	10	53	10	—	6	1	1	1	—	4
North Riding .. .	526	280	246	30	109	27	13	47	6	1	4	4	—	—	—	5
X.—NORTHERN.																
Durham	706	281	425	61	106	29	25	100	41	1	35	4	—	1	—	22
Northumberland ..	483	193	290	41	51	19	11	45	35	—	76	1	1	1	—	9
Cumberland	333	187	146	14	49	19	5	22	8	—	16	1	—	—	—	12
Westmorland .. .	140	85	55	3	22	8	5	9	2	—	1	1	—	—	—	4
XI.—WELSH.																
Monmouthshire .. .	447	181	266	14	31	52	100	22	9	30	—	1	—	1	—	6
Glamorganshire ..	956	243	713	22	59	212	196	9	14	171	5	9	1	—	—	15
Cardiganshire .. .	294	92	202	2	6	83	55	—	1	53	—	1	—	—	—	1
Pembrokeshire .. .	268	135	133	5	9	46	44	1	—	28	—	—	—	—	—	—
Cardiganshire .. .	315	117	198	1	12	66	33	—	—	74	—	12	—	—	—	—
Brecknockshire ..	207	104	103	3	8	34	28	2	—	28	—	—	—	—	—	—
Radnorshire	72	34	38	—	3	4	21	4	—	6	—	—	—	—	—	—
Montgomeryshire ..	203	76	127	1	23	29	17	5	—	52	—	—	—	—	—	—
Flintshire	131	37	94	4	18	19	4	5	2	37	5	—	—	—	—	—
Denbighshire .. .	247	86	161	4	21	31	20	4	2	73	5	—	—	—	—	1
Merionethshire ..	228	61	167	1	20	40	19	—	—	87	—	—	—	—	—	—
Carnarvonshire ..	349	106	243	6	29	53	23	—	—	126	4	—	—	—	—	2
Anglesey	113	54	59	1	6	8	12	—	—	31	1	—	—	—	—	—

TABLE 7.--ENGLAND AND WALES.—Marriages.—Manner of Solemnization,
1861-1910.

YEAR.	OF 1000 MARRIAGES.												
	ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						NOT ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						
	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL IN ESTAB- LISHED CHURCH.	TOTAL NOT IN ESTAB- LISHED CHURCH	In Registered Places.		Quakers.	Jews.	Civil Marriages in Superintendent Registrar's Office.	
								Roman Catho- lics.	Other Christian De- nominations.				
								Registrar.	Authorized Person.				
1861	0·1	123	628	25	22	798	202	48	80	0·4	1·6	72	
1862	0·1	119	627	24	21	791	209	45	84	0·4	1·8	78	
1863	0·1	111	632	25	20	788	212	47	84	0·3	1·8	79	
1864	0·1	110	629	24	19	782	218	48	87	0·3	1·9	81	
1865	0·1	112	629	22	19	782	218	47	89	0·3	1·9	80	
1866	0·1	108	630	23	17	778	222	48	91	0·3	1·6	81	
1867	0·1	108	628	22	17	775	225	44	95	0·4	1·8	84	
1868	0·1	103	627	23	16	769	231	42	97	0·4	1·7	90	
1869	0·1	98	627	23	15	763	237	41	99	0·3	1·9	95	
1870	0·1	94	634	22	10	760	240	41	99	0·3	2·0	98	
1871	0·1	89	642	22	8	761	239	40	100	0·3	2·1	97	
1872	0·1	85	645	21	6	757	243	42	100	0·2	2·1	99	
1873	0·1	85	642	20	5	752	248	40	102	0·4	2·4	103	
1874	0·1	87	637	19	4	747	253	40	105	0·2	2·3	105	
1875	0·1	87	635	18	4	744	256	42	107	0·3	2·4	104	
1876	0·2	87	630	18	3	738	262	42	110	0·3	2·3	107	
1877	0·1	84	627	18	4	733	267	43	112	0·4	2·2	109	
1878	0·1	82	623	18	3	726	274	42	113	0·3	2·7	116	
1879	0·2	78	624	18	3	723	277	41	113	0·3	2·5	120	
1880	0·2	73	623	18	3	717	283	43	111	0·3	2·4	126	
1881	0·3	68	626	18	3	715	285	45	111	0·3	2·5	126	
1882	0·4	65	631	17	2	715	285	45	111	0·3	2·5	126	
1883	0·3	63	629	18	2	712	288	44	113	0·3	2·6	128	
1884	0·3	60	628	17	2	707	293	43	116	0·3	2·9	131	
1885	0·3	58	630	17	3	708	292	41	118	0·2	3·2	130	
1886	0·2	56	632	17	2	707	293	42	117	0·2	3·4	130	
1887	0·1	53	629	17	2	701	299	43	116	0·3	3·2	136	
1888	0·1	51	632	16	2	701	299	42	116	0·3	3·9	137	
1889	0·1	48	632	16	2	698	302	42	116	0·3	4·1	140	
1890	0·1	47	637	15	2	701	299	43	115	0·3	4·0	137	
1891	0·1	46	637	14	2	699	301	42	118	0·3	4·6	136	
1892	0·1	45	637	14	2	698	302	40	118	0·3	4·6	139	
1893	0·1	44	634	13	1	692	308	41	118	0·4	5·1	143	
1894	0·1	41	630	13	2	686	314	42	119	0·3	5·0	148	
1895	0·1	39	633	13	1	686	314	41	120	0·3	5·3	147	
1896	0·1	38	637	11	1	687	313	41	120	0·4	5·2	146	
1897	0·1	35	640	10	1	686	314	41	121	0·4	5·7	146	
1898	0·1	34	641	9	1	685	315	40	121	0·4	5·7	148	
1899	0·1	34	634	9	1	678	322	41	113	0·3	6·4	150	
1900	0·1	34	629	8·0	0·9	672	328	40	106	22	0·3	6·5	153
1901	0·1	33	624	7·7	1·0	666	334	41	104	24	0·3	7·0	158
1902	0·1	33	620	7·2	0·7	661	339	41	101	26	0·3	7·4	163
1903	0·1	31	612	6·8	0·8	651	349	41	102	28	0·4	7·3	170
1904	0·2	30	604	7·0	0·7	642	358	41	101	30	0·3	7·0	179
1905	0·1	29	600	6·7	0·6	636	364	41	100	32	0·3	7·6	183
1906	0·1	28	596	6·6	0·6	631	369	42	97	33	0·3	8·3	188
1907	0·1	27	590	6·4	0·6	624	376	42	96	35	0·4	7·2	195
1908	0·1	27	582	5·9	0·6	616	384	41	95	37	0·4	6·6	204
1909	0·1	28	579	6·0	0·9	614	386	42	92	40	0·4	6·8	205
1910	0·1	27	582	5·8	0·7	616	384	42	86	44	0·4	6·8	205

TABLE 8.—LONDON.—Marriages.—Manner of Solemnization, 1861-1910.

YEAR.	OF 1000 MARRIAGES.											
	ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						NOT ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.					
	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL IN ESTABLISHED CHURCH.	TOTAL NOT IN ESTABLISHED CHURCH.	In Registered Places.		Quakers.	Jews.	Civil Marriages in Superintendent Registrar's Office.
								Roman Catholics.	Other Christian Denominations.			
								Registrar.	Authorized Person.			
1861	0.2	138	747	3.1	1.4	890	110	46	29	0.2	7.7	27
1862	0.2	139	742	2.7	1.2	885	115	47	32	0.2	7.9	28
1863	0.3	128	752	3.0	1.4	885	115	49	30	0.1	8.5	27
1864	0.2	124	756	2.9	0.7	884	116	49	31	0.2	8.7	27
1865	0.3	129	760	2.8	0.6	893	107	43	30	—	7.9	26
1866	0.2	121	764	2.4	0.6	888	112	44	33	0.1	6.9	28
1867	0.3	123	760	2.7	0.8	887	113	39	35	0.1	6.9	32
1868	0.5	120	764	3.0	1.4	889	111	39	33	0.1	7.5	31
1869	0.4	114	762	3.0	1.1	881	119	35	35	0.1	7.9	41
1870	0.1	113	766	2.5	0.9	882	118	35	33	0.2	7.8	42
1871	0.1	106	772	1.9	0.6	881	119	35	33	0.1	8.4	42
1872	0.2	100	777	1.7	0.7	880	120	33	35	0.1	8.4	43
1873	0.2	99	772	1.2	1.0	873	127	34	36	0.3	10.0	47
1874	0.3	100	768	1.1	0.6	870	130	33	39	0.1	9.2	49
1875	0.3	97	772	1.4	0.6	871	129	32	39	0.1	9.4	43
1876	0.6	98	766	1.2	1.0	867	133	34	39	0.1	8.4	51
1877	0.4	97	760	1.3	0.6	859	141	35	40	0.2	8.6	57
1878	0.4	93	757	1.3	0.4	852	148	36	38	0.3	11.2	62
1879	0.5	88	756	0.7	0.2	845	155	36	39	0.2	9.9	70
1880	1.0	87	752	0.6	0.6	841	159	37	39	0.1	9.9	73
1881	1.2	82	753	0.7	0.5	837	163	37	40	0.3	10.5	75
1882	1.5	83	749	0.5	0.5	834	166	39	40	0.2	10.3	76
1883	1.2	79	746	0.8	0.4	827	173	36	41	0.1	10.4	85
1884	1.6	73	740	0.6	0.3	816	184	38	39	0.1	12.1	95
1885	1.4	73	740	0.5	0.6	816	184	37	41	0.1	13.3	93
1886	1.0	71	742	0.5	0.8	815	185	37	39	0.2	13.6	95
1887	0.4	65	734	1.5	0.4	801	199	38	42	0.2	13.5	105
1888	0.2	65	731	0.4	0.5	797	203	38	42	0.2	16.4	106
1889	0.3	58	729	0.3	0.6	788	212	38	44	0.3	16.7	113
1890	0.2	58	731	0.5	0.4	790	210	38	44	0.2	17.0	111
1891	0.4	57	722	0.5	0.7	781	219	37	43	0.3	19.3	119
1892	0.4	54	723	0.2	0.6	778	222	36	42	0.4	19.8	124
1893	0.4	48	719	0.4	0.4	768	232	38	41	0.4	21.2	131
1894	0.3	48	710	0.2	0.5	759	241	37	42	0.4	21.5	140
1895	0.6	45	707	0.4	0.6	754	246	36	44	0.3	21.5	144
1896	0.3	44	709	0.2	0.6	754	246	35	44	0.5	22.2	144
1897	0.2	40	704	0.3	0.6	745	255	36	42	0.4	24.3	152
1898	0.2	39	699	0.3	0.2	739	261	35	44	0.4	25.1	156
1899	0.3	40	689	0.2	0.3	730	270	35	43	0.2	28.5	160
1900	0.3	39	680	0.2	0.2	720	280	37	39	0.2	29.3	167
1901	0.5	37	672	0.2	0.2	710	290	37	38	0.2	32.2	176
1902	0.3	36	662	0.2	0.3	699	301	39	38	0.3	34.7	181
1903	0.4	33	652	0.2	0.2	686	314	40	39	0.3	34.4	192
1904	0.6	34	641	0.1	0.1	676	324	39	38	0.3	35.5	203
1905	0.5	31	632	0.2	0.1	664	336	39	38	0.2	38.4	210
1906	0.4	29	623	0.1	0.1	653	347	39	36	0.3	39.5	222
1907	0.3	30	610	0.1	0.1	641	359	39	35	0.3	36.3	238
1908	0.5	28	599	0.1	0.1	628	372	38	36	0.4	32.6	254
1909	0.5	29	594	0.3	0.1	624	376	40	36	0.3	34.0	254
1910	0.5	28	590	0.1	0.1	619	381	41	33	0.3	33.4	260

TABLE 9.—ENGLAND AND WALES.—**First Marriages, Re-Marriages, Marriages of Minors, and Signatures by Mark, 1861-1910.**

YEAR.	IN 1000 MARRIAGES.								
	FIRST MARRIAGES.		RE-MARRIAGES.		UNDER 21 YEARS.		SIGNED BY MARK.		
	Bachelors.	Spinsters.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both.
1861	860	909	140	91	64	195	246	347	161
1862	863	910	137	90	65	198	237	332	153
1863	865	912	135	88	66	199	238	331	153
1864	862	909	138	91	66	201	233	324	147
1865	861	908	139	92	67	201	225	312	141
1866	861	906	139	94	67	200	216	300	134
1867	857	904	143	96	69	202	211	288	127
1868	860	906	140	94	72	210	201	278	119
1869	860	905	140	95	72	214	199	276	117
1870	864	904	136	96	75	216	198	273	116
1871	861	903	139	97	79	220	194	268	113
1872	863	901	137	99	80	223	194	263	111
1873	863	899	137	101	82	224	188	254	106
1874	863	898	137	102	84	227	179	242	98
1875	859	898	141	102	83	222	172	232	93
1876	859	897	141	103	83	220	163	221	86
1877	862	901	138	99	81	220	153	209	79
1878	864	902	136	98	78	216	146	198	73
1879	865	905	135	95	74	214	138	185	67
1880	869	905	131	95	73	215	140	186	68
1881	872	908	128	92	72	214	135	177	64
1882	875	912	125	88	76	220	132	171	62
1883	876	911	124	89	74	218	126	155	55
1884	874	911	126	89	73	213	117	142	48
1885	873	912	127	88	70	210	107	129	43
1886	876	914	124	86	67	206	96	115	37
1887	878	916	122	84	65	202	91	106	34
1888	881	917	119	83	63	199	83	97	29
1889	885	919	115	81	61	199	78	90	27
1890	885	919	115	81	60	195	72	83	24
1891	886	919	114	81	59	190	64	73	21
1892	884	918	116	82	59	187	56	66	19
1893	886	920	114	80	56	181	50	57	16
1894	889	923	111	77	55	181	46	54	14
1895	891	924	109	76	52	174	40	48	13
1896	897	927	103	73	53	174	37	43	11
1897	902	931	98	69	51	170	33	40	10
1898	905	932	95	68	51	168	31	36	10
1899	908	933	92	67	50	165	29	34	9
1900	906	932	94	68	51	163	28	32	9
1901	903	928	97	72	50	160	25	29	8
1902	909	932	91	68	47	154	23	26	7
1903	912	934	88	66	46	152	19	23	6
1904	916	937	84	63	46	153	18	21	5
1905	915	937	85	63	44	147	17	20	5
1906	917	938	83	62	43	146	15	19	5
1907	916	939	84	61	41	142	14	17	4
1908	914	936	86	64	40	140	13	15	4
1909	915	939	85	61	40	137	11	13	3
1910	916	938	84	62	38	133	11	12	3

TABLE 10.—LONDON.—First Marriages, Re-Marriages, Marriages of Minors, and Signatures by Mark, 1861-1910.

YEAR.	IN 1000 MARRIAGES.								
	FIRST MARRIAGES.		RE-MARRIAGES.		UNDER 21 YEARS.		SIGNED BY MARK.		
	Bache- lors.	Spinsters.	Widowers.	Widows.	Men.	Women.	Men.	Women.	Both.
1861	860	904	140	96	35	135	110	181	61
1862	864	910	136	90	34	139	105	175	58
1863	865	910	135	90	34	139	110	180	63
1864	862	908	138	92	33	143	109	174	59
1865	869	908	131	92	35	148	102	164	54
1866	863	905	137	95	35	143	98	151	49
1867	858	901	142	99	35	148	93	145	46
1868	861	904	139	96	36	153	91	142	43
1869	865	908	135	92	39	157	90	150	46
1870	865	903	135	97	39	150	88	145	43
1871	866	904	134	96	39	158	92	147	48
1872	863	904	137	96	41	160	88	139	43
1873	864	902	136	98	43	161	84	133	41
1874	861	900	139	100	46	166	81	131	39
1875	860	900	140	100	47	168	87	128	41
1876	861	899	139	101	49	172	81	118	37
1877	863	905	137	95	51	172	78	115	35
1878	864	902	136	98	51	175	75	110	34
1879	863	907	132	93	50	177	74	103	31
1880	871	910	129	90	52	181	71	103	30
1881	875	909	125	91	53	183	69	98	29
1882	871	912	129	88	55	189	68	96	29
1883	878	911	122	89	59	189	62	83	24
1884	873	913	127	87	55	191	63	80	25
1885	875	909	125	91	59	196	58	74	23
1886	878	913	122	87	58	193	52	70	22
1887	879	914	121	86	57	195	49	64	19
1888	883	917	117	83	52	190	47	58	17
1889	889	920	111	80	52	182	42	54	16
1890	887	917	113	83	52	183	42	56	16
1891	888	918	112	82	49	174	37	50	15
1892	889	916	111	84	52	177	36	49	16
1893	888	916	112	84	47	168	34	43	14
1894	890	917	110	83	47	168	30	42	11
1895	893	921	107	79	44	159	27	37	10
1896	897	922	103	78	49	161	25	32	9
1897	902	927	98	73	46	162	26	33	11
1898	908	930	92	70	48	163	25	32	11
1899	906	927	94	73	45	158	25	33	12
1900	904	925	96	75	45	155	25	32	12
1901	902	923	98	77	44	150	24	30	12
1902	910	929	90	71	40	140	24	30	13
1903	911	929	89	71	38	137	22	31	13
1904	917	931	83	69	37	139	18	26	10
1905	918	934	82	66	36	130	18	25	9
1906	917	935	83	65	35	129	17	25	9
1907	917	935	83	65	32	118	16	23	8
1908	913	932	87	68	29	113	13	19	6
1909	915	935	85	65	31	111	10	14	4
1910	917	933	83	67	29	108	9	13	3

TABLE 11.—ENGLAND AND WALES.—Marriages.—Manner of Solemnization in Counties, 1910.

REGISTRATION COUNTY.	OF 1000 MARRIAGES.												
	ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						NOT ACCORDING TO THE RITES OF THE ESTABLISHED CHURCH.						
	Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL IN ES- TABLISHED CHURCH.	TOTAL NOT IN ESTABLISHED CHURCH.	In Registered Places.			Quakers.	Jews.	Civil Marriages in Superin- tendent Regis- trar's Office.
								Roman Catholics.	Other Christian Denomina- tions.	Person.			
ENGLAND AND WALES	0·1	27	582	5·8	0·7	616	384	42	86	44	0·4	6·8	205
I.—LONDON.													
London	0·5	28	590	0·1	0·1	619	381	41	33	13	0·3	33·4	260
II.—SOUTH EASTERN.													
Surrey	0·2	27	654	0·2	0·9	682	318	21	60	11	0·5	0·2	225
Kent	0·1	22	658	1·2	0·3	682	318	16	59	29	—	0·3	214
Sussex	0·2	32	683	0·5	1·0	717	283	16	80	10	—	0·5	177
Hampshire	0·2	27	609	2·0	0·6	639	361	21	84	14	0·2	0·8	241
Berkshire	—	22	717	—	2·0	741	259	9	52	22	0·5	0·5	175
III.—SOUTH MIDLAND.													
Middlesex	—	22	626	0·7	—	649	351	23	55	20	0·4	0·4	252
Hertfordshire ..	—	21	715	0·6	2·8	739	261	8	89	19	1·1	—	144
Buckinghamshire	—	15	741	0·9	4·3	761	239	8	95	35	—	—	101
Oxfordshire	—	33	711	—	4·3	748	252	18	62	15	1·4	—	156
Northamptonshire	—	24	647	1·2	1·6	674	326	9	72	74	0·4	—	171
Huntingdonshire ..	—	12	772	—	14·6	799	201	6	93	20	—	—	82
Bedfordshire	—	19	684	0·7	3·7	707	293	5	103	41	1·5	—	143
Cambridgeshire ..	—	22	731	—	1·3	754	246	6	79	24	—	—	137
IV.—EASTERN.													
Essex	—	15	673	0·1	1·4	690	310	24	63	30	0·1	1·1	192
Suffolk	—	21	717	0·8	4·6	743	257	5	91	16	—	—	145
Norfolk	—	23	697	0·3	1·4	722	278	7	70	36	1·1	0·3	164
V.—SOUTH WESTERN.													
Wiltshire	—	25	638	0·5	1·6	665	335	12	143	25	—	—	155
Dorsetshire	—	27	679	2·7	1·3	710	290	11	114	19	—	—	146
Devonshire	0·2	43	530	1·2	1·2	576	424	15	112	35	0·4	0·4	261
Cornwall	—	59	432	0·4	0·4	492	508	6	262	78	—	—	162
Somersetshire	—	35	641	3·6	3·0	683	317	8	138	44	0·6	—	126
VI.—WEST MIDLAND.													
Gloucestershire ..	—	24	603	0·4	1·2	629	371	11	92	34	1·2	1·5	231
Herefordshire ..	—	58	669	2·8	2·8	733	267	18	76	11	—	—	162
Shropshire	—	41	643	4·1	4·1	692	308	11	105	16	—	—	176
Staffordshire	—	16	697	2·3	0·1	715	285	35	64	40	0·1	0·6	145
Worcestershire ..	—	17	698	1·2	0·5	717	283	25	44	39	0·2	—	175
Warwickshire	—	10	696	1·4	1·0	708	292	28	47	26	1·6	3·0	186
VII.—NORTH MIDLAND.													
Leicestershire ..	—	17	612	1·9	1·9	633	367	16	86	64	—	0·5	200
Rutlandshire	—	76	689	8·4	—	773	227	17	118	—	—	—	92
Lincolnshire	—	28	663	0·7	2·1	694	306	9	76	77	—	0·5	144
Nottinghamshire ..	—	26	614	0·9	0·9	642	358	11	70	52	—	0·2	225
Derbyshire	—	29	627	3·9	1·0	661	339	21	103	60	—	0·2	155
VIII.—NORTH WESTERN.													
Cheshire	—	41	575	4·3	—	620	380	58	94	78	—	1·0	149
Lancashire	—	32	525	19·6	0·2	577	423	107	99	78	0·3	6·3	132
IX.—YORKSHIRE.													
West Riding	—	16	618	8·1	0·1	642	353	39	82	84	0·7	5·4	147
East Riding (with York)	0·3	29	625	0·8	—	655	345	44	54	64	0·8	3·4	179
North Riding	0·3	44	570	1·0	0·7	616	384	75	113	32	1·3	1·3	161
X.—NORTHERN.													
Durham	—	26	458	23·6	0·2	508	492	80	76	61	0·8	0·8	273
Northumberland ..	—	33	452	5·6	0·2	491	509	71	101	32	0·8	2·2	302
Cumberland	—	83	519	27·0	1·6	631	369	73	84	62	0·5	—	149
Westmorland	—	61	661	9·0	—	731	269	13	152	18	6·7	—	79
XI.—WELSH.													
Monmouthshire ..	0·3	27	378	3·4	0·3	409	591	32	232	18	—	2·1	307
Glamorganshire ..	—	26	246	4·0	0·4	276	724	42	169	37	—	2·7	473
Carmarthenshire ..	—	31	175	8·3	1·8	216	784	4	256	61	—	—	463
Pembrokeshire ..	—	73	300	17·0	—	390	610	22	231	61	—	—	296
Cardiganshire	—	70	136	24·9	—	231	769	—	324	48	—	—	397
Brecknockshire ..	—	67	290	5·2	2·6	365	635	29	453	3	—	—	150
Radnorshire	—	86	447	—	—	533	467	—	305	67	—	—	95
Montgomeryshire ..	—	30	326	12·2	12·2	380	620	—	386	18	—	—	216
Flintshire	—	42	424	10·5	—	477	523	25	340	25	—	—	133
Denbighshire	—	23	298	8·7	3·3	333	667	22	305	10	—	—	330
Merionethshire ..	—	37	131	6·1	—	174	826	3	498	43	—	—	282
Carnarvonshire ..	1·2	56	207	17·8	—	282	718	9	351	23	—	—	335
Anglesey	—	38	128	—	—	166	834	57	540	5	—	—	232

NOTE.—In this table 0·0 indicates that the number of marriages was too small to show a rate of 0·05 per 1000. When no marriage occurred — is inserted.

TABLE 12.—ENGLAND AND WALES.—**Marriage-rates**, Proportions of **Marriages** of **Minors**, and of **Signatures by Mark** in Counties, **1900-1909**, and **1910**.

REGISTRATION COUNTY	Persons Married to 1000 Living.		IN 1000 MARRIAGES.								
			Under 21 Years.				Signed by Mark				
	Average of Ten Years, 1900-1909.	1910.	Average of Ten Years, 1900-1909.		1910.		Average of Ten Years, 1900-1909		1910.		
			Men.	Women.	Men.	Women.	Men.	Women.	Men.	Women.	Both.
ENGLAND AND WALES	15'6	15'0	45	149	38	133	18	22	11	12	3
I.—LONDON.											
London	17'6	17'3	37	132	29	108	19	26	9	13	3
II.—SOUTH EASTERN.											
Surrey	13'5	12'6	28	107	17	93	11	7	8	5	1
Kent	14'1	13'5	32	143	20	112	14	12	9	7	2
Sussex	13'7	12'7	33	115	25	94	13	7	9	5	1
Hampshire.. ..	15'1	14'5	26	134	20	113	13	9	7	5	1
Berkshire	14'3	13'6	28	107	27	93	16	10	14	6	2
III.—SOUTH MIDLAND.											
Middlesex	13'4	13'2	36	126	25	92	11	8	6	7	1
Hertfordshire ..	12'8	12'6	41	113	41	104	22	12	11	6	2
Buckinghamshire	13'7	12'2	42	129	32	98	17	10	15	6	2
Oxfordshire	14'0	14'3	34	100	33	108	20	10	14	6	4
Northamptonshire	14'5	14'2	53	143	43	108	18	17	10	10	2
Huntingdonshire..	14'0	14'3	43	149	26	160	28	14	20	12	6
Bedfordshire ..	14'1	13'8	69	144	42	128	20	18	10	4	1
Cambridgeshire ..	14'1	14'6	47	142	41	128	33	18	12	6	3
IV.—EASTERN.											
Essex	13'8	13'5	37	148	27	116	16	13	9	9	2
Suffolk	13'8	13'8	41	141	34	119	27	13	17	8	3
Norfolk	13'9	14'4	46	142	33	122	27	15	15	11	3
V.—SOUTH WESTERN.											
Wiltshire	14'4	13'7	30	114	24	100	17	10	10	10	3
Dorsetshire	13'9	13'7	33	117	27	101	21	11	13	7	5
Devonshire.. ..	15'3	14'6	29	113	25	105	13	12	10	7	2
Cornwall	13'8	14'9	36	121	35	124	29	27	15	12	4
Somersetshire ..	13'7	13'7	36	105	27	83	22	15	14	10	2
VI.—WEST MIDLAND.											
Gloucestershire ..	15'3	14'3	36	110	24	85	19	17	12	6	1
Herefordshire ..	13'0	12'8	21	91	12	87	28	19	28	15	7
Shropshire	13'4	12'8	25	101	22	102	23	17	14	10	2
Staffordshire ..	15'8	15'0	65	186	52	168	23	27	14	16	3
Worcestershire ..	14'6	14'5	45	131	36	114	18	20	12	12	3
Warwickshire ..	16'5	16'0	57	163	46	147	19	25	15	18	5
VII.—NORTH MIDLAND.											
Leicestershire ..	15'6	15'6	64	161	52	133	14	14	7	11	3
Rutlandshire ..	12'6	11'3	22	120	34	101	14	3	17	8	—
Lincolnshire ..	15'6	15'2	44	168	41	156	16	13	9	8	1
Nottinghamshire ..	16'5	15'8	75	216	67	202	17	21	12	12	3
Derbyshire.. ..	15'7	15'1	57	195	53	172	13	16	10	13	2
VIII.—NORTH WESTERN.											
Cheshire	14'5	14'2	39	123	32	110	15	17	6	7	1
Lancashire.. ..	16'5	15'6	51	140	44	124	17	27	10	15	3
IX.—YORKSHIRE.											
West Riding	16'1	15'6	55	179	50	167	19	26	10	15	3
East Riding (with York)	15'6	15'3	47	180	43	166	14	18	7	10	1
North Riding ..	15'3	14'7	46	177	47	168	20	24	14	15	3
X.—NORTHERN.											
Durham	16'3	15'6	57	228	55	222	21	27	11	17	3
Northumberland ..	15'9	14'5	38	180	40	170	15	25	11	11	3
Cumberland	14'8	14'5	41	136	42	153	13	17	12	10	3
Westmorland ..	13'5	14'0	26	87	31	101	7	7	9	11	4
XI.—WELSH.											
Monmouthshire ..	15'8	14'3	56	208	48	209	32	35	19	19	3
Glamorganshire ..	16'5	15'2	48*	193*	43	187	27	34	14	15	2
Carmarthenshire ..	15'0	14'6	40*	114*	38	152	21	36	10	16	1
Pembrokeshire ..	14'8	13'9	39*	122*	27	112	18	26	20	24	8
Cardiganshire ..	12'2	10'9	21*	45*	32	43	17	39	7	20	—
Brecknockshire ..	16'4	13'7	28*	129*	10	67	32	34	28	28	10
Radnorshire	13'3	11'9	19*	13*	19	95	21	19	10	—	—
Montgomeryshire ..	13'3	10'6	16*	81*	6	49	37	24	24	18	3
Flintshire	11'6	13'7	21*	83*	21	99	35	36	19	21	4
Denbighshire ..	14'0	13'5	26*	91*	19	106	32	38	17	21	2
Merionethshire ..	12'4	10'8	12*	61*	3	80	17	22	9	12	—
Carnarvonshire ..	13'7	11'9	15*	61*	11	46	27	32	13	14	4
Anglesey	12'7	11'9	16*	77*	43	81	44	42	24	33	9

* Average of seven years, 1903-9.

TABLE 13.—ENGLAND AND WALES.—Birth-rates and Crude Death-rates in Counties, 1900-1909, and 1910.

REGISTRATION COUNTY.	Births to 1000 Living.		Illegitimate Births in 1000 Births.		Males Born to 1000 Females Born.		Deaths to 1000 Living.				Deaths of Children under one year to 1000 Births.	
							Ten Years 1900 to 1909.		1910.			
	Ten Years 1900 to 1909.	1910.	Ten Years 1900 to 1909.	1910.	Ten Years 1900 to 1909.	1910.	Persons.	Persons.	Males.	Females.	Ten Years 1900 to 1909.	1910.
ENGLAND AND WALES	27·6	25·1	40	41	1038	1040	15·9	13·5	14·4	12·7	132	105
I.—LONDON.												
London*	28·0	25·7	38	41	1036	1035	16·2	13·9	15·2	12·6	133	104
II.—SOUTH EASTERN.												
Surrey	23·7	21·6	37	36	1045	1022	12·8	11·1	12·1	10·2	101	72
Kent	24·6	21·5	40	41	1038	1062	14·0	11·9	12·6	11·2	110	80
Sussex	21·2	18·6	53	54	1043	1046	13·5	12·4	13·4	11·5	98	81
Hampshire	24·3	22·6	39	41	1044	1057	14·1	12·0	13·2	10·8	105	81
Berkshire	23·4	21·5	48	47	1030	1059	13·6	11·6	12·0	11·2	97	69
III.—SOUTH MIDLAND.												
Middlesex	27·9	24·5	29	29	1039	1033	12·5	9·6	10·2	9·1	114	73
Hertfordshire	23·1	20·1	39	34	1026	1041	13·3	11·4	11·9	11·0	91	63
Buckinghamshire	24·4	21·4	40	36	1055	1037	13·3	11·1	11·9	10·4	94	74
Oxfordshire	22·7	21·2	53	58	1033	1003	14·1	12·5	13·2	11·8	94	67
Northamptonshire	24·6	21·0	42	41	1035	1061	13·5	11·9	12·3	11·5	108	88
Huntingdonshire	23·6	21·8	48	56	1016	1113	14·3	13·2	14·0	12·4	94	73
Bedfordshire	22·9	21·8	48	45	1057	1043	13·6	11·6	12·6	10·8	104	82
Cambridgeshire	23·8	22·5	49	51	1053	1058	14·2	12·8	13·7	12·0	104	80
IV.—EASTERN.												
Essex	28·6	24·7	27	30	1039	1041	13·8	10·9	11·6	10·3	120	82
Suffolk	24·8	22·6	57	57	1043	1009	14·7	12·8	13·0	12·6	106	80
Norfolk	24·8	22·6	63	64	1037	1034	15·3	12·9	13·4	12·5	122	84
V.—SOUTH WESTERN.												
Wiltshire	24·5	22·2	41	43	1037	1025	13·8	11·7	11·7	11·7	86	69
Dorsetshire	22·3	19·9	40	43	1040	1026	13·5	12·1	12·5	11·8	88	74
Devonshire	22·7	20·5	40	42	1034	1017	15·4	13·5	13·9	13·3	114	88
Cornwall	22·4	20·7	48	49	1040	1041	15·3	14·3	15·3	13·3	111	87
Somersetshire	22·6	20·6	36	38	1039	1042	14·1	12·3	12·6	12·1	93	73
VI.—WEST MIDLAND.												
Gloucestershire	24·9	22·1	36	41	1041	1046	14·9	13·0	14·0	12·2	110	83
Herefordshire	22·6	21·4	64	71	1014	1021	15·2	13·6	14·8	12·5	96	80
Shropshire	25·2	22·7	62	66	1025	1059	15·1	13·4	14·3	12·5	102	84
Staffordshire	32·0	28·7	39	40	1036	1047	16·9	13·9	14·5	13·3	148	113
Worcestershire	26·7	23·2	37	38	1033	1041	14·3	12·1	13·1	11·3	119	96
Warwickshire	29·5	26·9	31	30	1033	1056	16·7	13·8	14·7	12·9	146	112
VII.—NORTH MIDLAND.												
Leicestershire	27·2	21·1	39	41	1032	1051	14·6	12·2	13·0	11·4	134	107
Rutlandshire	21·2	18·9	45	50	1045	1128	13·6	11·5	9·9	13·1	91	65
Lincolnshire	26·0	25·2	55	55	1043	1045	14·9	13·4	13·9	12·8	125	101
Nottinghamshire	30·4	28·4	49	51	1028	1052	15·9	13·7	14·4	12·9	149	121
Derbyshire	29·1	26·9	40	38	1036	1054	14·8	12·6	13·2	12·0	129	102
VIII.—NORTH WESTERN.												
Cheshire	26·4	24·0	40	41	1040	1042	15·4	13·3	14·1	12·5	131	105
Lancashire	28·6	25·9	38	38	1036	1038	18·2	15·5	16·6	14·4	156	129
IX.—YORKSHIRE.												
West Riding	27·4	24·7	43	43	1033	1035	16·5	14·2	15·2	13·4	145	120
East Riding (with York)	28·4	26·1	52	54	1043	1055	16·3	14·6	15·9	13·4	142	120
North Riding	29·0	27·5	50	52	1052	1035	17·0	14·8	15·6	14·0	138	119
X.—NORTHERN.												
Durham	34·7	31·9	35	37	1040	1033	17·6	14·8	15·4	14·1	152	128
Northumberland	31·5	28·3	40	45	1041	1034	17·4	14·8	15·9	13·8	145	119
Cumberland	27·3	25·2	59	58	1058	1044	16·5	15·5	16·8	14·2	127	111
Westmorland	21·4	19·6	62	59	1076	1096	13·3	12·5	13·0	12·0	90	76
XI.—WELSH.												
Monmouthshire	33·3	31·3	28	26	1054	1064	16·2	13·5	14·2	12·8	136	110
Glamorganshire	33·6	31·8	27	28	1035	1046	16·5	14·1	14·6	13·6	151	126
Carmarthenshire	28·1	27·5	37	33	1034	1033	15·9	15·2	15·4	15·1	134	136
Pembrokeshire	25·3	25·0	52	60	1045	1061	16·1	15·1	15·3	15·0	112	105
Cardiganshire	20·7	18·4	63	62	1057	929	18·2	17·5	18·3	16·9	116	111
Brecknockshire	27·6	24·9	40	39	1039	986	16·8	15·1	16·1	14·0	118	105
Radnorshire	24·8	22·3	62	76	1115	1324	14·3	13·7	15·7	11·7	102	86
Montgomeryshire	23·5	22·0	74	76	1065	1036	15·8	13·5	13·7	13·4	99	69
Flintshire	27·6	27·8	42	40	1046	954	15·7	14·2	14·9	13·5	105	86
Denbighshire	28·1	24·4	50	52	1052	981	17·5	16·2	16·9	15·6	133	116
Merionethshire	24·5	20·3	72	77	1027	1007	16·9	16·0	16·8	15·4	125	90
Carnarvonshire	23·6	19·7	63	60	1059	1042	16·8	15·1	16·4	13·9	129	101
Anglesey	24·2	20·9	81	88	1068	1061	17·3	16·6	16·4	16·7	124	115

* See Note * to Table 28.

TABLE 14.—ENGLAND AND WALES.—Annual Death-rates at Twelve Groups of Ages, and General Death-rates corrected for Sex and Age-constitution, 1861-1910.*—Persons.

YEAR.	DEATHS TO 1000 LIVING.—PERSONS.												
	AGES.												
	ALL AGES.†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
1861	20·5	66·9	6·8	4·3	6·7	8·2	9·4	11·8	16·1	28·8	61·0	138·0	290·5
1862	20·3	65·1	7·5	4·5	6·5	8·0	9·3	12·0	16·4	29·0	60·3	133·7	283·3
1863	21·7	72·7	10·1	5·1	6·6	8·3	9·6	12·4	16·5	29·3	60·0	133·7	297·8
1864	22·4	70·8	9·6	5·0	6·7	8·7	10·3	13·4	18·1	32·4	66·6	145·6	314·7
1865	22·0	70·1	7·9	4·7	6·6	8·8	10·4	13·4	18·5	31·7	64·2	144·3	307·9
1866	22·2	70·3	7·5	4·5	6·7	8·9	10·7	13·9	18·8	31·9	64·8	144·5	306·4
1867	20·6	64·5	6·3	3·9	6·2	8·0	9·7	12·7	17·3	30·4	63·6	145·2	304·4
1868	20·6	68·4	7·6	4·1	6·1	7·8	9·5	12·3	16·8	29·0	59·1	131·7	269·6
1869	21·0	67·8	8·0	4·3	5·9	7·6	9·6	12·6	17·5	30·3	63·5	141·5	289·3
1870	21·6	69·6	8·6	4·5	6·2	7·8	9·8	12·8	17·6	31·2	64·8	145·5	302·0
1871	21·4	67·0	7·9	4·4	6·5	8·7	10·4	13·3	17·9	31·1	63·7	138·8	290·4
1872	20·2	63·0	6·7	4·1	6·1	8·1	9·8	12·8	17·2	29·4	60·7	131·6	277·8
1873	20·0	61·4	5·8	3·6	5·4	7·1	9·0	12·5	17·6	31·0	66·1	142·0	311·8
1874	21·1	66·6	7·3	3·9	5·5	7·4	9·4	13·2	18·3	32·3	66·2	139·5	302·6
1875	21·6	66·5	6·6	3·8	5·6	7·4	9·5	13·6	19·1	34·2	69·8	156·0	343·2
1876	19·9	62·4	6·1	3·6	5·2	7·0	8·8	12·7	17·5	31·0	62·4	136·2	293·0
1877	19·4	58·8	5·8	3·6	5·0	6·7	8·6	12·5	17·4	31·0	63·2	136·5	304·4
1878	20·5	66·2	6·4	3·6	5·0	6·5	8·4	12·4	17·6	32·0	65·3	146·8	328·5
1879	19·9	58·1	6·0	3·3	4·8	6·2	8·3	12·3	18·1	33·6	70·0	158·3	342·9
1880	19·5	64·2	6·2	3·3	4·7	6·0	7·7	11·5	16·8	30·4	62·7	136·5	288·8
1881	18·2	52·3	5·7	3·2	4·6	6·0	8·1	11·9	17·0	30·8	62·7	134·5	275·2
1882	18·8	58·9	6·1	3·3	4·7	5·9	8·1	11·7	17·0	30·5	61·2	130·8	267·9
1883	19·0	56·0	6·0	3·4	4·8	6·2	8·2	12·0	17·5	31·8	64·7	140·7	286·6
1884	19·0	59·9	5·8	3·3	4·6	6·0	7·9	11·7	17·3	30·4	62·6	133·5	263·6
1885	18·7	55·8	5·1	3·0	4·4	5·8	7·8	11·6	17·2	31·4	66·2	141·1	295·4
1886	19·0	59·3	4·8	2·9	4·4	5·5	7·4	11·2	17·0	31·8	67·5	143·8	316·0
1887	18·6	57·6	5·1	2·9	4·2	5·4	7·2	11·1	16·9	31·7	66·6	139·3	286·4
1888	17·7	52·9	4·7	2·8	4·0	5·3	7·0	10·8	16·7	30·9	65·3	136·2	283·1
1889	17·9	56·8	4·7	2·7	3·9	5·0	6·7	10·5	16·2	30·2	63·1	131·8	274·6
1890	19·3	58·1	5·0	2·9	4·2	5·4	7·5	12·0	18·7	34·4	69·2	143·9	291·4
1891	20·0	59·1	4·7	2·7	4·2	5·4	7·4	12·2	19·6	36·9	75·4	156·6	310·5
1892	18·8	57·4	4·6	2·6	4·0	4·9	6·9	11·2	17·5	33·3	70·4	146·8	285·9
1893	18·9	60·4	5·1	2·9	4·3	5·3	7·2	11·5	17·4	32·2	66·5	134·6	258·5
1894	16·4	51·7	4·3	2·5	3·7	4·7	6·3	9·9	15·4	28·0	57·8	119·6	228·5
1895	18·5	60·6	4·1	2·5	3·7	4·7	6·3	10·2	16·6	32·1	66·5	146·5	287·3
1896	16·9	56·7	4·5	2·4	3·5	4·4	5·9	9·7	15·4	28·5	57·7	120·1	240·3
1897	17·3	57·4	4·0	2·4	3·5	4·5	6·0	9·8	15·6	29·3	66·6	129·9	259·8
1898	17·4	58·5	3·8	2·2	3·4	4·4	5·9	9·8	15·7	29·7	61·5	132·1	268·1
1899	18·2	58·5	4·1	2·4	3·5	4·5	6·1	10·5	17·0	31·9	66·6	142·2	283·9
1900	18·2	56·5	4·2	2·4	3·5	4·6	6·2	10·5	17·5	33·1	68·1	143·9	285·2
1901	16·9	54·1	4·0	2·3	3·3	4·2	5·8	9·6	15·9	29·8	61·7	129·9	259·3
1902	16·3	49·2	4·0	2·2	3·2	4·1	5·7	9·4	15·7	29·6	61·7	129·7	265·3
1903	15·5	47·4	3·5	2·0	2·9	3·7	5·4	8·8	14·9	28·2	59·3	123·4	254·4
1904	16·3	51·8	3·5	2·1	3·0	3·8	5·3	8·8	15·1	29·3	62·5	131·9	284·7
1905	15·3	44·9	3·4	2·1	2·9	3·7	5·2	8·3	14·9	28·7	61·6	127·7	286·6
1906	15·5	45·6	3·5	2·1	2·9	3·6	5·1	8·7	14·9	29·2	62·1	129·8	301·1
1907	15·1	41·2	3·4	2·0	2·8	3·5	5·1	8·7	15·0	29·8	65·0	132·6	303·9
1908	14·8	40·9	3·2	1·9	2·6	3·4	4·9	8·3	14·6	28·9	63·8	131·1	295·2
1909	14·6	37·1	3·3	1·9	2·7	3·3	4·8	8·3	14·8	29·3	67·4	136·2	310·8
1910	13·5	34·2	2·9	1·8	2·5	3·1	4·5	7·8	13·9	27·3	62·3	124·7	285·4

* For the purposes of this Table, the populations shown in Table 1 have been distributed among the several groups of ages, according to the proportions found to prevail at the various Censuses up to 1901.

† The death-rates in this column are based upon the sex and age-constitution of the population as enumerated in 1901; they differ, therefore, in some cases from those in Table 3 and other tables.

TABLE 15.—ENGLAND AND WALES.—Annual Death-rates at Twelve Groups of Ages, and General Death-rates corrected for Age-constitution, 1861-1910.*—Males.

YEAR.	DEATHS TO 1000 LIVING.—MALES												
	AGES.												
	ALL AGES.†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up-wards.
1861	21·3	71·8	6·7	4·3	6·4	8·3	9·2	12·3	17·6	30·9	65·4	146·5	315·7
1862	21·1	69·8	7·7	4·4	6·2	8·2	9·2	12·4	18·1	31·3	63·3	139·9	296·7
1863	22·6	77·8	10·3	5·0	6·4	8·5	9·4	12·8	18·2	31·7	63·9	139·4	309·7
1864	23·4	75·8	9·8	4·9	6·5	9·1	10·3	14·3	20·1	35·2	70·3	151·4	334·4
1865	23·1	75·0	8·1	4·7	6·4	9·2	10·6	14·2	20·5	34·7	68·6	151·8	325·6
1866	23·1	74·9	7·8	4·6	6·5	9·2	10·9	14·7	20·9	34·7	68·9	150·6	323·5
1867	21·7	69·3	6·5	4·0	6·0	8·4	10·0	13·6	19·1	33·5	68·3	152·5	332·4
1868	21·6	72·8	7·8	4·2	5·9	8·0	9·7	13·2	18·9	31·9	63·8	139·1	282·4
1869	22·1	72·5	8·3	4·3	5·7	7·9	9·9	13·5	19·3	33·3	68·4	149·1	308·9
1870	22·7	75·0	8·9	4·5	5·9	8·0	10·1	13·8	19·6	33·9	69·6	152·1	320·7
1871	22·5	71·7	8·3	4·4	6·4	9·2	11·1	14·4	20·0	33·9	67·5	145·2	312·8
1872	21·4	67·6	7·0	4·1	6·0	8·7	10·3	14·0	19·4	32·5	65·5	140·3	292·0
1873	21·1	66·4	6·0	3·7	5·3	7·5	9·5	13·6	19·8	34·1	70·9	150·6	324·9
1874	22·2	71·8	7·4	3·9	5·3	7·5	9·6	14·3	20·9	35·8	71·4	146·4	322·8
1875	22·8	71·9	6·9	3·8	5·6	7·6	9·7	15·0	21·5	37·7	74·7	165·0	363·8
1876	21·1	67·6	6·3	3·5	5·3	7·3	9·3	13·8	19·9	34·3	67·2	145·8	302·6
1877	20·6	63·9	6·1	3·5	4·9	7·0	9·1	13·7	19·7	34·7	68·2	145·8	324·9
1878	21·7	71·2	6·6	3·6	4·9	6·8	8·8	13·6	20·0	35·1	69·5	154·8	353·9
1879	21·0	63·3	6·3	3·3	4·7	6·4	8·6	13·3	20·4	36·8	74·0	168·7	365·5
1880	20·6	69·2	6·4	3·3	4·5	6·1	7·9	12·5	19·1	33·7	68·1	145·8	310·9
1881	19·2	56·5	5·8	3·2	4·5	6·1	8·3	13·0	19·3	34·0	67·7	144·8	293·5
1882	19·8	63·4	6·3	3·2	4·6	5·9	8·2	12·6	19·0	33·8	66·2	139·3	287·1
1883	20·0	61·0	6·2	3·3	4·7	6·2	8·3	13·0	19·7	35·1	70·1	149·1	302·2
1884	20·0	64·9	5·8	3·2	4·5	6·0	8·0	12·7	19·4	33·5	68·3	142·2	290·1
1885	19·6	60·6	5·1	2·9	4·3	5·8	8·0	12·6	19·3	34·4	71·3	151·5	316·2
1886	20·0	64·5	4·8	2·8	4·3	5·7	7·6	12·1	19·2	34·7	72·8	153·4	339·1
1887	19·6	62·5	5·1	2·9	4·2	5·4	7·3	11·9	18·7	35·0	72·1	149·4	310·1
1888	18·8	57·7	4·7	2·7	4·0	5·4	7·1	11·7	19·0	34·4	71·6	144·5	304·7
1889	18·9	61·8	4·7	2·6	3·9	5·1	7·0	11·3	18·3	33·4	68·5	138·9	298·6
1890	20·6	63·0	5·0	2·8	4·3	5·7	8·0	13·2	21·7	38·6	75·3	153·3	316·5
1891	21·2	64·6	4·7	2·6	4·2	5·6	7·9	13·4	22·4	41·0	81·3	167·9	327·1
1892	19·8	62·4	4·7	2·6	4·0	5·2	7·1	12·1	19·8	36·6	75·7	154·6	305·4
1893	20·0	65·6	5·0	2·8	4·3	5·4	7·3	12·5	19·9	35·6	71·4	142·5	272·8
1894	17·4	56·1	4·2	2·3	3·8	5·0	6·5	10·8	17·3	31·4	62·8	127·6	243·6
1895	19·5	66·0	4·0	2·5	3·8	5·0	6·6	11·0	18·5	34·9	71·3	154·1	306·1
1896	18·0	61·2	4·5	2·3	3·5	4·8	6·2	10·6	17·3	31·6	63·0	128·6	251·9
1897	18·5	62·5	3·9	2·4	3·6	4·8	6·4	10·8	17·7	32·9	65·8	141·7	272·0
1898	18·5	63·4	3·8	2·2	3·5	4·8	6·3	10·7	17·6	33·2	66·4	140·3	282·6
1899	19·4	63·4	4·1	2·3	3·6	5·0	6·7	11·6	19·2	35·5	72·0	150·3	302·1
1900	16·5	61·6	4·2	2·3	3·7	5·1	6·7	11·7	19·9	37·1	74·2	153·7	304·3
1901	18·1	58·9	4·0	2·3	3·4	4·7	6·2	10·6	18·1	33·6	68·0	139·8	277·5
1902	17·4	53·8	3·9	2·2	3·3	4·5	6·2	10·5	18·0	33·6	67·9	138·6	275·0
1903	16·5	51·8	3·4	2·0	3·0	4·1	5·8	9·6	16·9	32·2	65·3	132·9	268·9
1904	17·4	56·3	3·5	2·0	3·1	4·2	5·7	9·6	17·1	33·1	68·5	139·8	301·2
1905	16·3	49·0	3·4	2·0	3·0	4·0	5·6	9·4	16·8	32·5	67·1	137·4	295·2
1906	16·5	49·5	3·4	2·0	3·0	3·9	5·6	9·5	16·9	33·4	69·0	137·6	321·0
1907	16·0	45·1	3·3	1·9	2·9	3·8	5·6	9·6	17·0	33·9	70·9	139·1	317·8
1908	15·8	44·8	3·2	1·9	2·7	3·7	5·4	9·2	16·5	33·2	70·8	138·7	305·7
1909	15·5	40·6	3·2	1·9	2·8	3·7	5·3	9·2	16·8	33·1	74·1	142·9	323·9
1910	14·4	37·5	2·9	1·8	2·6	3·5	4·8	8·5	15·8	31·5	69·7	132·0	293·6

* See Note * to Table 14.

† The death-rates in this column are based upon the age-constitution of the population as enumerated in 1901; they differ, therefore, in some cases from those in Table 3 and other tables.

TABLE 16.—ENGLAND AND WALES—Annual Death-rates at Twelve Groups of Ages, and General Death-rates corrected for Age-constitution, 1861-1910.*—Females.

YEAR	DEATHS TO 1000 LIVING.—FEMALES.												
	AGES.												
	ALL AGES.†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
1861	19·8	62·0	6·8	4·4	7·0	8·1	9·5	11·4	14·7	26·9	57·3	131·2	274·6
1862	19·6	60·3	7·4	4·6	6·8	7·8	9·4	11·7	14·8	26·9	57·7	128·7	274·9
1863	20·9	67·5	9·9	5·2	6·8	8·1	9·7	12·0	14·9	27·1	56·7	129·1	290·2
1864	21·6	65·8	9·4	5·1	7·0	8·4	10·3	12·6	16·5	29·8	63·4	141·1	302·3
1865	21·0	65·1	7·8	4·6	6·8	8·5	10·2	12·6	16·6	28·8	60·4	138·4	296·7
1866	21·3	65·6	7·2	4·5	6·9	8·6	10·5	13·2	16·9	29·3	61·3	139·8	295·7
1867	19·7	59·6	6·1	3·9	6·4	7·8	9·5	12·0	15·6	27·5	59·5	139·4	287·3
1868	19·7	63·9	7·4	4·1	6·3	7·7	9·4	11·5	14·9	26·4	55·0	125·8	261·5
1869	20·1	63·0	7·8	4·3	6·1	7·3	9·3	11·7	15·7	27·6	59·2	135·4	277·1
1870	20·6	64·2	8·3	4·5	6·4	7·6	9·5	11·9	15·8	28·8	60·6	140·2	290·3
1871	20·3	62·4	7·5	4·5	6·6	8·2	9·7	12·2	15·9	28·5	60·4	133·6	276·4
1872	19·1	58·5	6·5	4·0	6·2	7·6	9·3	11·8	15·1	26·6	56·6	124·7	269·0
1873	18·9	56·4	5·6	3·6	5·5	6·8	8·6	11·4	15·6	28·3	61·9	135·2	303·5
1874	20·0	61·4	7·1	3·9	5·7	7·3	9·2	12·2	15·9	29·2	61·6	134·0	290·0
1875	20·6	61·2	6·4	3·8	5·7	7·3	9·3	12·4	17·0	31·1	65·7	148·8	330·3
1876	18·7	57·3	5·9	3·6	5·2	6·7	8·3	11·7	15·4	27·9	58·4	128·7	287·0
1877	18·2	53·6	5·6	3·6	5·1	6·3	8·2	11·3	15·3	27·7	58·9	129·1	291·6
1878	19·4	61·1	6·1	3·6	5·2	6·3	8·0	11·3	15·4	29·2	61·7	140·5	312·7
1879	18·9	52·9	5·8	3·4	4·9	6·0	8·0	11·3	16·0	30·7	66·6	150·2	328·7
1880	18·5	59·2	6·0	3·3	4·8	5·9	7·6	10·6	14·7	27·5	58·2	129·1	274·9
1881	17·3	48·0	5·7	3·2	4·7	6·0	7·9	11·0	14·9	28·0	58·4	126·4	263·8
1882	17·9	54·4	6·0	3·3	4·7	5·9	7·9	11·0	15·0	27·6	56·9	124·1	256·0
1883	18·0	51·1	5·8	3·4	4·9	6·1	8·1	11·1	15·6	28·8	60·2	134·2	277·0
1884	18·0	54·9	5·8	3·4	4·7	5·9	7·8	10·9	15·3	27·5	57·7	126·8	247·4
1885	17·7	51·0	5·1	3·1	4·5	5·7	7·7	10·8	15·2	28·7	62·0	133·2	282·8
1886	18·0	54·2	4·8	3·1	4·4	5·3	7·2	10·4	15·0	29·1	63·2	136·5	302·1
1887	17·7	52·7	5·1	3·0	4·2	5·4	7·0	10·3	15·2	28·8	62·2	131·6	272·1
1888	16·8	48·0	4·7	2·9	4·0	5·1	6·9	9·9	14·5	27·9	60·1	130·0	270·1
1889	16·9	51·9	4·7	2·8	3·9	4·9	6·5	9·8	14·3	27·4	58·7	126·5	260·3
1890	18·1	53·3	5·0	2·9	4·2	5·1	7·1	10·9	15·9	30·7	64·2	136·9	276·6
1891	18·9	53·7	4·7	2·9	4·3	5·2	7·1	11·1	17·1	33·4	70·6	148·1	300·7
1892	17·8	52·5	4·6	2·7	4·0	4·7	6·7	10·3	15·5	30·4	66·0	140·9	274·4
1893	17·9	55·2	5·1	3·0	4·3	5·1	7·0	10·7	15·2	29·2	62·4	128·7	250·0
1894	15·5	47·4	4·3	2·6	3·7	4·5	6·0	9·2	13·5	25·1	53·7	113·6	219·6
1895	17·6	55·2	4·2	2·6	3·7	4·5	6·1	9·5	14·8	29·6	62·6	140·9	276·2
1896	16·0	52·3	4·5	2·4	3·4	4·2	5·7	8·9	13·6	25·8	53·4	113·9	233·4
1897	16·1	52·4	4·0	2·4	3·4	4·1	5·6	8·9	13·7	26·2	55·7	121·2	252·6
1898	16·4	53·5	3·9	2·3	3·3	4·1	5·5	8·9	13·9	26·7	57·5	126·0	259·6
1899	17·1	53·6	4·2	2·4	3·3	4·1	5·7	9·4	15·0	28·7	62·3	136·3	273·2
1900	17·0	51·8	4·2	2·5	3·3	4·2	5·7	9·3	15·3	29·6	63·2	136·8	273·9
1901	15·8	49·4	4·1	2·4	3·2	3·8	5·3	8·7	13·9	26·6	56·7	122·8	248·6
1902	15·2	44·6	4·1	2·3	3·1	3·8	5·3	8·5	13·6	26·1	56·7	123·2	259·5
1903	14·4	43·0	3·5	2·1	2·8	3·4	4·9	8·1	13·0	24·7	54·7	116·5	245·9
1904	15·3	47·4	3·5	2·1	2·9	3·4	4·9	8·0	13·2	26·1	57·7	126·0	275·1
1905	11·4	40·8	3·4	2·1	2·8	3·4	4·8	7·8	13·1	25·4	57·1	120·8	281·5
1906	14·5	41·5	3·6	2·2	2·7	3·3	4·7	7·9	13·1	25·5	56·5	124·0	289·4
1907	14·2	37·3	3·4	2·0	2·7	3·2	4·6	7·9	13·2	26·2	60·2	128·0	295·8
1908	13·9	36·9	3·2	1·9	2·5	3·1	4·5	7·5	12·9	25·2	58·2	125·5	289·1
1909	13·8	33·6	3·3	2·0	2·6	3·1	4·4	7·5	13·1	26·0	62·1	131·3	303·2
1910	12·7	30·9	2·9	1·9	2·4	2·9	4·2	7·1	12·1	23·5	56·4	115·4	280·5

* See Note * to Table 14.

† The death-rates in this column are based upon the age-constitution of the population as enumerated in 1901; they differ, therefore, in some cases from those in Table 3 and other tables.

TABLE 17.—ENGLAND AND WALES.—Annual Death-rates in Groups of Years, at Twelve Age-periods, and General Death-rates corrected for Age-constitution, 1838–1910.*—Males and Females.

PERIOD.	AGES.												
	ALL AGES.†	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
DEATHS TO 1000 LIVING.													
MALES.													
1838 to 1910 }	20·5	65·8	6·7	3·7	5·6	7·1	8·5	12·3	18·7	33·3	68·4	146·2	307·6
1841–50	22·2	71·2	9·2	5·1	7·1	9·5	9·9	12·9	18·2	31·8	67·5	148·3	312·3
1851–60	21·9	72·4	8·5	4·9	6·7	8·8	9·6	12·5	18·0	30·9	65·3	146·7	308·2
1861–70	22·3	73·5	8·2	4·5	6·2	8·5	9·9	13·5	19·3	33·1	67·1	147·2	315·0
1871–80	21·5	68·4	6·7	3·7	5·3	7·4	9·3	13·8	20·1	34·9	69·7	150·8	327·4
1881–90	19·7	61·6	5·3	3·0	4·3	5·7	7·8	12·4	19·4	34·7	70·5	146·6	305·8
1891–1900	19·2	62·7	4·3	2·4	3·8	5·1	6·8	11·5	18·9	34·9	70·4	146·1	286·8
1901–10	16·4	48·7	3·4	2·0	3·0	4·0	5·6	9·6	17·0	33·0	69·1	137·9	298·0
1841–45	21·3	68·7	8·8	4·8	6·8	9·0	9·4	12·2	17·2	30·3	65·5	143·7	305·1
1846–50	23·1	73·8	9·5	5·4	7·3	10·0	10·5	13·6	19·2	33·2	69·5	153·0	319·5
1851–55	22·4	73·9	8·8	5·1	7·0	9·2	10·0	12·9	18·6	31·5	66·6	150·8	311·0
1856–60	21·4	71·5	8·3	4·6	6·4	8·4	9·2	12·2	17·4	30·4	64·3	142·6	305·4
1861–65	22·3	74·0	8·5	4·7	6·4	8·7	9·7	13·2	18·9	32·8	66·3	145·8	316·4
1866–70	22·2	72·9	7·9	4·3	6·0	8·3	10·1	13·8	19·6	33·5	67·8	148·7	313·6
1871–75	22·0	69·9	7·1	4·0	5·7	8·1	10·0	14·3	20·3	34·8	70·0	149·5	323·3
1876–80	21·0	67·0	6·3	3·4	4·9	6·7	8·7	13·4	19·8	34·9	69·4	152·2	331·6
1881–85	19·7	61·3	5·8	3·2	4·5	6·0	8·2	12·8	19·3	34·2	68·7	145·4	297·8
1886–90	19·6	61·9	4·9	2·8	4·1	5·6	7·4	12·0	19·4	35·2	72·1	147·9	313·8
1891–95	19·6	62·9	4·5	2·6	4·0	5·2	7·1	12·0	19·6	35·9	72·5	149·3	291·0
1896–1900	18·8	62·4	4·1	2·3	3·6	4·9	6·5	11·1	18·3	34·1	68·3	142·9	282·6
1901–05	17·1	54·0	3·6	2·1	3·2	4·3	5·9	9·9	17·4	33·0	67·4	137·7	283·6
1906–10	15·6	43·5	3·2	1·9	2·8	3·7	5·3	9·2	16·6	33·0	70·9	138·1	282·4
FEMALES.													
1838 to 1910 }	18·7	56·2	6·5	3·9	5·6	6·7	8·3	11·1	15·1	27·8	59·7	132·2	281·7
1841–50	21·0	61·1	8·9	5·4	7·9	9·1	10·6	12·9	16·0	28·4	61·0	135·9	293·3
1851–60	20·6	62·7	8·4	5·1	7·4	8·5	9·9	12·2	15·2	27·0	58·7	134·5	288·9
1861–70	20·4	63·7	7·8	4·5	6·6	8·0	9·7	12·1	15·6	27·9	59·1	134·9	285·1
1871–80	19·3	58·3	6·2	3·7	5·5	6·8	8·6	11·6	15·6	28·7	61·0	135·4	296·4
1881–90	17·6	51·9	5·3	3·1	4·4	5·5	7·4	10·6	15·1	28·5	60·4	130·6	270·8
1891–1900	17·0	52·8	4·4	2·6	3·7	4·5	6·1	9·6	14·7	28·4	60·7	130·6	261·4
1901–10	14·4	40·5	3·5	2·1	2·8	3·3	4·8	7·9	13·1	25·5	57·6	123·8	276·9
1841–45	20·1	58·6	8·6	5·2	7·7	8·6	9·9	12·2	15·1	27·2	59·1	131·8	288·6
1846–50	21·9	63·7	9·2	5·7	8·1	9·6	11·2	13·7	17·0	29·7	62·8	140·1	297·9
1851–55	21·0	63·8	8·5	5·3	7·8	8·9	10·3	12·6	15·8	27·8	59·6	137·1	292·0
1856–60	20·1	62·3	8·3	4·8	7·1	8·2	9·6	11·9	14·8	26·5	58·1	131·9	285·8
1861–65	20·6	64·1	8·3	4·8	6·9	8·2	9·8	12·1	15·5	27·9	59·1	133·7	287·7
1866–70	20·3	63·3	7·4	4·3	6·4	7·8	9·6	12·1	15·8	27·9	59·1	136·1	282·4
1871–75	19·8	60·0	6·6	4·0	5·9	7·4	9·2	12·0	15·9	28·7	61·2	135·3	293·8
1876–80	18·7	56·8	5·9	3·5	5·0	6·2	8·0	11·2	15·4	28·6	60·8	135·5	299·0
1881–85	17·8	51·9	5·7	3·3	4·7	5·9	7·9	11·0	15·2	28·1	59·0	128·9	265·4
1886–90	17·5	52·0	4·9	2·9	4·1	5·2	6·9	10·3	15·0	28·8	61·7	132·3	276·2
1891–95	17·5	52·8	4·6	2·8	4·0	4·8	6·6	10·2	15·2	29·5	63·1	134·4	264·2
1896–1900	16·5	52·7	4·2	2·4	3·3	4·1	5·6	9·1	14·3	27·4	58·4	126·8	258·5
1901–05	15·0	45·0	3·7	2·2	3·0	3·6	5·0	8·2	13·4	25·8	56·6	121·9	262·1
1906–10	13·8	36·0	3·3	2·0	2·6	3·1	4·5	7·6	12·9	25·3	58·7	125·6	291·6

* See Note * to Table 14.

† The death-rates in this column are based upon the age-constitution of the population as enumerated in 1901; they differ, therefore, in some cases from those in Table 4.

TABLE 18.—ENGLAND AND WALES: Registration Counties.—Crude Death-rate at all Ages per 1000 living, and death-rates at Twelve Groups of Ages, 1910*—Males.

REGISTRATION COUNTY.	ALL AGES †	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & up-wards.
ENGLAND AND WALES	14.4	37.5	2.9	1.8	2.6	3.5	4.8	8.5	15.8	31.5	69.7	132.0	293.6
I.—LONDON.													
London.. .. .	15.2	41.7	3.2	1.9	2.5	3.2	4.9	9.8	19.2	36.2	77.4	148.5	329.9
II.—SOUTH EASTERN.													
Surrey	12.1	23.6	2.5	1.7	2.5	2.9	4.2	9.0	15.4	28.7	63.9	127.4	262.9
Kent	12.6	25.4	2.5	1.9	2.5	2.9	5.3	8.1	12.9	26.9	60.0	126.7	299.9
Sussex	13.4	24.2	2.4	1.1	1.9	3.6	4.5	8.3	14.0	27.8	58.7	119.0	290.9
Hampshire	13.2	26.7	2.5	1.3	1.7	3.5	5.5	9.1	13.6	27.4	57.7	120.2	344.0
Berkshire	12.0	21.1	2.4	1.2	2.3	2.2	5.6	6.2	11.5	25.3	56.7	117.2	272.1
III.—SOUTH MIDLAND.													
Middlesex	10.2	24.2	2.2	1.2	1.7	2.5	3.6	6.5	12.1	25.3	63.7	110.0	271.6
Hertfordshire ..	11.9	17.4	2.3	1.2	1.8	4.0	5.2	8.3	10.9	24.8	61.1	114.7	256.4
Buckinghamshire ..	11.9	21.6	1.9	1.2	1.0	3.0	4.8	6.4	11.3	19.5	56.5	120.4	282.8
Oxfordshire	13.2	20.1	2.0	1.3	2.8	5.0	4.7	6.2	11.2	25.1	51.7	132.6	341.8
Northamptonshire ..	12.3	25.9	1.9	1.3	2.4	2.7	4.3	6.6	11.1	23.6	61.4	133.3	341.9
Huntingdonshire ..	14.0	22.0	2.7	1.6	2.1	2.2	3.6	6.9	14.0	19.1	40.3	135.7	508.8
Bedfordshire	12.6	24.2	2.1	1.8	1.4	3.6	4.0	7.5	12.5	23.2	56.9	120.8	310.3
Cambridgeshire ..	13.7	26.7	2.2	1.2	2.3	5.1	4.2	6.1	12.7	25.1	58.3	109.7	324.4
IV.—EASTERN.													
Essex	11.6	25.9	1.9	1.3	2.2	3.3	4.0	7.2	13.6	27.3	63.9	129.3	249.7
Suffolk	13.0	23.8	1.6	1.2	2.1	3.3	5.0	6.6	12.1	23.5	54.7	100.8	288.9
Norfolk	13.4	21.7	3.0	1.5	2.5	3.7	4.2	6.0	11.8	21.1	50.0	114.0	333.9
V.—SOUTH WESTERN.													
Wiltshire	11.7	20.4	2.5	1.1	1.2	2.9	3.8	5.3	10.7	23.7	51.0	121.4	309.7
Dorsetshire	12.5	21.7	2.2	1.3	1.4	3.0	4.3	6.9	11.0	23.3	59.9	125.6	267.2
Devonshire	13.9	27.7	1.9	1.7	2.6	5.0	5.1	8.5	14.0	25.2	57.0	114.8	275.3
Cornwall	15.3	27.7	2.7	1.9	2.5	4.0	6.1	11.4	16.1	27.3	68.2	118.0	254.1
Somersetshire	12.6	21.3	1.9	1.3	2.4	3.4	4.6	7.6	12.9	24.4	55.1	114.0	238.4
VI.—WEST MIDLAND.													
Gloucestershire ..	14.0	27.8	2.2	1.9	2.6	4.1	4.6	8.7	15.9	30.7	69.5	120.6	274.8
Herefordshire	14.8	25.3	2.9	1.5	2.9	2.8	3.9	6.5	13.2	24.2	61.7	130.1	306.5
Shropshire	14.3	26.4	3.0	1.9	2.3	2.8	4.9	6.8	14.9	21.0	65.2	130.9	344.3
Staffordshire	14.5	40.4	3.3	1.6	2.1	3.0	4.6	8.3	16.1	33.2	73.8	147.8	281.3
Worcestershire	13.1	30.4	3.2	1.9	2.5	2.7	4.0	6.3	14.0	27.4	66.2	137.5	294.8
Warwickshire	14.7	39.6	3.5	1.6	2.5	3.1	5.2	8.6	17.9	32.0	69.6	129.2	331.9
VII.—NORTH MIDLAND.													
Leicestershire	13.0	34.2	2.7	1.6	1.9	3.6	4.6	6.7	12.7	28.0	53.2	129.8	330.9
Rutlandshire	9.9	17.1	—	0.8	1.5	2.7	3.7	4.7	6.0	19.6	49.5	81.8	192.3
Lincolnshire	13.9	34.6	2.7	1.6	2.8	3.5	4.6	6.6	11.2	24.1	53.7	117.2	248.0
Nottinghamshire ..	14.4	46.0	2.3	1.8	2.4	3.4	4.3	6.7	14.3	27.2	59.9	130.0	265.7
Derbyshire	13.2	35.2	2.8	1.2	2.3	3.4	4.0	7.2	13.8	29.2	68.1	141.9	275.6
VIII.—NORTH WESTERN.													
Cheshire	14.1	37.8	2.9	1.8	2.1	3.7	4.9	7.2	15.0	32.6	72.7	136.4	393.7
Lancashire	16.6	49.3	3.5	2.2	2.9	3.6	5.3	10.4	20.3	42.1	94.4	165.7	325.3
IX.—YORKSHIRE.													
West Riding	15.2	43.5	3.2	2.1	2.8	3.1	4.5	8.5	16.6	37.0	83.0	155.7	323.1
East Riding (with York) ..	15.9	41.2	2.9	1.8	3.1	4.0	5.4	10.1	15.2	34.4	71.0	144.7	259.9
North Riding	15.6	43.4	3.1	2.2	2.7	3.0	5.0	9.2	13.3	29.0	67.2	122.8	286.7
X.—NORTHERN.													
Durham	15.4	49.2	3.3	1.8	3.5	3.9	4.7	8.0	14.1	31.1	78.4	140.5	322.0
Northumberland	15.9	46.3	3.5	2.6	4.0	3.9	5.1	9.6	16.8	33.1	79.1	144.8	278.0
Cumberland	16.8	40.1	2.7	1.8	3.3	6.0	8.7	10.3	13.9	36.1	77.5	149.5	325.2
Westmorland	13.0	20.2	3.9	2.4	1.2	4.1	3.7	8.9	10.9	24.5	63.8	131.6	206.3
XI.—WELSH.													
Monmouthshire	11.2	42.8	3.0	1.9	3.0	3.7	4.8	8.5	14.0	28.3	67.3	107.3	219.3
Glamorganshire	14.6	47.3	2.9	1.5	2.9	3.5	5.1	8.9	16.9	36.2	75.8	123.6	207.7
Carmarthenshire	15.4	44.7	2.9	1.4	3.6	5.3	5.8	7.4	15.6	29.4	59.0	128.5	192.3
Pembrokeshire	15.3	36.2	2.1	2.4	3.4	6.2	6.4	6.9	14.0	20.5	72.5	108.2	292.1
Cardiganshire	18.3	29.0	2.6	3.0	3.8	7.7	7.4	8.2	13.4	32.2	69.6	149.3	300.0
Brecknockshire	16.1	39.7	2.9	1.1	3.2	1.7	4.7	11.4	11.4	30.7	61.2	131.9	344.2
Radnorshire	15.7	30.2	3.8	6.5	—	1.2	2.7	5.5	13.2	38.5	66.8	148.6	233.3
Montgomeryshire	13.7	23.1	0.6	2.1	2.3	3.9	5.7	7.1	13.3	18.9	53.4	122.3	185.6
Flintshire	14.9	38.7	3.7	2.1	1.4	3.3	6.4	6.5	13.8	20.9	81.5	135.7	263.2
Denbighshire	16.9	40.6	4.1	2.6	3.5	3.9	6.5	7.8	16.2	35.1	76.6	165.8	341.8
Merionethshire	16.8	29.0	3.9	2.5	2.1	4.1	3.5	10.2	15.2	42.2	88.6	148.7	232.1
Carnarvonshire	16.4	30.1	3.8	2.1	2.7	4.5	6.8	9.2	17.3	32.7	82.2	128.6	300.0
Anglesey	16.4	30.4	2.7	1.7	3.1	4.5	6.2	8.4	19.3	25.0	70.7	111.7	258.1

* The populations of the several counties, estimated to the middle of the year, are shown in Table 29. For the purposes of the above table these populations are distributed among the several groups of ages according to the proportions found to prevail at the Census of 1901.

† The death-rates shown in this column this year are *not* corrected for differences of age and sex constitution of the several populations. (See Remarks, p. xxx).

TABLE 19.—ENGLAND AND WALES: **Registration Counties.—Crude Death-rate at all Ages per 1000 living, and Death-rates at Twelve Groups of Ages, 1910*—Females.**

REGISTRATION COUNTY.	ALL AGES †	0—	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 & up-wards.
ENGLAND AND WALES.	12·7	30·9	2·9	1·9	2·4	2·9	4·2	7·1	12·1	23·5	56·4	119·4	280·5
I.—LONDON.													
London.. .. .	12·6	34·8	3·1	1·9	2·2	2·3	3·6	7·3	13·3	25·3	55·9	120·5	299·3
II.—SOUTH EASTERN.													
Surrey	10·2	19·3	2·4	1·5	1·8	2·5	3·4	6·1	10·6	18·8	50·0	108·2	271·0
Kent	11·2	20·2	2·1	1·8	2·4	2·9	3·6	6·6	10·0	19·8	51·0	112·1	293·0
Sussex	11·5	20·8	2·0	1·6	1·9	2·8	3·3	5·6	9·5	19·4	50·2	114·2	316·7
Hampshire	10·8	21·6	3·1	1·2	2·5	2·0	3·5	5·8	9·8	18·0	44·5	105·6	276·9
Berkshire	11·2	19·1	2·5	1·6	1·9	3·3	3·8	5·1	9·2	16·8	46·9	115·0	275·6
III.—SOUTH MIDLAND.													
Middlesex	9·1	18·9	2·0	1·4	1·6	2·0	2·8	5·6	9·4	18·7	50·3	105·4	248·4
Hertfordshire ..	11·0	15·5	1·6	1·7	1·7	2·6	3·2	5·9	8·4	18·3	53·2	114·3	283·1
Buckinghamshire ..	10·4	17·7	2·3	1·4	2·0	1·9	3·4	4·0	8·1	19·9	42·3	103·8	257·1
Oxfordshire	11·8	17·2	0·9	1·9	3·0	1·8	4·6	4·8	11·2	18·5	46·9	118·2	254·8
Northamptonshire..	11·5	19·0	2·3	2·3	2·9	3·6	3·6	6·3	9·5	19·3	54·9	125·5	296·2
Huntingdonshire ..	12·4	16·8	1·5	2·8	3·8	1·7	3·3	3·5	8·2	15·6	42·4	105·4	293·6
Bedfordshire	10·8	21·7	1·9	1·0	2·2	2·1	3·0	4·0	8·7	14·1	48·0	112·9	318·5
Cambridgeshire ..	12·0	17·8	2·7	1·3	2·3	3·1	3·7	7·1	9·9	15·9	47·0	94·8	260·6
IV.—EASTERN.													
Essex	10·3	21·2	1·7	1·5	1·8	2·4	3·3	5·9	10·7	21·4	50·3	113·0	258·4
Suffolk	12·6	20·9	2·3	1·6	1·8	3·4	3·9	5·7	8·7	19·3	47·9	116·1	277·6
Norfolk	12·5	20·4	2·0	1·7	1·8	2·7	4·0	6·1	9·7	18·8	41·6	104·2	296·2
V.—SOUTH WESTERN.													
Wiltshire	11·7	16·8	2·0	1·2	2·9	2·3	3·1	6·1	8·5	23·0	47·1	98·7	339·9
Dorsetshire	11·8	17·5	2·2	1·1	1·8	3·1	4·2	6·1	9·3	18·4	39·3	116·0	283·9
Devonshire	13·3	23·7	2·8	2·1	2·7	3·6	4·4	6·7	10·6	20·9	50·6	106·1	251·5
Cornwall	13·3	19·8	3·2	1·9	2·4	3·1	4·3	5·4	9·1	20·4	49·3	119·4	237·0
Somersetshire	12·1	17·3	2·2	1·6	1·9	2·8	3·7	6·2	9·5	19·2	48·8	108·0	271·7
VI.—WEST MIDLAND.													
Gloucestershire ..	12·2	21·3	2·7	1·2	2·6	2·7	3·7	6·8	11·2	22·1	51·5	118·4	283·9
Herefordshire	12·5	17·9	1·5	1·2	2·3	3·6	5·3	4·6	10·4	19·1	49·9	107·0	264·7
Shropshire	12·5	20·9	2·3	1·9	2·6	2·9	4·9	6·3	10·6	17·4	50·0	109·7	259·9
Staffordshire	13·3	33·6	3·4	2·0	2·2	2·8	4·8	8·4	13·0	25·8	61·5	130·5	320·3
Worcestershire	11·3	24·0	2·4	1·6	1·6	2·7	3·7	6·7	9·9	21·0	49·8	117·3	267·4
Warwickshire	12·9	32·9	3·5	1·8	2·2	2·8	4·6	7·8	13·6	22·5	55·6	127·5	256·2
VII.—NORTH MIDLAND.													
Leicestershire	11·4	26·4	2·0	1·6	2·5	2·5	3·6	6·5	10·7	22·4	53·5	110·1	329·4
Rutlandshire.. ..	13·1	17·4	0·9	2·0	3·4	1·2	3·9	3·8	9·8	21·8	43·8	153·5	236·8
Lincolnshire	12·8	29·0	2·5	1·8	2·6	2·9	4·4	6·0	8·7	16·3	49·2	109·8	276·4
Nottinghamshire ..	12·9	36·4	3·3	1·8	2·8	2·9	4·1	6·8	11·7	23·6	53·3	126·9	261·6
Derbyshire	12·0	30·1	2·8	1·6	2·1	3·0	3·6	6·3	11·2	24·4	54·7	130·5	352·2
VIII.—NORTH WESTERN.													
Cheshire	12·5	30·7	3·0	2·0	2·4	2·6	4·1	7·1	11·9	25·4	62·0	135·0	288·5
Lancashire	14·4	41·2	3·9	2·4	2·9	3·1	4·9	8·3	15·5	30·9	77·6	143·0	287·1
IX.—YORKSHIRE.													
West Riding	13·4	35·7	3·2	1·8	2·4	2·9	4·6	7·3	13·3	27·0	65·6	147·5	368·3
East Riding (with York)..	13·4	33·6	3·5	1·9	2·6	3·4	4·7	7·9	13·0	22·2	56·2	104·3	297·0
North Riding.. ..	14·0	38·7	3·3	1·7	2·8	3·6	4·8	7·2	11·9	23·7	56·2	120·9	273·0
X.—NORTHERN.													
Durham	14·1	40·6	3·3	2·0	3·1	3·8	4·9	8·7	13·5	27·3	64·6	129·8	301·8
Northumberland ..	13·8	37·4	3·6	2·1	2·8	3·3	5·0	8·8	12·4	26·3	59·3	144·5	286·0
Cumberland	14·2	32·0	3·5	2·1	2·5	3·9	5·2	7·1	13·1	26·9	60·1	145·5	270·3
Westmorland	12·0	21·7	2·4	1·7	1·4	2·2	3·7	4·6	10·7	27·3	58·6	102·3	258·4
XI.—WELSH.													
Monmouthshire	12·8	35·2	2·8	1·7	2·3	3·1	5·1	8·4	12·3	23·2	54·4	96·4	180·1
Glamorganshire ..	13·6	38·8	3·4	2·3	3·3	4·0	5·7	8·8	13·8	26·1	58·3	114·3	202·5
Carmarthenshire ..	15·1	39·6	2·4	1·6	3·5	5·4	5·9	9·9	12·9	20·8	60·4	118·8	193·0
Pembrokeshire	15·0	28·7	4·8	2·0	4·9	5·6	6·0	5·5	12·1	19·5	68·1	113·7	218·8
Cardiganshire	16·9	23·5	2·0	4·1	3·9	4·9	7·2	9·2	13·8	21·8	57·4	115·9	245·2
Brecknockshire ..	14·0	29·4	1·3	0·4	3·6	3·6	5·0	10·2	11·6	24·9	57·0	110·1	253·7
Radnorshire	11·7	19·3	3·1	1·1	—	—	3·8	11·2	6·3	25·5	44·6	100·0	316·2
Montgomeryshire ..	13·4	17·6	1·8	1·5	1·0	2·9	7·1	7·7	10·8	23·2	45·5	111·8	327·4
Flintshire	13·5	25·8	4·2	2·7	2·6	4·1	3·4	6·7	10·9	21·9	60·7	122·3	197·0
Denbighshire	15·6	33·7	3·6	2·2	3·1	4·0	5·8	10·7	15·2	25·8	61·8	111·2	311·6
Merionethshire	15·4	19·8	2·2	2·3	4·2	5·2	4·8	8·0	11·1	24·5	79·4	132·6	298·1
Carnarvonshire	13·9	20·7	2·7	1·5	3·6	3·9	5·1	8·0	10·8	22·1	66·2	128·3	280·2
Anglesey	16·7	33·3	2·7	3·7	4·2	5·7	6·3	6·1	8·7	27·1	63·6	119·7	217·9

* The populations of the several counties, estimated to the middle of the year, are shown in Table 30. For the purposes of the above table these populations are distributed among the several groups of ages according to the proportions found to prevail at the Census of 1901.
† The death-rates shown in this column this year are *not* corrected for differences of age and sex constitution of the several populations. (See Remarks, p. xxx.)

TABLE 20.—ENGLAND AND WALES.—Crude Average Annual Death-rates from Various Causes, to a Million Persons living, in Successive Quinquennia, 1876-1910.

CAUSES OF DEATH.	5 Years 1876-80.	5 Years 1881-85.	5 Years 1886-90.	5 Years 1891-95.	5 Years 1896-1900.	5 Years 1901-05.	5 Years 1906-10.
All Causes	20791·0	19403·0	18894·6	18718·0	17685·4	16043·8	14699·8
Small-pox	78·4	78·0	13·6	20·0	6·0	25·4	0·2
Measles.. ..	384·8	413·0	468·4	407·2	421·0	327·0	291·0
Scarlet Fever	679·6	435·8	240·6	182·2	134·6	126·2	86·2
Typhus	34·2	22·8	6·6	3·8	1·4	1·4	0·2
<i>Pyrexia</i> * (Origin uncertain).	69·2	34·2	16·6	8·0	4·2	2·4	0·6
Enteric Fever.. ..	277·2	216·0	179·2	173·6	174·8	113·0	69·6
Whooping-cough ..	527·0	458·6	443·6	397·8	358·6	301·2	253·4
Diphtheria	121·8	156·2	169·6	252·6	272·4	204·8	153·8
Croup	154·2	163·4	125·8	70·0	31·2	16·8	8·4
Diarrhoea, Dysentery, and Cholera.	852·8	672·0	681·0	652·0	818·6	679·4	462·4
Malaria	7·8	11·4	6·4	4·0	3·2	2·6	1·8
Rabies, Hydrophobia	1·8	1·2	0·6	0·2	0·0	0·0	0·0
Syphilis	84·6	83·6	73·2	69·0	57·8	53·2	48·0
Puerperal Septic Diseases and Child- birth.	142·0	165·0	142·6	167·8	137·6	120·4	97·8
Pneumonia	999·4	1001·8	1130·6	1251·4	1202·6	1273·6	1233·8
Erysipelas	80·8	82·8	54·2	47·8	35·2	36·0	28·2
Phthisis	2039·8	1830·4	1635·4	1462·2	1322·6	1218·0	1106·8
Alcoholism	42·4	48·2	56·0	67·8	85·8	78·4	54·6
Rheumatic Fever, Rheum. of Heart.	62·0	97·6	89·2	88·0	82·8	76·6	65·6
Chronic Rheumatism	77·0	34·8	33·0	31·6	28·6	16·0	11·8
Cancer	493·6	547·6	631·6	711·4	800·2	866·0	939·2
Diabetes Mellitus ..	40·4	51·4	62·4	69·2	81·0	89·2	102·2
Premature Birth ..	472·8	475·2	507·2	561·8	574·2	570·6	523·2
Congenital Defects ..	89·0	89·6	85·4	89·8	89·6	135·6	140·8
Epilepsy	114·8	111·8	106·6	94·4	85·6	88·4	78·4
Heart and Blood Vessels Diseases.	2474·6	2383·0	2581·2	2504·0	2417·0	2303·0	2312·8
Bronchitis	2377·4	2153·6	2136·0	2074·2	1563·0	1240·4	1094·4
Cirrhosis of Liver ..	109·6	119·6	122·2	120·0	134·6	121·8	103·6
Acute Nephritis, Uræmia, Bright's Disease, Albumin- uria.	248·6	288·8	318·2	340·2	367·6	379·8	394·6
Old Age	1072·2	1015·0	975·8	929·2	928·2	928·6	943·4

* Called Simple Continued Fever previous to 1901.

TABLE 21.—ENGLAND AND WALES.—Deaths from Various Causes at All Ages,* 1891-1910.—Persons.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (*see* Annual Report for 1901, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
ALL CAUSES		587925	559684	569958	499627	568997	526727	541487	552141	581799	587830	551585	535538	514628	549784	520031	531281	524221	520456	518003	483247
Small-pox { Not Vaccinated (Doubtful Cow-pox and other effects of Vaccination Chicken-pox Measles (Morbilli) German Measles Scarlet Fever Typhus Plague Relapsing Fever Influenza Whooping-cough Mumps Diphtheria Cerebro-spinal Fever <i>Pyæmiæ</i> (origin uncertain) Enteric Fever	3	55	150	153	53	45	6	107	4	7	141	821	123	123	75	23	2	—	5	3
	..	17	106	263	176	61	118	5	59	5	17	111	791	174	124	124	—	2	—	6	2
	..	29	270	1054	491	129	378	14	87	165	61	104	852	463	308	308	20	6	12	10	14
	..	43	58	59	50	56	42	36	26	34	25	17	22	26	28	26	29	12	13	11	8
	..	91	123	127	108	86	151	103	116	124	127	115	123	116	104	93	106	120	93	94	97
	..	12673	13553	11110	11757	11491	17618	12711	13220	9998	12710	9019	12830	9150	12306	11076	9444	12625	8011	12618	8302
	..	51	78	45	52	30	56	44	40	37	37	58	31	39	35	38	25	47	22	39	15
	..	4959	5618	6982	5032	4532	5476	4577	3548	3722	3844	4339	4375	4158	3770	3834	3475	3220	2827	3215	2370
	..	137	85	137	115	58	71	49	47	29	29	37	61	69	37	38	9	24	13	15	5
	..	11	7	9	7	7	2	—	3	—	1	11	5	—	1	1	1	—	1	—	5
	..	16886	15737	9669	6625	12880	3753	6088	10405	12417	16245	5666	7366	6322	5694	6953	6310	9257	10112	8392	6504
	..	13612	13406	10176	12354	9594	13266	11431	10175	10129	11467	10205	9805	9522	11909	8709	8313	10255	9851	7182	8797
	..	77	84	77	61	54	77	85	59	72	94	90	93	86	108	98	110	118	113	93	114
	..	5036	6552	9466	8774	7895	8993	7654	7661	9295	9345	8898	7802	6077	5763	5456	6108	5732	5569	5235	4284
	..	31	29	13	23	23	11	10	11	21	9	59	60	68	81	127	71	161	116	130	132
	..	325	244	265	203	157	164	120	136	113	113	101	93	76	67	53	29	39	26	13	12
	..	4875	4037	6801	4781	5326	5125	4851	5708	6304	5591	5071	4149	3347	3153	3052	3169	2344	2651	2142	1889
Asiatic Cholera Diarrhoea due to Food† Infective Enteritis, Epidemic Diarrhoea <i>Diarrhoea</i> (not otherwise defined) Dysentery Typhoid Tetanus Malaria Rabies, Hydrophobia Glanders Anthrax (Splenic Fever)	10	6	32	26	26	24	38	57	69	68	65	94	89	105	211	304	217	296	1	—
	..	13982	15336	29721	10763	27392	17388	27051	30096	30971	23463	11864	4915	7742	16994	11573	18201	5070	10172	4863	251
	..	47	45	32	28	30	28	26	29	24	66	311	8884	10357	12362	8534	11762	5138	7728	4841	5407
	..	133	110	120	88	109	106	118	91	94	109	57	201	310	298	216	296	233	246	250	4846
	..	7	6	4	13	20	8	6	29	—	—	98	112	69	257	248	254	226	180	230	243
	..	4	5	6	2	3	1	6	4	—	—	—	2	—	106	79	70	68	56	80	51
	..	3	6	7	10	13	9	18	18	21	10	4	5	—	—	—	1	—	—	—	1
	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	1964	2041	2154	2011	2099	1832	1879	1801	1793	1842	1721	1693	1820	1834	1811	1718	1658	1702	1685	1639
Gonorrhoea§	343	306	303	322	331	352	379	335	344	367	356	31	25	37	31	44	35	35	39	35

* For deaths at groups of ages from these causes in 1910, *see* pp. 290-307.

† Called Food, Ptomaine-Poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from diarrhoea in artificially fed children.

§ Includes deaths from Stricture of the Urethra previous to 1902. *See also* note to Other Diseases of Urinary System, p. 32.

TABLE 22.—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Persons.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (see Annual Report for 1901, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
ALL CAUSES		20213	18971	19151	16570	18685	17053	17379	17518	18249	18248	16913	16252	15457	16298	15299	15469	15106	14803	14621	13500
Small-pox { Vaccinated Not Vaccinated		0	2	5	5	1	1	0	3	0	0	4	25	4	2	1	—	0	—	0	0
Doubtful		1	4	9	16	4	4	0	2	0	1	3	24	5	4	1	1	0	0	0	0
Cow-pox and other effects of Vaccination		1	9	35	2	2	12	0	3	5	2	3	26	14	9	2	1	0	0	0	0
Chicken-pox		1	2	2	4	2	1	1	1	1	1	1	1	1	1	1	1	0	0	0	0
Measles (Morbilli)		3	4	4	4	3	5	3	4	4	4	4	4	3	3	3	3	3	3	3	3
German Measles		436	459	373	391	377	570	408	419	314	394	277	392	275	365	326	275	364	228	356	232
Scarlet Fever		2	3	2	2	1	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1
Typhus		170	190	235	167	149	177	147	113	117	119	133	148	125	112	113	101	93	80	91	66
Plague		5	3	5	4	2	2	2	1	1	0	1	2	2	1	1	0	1	0	0	0
Relapsing Fever		—	—	—	—	—	—	—	—	—	0	0	0	—	0	0	—	—	0	0	0
Influenza		574	533	325	220	423	124	195	330	389	504	174	224	190	169	205	184	267	288	254	182
Whooping-cough		468	454	342	410	315	429	367	323	318	356	313	298	286	353	256	242	296	280	203	246
Mumps		3	3	3	2	2	2	3	2	2	3	3	3	3	3	3	3	3	3	3	3
Diphtheria		173	222	318	291	259	291	246	243	292	290	273	237	183	170	161	178	165	158	148	120
Cerebro-spinal Fever		1	1	0	1	0	0	0	0	1	0	2	2	2	2	4	2	5	3	4	4
Fyrexia* (origin uncertain)		11	8	9	7	5	5	4	4	4	4	3	3	2	2	2	1	1	1	0	0
Enteric Fever		168	137	229	159	175	166	156	181	198	173	155	126	101	93	90	92	68	75	60	53
Asiatic Cholera		?	?	?	?	?	?	?	?	?	?	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food*		?	?	?	?	?	?	?	?	?	?	2	3	3	3	6	9	6	8	8	7
Infective Enteritis, Epidemic Diarrhoea		?	?	?	?	?	?	?	?	?	?	364	149	233	504	340	530	146	137	151	151
Diarrhoea (not otherwise defined)		480	520	999	358	900	563	868	955	971	728	550	270	311	366	251	342	148	220	139	135
Dysentery		2	2	1	1	1	1	1	1	1	2	10	8	9	9	6	9	7	7	6	6
Tetanus		5	4	4	3	4	3	4	3	3	3	2	3	2	3	7	7	2	5	2	1
Malaria		0	0	0	0	0	0	0	0	—	—	—	0	—	—	—	—	—	—	—	—
Rabies, Hydrophobia		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Glanders		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Anthrax (Splenic Fever)		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Syphilis		68	69	72	67	69	59	60	57	56	57	53	51	55	54	53	50	48	48	48	46
Gonorrhoea*		12	10	10	11	11	11	12	11	11	11	11	11	11	11	11	11	11	11	11	11

* See note to Table 21.

TABLE 21 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1891-1910.—Persons.

CAUSES OF DEATH.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Puerperal Septicæmia, Puer. Septic Intoxication	2069	2439	3094	2257	1927	2123	1898	1767	1973	2017	{ 1490 37 74 478 }	1464	1258	1249	1307	1225	1056	1030	1063	967
Puerperal Pyæmia												54	38	38	51	66	111	92	104	91
Phlegmasia Alba Dolens												95	87	94	103	102	84	83	72	55
Puerperal Fever (not otherwise defined) ..												390	285	273	273	247	214	190	190	161
Infective Endocarditis*																				
{ Lobar												379	389	402	425	460	473	521	526	522
{ Broncho-												3475	3208	3891	4887	4991	5385	4818	6072	5277
{ Epidemic												18608	17425	19445	18805	17276	21317	19034	19795	17547
{ Not defined												10	7	—	4	6	6	4	11	9
Pneumonia	42799	36891	38247	32577	35603	35405	34835	35462	39845	44300	{ 20067 15006 94 }	24338	20085	20036	20671	19552	20259	17923	20230	16927
Erysipelas	1263	1474	1921	1353	1099	1101	1014	970	1227	1227	{ 1158 258 }	1280	1082	1206	1255	1206	1033	836	1013	826
Septicæmia, Septic Intoxication (not Puerperal) ..	478	529	669	567	521	573	577	508	655	735	{ 171 258 }	233	200	157	403	439	442	416	369	300
Pyæmia (not Puerperal)	470	545	606	488	518	554	586	563	640	693	{ 708 36 }	791	701	713	778	836	773	697	819	697
Phlegmon, Carbuncle (not Anthrax)	54	52	78	44	66	36	53	45	38	43	{ 36 212 }	32	35	26	52	24	29	31	28	5
Phagedæna												111	169	130	198	221	213	198	242	204
Other Infective Processes																				
Pulmonary Tuberculosis (Tuberculous Phthisis) ..	46515	43323	43632	41641	42490	40251	41642	41335	42408	42987	{ 7562 33662 }	10480	13838	16386	16942	18384	19368	20192	20656	20792†
Phthisis (not otherwise defined)												30191	26294	25465	22008	21362	20471	19307	17983	15542
Tuberculous Meningitis	7180	6691	6725	6345	6746	6475	6606	6681	6449	6395	5954	5961	6476	6389	6083	6104	5885	5868	5774	5471
Tuberculous Peritonitis	7301	7135	7867	5763	7389	6044	6255	6357	6294	5976	{ 2933 3195 }	2957	3521	3915	3603	3857	3532	3783	3522	3554
Tabes Mesenterica												2346	2062	1888	1397	1238	969	994	877	791
Lupus	78	78	57	62	68	66	54	53	61	54	{ 65 65 }	72	62	66	80	84	78	56	79	61
Tubercle of other Organs											{ 1146 4071 }	1178	1468	1662	1648	1809	1709	1624	1868†	2188†
General Tuberculosis	5911	5866	5518	5552	6084	5521	5438	5766	5508	5944	{ 342 342 }	4048	4265	4315	3921	3954	4061	4231	3639	2884†
Scrofula												163	121	109	77	49	28	25	27	34
Parasitic Diseases	658	617	577	455	530	438	393	403	389	365	348	277	314	309	245	304	241	246	222	178
Starvation	71	61	71	53	50	33	41	46	43	41	18	26	28	30	21	26	21	15	22	29
Scurvy	20	20	18	23	34	20	34	26	34	44	{ 31 3131 }	30	44	44	48	51	41	50	47	44
Alcoholism, Delirium Tremens	2055	1971	2174	1842	2045	2188	2397	2464	2871	3638		2784	2550	2358	2211	2281	2201	1937	1671	1490

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis." (See p. 28.)

† See remarks, page lix. The transference of deaths to Tubercle of other Organs, there mentioned, applies partly to 1909 also.

TABLE 22 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Persons.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
PuerperalSepticæmia,Puer,SepticIntoxication																					
Puerperal Pyæmia		71	83	104	75	63	69	61	56	62	63			38	37	38	36	30	29	30	27
Pneumonia																					
Puerperal Fever (not otherwise defined) ..																					
Infective Endocarditis*																					
Lobar																					
Broncho-																					
Epidemic																					
Not defined																					
Pneumonia		1471	1250	1285	1082	1169	1146	1118	1125	1250	1374			523	576	553	503	614	541	559	490
Erysipelas														603	594	608	569	584	510	571	473
Septicæmia,Septic Intoxication(not Puerperal) ..														32	30	37	35	30	24	29	23
Pyæmia (not Puerperal)														11	11	12	13	13	12	10	8
Phlegmon, Carbuncle (not Anthrax)														6	5	6	6	5	4	3	3
Phagedæna														21	21	23	24	22	20	23	19
Other Infective Processes														1	1	2	1	1	1	1	0
														5	4	6	6	6	6	7	6
PulmonaryTuberculosis(TuberculousPhthisis) ..		1599	1468	1466	1383	1395	1303	1336	1311	1330	1333			416	486	498	535	558	574	583	581*
Phthisis (not otherwise defined)														790	755	647	622	590	549	508	434
Tuberculous Meningitis		247	227	226	211	222	210	212	212	202	198			195	189	179	178	170	167	163	153
Tuberculous Peritonitis		251	242	264	191	243	196	201	202	197	185			106	116	106	112	102	108	99	99
Tuberculous														62	56	41	36	28	28	25	22
Lupus		3	3	2	2	2	2	2	2	2	2			2	2	2	2	2	2	2	2
Tubercle of other Organs														44	49	48	53	49	46	53*	61*
General Tuberculosis		203	199	185	184	200	179	175	183	173	184			128	128	115	115	117	120	103	81*
Scrophula														4	3	2	1	1	1	1	1
Parasitic Diseases		23	21	19	15	17	14	13	13	12	11			9	9	7	9	7	7	6	5
Starvation		2	2	2	2	2	1	1	1	1	1			1	1	1	1	1	0	1	1
Scurvy		1	1	1	1	1	1	1	1	1	1			1	1	1	1	1	1	1	1
Alcoholism, Delirium Tremens		71	67	73	61	67	71	77	78	90	113			77	70	65	66	63	55	47	42

* See note to Table 21

TABLE 21 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1891-1910.—Persons.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Opium, Morphia-habit Industrial Poisoning:— By Lead " Phosphorus " Arsenic and other Poisons	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
	131	123	133	131	142	125	127	133	103	114	101	83	90	87	78	74	92	105	91	86
	?	?	?	?	?	?	?	?	?	?	—	2	—	1	—	—	1	—	—	—
	?	?	?	?	?	?	?	?	?	?	4	1	3	1	1	2	1	1	1	—
Rheumatic Fever, Acute Rheumatism <i>Rheumatism of Heart</i>	2547	2523	3085	2646	2257	2677	2527	2415	2647	2787	{	2146	1812	1788	2121	2219	2024	1805	1070	1680
Chronic Rheumatism	1067	1029	878	799	888	850	914	905	923	894	615	629	570	586	354	333	415	363	357	318
Rheumatoid Arthritis, <i>Rheumatic Gout</i> Gout	653	600	619	565	606	579	570	522	559	504	848	811	883	944	898	951	981	960	1088	1040
Carcinoma*	20117	20353	21185	21422	22945	23521	{	1551	1706	1611	12693	13540	14813	15532	16079	17165	17610	18383	19513	20320
Sarcoma	1244	1321	1245	1230	1617	1233	1427	1396	1335	1293	1384	1369	1650	1892	1398	1377	1259	1189	1118	1061
Cancer, Malignant Dis. (not otherwise defined)*	378	316	361	369	361	334	340	374	332	320	{	298	305	293	260	250	302	293	312	302
Rickets	1558	1549	1524	1620	1883	1840	1849	1824	1886	1872	1911	1842	1793	1843	1930	2050	2190	2175	2216	85
Purpura	1930	2011	2082	2037	2265	2286	2426	2585	2718	2767	2964	2769	2844	3133	3174	3342	3360	3610	3698	3937
Hæmophilia, Hæmorrhagic Diathesis Anæmia, Leucocythæmia	16451	16577	17263	16837	17508	17384	17779	18352	18548	18479	18564	18909	19081	19627	18871	19061	18819	18671	18210	17574
Diabetes Mellitus	2511	2656	2723	2785	2720	2710	2793	2750	2883	2992	4078	3959	464	417	364	377	329	379	329	302
Premature Birth	50	73	128	120	134	178	166	162	333	448	603	651	689	4314	4492	4663	4520	4736	4601	4491
Congenital Hydrocephalus†	922	939	986	969	1079	1265	1075	1147	1199	1225	1184	1255	1312	1327	709	866	816	942	956	846
Other Congenital Defect†	260	273	347	231	258	295	320	318	332	459	545	574	717	694	661	761	756	778	669	541
Injury at Birth	4661	4242	4057	3553	4193	3721	3728	3542	3396	3601	3368	3208	3265	2975	2343	2175	2088	1983	1789	1600
Atelectasis																				
Want of Breast Milk																				
Teething																				

* For the years 1897-1900, deaths from Carcinoma are included under the heading "Cancer, Malignant Disease."

† Includes deaths of children under 6 months of age from "Hydrocephalus" for the year 1901 and subsequent years.

‡ Includes deaths of young children from Icterus for the year 1901 and subsequent years.

TABLE 22 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Persons.

CAUSES OF DEATH.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Opium, Morphia-habit	p	p	p	p	p	p	p	p	p	p	p	p	p	p	p	p	p	p	p	p
Industrial Poisoning:—																				
By Lead..	5	4	4	4	5	4	4	4	3	4	3	3	3	3	2	2	3	3	3	2
" Phosphorus	p	p	p	p	p	p	p	p	p	p	—	0	—	0	—	—	0	—	—	—
" Arsenic and other Poisons	p	p	p	p	p	p	p	p	p	p	0	0	0	0	0	0	0	0	0	—
Rheumatic Fever, Acute Rheumatism	88	86	104	88	74	87	81	77	83	86	{	65	54	53	62	65	58	51	56	47
<i>Rheumatism of Heart</i> ..												19	17	17	10	10	12	10	10	9
Chronic Rheumatism ..	37	35	30	27	29	28	29	29	29	28	24	15	14	14	13	11	13	13	12	10
Rheumatoid Arthritis, <i>Rheumatic Gout</i>	p	p	p	p	p	p	p	p	p	p	26	25	27	28	26	28	28	27	31	29
Gout ..	22	20	21	19	20	19	18	17	18	16	16	15	14	15	12	13	13	12	11	11
Carcinoma*											389	411	445	460	473	500	507	523	551	568
Sarcoma ..	692	690	710	712	753	762	{	48	54	50	51	51	54	52	53	55	53	54	56	58
Cancer, Malignant Dis. (not otherwise defined)*							737	750	772	779	402	384	375	367	363	367	354	354	355	341
Rickets ..	43	45	42	41	53	40	46	44	42	40	42	42	50	54	41	40	36	34	32	30
Purpura ..	13	11	12	12	12	11	11	12	10	10	9	9	9	9	8	7	9	8	9	8
Hæmophilia, Hæmorrhagic Diathesis											{	3	2	3	3	2	3	2	3	2
Anæmia, Leucocythæmia ..	54	53	51	54	62	60	59	58	59	58	59	56	54	55	57	60	63	62	63	68
Diabetes Mellitus ..	66	68	70	68	74	74	78	82	85	86	91	84	85	93	93	97	97	103	104	110
Premature Birth..	566	562	580	526	575	563	571	582	582	573	569	574	573	582	555	555	525	531	514	491
Congenital Hydrocephalus*												{	12	12	11	11	9	11	9	8
Other Congenital Defects*	86	90	92	92	89	87	90	87	91	93	125	120	124	128	132	136	130	135	130	125
Injury at Birth ..	2	2	4	4	4	6	5	5	10	14	18	20	21	23	21	25	24	27	27	24
Alelectasis ..	32	32	33	32	35	40	35	36	38	38	36	38	39	39	42	42	45	45	43	43
Want of Breast Milk ..	9	9	12	8	8	10	10	10	10	14	17	17	22	21	19	22	22	22	19	15
Teething ..	160	144	136	118	138	120	120	112	107	112	100	97	98	88	69	63	60	56	50	45

* See note to Table 21.

TABLE 21 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1891-1910.—Persons.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Meningitis, Inflammation of Brain	..	8455	7832	8108	6893	7561	7284	7429	7556	7555	7636	7073	6572	6341	6301	6034	5997	5429	5516	5344	5006
Softening of Brain	..	3275	3123	3023	2609	2748	2550	2489	2583	2546	2261	2161	2070	2174	2266	2182	2229	2279	2330	2128	2077
General Paralysis of Insane	..	2795	2678	2961	3024	3620	3379	3703	3582	3811	4182	2272	2257	2133	2380	2287	2340	2332	2217	2363	2213
Insanity (not Puerperal)	..	134	109	127	122	126	124	144	151	172	168	1359	1726	1653	1926	2069	2152	2209	2168	2171	2091
Chorea	..	3054	2809	2811	2555	2826	2581	2528	2658	2746	2997	191	160	147	123	151	155	155	132	170	137
Epilepsy	..	22222	20687	20856	18126	20484	18347	18384	18165	18019	18502	2883	3005	3052	2914	2898	2797	2800	2886	2814	2682
Convulsions	..	802	711	604	493	600	520	512	502	435	436	17688	16554	15112	14707	12933	12528	11562	10315	9396	9396
Laryngismus Stridulus	..	2139	2037	2035	2080	2269	2070	2206	2250	2416	2412	468	439	435	398	364	305	315	343	270	236
Locomotor Ataxy	..	3682	3396	3705	3122	3437	3108	2953	2895	2956	2342	409	483	502	514	550	562	583	619	580	580
Paraplegia, Diseases of Cord..	..											2281	2056	2087	2193	2075	2075	1983	2118	2104	2101
Neuritis, Peripheral, Poly-Neuritis	..											132	351	416	416	387	451	475	396	407	377
Brain Tumour (not Specific)	..											385	598	618	664	698	744	753	737	789	804
Other Diseases of Nervous System	..											4232	3806	3347	3647	3067	3079	2812	2577	2739	2411
Otitis, Mastoid Disease	..	567	614	771	733	828	832	905	895	904	1030	934	914	1014	1058	1115	1142	1108	1033	1091	1018
Epistaxis, Diseases of Nose	..	85	86	95	88	76	95	91	82	76	78	78	79	81	80	84	67	66	73	81	70
Ophthalmia, Diseases of Eye	..	48	55	64	65	72	57	66	50	53	76	71	60	70	57	61	75	60	42	54	62
Valvular Disease, Endocarditis (not Infective)*		9238	8772	9130	9315	10072	10220	10644	11059	12118	12882	12494	13003	13415	14557	14847	15470	16326	16363	17035	16769
Pericarditis	..	668	608	662	607	527	550	554	535	604	623	636	438	422	416	455	429	481	432	410	446
Hypertrophy of Heart..	..	341	300	255	218	256	213	197	206	247	241	210	273	247	251	222	236	224	266	220	200
Angina Pectoris	..	727	650	639	646	696	708	714	642	698	736	675	728	700	753	839	889	942	929	957	1010
Dilatation of Heart	..											2199	2603	2602	3025	3051	3127	3520	3855	3549	3195
Fatty Degeneration of Heart	..	38472	35798	34253	32568	36068	33034	34410	34287	36513	36382	1942	2107	2063	2232	2268	2320	2483	2550	2493	2417
Syncope, Heart Disease (not specified)†	..											30066	29043	27451	28463	26634	26290	26992	26254	24687	24687
Cerebral Hæmorrhage, Cerebral Embolism‡		26412	25069	24497	22584	24527	23638	24371	24275	25249	25214	10734	12016	13396	14275	14763	15781	16543	17420	17938	17886
Apoplexy, Hemiplegia	..		810	855	851	849	840	879	889	899	875	13193	11783	10191	9908	8760	8830	8565	8169	8094	7384
Aneurysms§.	..	750	1408	1239	1281	1331	1187	1284	1257	1278	1443	1406	1393	1345	1093	1086	1101	1140	1059	1167	1123
Senile Gangrene	..	1568	1076	1177	1149	1314	1369	1347	1394	1581	1700	586	511	418	444	433	445	516	1456	1551	1407
Embolism, Thrombosis (not Cerebral)†	..	1106	169	170	125	135	153	148	161	180	194	163	147	171	148	150	127	130	125	148	401
Phlebitis	..	164	110	111	99	81	100	104	97	89	121	110	103	94	121	111	111	103	87	112	106
Varicose Veins	..	107	p	p	p	p	p	p	p	p	p	1224	1329	1311	1671	1859	2238	2512	2547	3118	3285
Other Diseases of Blood Vessel†	..	p																			

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis (not Infective)." (See p. 24.)
† For years prior to 1901, deaths from Other Diseases of Blood Vessels are included under the heading "Syncope, Heart Disease (not specified)." See also note to Hæmorrhage on p. 34.

‡ For years prior to 1901, deaths from Cerebral Embolism and from Cerebral Thrombosis are included under the heading "Embolism, Thrombosis (not Cerebral)."
§ Since 1901, Aneurysm has been taken as the cause of death when occurring with certain other diseases.

TABLE 22 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Persons.

CAUSES OF DEATH,	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Meningitis, Inflammation of Brain	291	265	272	229	248	236	238	240	237	237	217	199	190	187	178	175	156	157	151	140
Softening of Brain	113	106	102	87	90	83	80	82	70	70	66	63	65	67	64	65	66	66	60	58
General Paralysis of Insane
Insanity (not Puerperal)	96	91	99	100	119	109	119	114	130	130	42	52	50	57	61	63	64	62	61	58
Chorea	..	4	4	4	4	4	5	5	5	5	6	5	4	4	4	5	4	4	5	4
Epilepsy	105	95	94	85	93	84	81	84	93	86	88	91	92	86	85	81	81	76	79	75
Convulsions	764	701	701	602	673	594	590	576	574	565	542	502	454	436	380	365	333	327	291	262
Laryngismus Stridulus	28	24	20	16	20	17	16	16	14	14	14	13	13	12	11	9	9	10	17	7
Locomotor Ataxy	..	69	68	69	75	67	71	71	75	76	13	15	15	15	16	16	17	17	17	16
Paraplegia, Diseases of Cord
Neuritis, Peripheral, Poly-Neuritis
Brain Tumour (not Specific)	74
Other Diseases of Nervous System	127	115	124	104	113	101	95	92	73	93	12	18	19	20	21	22	22	21	22	22
Otitis, Mastoid Disease	130	116	101	108	90	90	81	73	77	67
Epistaxis, Diseases of Nose	19	21	26	24	27	27	29	28	32	28	29	28	30	31	33	33	32	29	31	28
Ophthalmia, Diseases of Eye	..	3	3	3	2	3	3	3	2	2	2	2	2	2	2	2	2	2	2	2
Valvular Disease, Endocarditis (not Infective)*
Pericarditis	318	297	307	309	331	331	342	351	399	380	383	395	403	431	437	450	470	465	481	468
Hypertrophy of Heart..	23	21	22	20	17	18	18	17	19	19	20	13	13	12	13	12	14	12	12	12
Angina Pectoris	12	10	9	7	8	7	6	7	7	8	6	8	7	7	7	7	6	8	6	6
Dilatation of Heart	25	22	21	21	23	23	23	20	23	22	21	22	21	22	25	26	27	26	27	28
Fatty Degeneration of Heart
Syncope, Heart Disease (not specified)*	1323	1213	1151	1082	1184	1070	1104	1088	1128	1145	922	881	824	844	784	765	778	739	741	690
Cerebral Haemorrhage, Cerebral Embolism*
Apoplexy, Hemiplegia	908	850	823	750	805	765	782	770	782	792	329	365	402	423	434	459	477	495	506	500
Aneurysm*	26	27	29	28	28	27	28	28	27	28	405	358	306	294	258	257	247	232	228	206
Senile Gangrene	54	48	42	43	44	38	41	40	45	40	30	32	31	32	32	32	33	30	33	31
Embolism, Thrombosis (not Cerebral)*	38	36	40	38	43	44	43	44	53	50	18	16	13	13	12	13	15	13	13	39
Phlebitis	6	6	6	4	4	3	5	5	6	6	5	4	5	4	4	4	4	4	4	4
Varicose Veins	4	4	4	3	3	3	3	3	4	3	3	3	3	4	3	4	3	2	3	3
Other Diseases of Blood Vessels*	p	p	p	p	p	p	p	p	p	p	38	40	39	50	55	65	72	72	88	92

* See note to Table 21.

TABLE 21 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1891-1910.—Persons.

CAUSES OF DEATH.	YEARS.										
	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.
Laryngitis	1402	1400	1651	1392	1372	1428	1284	1189	1323	1384	{ 1409
Membranous Laryngitis (not Diphtheritic)	2638	2235	2102	1742	1647	1578	1099	863	1006	842	{ 32
Croup (not Spasmodic nor Membranous)	137	166	154	133	126	139	132	126	124	136	{ 831
Other Diseases of Larynx and Trachea ..	75425	66858	56686	49356	59901	47417	46839	46621	51206	54580	{ 62
Bronchitis	{ 44535
Emphysema, Asthma	3054	2882	2324	2150	2617	2130	2242	2354	2849	2615	2343
Pleurisy	2005	1710	1837	1471	1537	1536	1493	1498	1645	1872	{ 1655
Fibroid Diseases of Lung	5306	4829	4246	3691	4339	3857	3814	3559	3868	3816	{ 656
Other Diseases of Respiratory System	{ 3273
Tonsillitis, Quinsy	1153	1095	1388	1080	1215	1116	1015	1079	1075	1130	{ 456
Dis. of Mouth, Pharynx, Oesophagus (not Spec.)*	{ 609
Gastric Ulcer	4280	4318	4953	4563	5227	5086	5314	5545	5902	6626	{ 1542
Gastritis, Gastric Catarrh	340	347	328	338	377	367	337	365	345	370	{ 5515
Other Diseases of Stomach (not Malignant)	5179	5633	8654	5946	10600	9756	13267	16214	19253	13078	{ 5806
Ulceration of Intestines†	1256	1294	1395	1217	1312	1249	1304	1325	1479	1387	{ 4106
Enteritis (not Epidemic)†	2684	2475	2683	2610	2791	2654	2794	2745	2816	2624	{ 1244
Gastro-enteritis	{ 1485
Appendicitis, Perityphlitis	{ 1513
Hernia	{ 2647
Intestinal Obstruction	2594	2294	2575	2092	2172	2084	1975	1985	1994	1896	{ 208
Other Diseases of Intestines§	3641	3609	3584	3473	3591	3782	4134	4146	4532	4639	{ 1532
Peritonitis (not Puerperal)	4734	4339	4434	3919	3971	3832	3587	3527	3519	3402	{ 4308
Cirrhosis of Liver	1462	1412	1547	1372	1082	953	975	815	664	639	{ 2867
Other Diseases of Liver and Gall Bladder	{ 603
Other Diseases of Digestive System*§	{ 391

* For years prior to 1901, deaths from Diseases of the Oesophagus are included under the heading "Other Diseases of Digestive System."
† For the years 1901-3, deaths from Ulceration of Intestines are included under the heading "Enteritis (not Epidemic)."
‡ Since 1902, Hernia, when strangulated, has been taken as the cause of death when occurring with certain other diseases.
§ For years prior to 1901, deaths from Other Diseases of Intestines are included under the heading "Other Diseases of Digestive System."

TABLE 22 (cont.).—ENGLAND AND WALES—Crude Annual Death-rates from Various Causes at All Ages, to a Million Living, 1891-1910.—Persons.

CAUSES OF DEATH.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Laryngitis	48	47	55	46	45	46	41	38	41	43	{	41	33	34	31	31	32	27	28	24
Membranous Laryngitis (not Diphtheritic)																				1
Croup (not Spasmodic nor Membranous)	91	76	71	58	54	51	35	27	18	26	25	18	13	14	14	13	11	9	7	2
Other Diseases of Larynx and Trachea ..	5	6	5	4	4	5	4	4	1	4	4	1	1	1	2	2	1	1	1	1
Bronchitis	2593	2266	1905	1640	1967	1535	1503	1479	1325	1692	1366	1325	1115	1251	1145	1040	1216	1101	1152	963
Emphysema, Asthma	105	98	78	71	86	69	72	75	48	81	72	48	39	48	46	45	50	47	54	45
Pleurisy	69	58	62	49	50	50	48	48	41	58	51	41	39	37	40	37	38	35	40	36
Fibroid Disease of Lung									21		{	21	18	18	16	15	19	16	16	13
Other Diseases of Respiratory System ..	182	157	143	123	142	125	122	113	94	118	100	94	84	87	83	79	72	74	76	71
Tonsillitis, Quinsy																				
Dis. of Mouth, Pharynx, Esophagus (not Spec.)*	40	37	47	36	40	36	33	34	13	35	{	13	11	12	12	11	11	10	11	9
Gastric Ulcer									18		19	51	50	52	51	16	15	15	16	17
Gastritis, Gastric Catarrh	147	146	166	152	172	165	171	176	144	205	{	144	139	133	117	99	94	98	49	51
Other Diseases of Stomach (not Malignant)																{	16	14	13	18
Ulceration of Intestines*	12	12	11	11	12	12	11	12	127	11	{	127	135	{	15	18	21	21	22	24
Enteritis (not Epidemic)*																146	106	126	105	103
Gastro-enteritis	178	191	291	198	348	316	426	514	126	406	{	126	81	134	117	113	71	99	82	87
Appendicitis, Perityphlitis									38			45	52	56	80	62	57	61	64	66
Hernia*									42	43		46	42	44	57	45	44	40	42	41
Intestinal Obstruction	43	44	47	40	43	40	42	42	81	81		74	77	74	76	77	74	75	74	70
Other Diseases of Intestines*	92	84	90	87	92	86	90	87	9	81	6	9	9	7	8	7	8	8	8	10
Peritonitis (not Puerperal)										p										
Cirrhosis of Liver	89	78	87	69	71	67	63	63	34	59	47	34	30	29	25	25	20	20	17	15
Other Diseases of Liver	125	122	120	115	118	122	133	132	123	144	132	123	118	118	118	112	112	104	100	90
Other Diseases of Liver and Gall Bladder	163	147	149	130	130	124	115	112	75	105	88	75	70	65	61	63	58	54	55	53
Other Diseases of Digestive System* ..	50	48	52	46	34	31	31	26	13	20	18	13	15	15	12	9	11	12	13	7

* See note to Table 21.

TABLE 21 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1891-1910.—Persons.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Diseases of Spleen	..	93	94	101	75	69	60	73	58	53	45	73	57	46	48	56	53	50	39	55	38
Other Diseases of Lymphatic System	..	244	284	255	271	286	274	286	316	310	334	348	357	357	353	391	400	380	397	423	511
Diseases of Thyroid Body*	..	163	174	237	195	215	230	245	295	312	322	458	431	441	462	480	483	527	549	609	651
Diseases of Supra Renal Capsules..	..	138	146	154	153	172	194	181	197	206	209	168	168	191	195	196	228	174	218	248	226
Acute Nephritis, Uræmia	..	2437	2455	2528	2410	2557	2576	2788	2808	2918	3054	3035	2991	2951	3122	3153	3270	3435	3698	3838	3595
Chronic Bright's Disease, Albuminuria	..	7529	7378	7590	7531	8251	8023	8234	8537	9203	9860	9876	9221	9498	10006	9622	10082	10442	10662	10504	10352
Calculus (not Biliary)	..	237	230	241	245	241	223	272	269	245	249	244	249	217	262	249	264	278	235	241	239
Diseases of Bladder and of Prostate	..	2171	2147	2117	2016	2298	2199	2335	2206	2321	2318	2353	2436	2433	2499	2469	2641	2441	2505	2442	2410
Other Diseases of Urinary System†	..	1204	1332	944	742	770	680	711	778	687	407	381	586	575	591	644	631	609	610	563	712
Ovarian Tumour (not Malignant)	..	536	499	506	435	500	456	457	447	446	406	{	373	374	350	389	375	357	292	307	591
Other Diseases of Ovary	..	{	{	{	{	{	{	{	{	{	{	{	48	64	46	40	46	51	31	33	23
Uterine Tumour (not Malignant)	..	648	675	723	734	688	710	745	682	709	667	339	334	359	353	376	353	327	358	293	312
Other Diseases of Uterus and Vagina	..	{	{	{	{	{	{	{	{	{	{	{	305	278	316	327	305	319	287	337	255
Disorders of Menstruation	..	77	63	71	76	91	73	74	65	88	92	76	58	56	36	42	39	50	36	33	26
Other Diseases of Gener. & Mamm. Organs	..	232	197	178	151	155	141	152	149	149	146	96	83	54	87	73	80	58	55	62	79
Abortion, Miscarriage	..	228	255	161	160	180	215	191	187	179	218	152	148	152	141	151	143	102	83	85	78
Puerperal Mania..	..	105	77	83	76	65	77	74	59	74	73	70	79	62	62	66	68	70	57	42	48
Puerperal Convulsions..	..	373	333	376	350	325	358	314	386	347	387	376	400	409	395	467	438	449	426	462	439
Placenta Prævia, Flooding	..	778	806	803	780	710	701	694	660	691	614	699	637	678	580	619	618	608	560	574	612
Other Accidents of Pregnancy and Childbirth	..	1234	1284	1433	1152	1012	1087	1079	1015	1062	1146	1018	938	888	835	868	850	826	840	787	710
Caries, Necrosis	..	1023	981	942	934	898	859	876	787	785	780	762	706	653	539	522	460	382	348	137+	66+
Arthritis, Periostitis	..	254	263	294	277	286	263	272	255	299	293	189	217	202	239	222	203	249	252	256	233
Other Diseases of Locomotor System	..	898	682	524	492	514	425	418	353	373	294	349	286	284	276	315	391	254	263	301	350
Ulcer, Bed-sore	..	538	555	575	562	571	502	560	540	534	564	474	397	407	426	440	462	485	436	430	459
Eczema	..	429	418	460	386	405	380	373	397	354	371	367	362	348	326	320	298	287	286	248	245
Pemphigus..	..	123	105	135	122	146	161	142	147	157	188	165	147	191	198	265	214	223	249	214	204
Other Diseases of the Skin	..	178	200	214	207	246	241	187	208	220	276	240	221	214	195	234	211	251	219	235	233

* Deaths from Cretinism and Myxoedema, which in the old Tables were included with "Other Constitutional Diseases," have been classed under this heading since 1901.
+ Since the year 1901, deaths from Stricture of the Urethra are included under this heading. See also note to Gonorrhoea, p. 22.
++ See remarks page lix. The transference of deaths from Caries, there mentioned, applies partly to 1909 also.

TABLE 22 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million Living, 1891-1910.—Persons.

CAUSES OF DEATH.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Diseases of Spleen	3	3	3	2	2	2	2	2	2	1	2	2	1	1	2	2	1	1	2	1
Other Diseases of Lymphatic System	8	10	9	9	9	9	9	10	10	10	11	11	11	10	12	12	11	11	12	14
Diseases of Thyroid Body*	6	6	8	6	7	7	8	9	10	10	14	13	13	14	14	14	15	16	17	18
Diseases of Supra. Renal Capsules	5	5	5	5	6	6	6	6	6	6	5	5	6	6	6	7	5	6	7	6
Acute Nephritis, Uræmia	84	83	85	80	84	83	89	89	92	95	93	91	89	93	93	95	99	105	108	100
Chronic Bright's Disease, Albuminuria	259	250	255	250	271	260	264	271	289	306	297	280	284	296	283	294	301	286	296	289
Calculus (not Biliary)	8	8	8	8	8	7	9	9	8	8	7	8	7	8	7	8	8	7	7	7
Diseases of Bladder and of Prostate	75	73	71	67	75	71	75	70	73	72	72	74	75	74	73	77	70	71	69	67
Other Diseases of Urinary System*	41	35	32	25	25	22	23	25	22	13	12	18	17	18	19	18	18	17	16	20
Ovarian Tumour (not Malignant)	18	17	17	14	16	15	15	14	14	13	11	11	11	10	11	11	10	8	9	8
Other Diseases of Ovary
Uterine Tumour (not Malignant)
Other Diseases of Uterus and Vagina
Disorders of Menstruation
Other Diseases of Gener. & Mamm. Organs
Abortion, Miscarriage	8	9	5	5	6	7	6	6	6	7	5	4	5	4	4	4	3	2	2	2
Puerperal Mania.. .. .	4	3	3	3	2	2	2	2	2	2	2	2	2	2	2	2	2	2	1	1
Puerperal Convulsions	13	11	13	12	11	12	10	12	11	12	12	12	12	12	14	13	13	12	13	12
Placenta Prævia, Flooding	27	27	27	26	23	23	22	21	22	19	21	19	20	17	18	18	18	16	16	17
Other Accidents of Pregnancy and Childbirth	42	44	48	38	33	35	35	32	33	36	31	28	27	25	26	25	24	24	22	21
Caries, Necrosis	35	33	32	31	29	28	28	25	25	24	23	21	20	16	15	13	11	10	5*	2*
Arthritis, Periostitis	9	9	10	9	9	9	9	8	9	9	6	7	6	7	7	6	7	7	7	7
Other Diseases of Locomotor System	31	23	18	16	17	14	13	11	12	9	11	9	9	8	9	11	7	7	8	10
Ulcer, Bed-sore	18	19	19	19	19	16	18	17	17	17	15	12	12	13	13	13	14	12	12	13
Eczema	15	14	15	13	13	12	12	13	11	12	11	11	10	10	9	9	8	8	7	7
Pemphigus	4	4	5	4	5	5	5	5	5	6	5	4	6	6	8	7	6	7	6	7
Other Diseases of the Skin	6	7	7	7	8	8	6	7	7	9	7	7	6	6	7	6	7	6	7	7

* See note to Table 21.

TABLE 21 (continued).—ENGLAND AND WALES—Deaths from Various Causes at All Ages, 1891-1910.—Persons.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
OTHER SPECIFIED DISEASES.*																					
CAUSES ILL-DEFINED OR NOT SPECIFIED.																					
<i>Atrophy, Debility</i>	21934	21303	22929	19281	22568	19745	20113	20355	20411	20372	19800	17708	17512	17546	16010	15900	14607	14920	13979	13045
<i>Old Age</i>	29417	27866	26528	24517	29842	26168	28618	28698	31477	31776	30243	30351	30090	32303	31459	33208	32918	32895	33975	31671
<i>Dropsy, Ascites, Anasarca</i>	458	401	385	324	348	303	278	324	360	348	223	171	164	121	121	82	125	75	64	40
<i>Tumour</i>	135	151	119	126	135	79	121	82	81	73	83	82	86	89	80	68	93	84	97	76
<i>Abscess</i>	533	532	553	441	413	405	403	372	367	346	332	329	332	290	235	272	293	378	266	239
<i>Hæmorrhage†</i>	123	127	161	157	135	131	107	108	114	118	28	56	43	35	36	32	35	35	33	52
<i>Sudden Death (cause unascertained)</i>	394	402	348	285	301	317	204	199	212	244	175	177	142	45	30	24	19	15	19	14
<i>Other ill-defined causes</i>	2694	2330	1922	1764	1990	1760	1931	1701	{ 72	50	360	704	819	777	854	787	712	679	658	634
<i>Causes not specified</i>									{ 1621	1736	1108	592	267	243	201	156	177	138	119	180
VIOLENT DEATHS.																					
<i>In Mines and Quarries</i>	16197	15801	16405	15433	16880	16122	16736	16342	17697	16919	1017	979	941	981	1113	1077	1084	1147	1367	1299
<i>Vehicles and Horses</i>											2690	2533	2469	2440	2424	2510	2546	2487	2359	2396
<i>Ships, Boats, and Docks (not Drowning)</i>											334	267	297	286	283	270	247	278	264	253
<i>Building Operations</i>											185	205	210	203	233	233	243	227	166	199
<i>Machinery</i>											216	263	258	250	219	238	245	227	213	209
<i>Weapons and Implements</i>											149	118	114	127	112	114	91	101	109	89
<i>Burns and Scalds</i>											2754	2479	2287	2383	2485	2606	2610	2650	2659	2325
<i>Poisons, Poisonous Vapours</i>											515	495	458	520	510	539	545	550	557	518
<i>Drowning</i>											2764	2261	2516	2411	2502	2344	2255	2463	2190	2258
<i>Suffocation</i>											1964	2039	1958	2084	1882	1877	1903	1826	1582	1519
<i>Falls</i>											2810	2676	2549	2538	2386	2562	2730	2630	2610	2356
<i>Weather Agencies</i>											437	237	197	284	231	304	154	234	196	167
<i>Otherwise or not stated</i>											1477	1244	1210	1220	1190	1154	1131	1204	1088	1265
<i>Battle</i>											4	6	2	—	3	1	2	1	—	—
<i>Homicide</i>	315	300	337	298	315	301	291	307	—	16	336	297	295	327	302	284	265	311	287	287
<i>Suicide</i>	2483	2583	2599	2729	2797	2656	2792	2877	291	278	3121	3267	3511	3345	3545	3452	3533	3778	3577	3567
<i>Execution</i>	14	16	16	18	10	20	7	10	15	14	15	22	25	18	17	8	10	12	19	16

* The figures for years prior to 1901 refer to deaths classed either to "Other Miasmatic Diseases" or to "Other Constitutional Diseases."
† Deaths from Rupture of Blood Vessels are included under this heading for years prior to 1901, and under "Other Diseases of Blood Vessels" since that date.

TABLE 22 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Persons.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
OTHER SPECIFIED DISEASES.*																					
CAUSES ILL-DEFINED OR NOT SPECIFIED.																					
Atrophy, Debility	754	722	770	607	741	639	646	646	640	632	607	537	526	520	471	463	421	424	395	364
Old Age	1007	942	892	817	988	846	910	910	984	983	929	922	903	961	928	970	950	952	957	888
Dropsy, Ascites, Anasarca	16	14	13	11	11	10	10	10	11	11	7	5	5	4	4	2	4	2	2	1
Tumour	5	5	4	4	4	3	3	3	3	2	3	2	3	3	2	2	3	2	3	2
Abscess	18	19	19	15	14	13	12	11	11	11	10	10	10	9	7	8	8	11	8	7
Hæmorrhage*	4	4	5	5	4	4	3	3	4	4	1	2	1	1	1	1	1	1	1	1
Sudden Death (cause unascertained)	13	14	12	9	10	10	7	7	7	8	5	5	4	1	1	1	1	0	1	0
Other ill-defined causes	93	79	65	59	65	57	62	62	51	2	11	21	25	23	25	23	21	19	19	18
Causes not specified										54	34	18	8	7	6	5	5	4	3	5
VIOLENT DEATHS.																					
In Mines and Quarries..	..	556	535	551	512	554	522	537	518	554	525	{	{	{	{	{	{	{	{	{	{
Vehicles and Horses																				
Ships, Boats, and Docks (not Drowning)	..																				
Building Operations																				
Machinery																				
Weapons and Implements																				
Burns and Scalds																				
Poisons, Poisonous Vapours																				
Drowning																				
Suffocation																				
Falls																				
Weather Agencies																				
Otherwise or not stated																				
Battle	11	10	11	10	10	10	9	10	9	9	0	0	0	—	0	0	0	0	—	—
Homicide	85	88	87	91	92	86	90	91	89	90	96	99	105	100	104	101	102	107	101	8
Suicide	0	1	1	1	0	1	0	0	0	0	0	1	1	1	1	0	0	0	1	100
Execution																				0

* See note to Table 21.

TABLE 23.—ENGLAND AND WALES.—Deaths from Various Causes at All Ages,* 1891-1910.—Males.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (see Annual Report for 1901, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
ALL CAUSES		302494	286062	291889	256015	290704	270575	280211	283991	299472	303823	285618	277216	266290	283206	267601	274233	269259	268714	265203	249016
Small-pox { Vaccinated Not Vaccinated Doubtful		2	32	99	80	24	27	5	62	4	4	78	525	98	56	13	—	2	—	4	3
		8	59	140	84	33	62	3	35	3	7	61	401	109	76	7	—	1	—	4	1
Cow-pox and other effects of Vaccination		18	166	643	301	67	196	9	44	96	39	62	513	297	180	43	8	3	7	10	10
		21	30	34	26	29	23	21	23	23	11	6	11	11	17	11	12	7	4	4	3
Chicken-pox		53	70	71	66	42	88	57	67	71	69	57	61	57	55	52	67	68	43	52	55
Measles (Morbilli)		6509	6907	5771	6107	5858	8993	6533	6783	5094	6506	4765	6633	4704	6313	5623	4748	6578	4135	6466	4305
German Measles		24	41	19	30	14	31	18	22	14	14	30	15	19	19	18	14	25	11	21	7
Scarlet Fever		2495	2799	3430	2452	2238	2749	2296	1808	1864	1951	2188	2469	2121	1895	1917	1793	1644	1401	1662	1181
Typhus		74	48	71	58	28	36	26	27	17	14	21	37	33	20	19	5	13	8	11	5
Plague		—	—	—	—	—	—	—	—	—	—	10	2	—	1	1	—	—	1	—	2
Relapsing Fever		4	7	2	2	4	2	1	1	—	4	2	1	—	—	—	1	—	2	—	1
Influenza		8621	7673	4808	3233	6173	1912	3985	5010	6085	7383	2912	3642	3067	2782	3387	3124	4431	4842	4300	3253
Whooping-cough		6051	6005	4515	5547	4275	5859	5234	4495	4622	5157	4573	4474	4334	5260	3954	3717	4501	4339	3137	3862
Mumps		40	44	49	35	26	41	40	31	42	42	44	51	44	50	52	53	54	49	45	55
Diphtheria		2365	3156	4652	4198	3851	4436	3764	3724	4453	4612	4374	3741	2947	2825	2626	2933	2785	2729	2521	2022
Cerebro-spinal Fever		10	13	10	7	9	8	4	7	15	8	29	40	29	43	71	34	101	67	63	70
Pyæmia (origin uncertain)		146	121	128	103	77	82	50	69	50	54	50	41	33	30	23	10	19	10	8	5
Enteric Fever		2603	2194	3611	2701	2870	2935	2681	3205	3561	3272	2925	2396	1929	1837	1750	1840	1373	1617	1270	1047
Asiatic Cholera		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Enteritis, Epidemic Diarrhoea		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dysentery		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malaria		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rabies, Hydrophobia		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Gonorrhoea		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		1042	1108	1190	1066	1126	980	1046	1007	972	990	956	935	986	1009	1002	937	952	939	968	957
		333	299	291	316	321	343	368	326	334	354	350	20	12	25	18	24	16	10	18	14

* For deaths at groups of ages from these causes in 1909, see pp. 290-306.

† Called Simple Continued Fever previous to 1901.

‡ Called Food, Ptomaine-Poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from diarrhoea in artificially fed children.

§ Includes deaths from Stricture of the Urethra previous to 1902. See also note to "Other Diseases of Urinary System," p. 46.

TABLE 24.—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Males.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (see Annual Report for 1901, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
ALL CAUSES		21465	20017	20251	17560	19719	18099	18584	18623	19419	19480	18112	17398	16540	17361	16280	16511	16044	15803	15478	14383
Small-pox { Vaccinated Not Vaccinated Doubtful	..	0	2	7	5	2	2	0	4	0	0	5	33	6	3	1	—	0	—	0	0
	..	1	4	10	6	4	4	0	2	0	0	4	25	7	5	0	0	0	—	0	0
Cow-pox and other effects of Vaccination	..	1	12	45	21	5	13	1	3	6	3	0	32	18	11	3	0	0	0	1	1
	..	1	2	2	2	2	2	1	1	1	1	0	1	4	1	1	1	0	0	0	0
Chicken-pox	4	5	5	5	3	6	4	4	5	4	4	4	4	3	3	4	4	3	3	3
Measles (Morbilli)	462	483	400	419	397	602	433	445	330	417	302	416	292	387	342	286	392	243	377	249
German Measles	2	3	1	2	1	2	4	4	1	1	2	1	1	1	1	1	1	1	1	0
Scarlet Fever	177	196	238	168	152	184	152	119	121	125	139	155	132	116	117	108	98	82	97	68
Typhus	5	3	5	4	2	2	2	2	1	1	1	2	2	1	1	0	1	0	1	0
Plague	—	—	—	—	—	—	—	—	—	—	1	0	—	—	0	—	—	—	—	0
Relapsing Fever	0	0	0	0	0	0	0	0	—	0	1	0	—	—	0	—	—	0	—	0
Influenza	612	537	334	222	419	128	205	329	395	493	185	229	190	171	206	188	264	285	251	188
Whooping-cough	429	420	313	381	290	392	347	295	300	331	290	281	269	322	241	224	268	255	183	223
Mumps	3	3	3	2	3	3	3	2	3	3	3	3	3	3	3	3	3	3	3	3
Diphtheria	168	221	323	288	261	297	250	244	289	296	277	235	183	173	160	177	166	160	147	117
Cerebro-spinal Fever	1	1	1	0	1	0	0	0	1	1	2	3	2	3	4	2	6	4	4	4
Pyrexia* (origin uncertain)	10	8	9	7	5	0	0	5	3	3	3	3	2	2	1	1	1	1	0	0
Enteric Fever	185	154	251	185	195	196	178	210	231	210	185	150	120	113	106	111	82	95	74	60
Asiatic Cholera.	p	p	p	p	p	p	p	p	p	p	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food*	1	0	1	1	1	1	1	2	2	2	2	3	3	4	7	10	7	9	9	8
Infective Enteritis, Epidemic Diarrhoea.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)	522	568	1084	387	977	616	945	1034	1049	793	397	166	260	551	382	579	164	320	153	172
Dysentery	—	—	—	—	—	—	—	—	—	—	608	296	337	402	275	371	166	245	153	152
Tetanus	2	3	2	2	1	1	1	1	1	3	11	9	11	10	7	9	7	8	7	7
Malaria	6	5	4	4	5	5	7	4	5	6	3	9	12	12	11	12	10	8	10	9
Rabies, Hydrophobia	0	0	0	1	0	0	0	0	—	—	—	6	4	6	4	3	4	3	4	3
Glanders	0	0	0	0	0	0	0	0	—	—	—	0	—	—	—	—	—	—	—	0
Anthrax (Splenic Fever)	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Syphilis	74	78	83	73	76	66	69	66	63	63	61	59	61	62	61	56	57	55	56	55
Gonorrhoea*	24	21	20	22	22	23	24	21	22	23	22	1	1	2	1	1	1	1	1	1

* See note to Table 23.

TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1891-1910.—Males.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Puerperal Septicæmia, Puer. Septic Intoxication	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Pyæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmasia Alba Dolens	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Endocarditis*	?	?	?	?	?	?	?	?	?	?	173	190	180	203	208	230	212	251	253	246
{ Lobar	25332	21231	22103	18605	20327	20330	20163	20134	23044	26147	{ 1437	2184	2017	2345	2982	3117	3341	3030	3719	3373
{ Broncho-	—	—	—	—	—	—	—	—	—	—	{ 8022	9974	9269	10345	10022	9057	11237	10270	10349	9308
{ Epidemic	—	—	—	—	—	—	—	—	—	—	{ 54	7	3	—	3	4	2	3	9	6
{ Not defined	—	—	—	—	—	—	—	—	—	—	{ 12110	14361	11706	11529	12061	11448	11833	10368	11657	9854
Erysipelas	644	767	1025	706	564	570	501	516	624	646	607	663	561	622	646	642	541	443	523	433
Septicæmia, Septic Intoxication (not Puerperal)	289	303	387	357	316	379	367	302	412	463	152	205	196	204	221	235	273	251	210	173
Pyæmia (not Puerperal)	297	328	343	303	302	305	353	331	387	403	113	142	140	101	135	113	93	84	81	65
Phlegmon, Carbuncle (not Anthrax)	28	24	35	20	34	20	16	25	17	16	410	453	412	456	468	511	471	436	494	422
Phagedæna	?	?	?	?	?	?	?	?	?	?	24	18	19	14	27	11	19	10	14	3
Other Infective Processes	—	—	—	—	—	—	—	—	—	—	99	36	55	78	104	130	136	131	151	145
Pulmonary Tuberculosis (Tuberculous Phthisis)	25090	23223	23600	22755	23027	22166	23046	23037	23906	24491	{ 4333	6267	8293	9701	9981	10804	11299	11756	12111	11992†
{ Phthisis (not otherwise defined)	—	—	—	—	—	—	—	—	—	—	{ 19121	16954	14729	14149	12245	11841	11348	10667	9825	8538
Tuberculous Meningitis	3992	3734	3663	3385	3691	3483	3522	3608	3452	3412	3134	3084	3406	3359	3187	3117	3090	3057	2955	2889
Tuberculous Peritonitis	3897	3753	4116	3005	3910	3198	3355	3344	3335	3164	{ 1475	1477	1788	1994	1798	1925	1787	1924	1833	1820
Tabes Mesenterica	—	—	—	—	—	—	—	—	—	—	{ 1764	1311	1150	1064	784	660	531	554	488	424
Lupus	18	25	19	24	14	21	16	16	19	19	{ 24	16	18	28	23	22	28	18	23	15
Tubercle of other Organs	—	—	—	—	—	—	—	—	—	—	{ 666	663	842	957	935	1022	957	978	1060†	1243†
General Tuberculosis	3123	3025	2926	2993	3294	2984	2939	3109	2959	3249	{ 2187	2116	2173	2253	2015	2033	2117	2209	1908	1523†
Scrofula	—	—	—	—	—	—	—	—	—	—	{ 177	70	65	47	37	25	9	19	13	14
Parasitic Diseases	356	307	277	233	272	236	198	200	209	188	175	142	165	164	143	176	139	130	120	103
Starvation	39	35	37	28	24	19	25	23	28	24	11	16	19	17	17	14	15	11	11	22
Scurvy	10	13	14	12	20	9	20	17	23	18	15	15	22	21	21	26	21	25	26	25
Alcoholism, Delirium Tremens	1327	1231	1334	1109	1237	1364	1460	1500	1735	2063	1778	1673	1475	1396	1297	1341	1328	1112	998	862

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis." (See p. 42.)

† See remarks, page lix. The transference of deaths to Tubercle of other Organs, there mentioned, applies partly to 1909 also.

TABLE 24 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Males.

CAUSES OF DEATH.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Puerperal Septicæmia, Puer. Septic Intoxication	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Pyæmia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmasia Alba Dolens ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined) ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Endocarditis* ..	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?	?
{ Lobar ..	1798	1486	1533	1276	1379	1360	1337	1320	1494	1676	{ 11 91 509 768	{ 12 137 626 901	{ 11 125 576 727	{ 12 144 634 707	{ 13 181 610 734	{ 14 188 545 689	{ 13 199 670 705	{ 15 178 604 610	{ 15 217 604 680	{ 14 195 538 569
{ Broncho- Epidemic ..																				
{ Not defined ..																				
Pneumonia ..	46	54	71	48	38	38	33	34	40	41	{ 38 10 7 26	{ 42 13 9 28	{ 35 12 9 26	{ 38 13 6 28	{ 39 13 8 28	{ 39 14 7 31	{ 32 16 6 28	{ 26 15 5 26	{ 31 12 5 29	{ 25 10 4 24
Erysipelas ..																				
Septicæmia, Septic Intoxication (not Puerperal) ..																				
Pyæmia (not Puerperal) ..	21	21	27	24	21	25	24	20	27	30	{ 7 26	{ 9 28	{ 9 26	{ 6 28	{ 8 28	{ 7 31	{ 6 28	{ 5 26	{ 5 29	{ 4 24
Phlegmon, Carbuncle (not Anthrax) ..																				
Phagedæna ..																				
Other Infective Processes ..	?	?	?	?	?	?	?	?	?	?	{ 2 1 2 6	{ 1 2 1 2	{ 1 1 1 3	{ 1 1 1 5	{ 2 2 2 6	{ 1 1 1 8	{ 1 1 1 8	{ 1 1 1 8	{ 0 0 0 9	
Pulmonary Tuberculosis (Tuberculous Phthisis) ..																				
Phthisis (not otherwise defined) ..																				
Tuberculous Meningitis ..	283	261	254	232	250	233	234	237	224	219	{ 199 94 112	{ 194 93 82	{ 212 111 71	{ 206 122 65	{ 194 109 48	{ 188 116 40	{ 184 106 32	{ 180 113 33	{ 172 107 28	{ 167 105 24
Tuberculous Peritonitis ..																				
Tabes Mesenterica ..																				
Lupus ..	277	263	286	206	265	214	223	219	216	203	{ 2 1 2	{ 1 1 1	{ 1 1 1	{ 2 1 2	{ 1 1 1	{ 1 1 1	{ 2 1 1	{ 1 1 1	{ 1 1 1	{ 1 1 1
Tubercle of other Organs ..																				
General Tuberculosis ..																				
Serofula ..	222	212	203	205	223	200	195	204	192	208	{ 42 139 11	{ 42 133 11	{ 52 135 4	{ 59 138 3	{ 57 123 2	{ 62 122 2	{ 57 126 1	{ 58 130 1	{ 62* 111 1	{ 72* 88* 1
Parasitic Diseases ..																				
Starvation ..																				
Scurvy ..	3	2	3	2	2	1	2	2	2	2	{ 1 1 1	{ 1 1 1	{ 1 1 1	{ 1 1 1	{ 1 1 1	{ 1 1 1	{ 1 1 1	{ 1 1 1	{ 1 1 1	{ 1 1 1
Alcoholism, Delirium Tremens ..																				

* See note to Table 23.

TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1891-1910.—Males.

CAUSES OF DEATH	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Opium, Morphia-habit
Industrial Poisoning :—
By Lead	105	102	105	102	115	101	102	112	91	105	96	80	88	83	76	70	89	102	88	80
" Phosphorus	?	?	?	?	?	?	?	?	?	?	—	1	—	—	—	—	1	—	—	—
" Arsenic and other Poisons	?	?	?	?	?	?	?	?	?	?	4	1	3	1	1	2	1	1	1	—
Rheumatic Fever, Acute Rheumatism
<i>Rheumatism of Heart</i>	1278	1305	1546	1280	1102	1317	1266	1195	1302	1430	{ 1108	1091	875	894	1016	1090	967	871	961	793
Chronic Rheumatism	494	454	408	359	368	348	395	405	405	392	302	278	239	240	158	137	181	156	149	134
Rheumatoid Arthritis, <i>Rheumatic Gout</i>	335	198	205	222	165	146	172	195	167	140
Gout	521	487	482	428	494	461	462	421	428	383	290	289	273	275	253	259	299	245	295	294
..	416	386	364	405	326	366	362	333	320	307
Carcinoma*	4746	5071	5743	6128	6423	6963	6895	7476	7794	8370
Sarcoma	7294	7547	7908	8077	8628	9216	{ 773	802	883	790	846	843	929	893	949	987	1034	1054	1073	1116
Cancer, Malignant Dis. (not otherwise defined)*	{ 8800	9130	9454	9685	5299	5184	5127	5065	5098	5307	5270	5371	5396	5357
Rickets	714	728	710	713	950	689	797	803	750	730	820	780	987	1076	791	778	707	697	664	617
Purpura	211	172	190	188	191	177	164	186	177	168	{ 148	140	150	129	130	110	145	148	159	147
Hæmophilia, Hæmorrhagic Diathesis	{ 49	59	49	59	47	46	57	57	58	62
Anæmia, Leucocythæmia	558	583	553	629	668	691	699	717	705	758	768	792	761	786	840	894	1004	968	997	1115
Diabetes Mellitus	1082	1142	1169	1166	1262	1243	1303	1437	1448	1455	1565	1462	1409	1612	1708	1736	1738	1842	1898	1982
Premature Birth..	9125	9344	9673	8990	9858	9739	10020	10393	10400	10316	10445	10661	10804	11097	10422	10767	10206	10553	10207	9816
Congenital Hydrocephalus†	2253	252	237	252	245	211	179	223	203	175
Other Congenital Defects†	2277	2277	2327	2391	2493	2579	2547	2661	2517	2538
Injury at Birth	29	42	76	68	76	94	93	85	196	254	382	389	413	464	418	521	485	585	566	484
Atelectasis	547	544	593	562	599	717	616	662	701	726	695	769	750	753	830	856	915	916	874	874
Want of Breast Milk	144	149	185	135	136	167	178	175	180	246	317	326	414	383	379	439	434	447	384	296
Teething	2564	2351	2197	1959	2313	1976	2072	1904	1845	1979	1750	1775	1802	1593	1288	1201	1169	1078	994	896

* For the years 1897-1900, deaths from Carcinoma are included under the heading "Cancer, Malignant Disease."

† Includes deaths of children under 6 months of age from "Hydrocephalus" for the year 1901 and subsequent years.

‡ Includes deaths of young children from Icterus for the year 1901 and subsequent years.

TABLE 24 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Males.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Opium, Morphia-habit Industrial Poisoning :— By Lead " Phosphorus " Arsenic and other Poisons	p	p	p	p	p	p	p	p	p	p	o	o	1	o	o	o	o	o	o	o
	..	7	7	7	7	8	7	7	7	6	7	6	5	5	5	5	4	5	6	5	5
	..	p	p	p	p	p	p	p	p	p	p	—	o	—	—	—	—	o	—	—	—
	..	p	p	p	p	p	p	p	p	p	p	o	o	o	o	o	o	o	o	o	o
Rheumatic Fever, Acute Rheumatism <i>Rheumatism of Heart</i> Chronic Rheumatism .. Rheumatoid Arthritis, <i>Rheumatic Gout</i> Gout	91	91	107	88	75	88	84	78	84	92	{	68	54	55	62	66	58	51	56	46
	..	35	32	28	25	25	23	26	27	26	25	21	17	13	15	10	8	11	11	9	8
	..	p	p	p	p	p	p	p	p	p	p	18	12	17	14	10	9	10	10	10	8
	..	37	34	33	29	34	31	31	28	28	25	26	24	23	25	20	22	22	20	19	17
	..	518	528	549	554	585	617	{	53	613	p	301	318	357	376	391	419	411	440	455	483
Carcinoma* Sarcoma .. Cancer, Malignant Dis.(not otherwise defined)* Rickets	51	51	49	49	64	46	53	53	49	47	52	49	61	66	48	47	42	41	39	36
	..	15	12	13	13	13	12	11	12	11	11	9	9	9	8	8	7	7	9	9	8
	..	40	41	38	43	45	46	46	47	46	49	3	4	3	4	3	3	3	3	3	4
	..	77	80	81	80	86	83	86	94	94	93	49	50	47	48	51	54	60	57	58	64
	..	51	51	49	49	64	46	53	53	49	47	52	49	61	66	48	47	42	41	39	36
Premature Birth Congenital Hydrocephalus* Other Congenital Defects* Injury at Birth .. Atelectasis .. Want of Breast Milk <i>Teething</i>	648	654	671	617	668	651	665	682	674	661	662	669	671	680	634	648	608	621	596	567
	..	97	99	102	105	96	98	101	101	102	103	143	{	17	15	15	13	11	13	12	10
	..	2	3	5	5	5	6	6	6	13	16	24	24	26	28	25	31	29	34	33	28
	..	39	38	41	39	41	48	41	43	45	47	44	48	47	46	50	52	55	54	51	50
	..	10	10	13	9	9	11	12	11	12	16	20	20	26	23	23	26	26	24	22	17
	..	181	165	152	134	157	132	137	125	120	127	111	111	112	98	78	72	70	63	58	52

* See note to Table 23.

TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1891-1910.—Males.

CAUSES OF DEATH.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Meningitis, Inflammation of Brain	4574	4172	4265	3594	4020	3900	4026	4035	4176	4105	3782	3528	3378	3404	3233	3301	2880	3016	2902	2653
Softening of Brain	1757	1730	1624	1417	1460	1372	1309	1345	1358	1189	1129	1118	1165	1209	1094	1156	1158	1183	1105	1075
General Paralysis of Insane	{	1728	1584	1802	1738	1772	1775	1713	1817	1723
Insanity (not Puerperal)	607	731	715	866	888	952	960	941	995	940
Chorea	36	32	39	30	35	40	33	38	40	43	57	55	41	35	36	37	38	41	38	31
Epilepsy	1563	1458	1446	1302	1439	1308	1336	1347	1371	1546	1533	1593	1598	1557	1496	1482	1458	1382	1472	1396
Convulsions	12726	11705	11579	10245	11536	10234	10445	10304	10044	10388	9863	9427	8649	8419	7377	7101	6545	6568	5890	5315
Laryngismus Stridulus	515	450	351	310	362	312	319	336	281	261	286	266	248	220	222	180	191	231	150	126
Locomotor Ataxy	1227	1195	1196	1230	1320	1221	1291	1293	1472	1472	341	409	418	411	448	463	461	477	496	485
Paraplegia, Diseases of Cord	{	1268	1139	1205	1115	1113	1030	1110	1156	1152
Neuritis, Peripheral, Poly-Neuritis	46	128	112	125	103	128	140	132	126	113
Brain Tumour (not Specific)	1913	1746	1876	1580	1704	1608	1525	1435	1460	1176	198	324	352	330	357	383	383	371	392	403
Other Diseases of Nervous System	2206	1924	1631	1797	1516	1568	1382	1291	1368	1212
Otitis, Mastoid Disease	316	349	447	389	494	456	511	486	496	589	491	483	564	618	624	648	601	578	647	579
Epistaxis, Diseases of Nose	47	50	50	44	35	51	48	42	44	37	42	49	36	49	41	41	27	38	40	35
Ophthalmia, Diseases of Eye	21	32	38	33	39	30	42	32	29	48	45	36	42	27	29	38	26	23	33	25
Valvular Disease, Endocarditis (not Infective)*
Pericarditis	4232	3991	4242	4400	4659	4759	5078	5122	5639	5937	5724	6052	6164	6683	6816	7176	7454	7611	7799	7726
Hypertrophy of Heart	363	346	379	355	279	296	349	318	332	369	337	231	219	226	230	237	273	237	224	247
Angina Pectoris	193	172	145	120	137	126	113	104	140	138	121	164	155	149	137	152	149	181	135	141
Dilatation of Heart	455	424	402	403	448	449	481	419	452	481	450	480	463	504	532	576	612	617	629	716
Fatty Degeneration of Heart	{	1027	1276	1430	1478	1551	1742	1670	1771	1586
Syncope, Heart Disease (not specified)†	17767	16857	15992	15404	16649	15584	16320	16109	17221	17204	874	960	950	990	1037	1045	1124	1133	1069	1150
Cerebral Haemorrhage, Cerebral Embolism‡	{	14151	13140	13315	12461	12639	12911	12469	12462	11789
Apoplexy, Hemiplegia	12115	11459	11247	10335	11234	10752	11171	11083	11414	11629	4837	5521	5954	6487	6644	7007	7403	7891	7999	8017
Aneurysm§	565	630	657	660	654	642	688	707	723	697	6037	5349	4606	4375	3980	3949	3847	3696	3609	3303
Senile Gangrene	851	805	708	681	730	618	681	677	690	750	773	842	854	869	898	882	941	867	946	898
Embolism, Thrombosis (not Cerebral)†	495	426	471	452	548	544	527	548	603	693	748	717	710	746	768	788	783	804	845	767
Phlebitis	65	65	71	49	51	67	58	58	63	87	257	231	185	174	171	187	231	192	203	171
Varicose Veins	35	32	33	35	28	31	32	33	31	39	61	48	60	57	59	45	46	40	55	37
Other Diseases of Blood Vessels†	?	?	?	?	?	?	?	?	?	?	776	817	798	1057	1167	1372	1530	1604	1975	2045

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis (not Infective)." (See p. 38.)
† For years prior to 1901, deaths from Other Diseases of Blood Vessels are included under the heading "Syncope, Heart Disease (not specified)"; see also note to Haemorrhage on p. 48.
‡ For years prior to 1901, deaths from Cerebral Embolism and from Cerebral Thrombosis are included under the heading "Embolism, Thrombosis (not Cerebral)."
§ Since 1901, Aneurysm has been taken as the cause of death when occurring with certain other diseases.

TABLE 24 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Males.

CAUSES OF DEATH.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Meningitis, Inflammation of Brain	325	292	296	247	273	261	267	265	271	263	240	221	210	209	197	199	172	177	169	153
Softening of Brain	125	121	113	97	99	92	87	88	88	76	72	70	72	74	67	70	69	70	64	62
General Paralysis of Insane	119	115	122	130	155	143	150	149	158	162	110	105	98	110	106	107	106	101	106	100
Insanity (not Puerperal)	3	2	3	2	2	3	2	2	3	3	4	3	3	53	54	2	2	55	58	54
Chorea	111	102	100	89	98	87	89	88	89	99	97	100	99	95	91	89	87	81	86	81
Epilepsy	903	819	803	703	783	685	693	676	651	666	625	592	537	516	449	428	390	386	344	307
Convulsions	37	31	24	21	25	21	21	22	18	17	18	17	15	13	14	11	11	14	9	7
Laryngismus Stridulus	87	84	83	84	90	82	86	85	95	94	80	69	71	74	68	67	61	65	67	67
Locomotor Ataxy	136	122	130	108	116	108	101	94	95	75	13	20	22	20	22	23	23	22	23	23
Paraplegia, Diseases of Cord											140	121	101	110	92	94	82	76	80	70
Neuritis, Peripheral, Poly-Neuritis																				
Brain Tumour (not Specified)																				
Other Diseases of Nervous System																				
Otitis, Mastoid Disease	22	24	31	27	34	31	34	32	32	38	31	30	35	38	38	39	36	34	38	33
Epistaxis, Diseases of Nose	3	3	3	3	2	3	3	3	3	2	3	3	2	3	2	2	2	2	2	2
Ophthalmia, Diseases of Eye	1	2	3	2	3	2	3	2	2	3	3	2	3	2	2	2	2	1	2	1
Valvular Disease, Endocarditis (not Infective)*																				
Pericarditis	300	279	294	302	315	318	337	336	366	381	363	380	383	410	415	432	444	448	455	446
Hypertrophy of Heart	26	24	26	24	19	20	23	21	22	24	21	14	14	14	14	14	16	14	13	14
Angina Pectoris	14	12	10	8	9	8	7	7	9	9	8	10	10	9	8	9	9	11	8	8
Dilatation of Heart	32	30	28	28	30	30	32	27	29	31	29	30	29	31	32	35	36	36	37	41
Fatty Degeneration of Heart																				
Syncope, Heart Disease (not specified)*	1261	1180	1110	1057	1129	1042	1082	1056	1117	1103	897	866	816	816	758	761	769	733	727	681
Cerebral Hæmorrhage, Cerebral Embolism*																				
Apoplexy, Hemiplegia	860	802	780	709	762	719	741	727	740	746	307	346	370	398	404	422	441	464	467	463
Aneurysm*	40	44	46	45	44	43	46	46	47	45	383	336	286	268	242	238	229	217	211	191
Senile Gangrene	60	56	49	47	50	41	45	44	45	48	49	53	53	53	55	53	56	51	55	52
Embolism, Thrombosis (not Cerebral)*	35	30	33	31	37	36	35	36	39	44	16	14	11	11	10	11	14	17	49	40
Phlebitis	5	5	5	3	3	4	4	4	4	6	4	3	4	3	4	3	3	2	12	10
Varicose Veins	2	2	2	2	2	2	2	2	2	3	2	2	2	3	2	2	2	2	3	2
Other Diseases of Blood Vessels*	?	?	?	?	?	?	?	?	?	?	49	51	50	65	71	83	91	94	115	118

* See note to Table 23.

TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1891-1910.—Males.

CAUSES OF DEATH.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Laryngitis ..	765	766	884	758	742	803	694	677	752	732	{ 722	690	613	624	579	578	633	512	566	485
Membranous Laryngitis (not Diphtheritic)	1392	1217	1153	939	891	834	598	469	553	465	19	21	13	25	21	25	18	15	17	11
Croup (not Spasmodic nor Membranous)	80	102	87	79	59	79	72	80	77	82	447	343	236	259	260	259	196	167	130	49
Other Diseases of Larynx and Trachea ..	37802	33071	27735	24656	29274	23569	23306	22970	25095	26717	37	17	20	29	28	40	22	24	15	11
Bronchitis	21812	21341	18481	20578	18961	17429	20423	18859	19404	17072
Emphysema, Asthma ..	1752	1672	1406	1263	1553	1287	1385	1392	1628	1569	1380	914	782	957	906	920	1041	985	1089	965
Pleurisy ..	1213	1033	1101	879	880	918	905	861	993	1136	958	758	747	696	827	738	733	709	815	760
Fibroid Disease of Lung	{ 476	507	467	413	411	408	490	415	420	339
Other Diseases of Respiratory System ..	2880	2490	2311	2028	2401	2108	2144	1958	2191	2149	{ 1698	1627	1520	1548	1465	1417	1297	1345	1361	1321
Tonsillitis, Quinsy ..	566	556	725	560	620	579	505	583	548	602	{ 232	227	216	208	191	207	206	200	221	174
Dis. of Mouth, Pharynx, Esophagus (not Spec.)*	{ 323	324	227	306	273	279	254	236	295	304
Gastric Ulcer ..	1899	1872	2219	2015	2284	2200	2415	2492	2537	2930	475	514	529	552	613	667	655	674	688	773
Gastritis, Gastric Catarrh	{ 2661	2293	2254	2151	1928	1664	1592	1630	1592	1613
Other Diseases of Stomach (not Malignant)	{ 3109	2188	2367	306	276	291	282	269	252	328
Ulceration of Intestines†	172	175	163	168	178	199	183	193	181	171	2192	1179	1397	1806	1478	2640	1910	2332	1994	1961
Enteritis (not Epidemic)†	2653	2906	4592	3111	5639	5091	7032	8483	10086	7017	736	901	1016	1124	1096	2082	1337	1877	1567	1695
Gastro-enteritis	633	694	639	665	708	738	702	1236	1279	1336
Appendicitis, Perityphlitis	1305	1197	1297	1270	1263	1336	1314	1301	1355	1205
Hernia†	111	154	155	137	131	128	131	149	147	179
Intestinal Obstruction..	599	608	676	621	626	586	627	617	674	677	726	506	450	435	383	391	308	345	282	223
Other Diseases of Intestines§	1331	1215	1339	1291	1378	1333	1425	1381	1381	1287	2375	2296	2196	2207	2166	2117	2070	2060	2048	1827
Peritonitis (not Puerperal) ..	1163	1089	1181	966	1060	1020	992	1016	984	905	1335	1110	984	906	866	882	850	746	825	737
Cirrhosis of Liver ..	2089	2029	2007	1983	1962	2092	2283	2318	2574	2527	316	198	263	272	189	151	186	210	217	118
Other Diseases of Liver and Gall Bladder	2299	2071	2159	1826	1871	1786	1701	1664	1687	1599
Other Diseases of Digestive System*§	773	763	817	719	575	497	492	386	324	333

* For years prior to 1901, deaths from Diseases of the Esophagus are included under the heading "Other Diseases of Digestive System."

† For the years 1901-3, deaths from Ulceration of Intestines are included under the heading "Enteritis (not Epidemic)."

‡ Since 1902, Hernia, when strangulated, has been taken as the cause of death when occurring with certain other diseases.

§ For years prior to 1901, deaths from Other Diseases of Intestines are included under the heading "Other Diseases of Digestive System."

TABLE 24 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Males.

CAUSES OF DEATH.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Laryngitis	54	54	61	52	50	54	46	44	49	47	{	43	38	38	35	35	38	30	33	28
Membranous Laryngitis (not Diphtheritic)							1					1	1	2	1	2	1	1	1	1
Croup (not Spasmodic nor Membranous)	99	85	80	64	60	56	28	31	36	30	28	22	15	16	16	16	12	10	8	3
Other Diseases of Larynx and Trachea ..	6	7	6	5	4	5	2	5	5	5	5	1	1	2	2	2	1	1	1	3
Bronchitis	2682	2314	1924	1691	1986	1577	1383	1506	1627	1713	1383	1339	1148	1261	1153	1049	1217	1109	1132	986
Emphysema, Asthma ..	124	117	98	87	105	86	88	91	106	101	88	57	49	59	55	55	62	58	64	56
Pleurisy	86	72	76	60	60	61	61	56	64	73	61	48	46	43	50	44	44	42	48	44
Fibroid Disease of Lung ..							{				{	30	29	25	25	25	29	24	25	20
Other Diseases of Respiratory System ..	204	174	160	139	163	141	108	128	142	138	108	102	94	95	89	85	77	79	79	76
Tonsillitis, Quinsy																				
Dis. of Mouth, Pharynx, Esophagus (not Spec.)*																				
Gastric Ulcer	40	39	50	38	42	39	33	38	36	39	{	14	13	13	12	12	12	12	13	10
Gastritis, Gastric Catarrh												20	14	19	17	17	15	14	17	18
Other Diseases of Stomach (not Malignant)	135	131	154	138	155	147	160	163	165	188	30	32	33	34	37	40	39	40	40	45
Ulceration of Intestines*	12	12	11	12	12	13	12	13	12	11	{	144	140	132	117	{	17	16	15	19
Enteritis (not Epidemic)*											169	137	147	{	126	18	17	16	15	32
Gastro-enteritis											197	137	147	19	17	21	28	27	28	113
Appendicitis, Perityphilitis	188	204	319	213	383	341	467	556	654	450	{	74	87	111	90	159	114	137	116	98
Hernia*											139	57	63	69	67	77	80	110	91	77
Intestinal Obstruction	43	43	47	43	42	39	42	40	44	43	40	44	40	41	43	44	42	38	41	37
Other Diseases of Intestines*	94	85	93	89	93	89	95	91	90	83	83	75	81	78	77	80	78	77	79	70
Peritonitis (not Puerperal)											7	10	10	8	8	8	8	9	9	10
Cirrhosis of Liver	83	76	82	66	72	68	66	67	64	58	46	32	28	27	23	24	18	20	16	13
Other Diseases of Liver	148	142	139	136	133	140	151	152	167	162	151	144	136	135	132	127	123	121	120	106
Other Diseases of Liver and Gall Bladder ..	163	145	150	125	127	119	85	109	109	103	85	70	61	56	53	53	51	44	48	43
Other Diseases of Digestive System* ..	55	53	57	49	39	33	33	25	21	21	20	12	16	17	11	9	11	12	13	7

* See note to Table 23.

TABLE 23 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1891-1910.—Males.

CAUSES OF DEATH.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Diseases of Spleen	48	47	49	34	31	25	35	26	29	24	39	25	21	23	20	27	21	22	24	15
Other Diseases of Lymphatic System	146	167	149	166	179	166	168	211	192	196	198	223	214	210	242	240	227	241	258	320
Diseases of Thyroid Body*	31	34	24	29	30	34	40	40	33	37	64	61	64	63	68	62	72	93	74	96
Diseases of Supra Renal Capsules.. .. .	55	72	69	79	74	85	76	92	99	93	81	81	93	92	74	116	83	97	109	96
Acute Nephritis, Uræmia	1393	1411	1448	1318	1428	1356	1528	1547	1555	1724	1746	1619	1567	1664	1680	1716	1844	1975	1974	1897
Chronic Bright's Disease, Albuminuria	4067	3993	4126	4107	4379	4324	4451	4568	4930	5374	5235	5013	5074	5465	5207	5498	5573	5374	5627	5850
Calculus (not Biliary)	176	164	186	192	176	170	211	197	188	174	185	182	156	176	177	187	198	161	155	159
Diseases of Bladder and of Prostate	1951	1907	1881	1763	2044	1963	2116	1995	2111	2075	2131	2201	2268	2258	2237	2403	2203	2256	2203	2189
Other Diseases of Urinary System†	756	652	625	479	496	453	451	496	458	287	229	459	445	451	496	480	470	486	430	543
Ovarian Tumour (not Malignant)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Ovary	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Tumour (not Malignant)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Uterus and Vagina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of Menstruation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Gener. & Mamm. Organs	93	95	114	90	100	78	93	91	85	102	77	67	48	73	53	62	48	41	50	66
Abortion, Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Mania.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Convulsions.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Placenta Prævia, Flooding	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Accidents of Pregnancy and Childbirth.. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caries, Necrosis	555	576	518	531	498	470	527	448	445	434	418	408	364	305	283	262	205	198	106†	43†
Arthritis, Periostitis	137	150	149	163	167	151	171	153	162	175	107	137	119	133	133	111	139	164	154	128
Other Diseases of Locomotor System	497	327	264	246	246	217	203	170	189	146	185	149	155	162	178	205	149	147	174	203
Ulcer, Bed-sore	173	177	216	194	199	194	181	174	173	192	160	132	153	136	140	157	144	129	152	149
Eczema	249	230	255	238	217	217	226	220	201	221	194	218	211	192	190	195	164	169	141	138
Pemphigus	64	61	68	64	78	82	69	78	83	100	96	81	98	104	140	134	123	135	113	113
Other Diseases of the Skin	84	100	102	89	128	125	104	108	108	142	130	108	103	92	119	110	129	111	111	113

* Deaths from Cretinism and Myxœdema, which in the old Tables were included with "Other Constitutional Diseases," have been classed under this heading since 1901.

† Since the year 1901, deaths from Stricture of the Urethra are included under this heading. See also note to Gonorrhœa, p. 36

‡ See remarks page lix. The transference of deaths from Caries, there mentioned, applies partly to 1909 also.

TABLE 24 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Males.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Diseases of Spleen	3	3	3	2	2	2	2	2	2	2	2	2	1	1	1	2	1	1	1	1
Other Diseases of Lymphatic System	10	12	10	11	12	11	11	14	12	13	13	14	13	13	15	14	14	14	15	18
Diseases of Thyroid Body*	2	2	2	2	2	2	3	3	2	2	4	4	4	4	4	4	4	5	4	6
Diseases of Supra Renal Capsules	4	5	5	5	5	6	5	6	6	6	5	5	6	6	5	7	5	6	6	6
Acute Nephritis, Uræmia	99	99	100	90	97	91	101	101	101	111	111	102	97	102	102	103	111	116	115	110
Chronic Bright's Disease, Albuminuria	289	279	286	282	297	289	300	320	320	345	332	315	315	335	317	331	332	316	328	319
Calculus (not Biliary)	12	11	13	13	12	11	13	12	12	11	12	11	10	11	11	11	12	9	9	9
Diseases of Bladder and of Prostate	138	133	131	121	139	131	131	137	137	133	135	138	141	138	136	145	131	133	129	126
Other Diseases of Urinary System*	54	46	43	33	34	30	33	30	30	18	15	29	28	28	30	29	28	29	25	31
Ovarian Tumour (not Malignant)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Ovary	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Tumour (not Malignant)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Uterus and Vagina	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of Menstruation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Gener. & Mamm. Organs	7	7	8	6	7	5	6	6	6	7	5	4	3	4	3	4	3	2	3	4
Abortion, Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Mania..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Convulsions..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Placenta Prævia, Flooding	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Accidents of Pregnancy and Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caries, Necrosis	39	40	36	36	34	31	35	29	29	28	27	26	23	19	17	16	12	12	6*	2*
Arthritis, Periostitis	10	10	10	11	11	10	11	10	11	11	7	9	7	8	8	7	8	10	9	7
Other Diseases of Locomotor System	35	23	18	17	17	15	13	11	12	9	12	9	10	10	11	12	9	9	10	12
Ulcer, Bed-sore	12	12	15	13	13	13	12	11	11	12	10	8	10	8	9	9	9	8	9	9
Eczema	18	16	18	16	15	15	15	14	13	14	12	14	13	12	12	12	10	10	8	8
Pemphigus	5	4	5	4	5	5	5	5	5	6	6	5	6	6	6	8	7	8	7	7
Other Diseases of the Skin....	6	7	7	6	9	8	7	7	7	9	8	7	6	6	7	7	8	7	6	7

* See note to Table 23.

TABLE 24 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Males.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
OTHER SPECIFIED DISEASES.*		19	17	19	17	20	20	19	22	24	27	—	0	0	0	0	—	—	—	—	—
CAUSES ILL-DEFINED OR NOT SPECIFIED.																					
Atrophy, Debility	857	820	874	686	852	732	735	739	733	730	704	621	608	598	553	536	497	498	459	425
Old Age	883	832	781	719	874	748	814	798	873	879	829	826	807	844	820	836	827	833	849	774
Dropsy, Ascites, Anasarca	13	10	10	9	8	8	7	9	9	8	5	5	4	3	3	2	4	2	1	1
Tumour	4	4	3	3	4	2	3	2	2	2	2	2	2	2	2	2	2	2	2	2
Abscess	19	19	19	14	15	14	14	12	11	11	11	11	11	10	8	8	9	12	8	8
Hæmorrhage*	6	5	6	7	5	6	5	4	5	4	1	2	2	1	1	1	1	1	1	2
Sudden Death (cause unascertained)	18	16	14	11	11	13	8	7	8	9	7	6	6	2	1	1	1	1	1	0
Other ill-defined causes	110	94	75	69	75	66	75	62	3	2	13	25	28	27	28	28	25	24	23	23
Causes not specified									61	61	43	21	9	9	8	6	7	5	4	6
VIOLENT DEATHS.																					
In Mines and Quarries	814	779	806	753	785	749	775	746	800	764	{									
Vehicles and Horses											64	61	58	60	68	65	65	67	80	75
Ships, Boats, and Docks (not Drowning)	..											146	139	133	129	126	128	131	125	112	115
Building Operations											21	17	18	18	17	16	15	16	15	15
Machinery											12	13	13	12	14	14	14	13	10	11
Weapons and Implements											13	16	15	15	12	14	14	13	12	11
Burns and Scalds											8	7	6	7	6	6	5	5	6	5
Poisons, Poisonous Vapours											78	64	62	62	63	65	66	63	64	57
Drowning											19	21	18	20	19	21	20	21	21	19
Suffocation											150	117	131	124	126	119	112	121	105	108
Falls											65	68	63	68	62	59	62	55	48	46
Weather Agencies											96	94	86	85	78	83	87	82	78	74
Otherwise or not stated											19	11	10	12	10	13	8	10	8	8
Battle											73	59	57	57	57	52	51	54	48	51
Homicide											0	0	0	—	0	0	0	0	—	—
Suicide	11	11	13	11	11	10	11	11	9	9	10	8	9	11	8	8	8	9	8	8
Execution	132	133	135	141	140	132	139	142	138	139	147	154	164	155	163	160	157	167	157	155
	..	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	0	1	1	1	1

* See note to Table 23.

TABLE 25.—ENGLAND AND WALES.—Deaths from Various Causes at All Ages,* 1891-1910.—Females.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (*see* Annual Report for 1901, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.																																																																																																																																																																																																																																																							
ALL CAUSES		285431	273622	278069	242812	278293	256152	261276	268160	282327	284007	265967	253322	248338	266578	252430	257048	254962	251742	252800	234231																																																																																																																																																																																																																																																							
Small-pox { Vaccinated Not Vaccinated Doubtful Cow-pox and other effects of Vaccination Chicken-pox Measles (Morbilli) German Measles Scarlet Fever Typhus Plague Relapsing Fever Influenza Whooping-cough Mumps Diphtheria.. .. . Cerebro-spinal Fever <i>Pyæriæ</i> † (origin uncertain) Enteric Fever	1	23	51	73	9	18	1	45	—	3	63	296	25	19	10	—	—	—	—																																																																																																																																																																																																																																																								
	..	9	47	113	92	28	56	2	24	69	10	50	390	65	48	13	—	—	—	—																																																																																																																																																																																																																																																								
	..	11	104	411	190	62	182	5	43	11	22	42	339	166	128	30	12	3	5	1																																																																																																																																																																																																																																																								
	..	22	28	25	24	27	19	15	17	11	14	11	11	15	11	15	17	5	—	—																																																																																																																																																																																																																																																								
	..	38	53	56	42	44	63	46	49	53	58	58	62	59	49	41	39	52	9	7																																																																																																																																																																																																																																																								
	..	6164	6346	5339	5650	5633	8625	6178	6437	4904	6204	4254	6297	4446	5993	5453	4696	6047	42	42																																																																																																																																																																																																																																																								
	..	27	37	26	22	16	25	26	18	23	23	28	16	20	16	20	11	22	6152	3997																																																																																																																																																																																																																																																								
	..	2464	2819	3552	2580	2294	2727	2281	1740	1858	1893	2151	2406	2037	1875	1917	1682	1576	18	8																																																																																																																																																																																																																																																								
	..	63	37	66	57	30	35	23	20	12	15	16	24	36	17	19	4	11	1553	1189																																																																																																																																																																																																																																																								
	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																							
	..	7	—	7	5	3	—	1	2	—	—	3	4	—	2	2	—	1	—	3																																																																																																																																																																																																																																																								
	..	8065	8064	4861	3392	6707	1841	3003	5395	6332	8562	2754	3724	3255	2912	3566	3186	4826	4892	1																																																																																																																																																																																																																																																								
	..	7561	7401	5661	6807	5319	7407	6197	5680	5507	6310	5632	5331	5188	6649	4755	4596	5754	4045	3251																																																																																																																																																																																																																																																								
	..	37	40	28	26	28	36	45	28	30	52	46	42	42	58	46	57	64	48	4935																																																																																																																																																																																																																																																								
	..	2671	3396	4814	4576	4044	4557	3890	3937	4842	4733	4524	4061	3130	2938	2830	3175	2947	2714	59																																																																																																																																																																																																																																																								
	..	21	16	3	16	14	3	6	4	6	1	30	20	39	38	56	37	60	67	2262																																																																																																																																																																																																																																																								
	..	179	123	137	100	80	82	70	67	63	59	51	52	43	37	30	19	20	49	62																																																																																																																																																																																																																																																								
	..	2272	1843	3190	2080	2456	2190	2170	2503	2743	2319	2146	1753	1418	1316	1302	1329	971	1034	872	842																																																																																																																																																																																																																																																							
Asiatic Cholera Diarrhoea due to Food† Infective Enteritis, Epidemic Diarrhoea <i>Diarrhoea</i> (not otherwise defined) Dysentery Tetanus Malaria Rabies, Hydrophobia Glanders Anthrax (Splenic Fever)	?	?	?	?	?	?	?	?	?	?	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																								
	..	1	4	16	12	9	12	18	31	32	38	30	43	35	47	100	131	92	122	114																																																																																																																																																																																																																																																								
	}	6602	7220	14101	5124	12987	8177	12807	14334	14793	11096	{ 5603 8360 137	2264	4161	4933	5804	4011	5606	2348	3555	2313																																																																																																																																																																																																																																																							
																						9	56	1	—	1	—	2	1	—	4	1	—	—	717																																																																																																																																																																																																																																									
																																				18	32	1	1	1	—	—	—	—	—	—	—																																																																																																																																																																																																																													
																																																53	1	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																		
	1	—	—	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																																	
												—	1	1	1	—	—	—	—	—	—	—	—																																																																																																																																																																																																																																																					
																								922	933	964	945	973	852	833	794	821	852	765	758	834	825	809	781	706	763	717																																																																																																																																																																																																																																		
																																											10	7	12	6	10	9	11	9	10	13	12	16	20	19	25	21	21																																																																																																																																																																																																																	
..

* For deaths at groups of ages from these causes in 1909, *see* pp. 291-307.

† Called Food Poisoning previous to 1904. The increase since that date is partly due to the inclusion of deaths from diarrhoea in artificially fed children.

TABLE 26.—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Females.

Note.—The list of diseases was revised and certain changes of classification were made in 1901 (*see* Annual Report for 1901, pages xxxviii-xxxix). Many of these and subsequent changes are explained in footnotes. The terms printed in italics, being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
ALL CAUSES	19037	17989	18119	15638	17715	16072	16248	16483	17153	17055	15791	15180	14443	15303	14381	14494	14228	13866	13819	12673
Small-pox { Vaccinated	0	2	3	5	1	1	0	3	—	0	4	17	1	1	1	—	—	—	0	—
Not Vaccinated	1	3	7	6	2	4	1	1	—	1	3	23	4	3	1	—	0	—	0	—
Doubtful	1	7	27	12	4	11	0	3	—	1	2	20	10	7	2	1	0	—	0	—
Cow-pox and other effects of Vaccination	1	2	2	2	2	1	1	1	—	1	1	1	1	1	1	1	0	0	0	—
Chicken-pox	3	3	4	3	3	4	3	3	3	3	3	4	3	3	2	2	3	3	2	2
Measles (Morbilli)	411	437	348	364	359	541	384	396	298	373	253	370	259	344	311	265	337	213	336	216
German Measles	2	2	2	1	1	2	2	1	1	1	2	1	1	1	1	1	1	1	1	0
Scarlet Fever	164	185	231	166	146	171	142	107	113	114	128	141	118	108	109	95	88	79	85	64
Typhus	4	2	4	4	2	2	1	1	1	1	0	1	2	1	1	0	1	0	0	—
Plague	—	—	—	—	—	—	—	—	—	—	0	—	—	—	—	—	—	—	—	0
Relapsing Fever	—	—	—	—	—	—	—	—	—	—	0	—	—	—	—	—	—	—	—	0
Influenza	538	530	317	218	427	116	187	332	385	514	164	219	189	167	203	180	269	290	256	176
Whooping-cough	504	487	369	438	339	465	385	349	335	379	334	313	302	382	271	259	321	304	221	267
Mumps	2	3	2	2	2	2	3	2	2	3	3	2	2	3	3	3	4	4	3	3
Diphtheria	178	223	314	295	257	286	242	242	294	284	269	239	182	169	161	179	164	156	148	122
Cerebro-spinal Fever	1	1	0	1	1	0	0	0	0	0	2	1	3	2	3	2	3	3	4	3
Pyrexia* (origin uncertain)	12	8	9	6	5	5	4	4	4	4	3	3	3	2	2	1	1	1	1	0
Enteric Fever	152	121	208	134	156	137	135	154	167	139	127	103	82	76	74	75	54	57	48	46
Asiatic Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food*	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Enteritis, Epidemic Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)	440	475	919	330	827	513	796	881	899	666	333	133	207	459	302	484	129	260	123	6
Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tetanus	1	1	1	0	1	0	1	1	0	1	1	3	8	7	5	8	6	6	7	6
Malaria	4	2	4	2	2	2	1	1	1	1	1	1	4	4	3	3	3	2	3	2
Rabies, Hydrophobia	0	0	0	0	0	0	—	0	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	61	61	63	61	62	53	52	49	50	51	45	45	49	47	46	44	39	42	39	37
Gonorrhoea	1	0	1	0	1	1	1	1	1	1	0	1	1	1	1	1	1	1	1	1

* See note to Table 25.

TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1891-1910.—Females.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
PuerperalSepticæmia,Puer.SepticIntoxication																					
Puerperal Pyæmia		2069	2439	3094	2257	1927	2123	1898	1767	1973	2017	{ 1490 37 74 478 }	1464	1258	1249	1307	1225	1056	1030	1063	967
Phlegmasia Alba Dolens																					
Puerperal Fever (not otherwise defined) ..																					
Infective Endocarditis*																					
{ Lobar																					
{ Broncho-																					
{ Epidemic																					
{ Not defined																					
Pneumonia		17467	15660	16144	13972	15282	15075	14672	15328	16801	18153	{ 6984 809 40 7957 }	8634	8156	9100	8783	8219	10080	8784	9446	8239
Erysipelas		619	707	896	647	535	531	513	454	603	581	{ 551 106 58 }	617	521	584	609	564	492	393	490	393
Septicæmia,SepticIntoxication(not Puerperal) ..		189	226	282	210	205	194	210	206	243	272	{ 106 91 }	146	166	160	182	204	169	165	159	127
Pyæmia (not Puerperal)																					
Phlegmon, Carbuncle (not Anthrax)		173	217	263	185	216	249	233	232	253	290	298	338	289	257	310	325	302	261	325	275
Phagedæna		26	28	43	24	32	16	37	20	21	27	12	14	16	12	25	13	10	21	14	2
Other Infective Processes												113	75	114	52	94	91	77	67	91	59
PulmonaryTuberculosis(TuberculousPhthisis) ..		21425	20100	20032	18886	19463	18085	18596	18298	18502	18496	{ 3229 14541 }	4213	5545	6685	6961	7580	8069	8436	8545	8800†
Phthisis (not otherwise defined)													13237	11565	11316	9763	9521	9123	8640	8158	7004
Tuberculous Meningitis		3188	2957	3062	2960	3055	2992	3084	3073	2997	2983	2820	2877	3070	3030	2896	2987	2795	2811	2819	2582
Tuberculous Peritonitis		3404	3382	3751	2758	3479	2846	2900	3013	2959	2812	{ 1458 1431 }	1480	1733	1921	1805	1932	1745	1859	1689	1734
Tuberculosis Mesenterica													1035	912	834	613	578	438	440	389	367
Lupus		60	53	38	38	54	45	38	37	42	35	41	56	44	38	57	62	50	38	56	46
Tubercle of other Organs													515	626	705	713	787	752	646	808†	945†
General Tuberculosis		2788	2841	2592	2559	2790	2537	2499	2657	2549	2695	{ 1884 165 }	1932	2092	2062	1906	1921	1944	2022	1731	1361†
Scrofula													93	56	62	40	24	19	6	14	20
Parasitic Diseases		302	310	300	222	258	202	195	203	180	177	173	135	149	145	102	128	102	116	102	75
Starvation																					
Scurvy		32	26	34	25	26	14	16	23	15	17	7	10	9	13	4	12	6	4	11	7
Alcoholism, Delirium Tremens		10	7	4	11	14	11	14	9	11	26	16	15	22	23	27	25	20	25	21	19
		728	740	840	733	808	824	937	964	1136	1575	1353	1111	1075	962	914	940	873	825	673	628

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis." (See p. 56.)
† See Remarks, page lix. The transference of deaths to Tubercle of other Organs, there mentioned, applies partly to 1909 also.

TABLE 26 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million Living, 1891-1910.—Females.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	
PuerperalSepticæmia,Puer.SepticIntoxication		138	160	202	145	123	133	118	109	120	121	{	88	86	73	72	74	69	59	57	58	52
Puerperal Pyæmia																						
Phlegmasia Alba Dolens																						
Puerperal Fever (not otherwise defined) ..																						
Infective Endocarditis*		1165	1030	1052	900	973	946	912	942	1021	1090	{	12	11	12	11	12	13	15	15	15	
Lobar																						
Broncho- Epidemic																						
Not defined																						
Pneumonia		41	15	18	14	13	12	13	28	37	35	33	36	30	34	35	491	470	416	469	383	
Erysipelas																						
Septicæmia,SepticIntoxication(notPuerperal)																						
Pyæmia (not Puerperal)																						
Phlegmon, Carbuncle (not Anthrax)		12	14	17	12	14	16	14	14	15	17	18	20	17	15	18	18	17	14	18	15	
Phagedæna																						
Other Infective Processes																						
.. .. .																						
PulmonaryTuberculosis(TuberculousPhthisis)		1429	1321	1305	1216	1239	1135	1156	1125	1124	1111	{	192	248	322	384	397	427	450	465	467	476*
Phthisis (not otherwise defined)																						
Tuberculous Meningitis																						
Tuberculous Peritonitis																						
Tuberculous Mesenterica		213	227	244	178	221	179	180	185	180	169	{	87	87	101	110	103	109	97	154	140	
Lupus																						
Tubercle of other Organs																						
General Tuberculosis																						
Scrofula		186	187	169	165	178	159	155	163	155	162	{	28	30	36	40	41	44	42	36	44*	51*
.. .. .																						
.. .. .																						
.. .. .																						
Parasitic Diseases		20	20	20	14	16	13	12	12	11	11	10	8	9	8	6	7	6	6	6	4	
.. .. .																						
.. .. .																						
.. .. .																						
Starvation		2	2	2	2	2	1	1	1	1	1	0	1	1	1	0	1	0	0	1	0	
Scurvy																						
Alcoholism, Delirium Tremens																						
.. .. .																						

* See note to Table 25.

TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1891-1910.—Females.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Opium, Morphia-habit
Industrial Poisoning:—
By Lead	..	26	21	28	29	27	24	25	21	12	9	6	11	7	4	9	4	7	7	13	6
" Phosphorus	..	?	?	?	?	?	?	?	?	?	?	5	3	2	4	2	4	3	3	3	6
" Arsenic and other Poisons	..	?	?	?	?	?	?	?	?	?	?	—	1	—	1	—	—	—	—	—	—
Rheumatic Fever, Acute Rheumatism	..	1269	1217	1539	1366	1155	1360	1261	1220	1345	1357	{ 1062	1055	937	894	1105	1129	1057	934	1009	887
<i>Rheumatism of Heart</i>	313	351	331	346	196	196	234	207	208	184
Chronic Rheumatism	..	573	575	470	440	520	502	519	500	518	502	455	308	257	266	272	246	268	249	271	231
Rheumatoid Arthritis, <i>Rheumatic Gout</i>	..	?	?	?	?	?	?	?	?	?	?	568	522	610	669	645	692	682	715	793	746
Gout	..	132	113	137	137	112	118	108	101	131	121	105	103	102	95	89	95	88	83	81	76
Carcinoma*	7947	8469	9070	9404	9656	10202	10715	10907	11719	11950
Sarcoma	..	12823	12806	13227	13345	14317	14305	712	749	823	821	830	847	860	860	838	908	813	842	901	957
Cancer, Malignant Dis. (not otherwise defined)*	14158	14515	15165	15425	7819	7458	7360	7332	7257	7301	7018	7067	7170	6857
Rickets	..	530	593	535	517	667	544	630	593	585	563	564	589	663	746	607	599	552	492	454	444
Purpura	..	167	144	171	181	170	157	176	188	155	152	154	158	155	164	130	140	157	145	153	155
Hæmophilia, Hæmorrhagic Diathesis	30	29	31	27	40	38	46	24	33	23
Anæmia, Leucocythæmia	..	1000	966	971	991	1215	1149	1150	1107	1161	1114	1143	1050	1032	1057	1090	1156	1186	1207	1219	1304
Diabetes Mellitus	..	848	869	913	871	1003	1043	1123	1148	1270	1312	1399	1307	1435	1521	1466	1606	1622	1768	1800	1955
Premature Birth...	..	7326	7233	7590	6847	7650	7645	7759	7959	8148	8163	8119	8248	8277	8530	8449	8294	8013	8118	8003	7758
Congenital Hydrocephalus†	..	1143	1244	1254	1245	1298	1251	1271	1200	1319	1388	1825 {	147	194	165	119	166	150	156	126	127
Other Congenital Defects†	1682	1807	1923	1999	2084	1973	2075	2084	1933
Injury at Birth	..	21	31	52	52	58	84	73	77	137	194	221	262	276	308	291	345	331	357	390	362
Atelectasis	..	375	395	393	407	480	518	459	485	498	499	489	486	562	574	614	602	638	681	632	679
Want of Breast Milk	..	116	124	162	96	122	128	142	143	152	213	228	248	303	311	282	322	331	331	285	245
Teething	..	2107	1891	1860	1594	1880	1745	1656	1638	1551	1622	1518	1433	1463	1382	1055	974	919	905	775	704

* For the years 1897-1900, deaths from Carcinoma are included under the heading "Cancer, Malignant Disease."

† Includes deaths of children under 6 months of age from "Hydrocephalus" for the year 1901 and subsequent years.

‡ Includes deaths of young children from Icterus for the year 1901 and subsequent years.

TABLE 26 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Females.

CAUSES OF DEATH.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Opium, Morphia-habit
Industrial Poisoning:—
By Lead	2	1	2	2	2	2	2	1	1	1	1	..
" Phosphorus
" Arsenic and other Poisons
Rheumatic Fever, Acute Rheumatism	85	80	100	88	74	85	78	75	82	81	{	62	54	51	63	64	59	51	55	48
<i>Rheumatism of Heart</i>	21	19	20	11	11	13	11	11	10
Chronic Rheumatism	38	38	31	28	33	31	32	31	31	30	27	18	15	15	15	14	15	14	15	12
Rheumatoid Arthritis, <i>Rheumatic Gout</i>	33	31	35	38	37	39	38	39	43	40
Gout	9	7	9	9	7	7	7	6	8	7	6	6	6	5	5	5	5	5	4	4
Carcinoma*
Sarcoma	472	498	527	540	550	575	598	601	641	647
Cancer, Malignant Dis. (not otherwise defined)*	855	842	862	859	911	898	{ 44 880	46 892	50 921	49 926	49 464	50 438	50 428	49 421	48 413	51 412	45 392	46 389	49 392	52 371
Rickets	35	39	35	33	42	34	39	36	36	34	33	35	39	43	35	34	31	27	25	24
Purpura
Hæmophilia, Hæmorrhagic Diathesis
Anæmia, Leucocythæmia	67	64	63	64	77	72	72	68	71	67	68	62	60	61	62	65	66	66	67	71
Diabetes Mellitus	57	57	59	56	64	65	70	71	77	79	83	77	83	87	84	91	91	97	98	106
Premature Birth	489	476	495	441	487	480	483	489	495	490	482	485	481	490	481	468	447	447	437	420
Congenital Hydrocephalus*
Other Congenital Defects*	76	82	81	80	83	79	79	74	80	84	108	99	105	9	7	9	8	9	7	7
Injury at Birth
Atelectasis	25	26	26	26	31	33	29	30	30	30	13	15	16	18	17	19	18	20	21	20
Want of Breast Milk	8	8	11	6	8	8	9	9	9	13	14	15	18	18	16	18	18	18	16	13
Teething	141	124	121	103	120	109	103	101	94	97	90	84	85	79	60	55	51	50	42	38

* See note to Table 25.

TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1891-1910.—Females.

CAUSES OF DEATH.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Meningitis, Inflammation of Brain	3881	3660	3843	3299	3541	3384	3403	3521	3379	3531	3291	3044	2963	2897	2801	2696	2549	2500	2412	2553
Softening of Brain	1518	1393	1399	1192	1288	1178	1180	1238	1188	1072	1032	952	1009	1057	1088	1073	1121	1147	1023	1002
General Paralysis of Insane	{
Insanity (not Paralytic)
Chorea
Epilepsy
Convulsions
Laryngismus Stridulus
Locomotor Ataxy
Paraplegia, Diseases of Cord
Neuritis, Peripheral, Poly-Neuritis
Brain Tumour (not Specific)
Other Diseases of Nervous System	1769	1650	1829	1542	1733	1500	1428	1460	1496	1166	2026	1882	1716	1850	1551	1511	1430	1286	1371	1199
Otitis, Mastoid Disease
Epistaxis, Diseases of Nose	251	265	324	344	334	376	394	409	408	441	443	431	450	440	491	494	507	455	444	439
Ophthalmia, Diseases of Eye	38	36	45	44	41	44	43	40	32	41	36	30	45	31	43	26	39	35	41	35
	27	23	26	32	33	27	24	13	24	28	26	24	28	30	32	37	34	19	21	37
Valvular Disease, Endocarditis (not Infective)*	5006	4781	4387	4915	5413	5461	5566	5937	6479	6945	6770	6951	7251	7874	8031	8294	8872	8752	9236	9043
Pericarditis	305	262	283	252	248	254	205	217	272	254	299	207	203	190	225	192	208	185	186	199
Hypertrophy of Heart	148	128	110	98	119	87	84	102	107	103	89	109	92	102	85	84	75	85	85	59
Angina Pectoris	272	226	237	243	248	259	233	223	246	255	225	248	237	249	307	313	330	312	328	294
Dilatation of Heart
Fatty Degeneration of Heart
Syncope, Heart Disease (not specified)†	20705	18941	18261	17164	19419	17450	18090	18178	19292	19178	1172	1327	1308	1595	1573	1576	1778	1685	1778	1609
	{	1147	1113	1242	1231	1275	1359	1417	1424	1267
	15915	15240	14311	15148	14173	13651	14081	13527	13792	12398
Cerebral Haemorrhage, Cerebral Embolism‡	14297	13610	13250	12249	13293	12886	13200	13192	13835	13585	5897	6495	7442	7788	8119	8774	9140	9529	9939	9869
Apoplexy, Hemiplegia	{	6434	5585	5533	4780	4881	4718	4473	4485	4081
Aneurysms	185	180	198	191	195	198	191	182	176	178	194	225	183	224	188	219	199	192	221	225
Senile Gangrene	717	603	531	600	601	569	603	580	588	693	658	676	635	657	619	630	662	652	706	640
Embolism, Thrombosis (not Cerebral)†	611	650	706	697	766	825	820	846	978	1007	329	280	233	270	241	258	285	281	269	230
Phlebitis	99	104	99	76	84	86	90	103	117	107	102	99	111	91	91	82	84	85	93	99
Varicose Veins	72	78	78	64	53	69	72	64	58	82	75	73	66	77	91	79	70	67	79	74
Other Diseases of Blood Vessels†	448	512	513	614	692	866	982	943	1143	1240

* For years prior to 1901, deaths from Infective Endocarditis are included under the heading "Valvular Disease, Endocarditis (not Infective)." (See p. 52.)
† For years prior to 1901, deaths from Other Diseases of Blood Vessels are included under the heading "Syncope, Heart Disease (not specified)"; see also note to Hamorrhage on p. 62.
‡ For years prior to 1901, deaths from Cerebral Embolism and from Cerebral Thrombosis are included under the heading "Embolism, Thrombosis (not Cerebral)."
§ Since 1901, Aneurysm has been taken as the cause of death when occurring with certain other diseases.

TABLE 26 (cont).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Females

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Meningitis, Inflammation of Brain	..	259	241	250	212	225	212	212	216	205	212	195	179	172	166	160	152	142	138	133	127
Softening of Brain	..	101	92	91	77	82	74	73	76	72	64	61	56	59	61	62	61	63	63	56	54
General Paralysis of Insane	..	75	68	78	73	85	78	89	80	84	99	32	34	32	33	31	32	31	28	30	27
Insanity (not Puerperal)	45	56	55	61	67	68	70	64	62	
Chorea	..	7	5	6	6	6	5	7	7	8	8	8	6	6	5	7	7	5	5	6	6
Epilepsy	..	99	89	89	81	88	80	74	81	84	87	80	83	85	78	80	74	75	72	73	70
Convulsions	..	633	591	604	508	570	509	494	483	485	487	465	419	376	361	317	306	280	272	242	221
Laryngismus Stridulus	..	19	17	16	12	15	13	12	11	9	11	11	10	11	10	8	7	7	6	7	6
Locomotor Ataxy	..	61	55	55	55	60	53	57	59	57	56	4	4	5	6	6	6	7	6	7	5
Paraplegia, Diseases of Cord	60	56	55	57	55	54	53	56	52	51
Neuritis, Peripheral, Poly-Neuritis	5	13	18	17	16	18	19	15	15	14
Brain Tumour (not Specific)	..	118	108	119	99	110	94	89	90	91	70	11	16	15	19	19	20	21	20	21	22
Other Diseases of Nervous System	120	111	100	106	88	85	80	71	75	65
Otitis, Mastoid Disease	..	17	17	21	22	21	24	25	25	25	26	26	25	26	25	28	28	28	25	24	24
Epistaxis, Diseases of Nose	..	3	2	3	3	3	3	3	2	2	2	2	2	3	2	2	1	2	2	2	2
Ophthalmia, Diseases of Eye	..	2	2	2	2	2	2	1	1	1	2	2	1	2	2	2	2	2	1	1	2
Valvular Disease, Endocarditis (not Infective)*	..	334	314	318	317	345	343	346	365	394	417	402	408	422	452	458	468	495	482	505	489
Pericarditis	..	20	17	18	16	16	16	13	13	17	15	18	12	12	11	13	11	12	11	10	11
Hypertrophy of Heart	..	10	8	7	6	8	5	5	6	7	6	5	6	5	6	5	5	4	5	5	3
Angina Pectoris	..	18	15	15	16	16	16	14	14	15	15	13	15	14	14	17	18	18	17	18	16
Dilatation of Heart	70	78	76	92	90	89	99	93	97	87
Fatty Degeneration of Heart	63	67	65	71	70	75	76	78	78	69
Syncope, Heart Disease (not specified)*	..	1381	1245	1190	1105	1236	1095	1125	1117	1172	1152	945	896	832	870	807	770	786	745	754	698
Cerebral Haemorrhage, Cerebral Embolism*	..	954	895	863	789	846	809	821	811	841	816	350	382	433	447	462	495	510	525	543	534
Apoplexy, Hemiplegia	..	12	12	13	12	12	12	12	11	11	11	425	378	325	318	272	275	263	246	245	221
Aneurysm	..	48	40	35	39	38	36	37	36	36	42	39	40	37	38	35	36	37	36	39	35
Senile Gangrene	..	41	43	46	45	49	52	51	52	59	60	20	16	14	15	14	15	16	15	15	12
Embolism, Thrombosis (not Cerebral)*	..	7	7	6	5	5	5	6	6	7	6	6	6	6	5	5	5	5	5	5	5
Phlebitis	..	5	5	5	4	3	4	4	4	4	5	4	4	4	4	5	5	4	4	4	4
Varicose Veins	..	p	p	p	p	p	p	p	p	p	p	27	30	30	35	39	49	55	52	62	67
Other Diseases of Blood Vessels*

* See note to Table 25.

TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1891-1910.—Females.

CAUSES OF DEATH.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Laryngitis	637	634	767	634	630	625	590	512	571	652	{ 687 13	646	491	509	488	484	479	454	425	380
Membranous Laryngitis (not Diphtheritic)	7
Croup (not Spasmodic nor Membranous)	1246	1018	949	803	756	744	501	394	453	377	384	266	207	216	205	201	175	153	111	24
Other Diseases of Larynx and Trachea	57	64	67	54	67	60	60	46	47	54	25	19	24	17	29	21	21	14	13	10
Bronchitis	37623	33787	28951	24700	30627	23848	23533	23651	26111	27863	22723	22304	18650	21610	19954	19285	21781	19943	21414	17391
Emphysema, Asthma	1302	1210	918	887	1064	843	857	962	1191	1046	963	672	520	658	656	613	681	685	837	660
Pleurisy	792	677	736	592	657	618	588	637	662	736	697	600	552	543	542	521	589	533	588	523
Fibroid Disease of Lung	{ 180 1575	177	146	178	146	121	166	164	163	109
Other Diseases of Respiratory System	2426	2139	1935	1663	1938	1749	1670	1595	1677	1667	..	1457	1291	1370	1351	1282	1216	1262	1341	1235
Tonsillitis, Quinsy	587	539	663	520	595	537	510	496	527	528	{ 224 286	189	161	191	200	166	185	163	164	146
Dis. of Mouth, Pharynx, Oesophagus (not Spec.)*
Gastric Ulcer	2381	2446	2734	2548	2943	2886	2899	3053	3365	3696	{ 1067 2854	1167	1138	1197	1134	1078	1120	1039	1040	1052
Gastritis, Gastric Catarrh
Other Diseases of Stomach (not Malignant)
Ulceration of Intestines†
Enteritis (not Epidemic)†
Gastro-enteritis	2526	2727	4062	2835	4961	4665	6235	7731	9167	6061	{ 1914 2697	1009	1285	1540	1250	1805	1777	2112	1714	1738
Appendicitis, Perityphilitis
Hernia‡	657	686	719	596	686	663	677	708	805	710	{ 508 736	584	713	763	850	857	808	900	997	1025
Intestinal Obstruction	1353	1260	1344	1319	1413	1321	1369	1364	1435	1337	{ 1342 97	819	775	826	839	816	834	758	806	835
Other Diseases of Intestines§
Peritonitis (not Puerperal)	1431	1205	1394	1126	1112	1044	983	969	1010	991	{ 806 1933	137	134	108	127	110	137	120	151	175
Cirrhosis of Liver	1552	1580	1577	1490	1629	1690	1851	1828	1958	2112	1832	1770	1720	1764	1842	1744	1833	1611	1481	1384
Other Diseases of Liver and Gall Bladder	2435	2268	2275	2093	2100	2046	1886	1863	1832	1803	{ 1532 287	1354	1332	1271	1219	1269	1171	1148	1137	1159
Other Diseases of Digestive System*§	689	649	730	653	457	456	483	429	340	306	..	236	245	239	209	144	199	217	240	116

* For years prior to 1901, deaths from Diseases of the Oesophagus are included under the heading "Other Diseases of Digestive System."
† For the years 1901-3, deaths from Ulceration of Intestines are included under the heading "Enteritis (not Epidemic)."
‡ Since 1902, Hernia, when strangulated, has been taken as the cause of death when occurring with certain other diseases.
§ For years prior to 1901, deaths from Other Diseases of Intestines are included under the heading "Other Diseases of Digestive System."

TABLE 26 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Females.

CAUSES OF DEATH.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Laryngitis	42	42	50	41	40	39	37	31	35	39	{	38	29	29	28	27	27	25	23	21
Membranous Laryngitis (not Diphtheritic)											{	1	1	1	1	1	1	1	1	0
Croup (not Spasmodic nor Membranous)	83	67	62	52	48	47	31	24	28	23	23	16	12	12	12	11	10	8	6	1
Other Diseases of Larynx and Trachea	4	4	4	3	4	4	4	3	3	3	1	1	1	1	2	1	1	1	1	1
Bronchitis	2509	2221	1886	1591	1950	1496	1463	1454	1586	1673	1349	1311	1085	1241	1137	1031	1216	1093	1171	941
Emphysema, Asthma	87	80	60	57	68	53	53	59	72	63	57	39	30	38	37	35	38	38	46	36
Pleurisy	53	45	48	38	42	39	37	39	40	44	41	35	32	31	31	29	33	29	32	28
Fibroid Disease of Lung											{	10	8	10	8	7	9	9	9	6
Other Diseases of Respiratory System	162	141	126	107	123	110	104	98	102	100	94	86	75	79	77	72	68	70	73	67
Tonsillitis, Quinsy																				
Dis. of Mouth, Pharynx, Œsophagus (not Spec.)*	39	35	43	33	38	34	32	30	32	32	{	11	4	11	11	9	10	9	9	8
Gastric Ulcer	159	161	178	164	187	181	180	188	204	222	{	15	12	12	16	16	15	15	15	17
Gastritis, Gastric Catarrh											{	69	66	69	65	61	63	57	57	57
Other Diseases of Stomach (not Malignant)											{	144	139	135	117	{	93	101	91	85
Ulceration of Intestines*											{	118	124	13	13	14	15	13	11	17
Enteritis (not Epidemic)*											{	59	75	88	108	133	99	116	16	17
Gastro-enteritis	169	180	264	183	315	292	387	475	557	364	{	114	124	121	71	102	62	94	94	94
Appendicitis, Perityphlitis											{	34	41	44	48	48	45	50	55	55
Hernia*	44	45	47	38	44	42	42	44	49	43	{	30	41	44	48	46	47	42	44	45
Intestinal Obstruction	90	83	88	85	90	83	85	84	87	80	{	48	74	71	75	74	70	74	69	70
Other Diseases of Intestines*											{	73	8	6	7	6	8	7	8	0
Peritonitis (not Puerperal)											{	36	32	30	26	26	22	20	18	18
Cirrhosis of Liver	95	79	91	73	71	66	61	60	61	60	48	104	100	101	105	98	102	89	81	75
Other Diseases of Liver and Gall Bladder	104	104	103	96	104	106	115	112	119	127	115	104	77	73	69	72	65	63	62	63
Other Diseases of Digestive System*	162	149	148	135	134	128	117	115	111	108	91	80	14	14	12	8	11	12	13	6
Other Diseases of Digestive System*	46	43	48	42	29	29	30	26	21	18	17	14								

* See note to Table 25.

TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1891-1910.—Females.

CAUSES OF DEATH.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Diseases of Spleen	45	47	52	41	38	35	38	32	24	21	34	32	25	25	36	26	29	17	31	23
Other Diseases of Lymphatic System	98	117	106	105	107	108	118	105	118	138	150	134	143	143	149	160	153	156	167	191
Diseases of Thyroid Body*	132	140	213	166	185	196	205	255	279	285	394	370	377	399	412	421	455	456	535	555
Diseases of Supra Renal Capsules	83	74	85	74	98	109	105	105	107	116	87	87	98	103	122	112	91	121	139	130
Acute Nephritis, Uræmia	1044	1044	1080	1092	1129	1220	1260	1261	1363	1330	1289	1372	1384	1458	1473	1554	1591	1723	1862	1698
Chronic Bright's Disease, Albuminuria	3462	3385	3464	3424	3872	3699	3783	3969	4273	4486	4441	4208	4394	4541	4415	4584	4869	4688	4877	4822
Calculus (not Biliary)	61	66	55	53	65	53	61	72	57	75	59	67	61	86	72	77	80	74	86	80
Diseases of Bladder and of Prostate	220	240	236	253	254	236	219	211	210	243	222	235	225	241	232	238	238	249	239	221
Other Diseases of Urinary System	448	330	319	263	274	237	260	282	229	120	152	127	130	140	148	151	139	124	133	169
Ovarian Tumour (not Malignant)	536	499	506	435	500	456	457	447	446	406	{	373	374	350	389	375	357	292	307	291
Other Diseases of Ovary										406	{	48	64	46	40	46	51	31	33	23
Uterine Tumour (not Malignant)	648	675	723	734	688	710	745	682	709	667	339	334	359	353	376	353	327	358	293	312
Other Diseases of Uterus and Vagina											316	305	278	316	327	305	319	287	337	285
Disorders of Menstruation	77	63	71	76	91	73	74	65	88	92	76	58	56	36	42	39	50	36	33	26
Other Diseases of Gener. & Mamm. Organs	139	102	64	61	55	63	59	58	64	44	19	16	6	14	20	18	10	14	12	13
Abortion, Miscarriage	228	255	161	160	180	215	191	187	179	218	152	148	152	141	151	143	102	83	85	78
Puerperal Mania	105	77	83	76	65	77	74	59	74	73	70	79	62	62	66	68	70	57	42	48
Puerperal Convulsions	373	333	376	350	325	358	314	386	347	387	376	400	409	395	467	438	449	426	462	439
Placenta Prævia, Flooding	778	806	803	780	710	701	694	660	691	614	699	637	678	580	619	618	608	560	574	612
Other Accidents of Pregnancy and Childbirth	1234	1284	1433	1152	1012	1087	1079	1015	1062	1146	1018	938	888	835	868	850	826	840	787	740
Caries, Necrosis	468	405	424	403	400	339	349	339	340	346	344	298	289	234	239	198	177	150	81+	23+
Arthritis, Periostitis	117	113	145	114	119	112	101	102	137	118	82	80	83	106	89	92	110	88	102	105
Other Diseases of Locomotor System	401	355	260	246	268	208	215	183	184	148	164	137	129	114	137	186	105	116	127	147
Ulcer, Bed-sore	365	378	359	368	372	308	379	366	361	372	314	265	254	290	300	305	341	307	278	310
Eczema	180	188	205	148	188	163	147	177	153	150	173	144	137	134	130	103	123	117	107	107
Pemphigus	59	44	67	58	68	79	73	69	74	88	69	66	93	94	125	110	100	114	101	91
Other Diseases of the Skin	94	100	112	118	118	116	83	100	112	134	110	113	111	103	115	101	122	108	124	120

* Deaths from Cretinism and Myxœdema, which in the old Tables were included with "Other Constitutional Diseases," have been classed under this heading since 1901.
† See Remarks, page lix. The transference of deaths from Caries there mentioned, applies partly to 1909 also.

TABLE 26 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Females.

CAUSES OF DEATH.	1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
Diseases of Spleen	3	3	3	3	2	2	2	2	1	1	2	2	1	1	2	1	2	1	2	1
Other Diseases of Lymphatic System	7	8	7	7	7	7	7	6	7	8	9	8	8	8	8	9	9	9	9	10
Diseases of Thyroid Body*	9	9	14	11	12	12	13	16	17	17	23	22	22	23	23	24	25	25	29	30
Diseases of Supra Renal Capsules	6	5	6	5	6	7	7	6	7	7	5	5	6	6	7	6	5	7	8	7
Acute Nephritis, Uræmia	70	69	70	70	72	77	78	78	83	80	77	81	80	84	84	88	89	95	102	92
Chronic Bright's Disease, Albuminuria	231	223	226	221	246	232	244	244	260	269	264	247	256	261	252	258	272	258	267	261
Calculus (not Biliary)	4	4	4	3	4	3	4	4	3	5	4	4	4	5	4	4	4	4	5	4
Diseases of Bladder and of Prostate	15	16	15	16	16	15	13	13	13	15	13	14	13	14	13	13	13	14	13	12
Other Diseases of Urinary System	30	25	21	17	17	14	17	17	14	7	9	7	8	8	8	9	8	7	7	9
Ovarian Tumour (not Malignant)	36	33	33	28	32	29	27	27	27	24	21	22	22	20	22	21	20	16	17	16
Other Diseases of Ovary	43	44	47	47	44	45	42	42	43	40	20	20	21	20	21	20	18	20	16	17
Uterine Tumour (not Malignant)	5	4	5	5	6	5	4	4	5	6	5	3	16	18	19	17	18	16	18	15
Other Diseases of Uterus and Vagina	9	7	4	4	4	4	4	4	4	3	1	1	0	2	2	2	3	2	2	1
Disorders of Menstruation	9	7	4	4	4	4	4	4	4	3	1	1	0	1	1	1	1	1	1	1
Other Diseases of Gener. & Mamm. Organs	15	17	10	10	11	13	12	11	11	13	9	9	9	8	9	8	6	5	5	4
Abortion, Miscarriage	7	5	5	5	4	5	5	4	4	4	4	5	4	4	4	4	4	3	2	3
Puerperal Mania	25	22	24	23	21	22	20	24	21	23	22	24	24	23	27	25	25	23	25	24
Other Diseases of Convulsions	52	53	52	50	45	44	43	41	42	37	42	37	39	33	35	35	34	31	31	33
Placenta Prævia, Flooding	82	84	93	74	64	68	67	62	65	69	60	55	52	48	49	48	46	46	43	40
Other Accidents of Pregnancy and Childbirth	31	27	28	26	25	24	22	21	21	21	20	18	17	13	14	11	10	8	4*	1*
Caries, Necrosis	8	7	9	7	8	7	6	6	8	7	5	5	5	6	8	5	6	5	6	6
Arthritis, Periostitis	27	23	17	16	17	13	13	11	11	9	10	8	8	7	8	10	6	6	7	8
Other Diseases of Locomotor System	24	25	23	24	24	19	24	22	22	22	19	16	15	17	17	17	19	17	15	17
Ulcer, Bed-sore	12	12	13	10	12	10	9	11	9	9	10	8	8	8	7	6	7	6	6	6
Eczema	4	3	4	4	4	5	5	4	4	5	4	4	5	5	7	6	6	6	6	5
Pemphigus	6	7	7	8	8	7	5	6	7	8	7	7	6	6	7	6	7	6	7	6
Other Diseases of the Skin

* See note to Table 25.

TABLE 25 (continued).—ENGLAND AND WALES.—Deaths from Various Causes at All Ages, 1891-1910.—Females.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
OTHER SPECIFIED DISEASES.*		463	477	455	421	519	527	578	605	721	755	—	1	—	—	—	—	—	—	2	—
CAUSES ILL-DEFINED OR NOT SPECIFIED.																					
<i>Atrophy, Debility</i>	9861	9585	10328	8287	10013	8805	9034	9092	9108	8989	8705	7819	7721	7785	6929	6998	6267	6460	6107	5686
<i>Old Age</i>	16930	16053	15340	14103	16997	15038	16358	16550	17955	17961	17126	17320	17111	18455	18013	18998	19001	18837	19478	18233
<i>Dropsy, Ascites, Anasarca</i>	270	258	238	198	228	186	167	185	221	223	138	97	95	73	77	46	65	39	41	24
<i>Tumour</i>	79	90	74	78	74	49	77	53	56	48	58	53	50	50	54	60	52	56	48	48
<i>Abscess</i>	272	294	277	232	185	199	197	189	185	169	159	147	148	128	106	132	142	170	129	108
<i>Hæmorrhage†</i>	45	56	75	58	55	46	38	48	40	55	12	25	14	15	17	15	19	16	17	26
<i>Sudden Death (cause unascertained)</i>	141	172	151	121	143	127	83	90	83	110	61	83	53	20	12	8	8	11	11	6
<i>Other ill-defined causes</i>	1142	989	835	762	888	768	800	753	{ 23	788	155	298	362	342	386	326	291	277	272	243
<i>Causes not specified</i>									{ 686		436	256	121	91	72	60	66	50	48	78
VIOLENT DEATHS.																					
<i>In Mines and Quarries</i>																				
<i>Vehicles and Horses</i>																				
<i>Ships, Boats, and Docks (not Drowning)</i>																				
<i>Building Operations</i>																				
<i>Machinery</i>																				
<i>Weapons and Implements</i>																				
<i>Burns and Scalds</i>																				
<i>Poisons, Poisonous Vapours</i>																				
<i>Drowning</i>																				
<i>Suffocation</i>																				
<i>Falls</i>																				
<i>Weather Agencies</i>																				
<i>Otherwise or not stated</i>																				
		4727	4652	4788	4452	5308	4930	5045	4971	5360	5013	1530	1457	1292	1369	1450	1527	1507	1583	1571	1330
												210	161	168	196	198	198	216	188	189	196
												406	390	407	391	433	374	367	400	397	387
												938	950	936	972	855	893	864	890	760	731
												1303	1172	1171	1158	1106	1190	1270	1238	1271	1074
												137	66	34	84	68	89	27	58	52	31
												332	306	299	292	250	288	268	280	272	383
<i>Battle</i>																				
<i>Homicide</i>	157	147	152	136	150	147	132	145	148	139	175	166	158	151	169	144	126	159	155	147
<i>Suicide</i>	620	676	659	677	726	677	702	711	723	730	803	807	871	822	862	797	901	934	894	887
<i>Execution</i>	1	—	—	1	—	1	—	—	1	2	—	—	2	1	—	—	1	—	—	—

* The figures for years prior to 1901 refer to deaths classed either to "Other Miasmatic Diseases" or to "Other Constitutional Diseases."

† Deaths from Rupture of Blood Vessels are included under this heading for years prior to 1901, and under "Other Diseases of Blood Vessels" since that date.

TABLE 26 (cont.).—ENGLAND AND WALES.—Crude Annual Death-rates from Various Causes at All Ages, to a Million living, 1891-1910.—Females.

CAUSES OF DEATH.		1891.	1892.	1893.	1894.	1895.	1896.	1897.	1898.	1899.	1900.	1901.	1902.	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.
OTHER SPECIFIED DISEASES.*																					
CAUSES ILL-DEFINED OR NOT SPECIFIED.																					
<i>Atrophy, Debility</i>	638	630	673	534	637	552	562	559	553	540	517	459	449	447	394	395	350	356	334	308
<i>Old Age</i>	1126	1059	1004	904	1078	944	1020	1018	1089	1082	1019	1012	998	1062	1029	1070	1060	1039	1064	989
<i>Dropsy, Ascites, Anasarca</i>	18	17	16	13	15	12	10	11	13	13	8	6	6	4	4	3	4	2	2	1
<i>Tumour</i>	5	6	5	5	5	3	5	3	3	3	3	3	3	3	3	2	3	3	3	3
<i>Abscess</i>	18	19	18	15	12	12	12	12	11	10	9	9	9	7	6	7	8	9	7	6
<i>Hæmorrhage*</i>	3	4	5	4	4	3	2	3	2	3	1	1	1	1	1	1	1	1	1	1
<i>Sudden Death (cause unascertained)</i>	9	11	10	8	9	8	5	6	5	7	4	5	3	1	1	0	0	1	1	0
<i>Other ill-defined causes</i>	76	65	54	49	57	48	50	46	{ 1	2	9	18	21	20	22	18	16	15	15	13
<i>Causes not specified</i>									{ 42	47	26	15	7	5	4	3	4	3	3	4
VIOLENT DEATHS.																					
<i>In Mines and Quarries</i>											{ 0									
<i>Vehicles and Horses</i>											23	19	19	19	20	21	19	20	19	22
<i>Ships, Boats, and Docks (not Drowning)</i>												0	0		0	0	0	0	0	0
<i>Building Operations</i>																				
<i>Machinery</i>											1	1	1	0	1	1	0	1	0	1
<i>Weapons and Implements</i>											1	1	1	1	0	1	1	1	1	1
<i>Burns and Scalds</i>											91	86	75	79	83	86	84	87	86	72
<i>Poisons, Poisonous Vapours</i>										300	12	9	10	11	11	11	12	10	10	11
<i>Drowning</i>											24	23	24	22	25	21	20	22	22	21
<i>Suffocation</i>											56	56	54	56	49	50	48	49	42	40
<i>Falls</i>											77	69	68	66	63	67	71	68	69	58
<i>Weather Agencies</i>											8	4	2	5	4	5	2	3	3	2
<i>Otherwise or not stated</i>											20	18	17	17	14	16	15	15	15	21
<i>Battle</i>																				
<i>Homicide</i>																				
<i>Suicide</i>																				
<i>Execution</i>																				

* See note to Table 25.

TABLE 27.—ENGLAND AND WALES.—Crude Annual Death-rates from the Principal Epidemic Diseases and Infantile Mortality, 1861-1910.

PERIOD.	ANNUAL MORTALITY PER MILLION PERSONS LIVING FROM THE PRINCIPAL EPIDEMIC DISEASES.									ANNUAL MORTALITY of Infants under one year of age to 1000 Births.
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyæmia.* (Origin uncertain.)	Diarrhoea, Dysentery, and Cholera.	
1838-42 (5 years.)	576	539	797		504	1053			298	152
1847-50 (4 years.)	292	403	884		480	1246			1710	154
1851-60	222	412	982		505	913			1088	154
1861-70	162	443	971	187	530	886			1076	154
1871-80	245	379	719	121	513	58	326	105	942	149
1881-90	46	441	338	163	451	15	198	25	677	142
1891-1900	13	414	158	263	378	3	174	6	735	154
1901-1910	13	309	106	179	277	1	91	2	571	127
1861	64	450	451	225	612	767			1044	153
1862	78	481	728	241	602	919			622	142
1863	286	550	1478	315	547	874			814	149
1864	364	397	1418	261	409	960			877	153
1865	301	405	837	196	409	1089			1225	160
1866	139	511	546	140	736	986			1525	160
1867	114	304	567	120	548	778			1003	153
1868	91	528	996	137	419	895			1473	155
1869	67	464	1244	117	493	193	390	239	967	156
1870	113	335	1446	120	529	147	388	233	1208	160
1871	1012	408	815	111	455	121	371	186	1132	158
1872	821	368	515	93	596	80	377	145	1030	150
1873	98	316	562	108	411	70	376	132	994	149
1874	88	517	1050	150	437	74	374	130	948	151
1875	35	257	851	142	594	62	371	108	1051	158
1876	99	408	691	129	432	48	309	81	942	146
1877	173	366	585	111	460	45	279	78	632	136
1878	74	310	753	140	710	36	306	71	1028	152
1879	21	362	694	120	503	21	231	58	460	135
1880	25	478	675	109	530	21	261	58	1202	153
1881	119	280	548	121	415	21	212	44	570	130
1882	50	483	521	152	579	36	229	39	666	141
1883	36	350	475	158	393	33	228	36	613	137
1884	82	419	402	186	425	12	236	28	1008	147
1885	103	533	233	164	481	12	175	24	503	138
1886	11	436	218	149	470	9	184	22	918	149
1887	19	602	282	160	404	8	185	18	744	145
1888	37	347	226	171	436	6	172	15	463	136
1889	1	518	235	189	430	5	176	15	660	144
1890	0	439	242	179	478	5	179	13	620	151
1891	2	436	170	173	468	5	168	11	480	149
1892	15	459	190	222	454	3	137	8	520	148
1893	49	373	235	318	342	5	229	9	1000	159
1894	27	391	167	291	410	4	159	7	359	137
1895	7	377	149	259	315	2	175	5	901	161
1896	17	570	177	291	429	2	166	5	564	148
1897	0	408	147	246	367	2	156	4	869	156
1898	8	419	113	243	323	1	181	4	957	160
1899	5	314	117	292	318	1	198	4	973	163
1900	3	394	119	290	356	1	173	4	730	154
1901	10	277	133	273	313	1	155	3	926	151
1902	75	392	148	237	298	2	126	3	430	133
1903	23	275	125	183	286	2	101	2	556	132
1904	15	365	112	170	353	1	93	2	882	145
1905	4	326	113	161	256	1	90	2	603	128
1906	1	275	101	178	242	0	92	1	890	132
1907	0	364	93	165	296	1	68	1	307	118
1908	0	228	80	158	230	0	75	1	524	120
1909	0	356	91	148	203	0	60	0	291	109
1910	0	232	66	120	246	0	53	0	300	105

* Called Simple Continued Fever previous to 1901.

TABLE 23.—LONDON.*—Crude Annual Death-rates from the Principal Epidemic Diseases and Infantile Mortality, 1861-1910.

NOTE.—The boundaries of the Administrative and Registration Counties of London were made co-extensive in 1901. Previous to that year the figures in the table relate to the Registration County as constituted at the several dates. The figures refer to calendar years up to 1884, and subsequently to periods of 52 or 53 weeks.

PERIOD.	ANNUAL MORTALITY PER MILLION PERSONS LIVING FROM THE PRINCIPAL EPIDEMIC DISEASES.									ANNUAL MORTALITY of Infants under one year of age to 1,000 Births.
	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric Fever.	Pyrexia.† (Origin uncertain.)	Diarrhoea, Dysentery, and Cholera.	
1838-40 (3 years.)	1065	695	1108		804	1339			294	—
1841-50	402	623	863		867	979			1469	157
1851-60	280	530	1017		877	886			1544	155
1861-70	276	576	1133	179	882	904			1284	162
1871-80	457	510	600	122	815	55	244	75	987	158
1881-90	142	636	333	256	691	8	186	18	753	152
1891-1900	9	582	187	489	499	1	136	3	752	159
1901-1910	35	438	105	170	324	0	65	1	637	126
1861	77	377	846	239	1260	656			1033	155
1862	128	816	1221	255	758	1284			680	143
1863	687	562	1706	275	749	988			913	151
1864	185	942	1097	207	819	1278			1071	169
1865	214	431	727	144	980	1074			1307	171
1866	457	730	622	152	973	884			2923	172
1867	436	370	470	145	738	708			1070	159
1868	190	625	929	158	745	786			1412	166
1869	87	458	1839	107	1187	225	337	194	1169	170
1870	302	450	1875	104	607	147	303	177	1258	164
1871	2422	437	582	105	701	118	267	133	1282	171
1872	537	505	276	80	979	52	242	97	1132	158
1873	34	637	191	95	777	82	269	96	1219	160
1874	17	490	773	122	545	91	256	98	970	156
1875	13	404	1056	167	920	37	235	78	975	162
1876	207	485	651	109	771	45	217	57	1048	157
1877	710	664	439	88	505	44	251	54	697	146
1878	388	411	495	155	1227	41	283	54	1001	164
1879	121	667	717	155	791	19	229	43	524	148
1880	125	402	820	144	930	20	186	35	1024	158
1881	619	663	553	172	516	24	254	35	824	148
1882	111	605	519	222	1212	14	252	25	575	151
1883	35	626	514	244	410	14	247	26	701	146
1884	313	575	362	241	799	8	234	20	1029	156
1885	332	736	176	224	624	7	146	21	669	148
1886	5	518	171	207	707	3	151	17	983	159
1887	2	715	354	235	723	4	145	12	929	158
1888	2	587	293	310	730	2	161	8	530	146
1889	0	559	188	376	423	4	126	10	647	141
1890	1	773	203	326	770	3	139	8	646	162
1891	2	428	137	316	682	2	125	10	575	154
1892	7	796	274	436	581	3	100	5	596	155
1893	43	386	369	743	541	1	157	5	799	164
1894	21	758	221	608	483	1	140	3	408	143
1895	13	601	189	523	338	1	136	2	817	165
1896	2	822	209	593	652	1	126	3	711	160
1897	4	434	175	505	414	0	126	2	922	158
1898	0	688	130	394	484	1	124	2	976	166
1899	1	478	89	434	383	0	169	0	933	167
1900	1	429	80	342	432	0	159	2	785	159
1901	51	432	129	294	355	1	110	2	862	148
1902	285	512	121	251	467	—	117	1	536	140
1903	3	453	80	164	360	1	81	1	647	130
1904	6	499	81	160	331	—	63	1	1051	145
1905	2	378	122	121	329	—	52	1	743	130
1906	—	423	118	153	271	—	58	1	980	131
1907	—	399	143	173	396	—	43	1	334	116
1908	—	331	119	157	214	—	49	0	563	113
1909	0	515	85	134	276	—	32	0	350	108
1910	—	439	47	96	302	—	43	1	303	103

* For the years 1874-1884 the deaths have been approximately corrected, and for later years they have been fully corrected by the distribution of those occurring in public institutions. The figures for 1910 may differ, therefore, from those in Tables 13, 31, and 40.
† Called Simple Continued Fever previous to 1901.

TABLE 29.—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1910.—MALES.
 Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1910.* (Males.)	DEATH-RATE PER MILLION LIVING FROM																							
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia,† origin uncertain.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.
ENGLAND & WALES.	17,313,221	14383	1	249	68	0	188	223	117	0	339	693	493	167	105	24	162	856	85	54	1302	986	—	759	7452
I.—LONDON.	2,128,318	15232	—	495	47	—	155	284	94	0	353	1196	422	201	87	15	192	1099	136	48	1660	1109	—	789	6806
II.—SOUTH EASTERN.																									
Surrey	423,386	12133	—	97	38	—	210	161	120	—	182	742	451	118	61	17	123	869	97	38	1023	579	—	616	6565
Kent	492,615	12580	2	93	35	2	227	221	73	—	177	733	418	120	65	10	146	871	71	63	816	654	—	698	7030
Sussex	298,625	13405	—	231	17	—	265	161	57	—	157	676	583	147	74	10	154	1153	84	37	944	676	—	660	7283
Hampshire.. .	441,282	13162	—	127	45	—	161	116	116	2	116	784	424	125	84	16	152	974	73	25	925	714	—	578	7444
Berkshire .. .	146,998	11966	—	116	34	—	252	170	143	—	95	626	381	143	68	7	156	946	95	48	626	673	—	660	6707
III.—SOUTH MIDLAND.																									
Middlesex .. .	522,701	10159	—	119	65	—	115	163	113	—	222	610	377	130	50	17	90	660	71	44	876	687	—	501	5211
Hertfordshire ..	135,885	11878	—	66	22	—	228	103	133	—	110	633	258	59	59	—	103	883	29	81	751	780	—	633	6918
Buckinghamshire	93,963	11866	—	181	—	—	341	202	85	—	43	383	362	53	53	—	106	883	53	43	788	724	—	543	7012
Oxfordshire .. .	94,175	13209	—	32	—	—	329	96	42	—	21	510	542	42	11	—	127	945	149	42	966	966	—	637	7667
Northamptonshire	178,118	12323	—	140	22	—	241	118	95	—	51	488	477	129	51	6	79	932	45	34	898	769	—	573	7046
Huntingdonshire..	23,669	13985	—	42	42	—	380	42	84	—	84	549	422	42	—	—	465	1267	169	—	803	803	—	676	8115
Bedfordshire .. .	93,414	12568	—	86	43	—	214	139	118	—	126	417	525	128	75	—	128	856	32	64	953	824	—	535	7282
Cambridgeshire ..	104,897	13680	—	67	—	—	257	124	105	—	114	553	505	95	114	—	162	1268	76	29	763	744	—	734	7960
IV.—EASTERN.																									
Essex	640,074	11574	—	169	41	2	189	178	94	—	202	712	342	156	64	11	122	750	87	56	978	897	—	595	5895
Suffolk	186,676	12969	—	118	11	—	241	86	37	—	129	477	461	102	48	11	112	1061	75	21	734	595	—	675	7943
Norfolk	234,991	13405	—	77	43	—	285	98	64	—	145	472	460	102	98	—	170	953	85	38	706	749	—	762	8068

* The populations have been estimated to the middle of 1910 from the numbers enumerated at the Censuses of 1901 and 1911.
 † Called Simple Continued Fever previous to 1901.

TABLE 30.—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1910.—FEMALES.

Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1910* (Females.)	DEATH-RATE PER MILLION LIVING FROM																								
		ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyæria,† origin uncertain.	Enteric Fever.	Diarrhoea and Dysentery.	PulmonaryTuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubæ Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
ENGLAND & WALES.	18,483,068	12,673	0	216	64	—	176	267	122	0	46	264	476	379	140	94	20	123	1070	64	58	932	941	173	305	6738
I.—LONDON.	2,395,689	12640	—	388	36	—	164	322	87	1	38	242	595	276	160	68	9	128	1158	100	56	1196	1099	133	382	6002
II.—SOUTH EASTERN.																										
Surrey	480,759	10232	—	46	37	—	196	150	100	—	12	141	428	262	116	56	6	98	1096	58	35	788	555	141	264	5647
Kent	520,591	11247	—	96	27	—	213	257	79	2	35	117	534	359	142	85	10	121	1160	71	46	580	676	111	227	6299
Sussex	363,447	11529	—	204	19	—	190	190	36	—	28	121	374	336	102	85	8	149	1403	58	69	735	724	132	239	6327
Hampshire.. ..	462,669	10848	—	106	48	—	210	153	175	—	54	117	460	313	102	54	11	84	1063	61	67	633	674	112	253	6098
Berkshire	154,866	11184	—	71	19	—	207	291	168	—	6	84	517	220	90	65	6	103	1214	58	19	446	755	142	258	6445
III.—SOUTH MIDLAND.																										
Middlesex	595,768	9109	—	97	34	—	134	164	139	3	44	139	379	233	86	42	3	79	886	45	49	723	618	101	237	4874
Hertfordshire ..	147,398	11045	—	54	14	—	217	136	61	—	27	115	488	217	109	61	—	88	1228	75	47	522	787	95	265	6439
Buckinghamshire	98,345	10443	—	41	20	—	336	132	41	—	10	92	325	183	112	51	31	51	1180	51	61	519	824	71	275	6037
Oxfordshire	103,395	11809	—	10	29	—	280	126	19	—	10	106	406	387	87	58	—	116	1267	106	68	571	1016	135	193	6819
Northamptonshire	184,598	11544	—	130	27	—	228	163	125	—	16	70	450	428	135	87	5	130	1235	33	22	618	829	130	265	6418
Huntingdonshire..	24,330	12372	—	82	82	—	329	—	41	—	—	—	575	617	82	41	10	329	1644	—	—	493	822	82	164	6989
Bedfordshire	102,461	10794	—	20	10	—	195	137	59	—	—	107	215	273	68	78	10	78	1074	29	20	644	714	127	146	6790
Cambridgeshire ..	109,089	12027	—	55	37	—	174	64	192	—	28	119	486	367	18	64	—	92	1485	73	55	733	678	156	266	6885
IV.—EASTERN.																										
Essex	668,409	10263	3	142	49	—	180	202	109	—	21	165	476	322	118	46	12	97	941	46	43	688	880	118	223	5382
Suffolk	194,433	12596	—	149	5	—	206	165	67	—	15	93	381	442	123	87	—	134	1342	26	46	550	797	165	288	7515
Norfolk	251,993	12452	—	56	40	—	242	103	79	—	20	135	456	389	143	83	8	87	1409	28	44	464	718	123	254	7571

* The populations have been estimated to the middle of 1910 from the numbers enumerated at the Censuses of 1901 and 1911.
† Called Simple Continued Fever previous to 1901.

TABLE 29 (continued).—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1910.—MALES.

Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1910.* (Males.)	DEATH-RATE PER MILLION LIVING FROM																								
		ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	<i>Pyrexia</i> ,† uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tub- erculosis, Tub- erculous Phthisis.	<i>Phthisis</i> , not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	<i>Tubercu- lous Mesenterica</i> .	All other Tubercu- lous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
V.—SOUTH WESTERN.																										
Wiltshire ..	138,673	11747	7	36	7	—	267	65	79	—	18	72	404	382	87	72	7	108	829	50	7	678	800	—	555	7235
Dorsetshire ..	108,523	12477	—	65	28	—	359	175	74	—	66	46	562	359	92	37	9	101	866	55	28	691	820	—	654	7438
Devonshire..	332,180	13857	—	114	30	—	271	226	129	—	27	232	677	473	72	75	15	175	924	114	33	882	810	—	744	7795
Cornwall ..	150,307	15329	—	86	20	—	346	86	126	—	22	146	805	635	166	67	—	220	1025	106	73	1025	725	—	838	8777
Somersetshire ..	228,047	12576	—	145	35	—	197	96	61	—	22	114	539	517	70	61	9	105	859	39	39	881	785	—	662	7340
VI.—WEST MIDLAND.																										
Gloucestershire ..	311,032	13954	—	167	32	—	244	154	125	—	39	161	653	376	180	106	19	167	1010	109	77	1010	858	—	672	7795
Herefordshire ..	54,629	14791	—	18	37	—	329	110	165	—	18	146	567	329	92	73	—	110	897	92	37	988	805	—	659	9319
Shropshire..	131,453	14309	—	152	38	—	396	122	152	—	46	160	426	517	137	84	—	137	1073	84	30	1095	860	—	707	8093
Staffordshire ..	671,753	14486	—	231	118	—	152	192	141	—	61	442	628	433	176	144	43	135	692	76	45	1192	1267	—	834	7484
Worcestershire ..	263,445	13122	—	91	102	—	232	243	95	—	42	209	588	402	121	76	8	137	827	65	57	1120	964	—	539	7204
Warwickshire ..	495,176	14724	—	95	141	—	160	261	133	—	42	335	614	771	166	75	26	125	870	109	40	1268	1171	—	781	7538
VII.—NORTH MIDLAND.																										
Leicestershire ..	229,346	13011	4	144	26	—	174	209	48	—	48	283	615	549	140	96	9	157	894	74	35	937	850	—	671	7048
Rutlandshire ..	10,696	9410	—	—	—	—	467	187	—	—	—	—	280	374	93	—	—	—	841	—	—	654	748	—	280	5986
Lincolnshire ..	275,240	13948	—	171	18	—	283	236	124	—	94	294	425	483	127	94	22	124	817	47	15	988	803	—	647	8136
Nottinghamshire ..	346,071	14422	—	376	64	3	144	222	116	—	52	381	511	483	220	139	17	156	691	61	55	1269	980	—	754	7728
Derbyshire..	269,739	13235	—	304	52	—	159	219	137	—	48	237	415	493	193	148	15	185	697	59	41	982	812	—	756	7283
VIII.—NORTH WESTERN.																										
Cheshire ..	421,993	14031	5	251	63	—	133	190	161	—	52	318	512	552	190	130	42	209	697	90	28	1403	799	—	673	7580
Lancashire..	2,298,579	16593	1	328	146	0	145	327	127	0	114	594	788	623	192	144	35	194	801	89	80	1737	1319	—	777	8032

* The populations have been estimated to the middle of 1910 from the numbers enumerated at the Censuses of 1901 and 1911.
† Called Simple Continued Fever previous to 1901.

TABLE 30 (continued).—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1910.—FEMALES.

Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1910.* (Females.)	DEATH-RATE PER MILLION LIVING FROM																								
		ALL CAUSES.																								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia,† uncertain origin	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis <i>Mesenterica</i> .	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence	All other Causes.	
V.—SOUTH WESTERN.																										
Wiltshire ..	139,503	—	43	14	—	315	165	136	7	—	50	351	401	122	72	—	108	989	43	29	509	781	65	215	7284	
Dorsetshire ..	110,364	—	36	36	—	362	227	82	—	36	109	390	326	72	109	—	109	1232	18	27	589	734	91	227	6940	
Devonshire..	366,869	—	90	14	—	297	226	134	—	33	169	671	393	139	90	5	153	1169	71	41	728	959	139	267	7465	
Cornwall ..	174,479	—	34	17	—	304	63	120	—	23	97	470	421	86	69	6	189	1135	57	40	705	837	155	252	8248	
Somersetshire ..	261,297	—	122	38	—	214	145	96	—	19	46	409	394	100	54	8	96	1335	54	31	570	846	161	188	7224	
VI.—WEST MIDLAND.																										
Gloucestershire ..	359,665	—	122	19	—	220	150	142	—	19	153	559	317	128	53	14	122	1112	72	36	701	859	167	214	6980	
Herefordshire ..	58,416	—	17	17	—	274	103	68	—	17	68	394	240	34	86	—	120	1164	120	34	548	787	188	377	7858	
Shropshire ..	134,053	—	112	60	—	410	97	134	—	45	97	313	403	82	90	—	67	1320	82	67	709	731	134	321	7214	
Staffordshire ..	679,487	—	230	157	—	146	268	171	—	59	355	431	358	156	124	53	155	908	66	60	877	1004	185	337	7300	
Worcestershire ..	291,097	—	88	75	—	173	252	109	—	20	133	371	330	109	65	27	160	1047	71	44	796	796	170	255	6171	
Warwickshire ..	519,772	—	89	137	—	146	317	135	—	50	325	358	477	135	65	25	102	981	87	35	970	1031	202	437	6775	
VII.—NORTH MIDLAND.																										
Leicestershire ..	248,609	—	117	44	—	117	274	32	—	32	161	487	426	185	97	12	129	1070	24	48	567	849	101	278	6341	
Rutlandshire ..	10,438	—	—	—	—	287	96	192	—	—	287	383	479	96	—	96	192	1150	96	—	192	1245	192	192	7950	
Lincolnshire ..	277,226	—	162	14	—	252	278	105	—	47	234	343	451	162	90	11	144	1219	36	47	664	916	137	166	7324	
Nottinghamshire ..	361,024	6	349	30	—	155	277	89	—	42	357	460	460	144	150	14	111	961	39	50	1075	939	199	330	6701	
Derbyshire..	273,567	—	219	66	—	143	271	157	—	48	186	384	369	113	99	11	117	855	40	51	738	874	186	267	6832	
VIII.—NORTH WESTERN.																										
Cheshire ..	463,919	2	192	73	—	127	291	175	—	63	263	358	451	147	82	22	162	1130	58	63	836	780	166	269	6803	
Lancashire..	2,496,331	—	290	130	—	122	405	141	—	84	449	543	422	163	127	36	137	976	65	80	1229	1253	206	365	7187	

* The populations have been estimated to the middle of 1910 from the numbers enumerated at the Censuses of 1901 and 1911.

† Called Simple Continued Fever previous to 1901.

TABLE 29 (continued).—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1910.—MALES.

Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1910.* (Males.)	DEATH-RATE PER MILLION LIVING FROM																		ALL CAUSES.						
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia† uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tubercu- culosis, Tubercu- lous Phtisis.	Phtisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculous Mesenterica.	All other Tubercu- lous Diseases.	Cancer.	Septic Diseases (not Puerperal).		Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
IX.—YORKSHIRE.																										
West Riding ..	1,488,898	1	287	71	—	170	259	130	1	81	451	654	468	166	152	29	174	806	80	74	1488	1110	—	—	784	7736
East Riding (with York) ..	245,972	8	175	49	—	277	195	167	—	89	667	557	642	142	98	16	159	935	65	61	1199	1077	—	—	907	8473
North Riding ..	205,908	—	92	53	—	175	209	209	—	97	525	583	398	248	97	34	180	796	58	39	1967	986	—	—	796	8023
X.—NORTHERN.																										
Durham ..	686,996	3	215	67	1	167	304	143	1	83	582	394	598	234	170	82	180	624	61	38	1553	1106	—	—	868	7960
Northumberland ..	343,287	3	262	47	—	154	239	114	—	61	449	653	612	265	140	50	224	883	52	55	1436	1057	—	—	810	8290
Cumberland ..	129,871	—	146	108	—	146	115	177	—	31	269	423	585	254	139	69	200	824	62	54	1409	793	—	—	1994	9042
Westmorland ..	30,140	—	33	33	—	265	33	265	—	—	33	299	464	133	66	—	66	1095	33	66	1029	332	—	—	763	7998
XI.—WELSH.																										
Monmouthshire ..	212,681	—	494	80	—	160	244	108	—	89	230	357	310	127	56	38	136	616	42	66	1632	1006	—	—	1218	7167
Glamorganshire ..	576,676	2	425	80	—	142	201	108	—	43	408	527	416	175	109	47	127	612	102	85	1684	971	—	—	1073	7278
Carmarthenshire ..	74,722	—	120	54	—	94	388	174	—	40	94	736	549	294	120	—	134	669	134	27	1178	897	—	—	1017	8645
Pembrokeshire ..	41,073	—	97	97	—	146	390	195	—	—	146	682	730	146	49	24	170	1023	49	49	1120	828	—	—	1023	8375
Cardiganshire ..	36,532	—	27	55	—	411	137	164	—	—	137	1369	794	164	137	—	137	1287	55	27	1341	1095	—	—	575	10373
Brecknockshire ..	98,206	—	532	106	—	284	—	71	—	106	35	319	425	142	106	—	177	815	106	35	1454	1099	—	—	815	9469
Radnorshire ..	8,945	—	—	—	—	783	224	335	—	—	112	224	559	335	112	—	—	1565	—	112	1006	224	—	—	559	9501
Montgomeryshire ..	30,588	—	33	65	—	523	65	131	—	65	33	654	556	131	33	—	131	588	—	131	981	981	—	—	830	7714
Flintshire ..	35,074	—	86	257	—	228	29	542	—	—	171	485	285	86	114	—	57	570	86	86	1397	1169	—	—	884	8379
Denbighshire ..	67,913	—	942	88	—	398	118	103	—	29	177	456	574	265	147	15	221	1045	74	44	1723	1075	—	—	766	8615
Merionethshire ..	29,273	—	102	137	—	444	68	137	—	—	68	786	615	171	137	34	137	1435	34	68	1332	752	—	—	717	9599
Carnarvonshire ..	66,522	—	60	60	—	436	45	60	—	45	120	737	962	301	120	30	255	1052	135	75	1203	797	—	—	767	9126
Anglesey ..	16,975	—	—	—	—	530	177	236	—	—	59	884	648	295	236	—	236	1532	118	59	1473	766	—	—	589	8598

* The populations have been estimated to the middle of 1910 from the numbers enumerated at the Censuses of 1901 and 1911.

† Called Simple Continued Fever previous to 1901.

TABLE 30 (continued).—ENGLAND AND WALES.—Crude Death-rates from Several Causes in Registration Counties, 1910.—FEMALES

Note.—These rates are calculated upon the deaths registered in each county, no correction having been made for those occurring in Public Institutions.

REGISTRATION COUNTY.	Esti- mated Popula- tion in the middle of 1910.* (Females.)	DEATH-RATE PER MILLION LIVING FROM																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		ALL CAUSES.															Small-pox.					Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, [†] uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Diseases.	Violence.	All other Causes.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

* The populations have been estimated to the middle of 1910 from the numbers enumerated at the Censuses of 1901 and 1911.

† Called Simple Continued Fever previous to 1901.

TABLE 31.—ENGLAND AND WALES.—Crude Death-rates to a Million Persons from Puerperal Septic Diseases and Diseases and Accidents of Pregnancy and

NOTE.—These rates are calculated upon the deaths registered in each County

REGISTRATION COUNTY.	TO A MILLION PERSONS LIVING.									
	Small-pox.		Measles.		Scarlet Fever.		Diphtheria.		Whooping- cough.	
	Ten Years 1900 to 1909.	1910.	Ten Years 1900 to 1909.	1910.	Ten Years 1900 to 1909.	1910.	Ten Years 1900 to 1909.	1910.	Ten Years 1900 to 1909.	1910.
ENGLAND & WALES.	13	0	325	232	112	66	196	120	288	246
I.—LONDON.										
London*	3	—	438	438	94	41	192	90	339	304
II.—SOUTH EASTERN.										
Surrey	4	—	179	70	46	38	152	109	206	155
Kent	187	1	159	95	49	31	169	76	206	240
Sussex	1	—	109	216	27	18	156	45	170	177
Hampshire	2	—	189	116	38	46	209	146	205	135
Berkshire	4	—	153	93	37	27	179	156	175	232
III.—SOUTH MIDLAND.										
Middlesex	34	—	271	107	143	48	207	127	268	164
Hertfordshire	3	—	143	60	49	18	119	95	190	120
Buckinghamshire	3	—	140	109	44	10	201	62	191	166
Oxfordshire	10	—	116	20	52	15	103	30	187	111
Northamptonshire	3	—	144	135	85	25	108	110	229	141
Huntingdonshire	4	—	101	63	59	63	112	63	220	21
Bedfordshire	3	—	192	51	28	26	166	87	174	138
Cambridgeshire	9	—	149	61	57	19	121	150	211	93
IV.—EASTERN.										
Essex	29	2	305	155	92	45	257	102	328	190
Suffolk	2	—	152	134	30	8	121	52	236	126
Norfolk	1	—	196	66	57	41	162	72	242	101
V.—SOUTH WESTERN.										
Wiltshire	1	4	145	40	55	11	132	108	149	115
Dorsetshire	—	—	108	50	55	32	154	78	146	201
Devonshire	1	—	237	102	59	21	118	132	194	226
Cornwall	0	—	129	59	37	18	92	123	229	74
Somersetshire	1	—	164	133	42	37	160	80	164	123
VI.—WEST MIDLAND.										
Gloucestershire	3	—	271	143	71	25	207	134	221	152
Herefordshire	1	—	129	18	42	27	146	115	205	106
Shropshire	2	—	161	132	62	49	120	143	222	109
Staffordshire	3	—	443	230	163	138	253	156	339	230
Worcestershire	1	—	275	90	107	88	118	102	232	248
Warwickshire	3	—	361	92	155	139	196	134	370	290
VII.—NORTH MIDLAND.										
Leicestershire	1	2	251	130	94	36	234	40	247	243
Rutlandshire	—	—	72	—	33	—	124	95	129	142
Lincolnshire	2	—	148	167	85	16	194	114	250	257
Nottinghamshire	5	3	343	362	87	47	162	102	313	250
Derbyshire	5	—	258	261	109	59	181	147	232	245
VIII.—NORTH WESTERN.										
Cheshire	10	3	270	220	129	70	169	168	268	243
Lancashire	11	0	464	308	205	138	216	135	341	363
IX.—YORKSHIRE.										
West Riding	13	0	393	273	139	74	211	131	285	287
East Riding (with York)	12	4	337	183	66	48	214	131	268	185
North Riding	2	—	319	89	89	41	231	246	298	234
X.—NORTHERN.										
Durham	12	1	414	219	145	71	204	152	383	336
Northumberland	13	1	292	268	136	49	176	115	356	251
Cumberland	3	—	365	128	94	124	143	139	300	203
Westmorland	5	—	83	16	69	16	78	220	164	31
XI.—WELSH.										
Monmouthshire	2	—	419	482	124	71	276	118	334	268
Glamorganshire	7	1	443	450	136	85	317	127	363	231
Cardiganshire	—	—	200	121	129	40	230	134	222	423
Pembrokeshire	1	—	156	94	52	59	174	236	211	354
Cardiganshire	—	—	85	12	60	49	177	124	160	161
Brecknockshire	7	—	142	534	97	71	312	36	261	53
Radnorshire	10	—	130	—	57	—	271	395	193	226
Montgomeryshire	2	—	80	64	21	32	49	80	213	64
Flintshire	2	—	204	87	109	203	221	507	287	29
Denbighshire	5	—	279	904	91	96	204	103	347	96
Merionethshire	—	—	121	66	70	132	194	149	224	83
Carnarvonshire	4	—	114	71	54	42	123	49	250	35
Anglesey	—	—	177	28	14	28	143	311	225	255

* See Note * to Table 28.

living from the **Principal Epidemic Diseases**, and from **Phthisis**; and **Deaths** **Childbirth** to **1000 Births**, in **Registration Counties, 1900-1909**, and **1910**.
no correction having been made for those occurring in Public Institutions.

TO A MILLION PERSONS LIVING.										TO 1000 BIRTHS.		REGISTRATION COUNTY.
Fever.						Diarrhoea (in- cluding Dysen- tery).	Phthisis.		Puerperal Septic Diseases and Diseases and Accidents of Pregnancy and Childbirth.			
Typhus.		Enteric.		Pyrexia† (Origin uncertain.)								
Ten Years 1900 to 1909.	1910.	Ten Years 1900 to 1909.	1910.	Ten Years 1900 to 1909.	1910.						Ten Years 1900 to 1909.	
I	0	103	53	2	0	614	300	1194	1015	4'13	3'56	ENGLAND & WALES.
0	—	78	41	I	1	690	294	1525	1223	3'09	2'74	I.—LONDON. London.*
0	—	41	19	I	—	396	160	1046	926	3'13	3'49	II.—SOUTH EASTERN. Surrey.
—	1	113	44	I	1	462	146	1132	1019	3'30	2'66	Kent.
0	—	51	29	I	—	286	137	1161	958	3'80	3'90	Sussex.
0	—	112	84	2	1	391	139	1267	986	3'32	2'54	Hampshire.
—	—	41	13	I	—	303	89	952	868	3'94	3'40	Berkshire.
0	—	67	41	I	2	650	178	959	788	2'98	2'19	III.—SOUTH MIDLAND. Middlesex.
—	—	40	28	—	—	286	113	1040	794	3'35	2'46	Hertfordshire.
—	—	46	10	I	—	226	68	833	624	3'27	1'70	Buckinghamshire.
1	—	33	15	I	—	220	96	947	916	3'65	3'34	Oxfordshire.
—	—	71	33	I	—	321	99	1036	921	3'52	3'15	Northamptonshire.
—	—	44	—	—	—	262	42	970	1083	2'59	1'91	Huntingdonshire.
—	—	45	10	I	—	368	117	1008	705	3'37	3'04	Bedfordshire.
0	—	67	19	2	—	288	117	1010	953	3'47	3'53	Cambridgeshire.
0	1	106	28	I	—	760	183	1015	923	3'05	2'44	IV.—EASTERN. Essex.
—	—	64	24	0	—	246	110	1116	879	3'57	3'71	Suffolk.
—	—	84	25	2	—	428	140	1003	887	3'73	2'82	Norfolk.
—	—	35	—	2	4	174	61	893	769	4'20	1'46	V.—SOUTH WESTERN. Wiltshire.
—	—	52	27	0	—	160	78	928	818	3'71	2'30	Dorsetshire.
0	—	87	49	I	—	350	199	1177	1104	4'22	3'57	Devonshire.
0	—	50	25	2	—	237	120	1237	1161	4'64	4'01	Cornwall.
—	—	37	20	I	—	197	78	927	922	3'88	4'17	Somersetshire.
0	—	56	28	I	—	322	157	1086	947	3'95	4'05	VI.—WEST MIDLAND. Gloucestershire.
—	—	25	18	—	—	161	106	957	761	4'00	4'54	Herefordshire.
0	—	37	45	I	—	201	128	967	829	3'57	2'99	Shropshire.
0	—	125	60	2	—	771	398	1029	924	4'18	3'25	Staffordshire.
—	—	69	30	I	—	376	169	926	838	3'86	3'87	Worcestershire.
—	—	110	46	I	—	859	330	1244	1104	3'84	3'85	Warwickshire.
—	—	66	40	I	—	616	220	1088	1034	3'64	2'17	VII.—NORTH MIDLAND. Leicestershire.
—	—	57	—	—	—	124	142	674	757	3'38	5'00	Rutlandshire.
0	—	131	71	2	—	447	264	963	851	3'94	2'73	Lincolnshire.
—	1	143	47	I	—	735	369	1028	956	4'38	3'59	Nottinghamshire.
—	—	94	48	1	—	476	212	895	830	4'51	3'49	Derbyshire.
0	—	102	58	3	—	580	289	1053	930	4'69	3'62	VIII.—NORTH WESTERN. Cheshire.
6	0	152	98	3	0	909	518	1386	1179	4'85	4'13	Lancashire.
0	—	138	69	I	1	723	404	1153	942	4'93	4'61	IX.—YORKSHIRE. West Riding.
—	—	131	78	3	—	899	618	1154	1052	4'22	2'59	East Riding (with York).
—	—	121	85	4	—	606	553	1030	909	4'06	4'04	North Riding.
0	1	151	78	4	1	800	523	1176	958	4'42	3'69	X.—NORTHERN. Durham.
1	—	99	49	3	—	649	390	1428	1140	4'16	4'41	Northumberland.
3	—	70	26	0	—	278	218	1099	1031	5'39	3'59	Cumberland.
—	—	34	—	2	—	137	47	825	644	5'11	4'02	Westmorland.
1	—	132	59	5	—	445	214	868	690	5'43	4'95	XI.—WELSH. Monmouthshire.
1	—	128	47	3	—	669	403	1095	990	5'77	4'31	Glamorganshire.
—	—	128	47	2	—	197	128	1472	1289	5'78	5'62	Carmarthenshire
—	—	121	12	1	—	195	201	1361	1358	6'02	3'78	Pembrokeshire
—	—	58	—	4	—	210	124	2189	2064	6'42	7'39	Cardiganshire.
—	—	191	107	4	—	204	36	1077	961	6'94	6'44	Brecknockshire
—	—	42	—	—	—	146	113	974	734	4'83	2'53	Radnorshire.
—	—	32	48	2	—	156	32	1224	1171	5'83	10'20	Montgomeryshire
—	—	81	29	7	—	232	130	1083	797	5'45	6'77	Flintshire.
—	—	74	22	2	—	387	169	1167	1022	7'01	7'24	Denbighshire.
—	—	33	—	2	—	145	66	1622	1271	6'31	8'12	Merionethshire
—	—	81	42	4	—	233	106	1713	1506	5'54	3'94	Carnarvonshire
—	—	49	—	6	—	203	28	1379	1302	4'36	6'76	Anglesey.

† Called Simple Continued Fever previous to 1901.

TABLE 32.—ENGLAND AND WALES. Both Sexes.

Cause of Death.	Proportion of Deaths									
	Under 1 day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFECTIONAL DIS...	—	—	0'00	0'05	0'09	0'14	0'55	0'52	0'42	0'43
II. DIARRHOEAL DIS.	0'00	0'02	0'16	0'29	0'30	0'77	1'46	1'59	1'55	1'35
III. WASTING DIS. ..	10'17	10'36	3'70	3'06	1'96	29'25	4'13	2'21	1'42	0'95
IV. TUBERC. DIS. ..	—	0'00	0'00	0'03	0'02	0'05	0'16	0'31	0'38	0'40
V. MISCELLAN. DIS...	1'37	2'15	1'58	1'71	1'45	8'26	5'07	4'03	3'33	3'03
ALL CAUSES ..	11'54	12'53	5'44	5'14	3'82	38'47	11'37	8'66	7'10	6'16
I. { Small-pox ..	—	—	0'00	—	—	0'00	—	—	—	—
Chicken-pox ..	—	—	0'00	—	0'00	0'00	0'01	0'01	0'00	0'00
Measles	—	—	—	0'01	0'01	0'02	0'02	0'03	0'01	0'04
Scarlet Fever ..	—	—	—	—	0'00	0'00	0'00	—	—	0'00
Diphtheria, Croup	—	—	—	—	0'00	0'00	0'00	0'00	0'01	0'01
Whooping-cough	—	—	0'00	0'04	0'08	0'12	0'52	0'48	0'40	0'38
II. { Enteritis, including Ulcer, Intest.	—	0'01	0'04	0'07	0'09	0'21	0'36	0'36	0'29	0'24
Gastro-enteritis..	—	0'00	0'04	0'07	0'06	0'17	0'28	0'33	0'26	0'23
Gastro-intestinal Catarrh.	—	0'00	0'01	0'02	0'02	0'05	0'07	0'07	0'07	0'05
Diarrhoea (other forms).	0'00	0'01	0'07	0'13	0'13	0'34	0'75	0'83	0'93	0'83
III. { Premature Birth	7'35	6'36	1'84	1'47	0'85	17'87	1'19	0'33	0'09	0'05
Congenital Defects.	1'32	1'97	0'85	0'50	0'33	4'97	0'64	0'36	0'21	0'13
Want of Breast Milk, Starvation.	—	0'01	0'02	0'03	0'05	0'11	0'15	0'10	0'08	0'05
Atrophy, Debility, Marasmus.	1'50	2'02	0'99	1'06	0'73	6'30	2'15	1'42	1'04	0'72
IV. { Tuberculous Meningitis.	—	0'00	0'00	0'00	0'00	0'00	0'02	0'05	0'09	0'11
Tuberculous Peritonitis, Tabes Mesenterica.	—	0'00	0'00	0'02	0'01	0'03	0'09	0'18	0'20	0'19
Other Tubercu- lous Diseases.	—	0'00	0'00	0'01	0'01	0'02	0'05	0'08	0'09	0'10
V. { Syphilis	0'02	0'04	0'06	0'10	0'08	0'30	0'28	0'17	0'12	0'08
Erysipelas ..	—	0'00	0'01	0'01	0'01	0'03	0'05	0'01	0'01	0'01
Rickets	—	0'00	0'00	0'01	0'00	0'01	0'01	0'02	0'03	0'03
Injury at Birth ..	0'57	0'29	0'04	0'02	0'01	0'93	0'01	0'00	0'00	—
Meningitis (not Tuberculous).	0'00	0'01	0'01	0'01	0'01	0'04	0'08	0'10	0'13	0'15
Convulsions ..	0'30	1'33	0'77	0'65	0'51	3'56	1'37	1'05	0'77	0'55
Laryngitis ..	—	0'01	0'01	0'00	0'00	0'02	0'01	0'00	0'01	0'01
Bronchitis ..	0'00	0'04	0'14	0'28	0'27	0'73	1'22	0'90	0'78	0'67
Pneumonia ..	0'00	0'04	0'11	0'15	0'15	0'45	0'78	0'83	0'72	0'81
Gastritis, Gastric Catarrh.	—	0'02	0'05	0'08	0'07	0'22	0'26	0'25	0'19	0'14
Suffocation ..	0'10	0'15	0'07	0'07	0'08	0'47	0'32	0'25	0'17	0'12
Other Causes ..	0'38	0'22	0'31	0'33	0'26	1'50	0'68	0'45	0'40	0'46

Mortality under 5 Years of Age, 1910.

to 1000 Births.							Deaths per 1000 Survivors.					Death- rate per 1000 living under 5 years of age.
Months.							Under I year.	I year.	2 years.	3 years.	4 years.	
5—	6—	7—	8—	9—	10—	11—						
0'46	0'57	0'68	0'77	0'84	0'89	0'95	7'22	8'31	3'89	2'70	2'12	4'92
1'21	1'02	0'88	0'82	0'74	0'67	0'58	12'64	3'33	0'67	0'25	0'13	3'64
0'66	0'49	0'41	0'34	0'26	0'23	0'15	40'50	0'88	0'19	0'07	0'04	9'11
0'38	0'37	0'38	0'38	0'37	0'39	0'34	3'91	3'15	1'74	1'04	0'80	2'17
2'80	2'74	2'69	2'44	2'43	2'22	2'13	41'17	15'18	5'84	3'41	2'54	14'35
5'51	5'19	5'04	4'75	4'64	4'40	4'15	105'44	30'85	12'33	7'47	5'63	34'19
—	—	—	—	—	—	—	0'00	—	—	0'00	—	0'00
0'01	0'00	0'01	0'01	0'01	0'00	0'00	0'06	0'03	0'01	0'00	0'01	0'02
0'08	0'13	0'23	0'31	0'35	0'42	0'45	2'09	4'14	1'65	0'87	0'54	1'83
0'01	0'01	0'01	0'01	0'01	0'02	0'02	0'09	0'29	0'45	0'46	0'43	0'33
0'01	0'02	0'02	0'02	0'03	0'05	0'05	0'22	0'65	0'67	0'78	0'80	0'61
0'35	0'41	0'41	0'42	0'44	0'40	0'43	4'76	3'20	1'11	0'59	0'34	2'08
0'24	0'18	0'15	0'14	0'11	0'11	0'10	2'49	0'50	0'14	0'07	0'04	0'69
0'23	0'17	0'14	0'13	0'12	0'09	0'09	2'24	0'53	0'12	0'06	0'04	0'64
0'04	0'03	0'02	0'03	0'02	0'02	0'01	0'48	0'08	0'01	0'01	0'00	0'13
0'70	0'64	0'57	0'52	0'49	0'45	0'38	7'43	2'22	0'40	0'11	0'05	2'18
0'02	0'01	0'01	0'01	—	0'01	0'00	19'59	—	—	—	—	4'30
0'10	0'07	0'05	0'05	0'05	0'03	0'03	6'39	0'17	0'06	0'04	0'02	1'52
0'03	0'03	0'03	0'01	0'01	0'01	0'00	0'61	0'00	—	—	—	0'13
0'51	0'38	0'32	0'27	0'20	0'18	0'12	13'61	0'71	0'13	0'03	0'02	3'16
0'12	0'14	0'15	0'16	0'16	0'17	0'14	1'31	1'27	0'79	0'50	0'37	0'86
0'17	0'13	0'12	0'13	0'11	0'10	0'10	1'55	0'89	0'39	0'19	0'16	0'66
0'09	0'10	0'11	0'09	0'10	0'12	0'10	1'05	0'99	0'56	0'35	0'27	0'65
0'07	0'04	0'03	0'01	0'01	0'02	0'02	1'15	0'09	0'02	0'01	—	0'27
0'01	0'01	0'01	0'01	0'01	0'00	0'01	0'17	0'02	0'00	0'00	—	0'04
0'03	0'03	0'04	0'05	0'05	0'06	0'08	0'44	0'53	0'20	0'04	0'02	0'25
—	—	—	—	0'00	—	—	0'94	—	0'00	—	—	0'21
0'17	0'18	0'20	0'16	0'15	0'15	0'13	1'64	1'01	0'46	0'29	0'26	0'75
0'45	0'35	0'30	0'23	0'19	0'19	0'16	9'17	0'89	0'27	0'14	0'05	2'28
0'01	0'01	0'01	0'01	0'02	0'03	0'01	0'15	0'19	0'15	0'13	0'11	0'15
0'62	0'58	0'54	0'52	0'49	0'42	0'42	7'89	2'36	0'58	0'25	0'13	2'39
0'83	0'94	0'98	0'95	1'03	0'96	0'92	10'20	6'90	2'37	1'17	0'76	4'45
0'12	0'10	0'07	0'07	0'06	0'05	0'04	1'57	0'26	0'08	0'05	0'04	0'43
0'06	0'04	0'02	0'02	0'01	0'01	0'01	1'50	0'04	0'01	0'01	—	0'34
0'43	0'46	0'49	0'41	0'41	0'33	0'33	6'35	2'89	1'70	1'32	1'17	2'79

TABLE 33.—ENGLAND AND WALES. **Males.**

Cause of Death.	Proportion of Deaths									
	Under 1 day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFEC. DIS...	—	—	0'00	0'05	0'07	0'12	0'47	0'47	0'39	0'40
II. DIARRHOEAL DIS.	—	0'03	0'19	0'34	0'38	0'94	1'75	1'77	1'72	1'45
III. WASTING DIS. ..	11'55	11'60	3'93	3'32	2'23	32'63	4'57	2'50	1'42	1'03
IV. TUBERC. DIS. ..	—	0'00	0'00	0'03	0'04	0'07	0'21	0'31	0'43	0'48
V. MISCELLAN. DIS ..	1'46	2'51	1'84	2'04	1'67	9'52	5'70	4'55	3'68	3'38
ALL CAUSES ..	13'01	14'14	5'96	5'78	4'39	43'28	12'70	9'60	7'64	6'74
I. { Small-pox ..	—	—	—	—	—	—	—	—	—	—
{ Chicken-pox ..	—	—	0'00	—	0'00	0'00	0'01	0'01	—	0'00
{ Measles	—	—	—	0'01	0'00	0'01	0'02	0'04	0'01	0'05
{ Scarlet Fever ..	—	—	—	—	0'00	0'00	0'00	—	—	0'00
{ Diphtheria, Croup	—	—	—	—	0'00	0'00	0'00	0'00	0'02	0'01
{ Whooping-cough	—	—	0'00	0'04	0'07	0'11	0'44	0'42	0'36	0'34
II. { Enteritis, includ-	—	0'02	0'04	0'09	0'09	0'24	0'46	0'35	0'34	0'26
{ ing Ulcer. Intest.	—	0'01	0'06	0'07	0'08	0'22	0'33	0'39	0'29	0'26
{ Gastro-enteritis..	—	0'00	0'01	0'03	0'02	0'06	0'08	0'07	0'08	0'05
{ Gastro-intestinal	—	0'00	0'01	0'03	0'02	0'06	0'08	0'07	0'08	0'05
{ Catarrh.	—	0'00	0'08	0'15	0'19	0'42	0'88	0'96	1'01	0'88
{ Diarrhoea (other	—	0'00	0'08	0'15	0'19	0'42	0'88	0'96	1'01	0'88
{ forms).	—	0'00	0'08	0'15	0'19	0'42	0'88	0'96	1'01	0'88
III. { Premature Birth	8'43	6'90	1'87	1'59	0'98	19'77	1'17	0'34	0'10	0'04
{ Congenital Def-	1'43	2'29	0'94	0'54	0'35	5'55	0'73	0'40	0'21	0'16
{ ects.	—	0'02	0'02	0'04	0'04	0'12	0'15	0'13	0'06	0'05
{ Want of Breast	—	0'02	0'02	0'04	0'04	0'12	0'15	0'13	0'06	0'05
{ Milk, Starvation,	1'69	2'39	1'10	1'15	0'86	7'19	2'52	1'63	1'05	0'78
{ Atrophy, Debility,	—	0'00	0'00	0'00	0'01	0'01	0'03	0'07	0'09	0'13
{ Marasmus.	—	0'00	0'00	0'02	0'02	0'04	0'12	0'15	0'24	0'23
IV. { Tuberculous	—	0'00	0'00	0'00	0'01	0'01	0'03	0'07	0'09	0'13
{ Meningitis.	—	—	0'00	0'02	0'02	0'04	0'12	0'15	0'24	0'23
{ Tuberculous	—	0'00	0'00	0'01	0'01	0'02	0'06	0'09	0'10	0'12
{ Peritonitis, Tab-	—	0'00	0'00	0'01	0'01	0'02	0'06	0'09	0'10	0'12
{ es Mesenterica.	—	0'00	0'00	0'01	0'01	0'02	0'06	0'09	0'10	0'12
{ Other Tubercu-	—	0'00	0'00	0'01	0'01	0'02	0'06	0'09	0'10	0'12
{ lous Diseases.	—	0'00	0'00	0'01	0'01	0'02	0'06	0'09	0'10	0'12
V. { Syphilis	0'01	0'05	0'07	0'14	0'11	0'38	0'29	0'19	0'13	0'10
{ Erysipelas ..	—	0'00	0'01	0'01	0'02	0'04	0'08	0'02	0'00	0'01
{ Rickets	—	0'00	—	0'00	—	0'00	0'01	0'02	0'04	0'03
{ Injury at Birth ..	0'64	0'34	0'05	0'02	0'01	1'06	0'00	0'00	0'00	—
{ Meningitis (not	0'00	0'01	0'02	0'02	0'01	0'06	0'09	0'10	0'16	0'18
{ Tuberculous).	0'34	1'60	0'92	0'79	0'61	4'26	1'54	1'12	0'81	0'57
{ Convulsions ..	—	0'00	0'01	0'00	0'00	0'01	0'01	0'01	0'01	0'01
{ Laryngitis.. ..	—	0'00	0'01	0'00	0'00	0'01	0'01	0'01	0'01	0'01
{ Bronchitis ..	0'00	0'05	0'16	0'33	0'31	0'85	1'37	1'06	0'88	0'76
{ Pneumonia ..	0'00	0'05	0'14	0'16	0'17	0'52	0'90	0'94	0'82	0'92
{ Gastritis, Gastric	—	0'02	0'07	0'12	0'07	0'28	0'32	0'28	0'20	0'15
{ Catarrh.	0'10	0'16	0'07	0'07	0'07	0'47	0'32	0'28	0'16	0'11
{ Suffocation ..	—	—	—	—	—	—	—	—	—	—
{ Other Causes ..	0'37	0'23	0'32	0'38	0'29	1'59	0'77	0'53	0'47	0'54

Mortality under 5 Years of Age, 1910.

to 1000 Births.								Deaths per 1000 Survivors.				Death- rate per 1000 living under 5 years of age.
Months.							Under 1 year.	1 year.	2 years.	3 years.	4 years.	
5—	6—	7—	8—	9—	10—	11—						
0'44	0'56	0'67	0'74	0'80	0'87	0'97	6'90	8'16	3'72	2'60	1'96	4'79
1'37	1'11	0'95	0'86	0'78	0'75	0'60	14'05	3'48	0'73	0'26	0'16	4'08
0'72	0'48	0'41	0'35	0'26	0'22	0'14	44'73	0'89	0'20	0'07	0'04	10'26
0'44	0'44	0'41	0'45	0'43	0'40	0'34	4'41	3'45	1'83	1'09	0'83	2'41
3'15	3'21	2'91	2'65	2'70	2'49	2'22	46'16	16'03	6'15	3'51	2'72	15'94
6'12	5'80	5'35	5'05	4'97	4'73	4'27	116'25	32'01	12'63	7'53	5'71	37'48
—	—	—	—	—	—	—	—	—	—	0'00	—	0'00
0'02	0'00	0'01	0'01	0'01	0'00	0'00	0'07	0'04	0'01	0'01	0'00	0'03
0'07	0'14	0'21	0'32	0'36	0'45	0'51	2'19	4'44	1'64	0'86	0'49	1'96
0'01	0'01	0'01	0'01	0'01	0'03	0'02	0'10	0'30	0'42	0'46	0'44	0'34
0'01	0'03	0'02	0'03	0'03	0'05	0'07	0'27	0'64	0'72	0'77	0'77	0'62
0'33	0'38	0'42	0'37	0'39	0'34	0'37	4'27	2'74	0'93	0'50	0'26	1'84
0'31	0'20	0'15	0'14	0'12	0'11	0'10	2'78	0'56	0'14	0'06	0'04	0'78
0'26	0'18	0'16	0'14	0'12	0'13	0'10	2'58	0'54	0'13	0'06	0'03	0'73
0'05	0'03	0'03	0'03	0'02	0'02	0'02	0'54	0'08	0'02	0'02	0'01	0'15
0'75	0'70	0'61	0'55	0'52	0'49	0'38	8'15	2'30	0'44	0'12	0'08	2'42
0'02	0'01	0'01	0'01	—	0'00	0'00	21'47	—	—	—	—	4'81
0'11	0'07	0'04	0'05	0'05	0'03	0'03	7'43	0'15	0'08	0'05	0'02	1'72
0'03	0'04	0'03	0'02	0'01	0'01	0'00	0'65	0'00	—	—	—	0'15
0'56	0'36	0'33	0'27	0'20	0'18	0'11	15'18	0'74	0'12	0'02	0'02	3'58
0'14	0'17	0'15	0'18	0'17	0'17	0'14	1'45	1'38	0'85	0'48	0'38	0'93
0'18	0'15	0'14	0'16	0'13	0'11	0'10	1'75	1'00	0'42	0'19	0'19	0'75
0'12	0'12	0'12	0'11	0'13	0'12	0'10	1'21	1'07	0'56	0'42	0'26	0'73
0'08	0'05	0'03	0'01	0'01	0'02	0'02	1'31	0'09	0'02	0'01	—	0'31
0'01	0'00	0'01	0'01	0'00	0'00	0'01	0'19	0'01	—	0'01	—	0'05
0'04	0'03	0'06	0'08	0'06	0'07	0'10	0'54	0'58	0'23	0'04	0'02	0'30
—	—	—	—	—	—	—	1'06	—	0'00	—	—	0'24
0'19	0'20	0'20	0'18	0'17	0'16	0'13	1'82	1'04	0'53	0'30	0'26	0'83
0'51	0'41	0'30	0'24	0'22	0'21	0'18	10'37	0'88	0'27	0'11	0'06	2'59
0'02	0'01	0'02	0'01	0'02	0'04	0'01	0'18	0'21	0'15	0'13	0'13	0'16
0'68	0'68	0'61	0'51	0'52	0'44	0'44	8'80	2'45	0'58	0'25	0'16	2'66
0'94	1'12	1'10	1'05	1'16	1'06	0'95	11'48	7'20	2'47	1'19	0'78	4'88
0'15	0'11	0'08	0'07	0'06	0'06	0'04	1'80	0'28	0'08	0'04	0'05	0'49
0'05	0'03	0'02	0'01	0'01	0'01	0'00	1'47	0'04	0'02	0'02	—	0'34
0'48	0'57	0'48	0'48	0'47	0'42	0'34	7'14	3'25	1'80	1'41	1'26	3'09

TABLE 34.—ENGLAND AND WALES. **Females.**

Cause of Death.	Proportion of Deaths									
	Under 1 day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFECTIONAL DIS...	—	—	0'01	0'04	0'09	0'14	0'63	0'58	0'47	0'45
II. DIARRHOEAL DIS.	0'00	0'02	0'12	0'24	0'23	0'61	1'15	1'37	1'39	1'23
III. WASTING DIS. ..	8'72	9'11	3'46	2'79	1'64	25'72	3'63	1'93	1'40	0'88
IV. TUBERC. DIS. ..	—	0'00	0'01	0'02	0'02	0'05	0'12	0'30	0'33	0'35
V. MISCELLAN. DIS...	1'29	1'75	1'29	1'37	1'24	6'94	4'47	3'50	2'96	2'64
ALL CAUSES ..	10'01	10'88	4'89	4'46	3'22	33'46	10'00	7'68	6'55	5'55
I. { Small-pox.. ..	—	—	0'00	—	—	0'00	—	—	—	—
Chicken-pox ..	—	—	—	—	—	—	0'01	0'00	0'00	0'00
Measles	—	—	—	0'00	0'01	0'01	0'03	0'02	0'02	0'02
Scarlet Fever ..	—	—	—	—	0'00	0'00	0'00	—	—	0'00
Diphtheria, Croup	—	—	—	—	0'00	0'00	0'00	0'01	—	0'00
Whooping-cough	—	—	0'01	0'04	0'08	0'13	0'59	0'55	0'45	0'43
II. { Enteritis, includ- ing Ulcer, Intest.	—	0'01	0'05	0'05	0'07	0'18	0'26	0'37	0'23	0'21
Gastro-enteritis..	—	—	0'01	0'07	0'04	0'12	0'23	0'26	0'23	0'20
Gastro-intestinal Catarrh.	—	—	0'01	0'02	0'01	0'04	0'06	0'06	0'07	0'05
Diarrhoea (other forms).	0'00	0'01	0'05	0'10	0'11	0'27	0'60	0'68	0'86	0'77
III. { Premature Birth	6'24	5'81	1'80	1'35	0'71	15'91	1'19	0'33	0'08	0'06
Congenital Def- ects.	1'20	1'63	0'76	0'46	0'31	4'36	0'53	0'32	0'20	0'11
Want of Breast Milk, Starvation.	—	0'01	0'02	0'03	0'03	0'09	0'14	0'08	0'09	0'05
Atrophy, Debility, Marasmus.	1'28	1'66	0'88	0'95	0'59	5'36	1'77	1'20	1'03	0'66
IV. { Tuberculous Meningitis.	—	0'00	0'01	0'00	—	0'01	0'02	0'03	0'09	0'10
Tuberculous Peritonitis, Ta- bes Mesenterica.	—	0'00	0'00	0'01	0'01	0'02	0'06	0'20	0'16	0'16
Other Tubercu- lous Diseases.	—	0'00	—	0'01	0'01	0'02	0'04	0'07	0'08	0'09
Syphilis	0'02	0'04	0'05	0'05	0'06	0'22	0'26	0'15	0'11	0'06
Erysipelas ..	—	—	0'01	0'02	0'01	0'04	0'04	0'01	0'01	0'01
Rickets	—	—	0'00	0'00	0'00	0'00	0'01	0'02	0'02	0'02
Injury at Birth ..	0'50	0'24	0'03	0'02	0'01	0'80	0'02	—	—	—
Meningitis (not Tuberculous).	0'00	0'01	0'01	0'01	0'02	0'05	0'07	0'10	0'10	0'13
V. { Convulsions ..	0'27	1'05	0'63	0'51	0'39	2'85	1'22	0'96	0'72	0'53
Laryngitis.. ..	—	0'01	0'01	—	0'00	0'02	0'01	0'00	0'01	0'01
Bronchitis.. ..	0'00	0'03	0'13	0'23	0'22	0'61	1'09	0'75	0'67	0'58
Pneumonia ..	0'00	0'04	0'07	0'13	0'15	0'39	0'65	0'71	0'60	0'71
Gastritis, Gastric Catarrh.	—	0'02	0'03	0'04	0'07	0'16	0'20	0'21	0'18	0'14
Suffocation ..	0'11	0'15	0'06	0'06	0'09	0'47	0'33	0'24	0'17	0'13
Other Causes ..	0'39	0'16	0'26	0'30	0'22	1'33	0'57	0'35	0'37	0'32

Mortality under 5 Years of Age, 1910.

to 1000 Births.								Deaths per 1000 Survivors.				Death-rate per 1000 living under 5 years of age.
Months.							Under 1 year.	1 year.	2 years.	3 years.	4 years.	
5—	6—	7—	8—	9—	10—	11—						
0'46	0'58	0'67	0'80	0'89	0'91	0'99	7'57	8'47	4'06	2'79	2'27	5'06
1'03	0'92	0'82	0'79	0'70	0'59	0'56	11'16	3'18	0'61	0'21	0'13	3'22
0'63	0'50	0'39	0'34	0'28	0'23	0'16	36'09	0'87	0'18	0'06	0'04	7'98
0'32	0'29	0'35	0'31	0'28	0'34	0'36	3'40	2'82	1'65	1'01	0'77	1'94
2'44	2'26	2'48	2'20	2'15	1'98	1'97	35'99	14'34	5'53	3'34	2'34	12'71
4'88	4'55	4'71	4'44	4'30	4'05	4'04	94'21	29'68	12'03	7'41	5'55	30'91
—	—	—	—	—	—	—	0'00	—	—	—	—	0'00
0'00	0'00	0'00	0'01	0'01	0'01	0'01	0'05	0'03	0'01	0'00	0'01	0'02
0'08	0'13	0'25	0'30	0'34	0'38	0'42	2'00	3'85	1'67	0'88	0'59	1'80
0'00	0'01	0'01	0'01	0'01	0'01	0'03	0'08	0'27	0'48	0'45	0'41	0'33
0'01	0'01	0'01	0'01	0'03	0'05	0'04	0'17	0'65	0'62	0'78	0'83	0'59
0'37	0'43	0'40	0'47	0'50	0'46	0'49	5'27	3'67	1'28	0'68	0'43	2'32
0'18	0'16	0'14	0'14	0'10	0'11	0'10	2'18	0'45	0'13	0'07	0'05	0'61
0'19	0'16	0'13	0'12	0'11	0'05	0'08	1'88	0'53	0'11	0'05	0'06	0'55
0'03	0'03	0'02	0'03	0'02	0'02	0'00	0'43	0'07	0'01	0'00	—	0'11
0'63	0'57	0'53	0'50	0'47	0'41	0'38	6'67	2'13	0'36	0'09	0'02	1'95
0'03	0'01	0'01	0'01	—	0'01	0'00	17'64	—	—	—	—	3'79
0'10	0'08	0'05	0'05	0'05	0'04	0'03	5'92	0'18	0'04	0'02	0'02	1'32
0'03	0'02	0'02	0'01	0'02	0'01	0'00	0'56	—	—	—	—	0'12
0'47	0'39	0'31	0'27	0'21	0'17	0'13	11'97	0'69	0'14	0'04	0'02	2'75
0'10	0'10	0'15	0'13	0'13	0'15	0'16	1'17	1'15	0'72	0'52	0'35	0'78
0'16	0'12	0'10	0'10	0'08	0'09	0'10	1'35	0'77	0'37	0'20	0'14	0'58
0'06	0'07	0'10	0'08	0'07	0'10	0'10	0'88	0'90	0'56	0'29	0'28	0'58
0'06	0'03	0'03	0'01	0'01	0'01	0'03	0'98	0'08	0'03	0'01	—	0'23
0'01	0'01	0'00	0'00	0'01	—	0'00	0'14	0'02	0'01	—	—	0'04
0'02	0'03	0'03	0'03	0'04	0'05	0'06	0'33	0'47	0'18	0'04	0'02	0'21
—	—	—	—	0'00	—	—	0'82	—	0'00	—	—	0'18
0'14	0'16	0'19	0'13	0'13	0'13	0'12	1'45	0'97	0'40	0'28	0'26	0'68
0'38	0'29	0'31	0'21	0'15	0'17	0'14	7'93	0'90	0'28	0'17	0'03	1'97
—	0'01	0'01	0'01	0'02	0'02	0'01	0'13	0'18	0'16	0'14	0'08	0'13
0'54	0'48	0'48	0'52	0'45	0'39	0'39	6'95	2'26	0'57	0'26	0'10	2'12
0'72	0'75	0'86	0'83	0'90	0'85	0'90	8'87	6'59	2'28	1'15	0'75	4'02
0'10	0'08	0'07	0'06	0'06	0'04	0'03	1'33	0'23	0'07	0'06	0'03	0'36
0'07	0'04	0'02	0'02	0'01	0'01	0'01	1'52	0'04	0'01	0'01	—	0'34
0'40	0'38	0'48	0'38	0'37	0'31	0'28	5'54	2'60	1'54	1'22	1'07	2'43

TABLE 35.—URBAN COUNTIES. Both Sexes.

Cause of Death.	Proportion of Deaths									
	Under 1 Day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFEC. DIS. ..	—	—	0'00	0'05	0'08	0'13	0'57	0'51	0'41	0'44
II. DIARRHŒAL DIS. .	0'00	0'03	0'16	0'35	0'34	0'88	1'73	1'90	1'91	1'64
III. WASTING DIS. ..	10'25	10'43	3'84	3'23	2'03	29'78	4'29	2'39	1'52	1'04
IV. TUBERC. DIS. ..	—	0'00	0'01	0'04	0'03	0'08	0'18	0'33	0'41	0'49
V. MISCELLAN. DIS. ..	1'41	2'17	1'68	1'90	1'62	8'78	5'63	4'37	3'69	3'33
ALL CAUSES ..	11'66	12'63	5'69	5'57	4'10	39'65	12'40	9'50	7'94	6'94
I. { Small-pox ..	—	—	—	—	—	—	—	—	—	—
Chicken-pox ..	—	—	—	—	—	—	0'01	0'00	0'00	0'00
Measles	—	—	—	0'01	0'00	0'01	0'03	0'03	0'01	0'04
Scarlet Fever ..	—	—	—	—	0'00	0'00	0'01	—	—	0'00
Diphtheria, Croup	—	—	—	—	0'00	0'00	0'01	0'01	0'01	0'01
Whooping-cough	—	—	0'00	0'04	0'08	0'12	0'51	0'47	0'39	0'39
II. { Enteritis, includ- ing Ulcer. Intest.	—	0'01	0'05	0'08	0'07	0'21	0'40	0'43	0'34	0'28
Gastro-enteritis ..	—	0'01	0'04	0'07	0'07	0'19	0'29	0'38	0'30	0'26
Gastro-intestinal Catarrh.	—	0'00	0'01	0'03	0'02	0'06	0'11	0'08	0'08	0'06
Diarrhœa (other forms).	0'00	0'01	0'06	0'17	0'18	0'42	0'93	1'01	1'19	1'04
III. { Premature Birth	7'46	6'37	1'96	1'58	0'93	18'30	1'23	0'36	0'09	0'05
Congenital De- fects.	1'35	2'08	0'90	0'53	0'34	5'20	0'68	0'40	0'22	0'15
Want of Breast Milk, Starvation.	—	0'01	0'03	0'04	0'03	0'11	0'18	0'11	0'08	0'06
Atrophy, Debility, Marasmus.	1'44	1'97	0'95	1'08	0'73	6'17	2'20	1'52	1'13	0'78
IV. { Tuberculous Meningitis.	—	0'00	0'01	0'01	0'00	0'02	0'03	0'05	0'09	0'13
Tuberculous Peritonitis, Ta- bes Mesenterica.	—	—	0'00	0'01	0'02	0'03	0'10	0'21	0'23	0'25
Other Tubercu- lous Diseases.	—	0'00	0'00	0'02	0'01	0'03	0'05	0'07	0'09	0'11
Syphilis	0'01	0'05	0'07	0'11	0'11	0'35	0'32	0'19	0'15	0'10
Erysipelas ..	—	—	0'01	0'01	0'01	0'03	0'05	0'01	0'01	0'01
Rickets	—	0'00	—	0'00	0'00	0'00	0'01	0'03	0'03	0'02
Injury at Birth ..	0'56	0'28	0'05	0'02	0'01	0'92	0'01	—	0'00	—
Meningitis (not Tuberculous).	0'01	0'01	0'01	0'02	0'02	0'07	0'09	0'10	0'14	0'19
V. { Convulsions ..	0'31	1'34	0'82	0'74	0'54	3'75	1'51	1'03	0'81	0'60
Laryngitis ..	—	0'01	0'00	0'00	0'01	0'02	0'01	0'00	0'01	0'01
Bronchitis ..	0'01	0'04	0'16	0'31	0'30	0'82	1'39	1'00	0'87	0'75
Pneumonia ..	0'01	0'04	0'12	0'16	0'18	0'51	0'87	0'94	0'86	0'93
Gastritis, Gastric Catarrh.	—	0'02	0'06	0'09	0'09	0'26	0'30	0'29	0'20	0'16
Suffocation ..	0'12	0'18	0'08	0'09	0'10	0'57	0'44	0'32	0'18	0'16
Other Causes ..	0'38	0'20	0'30	0'35	0'25	1'48	0'63	0'46	0'43	0'40

Mortality under 5 Years of Age, 1910.

to 1000 Births.								Deaths per 1000 Survivors.				Death- rate per 1000 living under 5 years of age.
Months.							Under 1 year.	1 year.	2 years.	3 years.	4 years.	
5—	6—	7—	8—	9—	10—	11—						
0'50	0'64	0'77	0'97	1'03	1'09	1'22	8'28	10'39	4'83	3'24	2'49	6'08
1'45	1'25	1'06	0'99	0'96	0'81	0'72	15'30	4'22	0'85	0'31	0'16	4'60
0'76	0'58	0'45	0'40	0'29	0'25	0'18	41'93	1'07	0'23	0'07	0'04	9'82
0'42	0'43	0'42	0'44	0'44	0'40	0'38	4'42	3'50	1'95	1'16	0'88	2'51
3'11	3'03	3'00	2'71	2'70	2'61	2'42	45'38	17'55	6'57	3'88	2'95	16'52
6'24	5'93	5'70	5'51	5'42	5'16	4'92	115'31	36'73	14'43	8'65	6'53	39'53
—	—	—	—	—	—	—	—	—	—	0'00	—	0'00
0'01	0'00	0'01	0'01	0'01	0'01	0'01	0'07	0'03	0'01	—	0'01	0'03
0'10	0'16	0'30	0'41	0'46	0'55	0'62	2'72	5'50	2'15	1'13	0'69	2'53
0'01	0'01	0'01	0'02	0'02	0'02	0'03	0'13	0'36	0'60	0'57	0'57	0'44
0'01	0'03	0'02	0'03	0'04	0'04	0'04	0'25	0'76	0'73	0'79	0'82	0'66
0'37	0'44	0'43	0'50	0'50	0'47	0'52	5'11	3'74	1'34	0'75	0'40	2'42
0'29	0'21	0'17	0'16	0'13	0'13	0'11	2'86	0'60	0'16	0'08	0'05	0'83
0'25	0'21	0'15	0'15	0'16	0'10	0'09	2'53	0'62	0'14	0'07	0'04	0'75
0'04	0'04	0'02	0'03	0'03	0'02	0'01	0'58	0'10	0'01	0'01	0'01	0'16
0'87	0'79	0'72	0'65	0'64	0'56	0'51	9'33	2'90	0'54	0'15	0'06	2'86
0'03	0'02	0'01	0'01	—	0'01	0'00	20'11	—	—	—	—	4'57
0'13	0'08	0'05	0'05	0'05	0'04	0'03	7'08	0'14	0'06	0'04	0'02	1'66
0'03	0'03	0'02	0'01	0'01	0'01	—	0'65	0'04	—	—	—	0'16
0'57	0'45	0'37	0'33	0'23	0'19	0'15	14'09	0'89	0'17	0'03	0'02	3'43
0'13	0'16	0'15	0'18	0'20	0'16	0'15	1'45	1'37	0'88	0'53	0'40	0'97
0'19	0'16	0'13	0'15	0'13	0'12	0'12	1'82	0'99	0'42	0'23	0'19	0'78
0'10	0'11	0'14	0'11	0'11	0'12	0'11	1'15	1'14	0'65	0'40	0'29	0'76
0'08	0'05	0'04	0'01	0'01	0'02	0'02	1'34	0'10	0'03	0'01	—	0'33
0'01	0'01	0'01	0'01	0'01	0'00	0'01	0'17	0'02	0'00	0'00	—	0'05
0'03	0'03	0'05	0'05	0'05	0'08	0'07	0'45	0'59	0'23	0'05	0'02	0'28
—	—	—	—	0'00	—	—	0'93	0'00	0'00	—	—	0'21
0'20	0'20	0'22	0'19	0'18	0'17	0'13	1'88	1'13	0'51	0'32	0'33	0'88
0'44	0'40	0'33	0'20	0'19	0'20	0'17	9'63	0'93	0'28	0'14	0'04	2'47
0'02	0'02	0'01	0'01	0'02	0'02	0'01	0'16	0'21	0'16	0'14	0'11	0'16
0'69	0'65	0'62	0'58	0'54	0'46	0'49	8'86	2'62	0'60	0'27	0'15	2'75
0'99	1'05	1'09	1'11	1'19	1'16	1'11	11'81	8'44	2'77	1'44	0'94	5'43
0'14	0'11	0'10	0'06	0'06	0'06	0'04	1'78	0'29	0'09	0'06	0'06	0'50
0'07	0'05	0'03	0'02	0'01	0'01	0'00	1'86	0'05	0'02	0'01	—	0'44
0'44	0'46	0'50	0'47	0'44	0'43	0'37	6'51	3'17	1'88	1'44	1'31	3'02

TABLE 36.—RURAL COUNTIES. Both Sexes.

Cause of Death.	Proportion of Deaths									
	Under 1 day.	1 day and under 1 week.	Weeks.			Months.				
			1—	2—	3—	Under 1 month.	1—	2—	3—	4—
I. COM. INFEC. DIS...	—	—	0'01	0'07	0'09	0'17	0'54	0'29	0'42	0'36
II. DIARRHOEAL DIS...	—	0'01	0'08	0'20	0'28	0'57	0'95	0'98	0'86	0'76
III. WASTING DIS. ..	9'47	10'21	3'13	2'68	2'04	27'53	3'80	2'09	1'16	0'83
IV. TUBERC. DIS. ..	—	0'01	—	0'03	0'01	0'05	0'13	0'25	0'27	0'22
V. MISCELLAN. DIS. ..	1'35	2'40	1'37	1'46	1'14	7'72	4'20	3'91	2'94	2'73
ALL CAUSES ..	10'82	12'63	4'59	4'44	3'56	36'04	9'62	7'52	5'65	4'90
I. { Small-pox ..	—	—	—	—	—	—	—	—	—	—
Chicken-pox ..	—	—	0'01	—	—	0'01	—	0'01	—	—
Measles	—	—	—	—	0'01	0'01	0'04	0'03	0'02	0'04
Scarlet Fever ..	—	—	—	—	—	—	—	—	—	0'01
Diphtheria, Croup	—	—	—	—	—	—	0'01	—	—	0'01
Whooping-cough	—	—	—	0'07	0'08	0'15	0'49	0'25	0'40	0'30
II. { Enteritis, includ- ing Ulcer. Intest.	—	0'01	0'03	0'08	0'11	0'23	0'29	0'24	0'23	0'15
Gastro-enteritis..	—	—	0'02	0'03	0'04	0'09	0'29	0'29	0'25	0'23
Gastro-intestinal Catarrh,	—	—	0'01	—	0'02	0'03	0'03	0'04	0'04	0'03
Diarrhoea (other forms).	—	—	0'02	0'09	0'11	0'22	0'34	0'41	0'34	0'35
III. { Premature Birth	6'83	6'20	1'46	1'11	0'84	16'44	1'04	0'33	0'07	0'06
Congenital De- fects.	0'97	1'66	0'65	0'42	0'33	4'03	0'72	0'33	0'24	0'13
Want of Breast Milk, Starvation	—	—	0'03	0'03	0'03	0'09	0'06	0'07	0'04	0'01
Atrophy, Debility, Marasmus.	1'67	2'35	0'99	1'12	0'84	6'97	1'98	1'36	0'81	0'63
IV. { Tuberculous Meningitis.	—	0'01	—	—	—	0'01	—	0'02	0'07	0'04
Tuberculous Peritonitis, Ta- bes Mesenterica.	—	—	—	0'03	—	0'03	0'08	0'12	0'15	0'09
Other Tubercu- lous Diseases.	—	—	—	—	0'01	0'01	0'05	0'11	0'05	0'09
Syphilis	0'03	0'02	0'02	0'08	0'03	0'18	0'09	0'09	0'09	0'06
Erysipelas ..	—	—	0'01	—	0'01	0'02	0'02	—	—	—
Rickets	—	—	—	—	—	—	0'01	0'02	0'01	0'03
Injury at Birth ..	0'62	0'26	0'03	0'01	0'01	0'93	0'02	0'01	—	—
Meningitis (not Tuberculous).	—	—	—	0'03	0'01	0'04	0'05	0'10	0'10	0'09
V. { Convulsions ..	0'32	1'53	0'73	0'58	0'49	3'65	1'36	1'37	0'74	0'62
Laryngitis ..	—	—	0'02	—	—	0'02	0'01	0'01	0'01	—
Bronchitis ..	—	0'05	0'10	0'19	0'06	0'40	0'78	0'78	0'54	0'53
Pneumonia ..	—	0'03	0'11	0'11	0'14	0'39	0'62	0'64	0'57	0'63
Gastritis, Gastric Catarrh.	—	0'02	0'05	0'05	0'05	0'17	0'29	0'20	0'20	0'15
Suffocation ..	0'04	0'15	0'06	0'04	0'05	0'34	0'11	0'13	0'12	0'04
Other Causes ..	0'34	0'34	0'24	0'37	0'29	1'58	0'84	0'56	0'56	0'58

Mortality under 5 Years of Age, 1910.

to 1000 Births.								Deaths per 1000 Survivors.				Death- rate per 1000 living under 5 years of age.
Months.							Under 1 year.	1 year.	2 years.	3 years.	4 years.	
5—	6—	7—	8—	9—	10—	11—						
0'30	0'41	0'45	0'46	0'58	0'50	0'62	5'10	4'21	2'10	1'55	1'48	2'82
0'61	0'54	0'48	0'44	0'26	0'20	0'25	6'90	1'19	0'28	0'10	0'07	1'73
0'50	0'32	0'29	0'18	0'21	0'21	0'14	37'26	0'57	0'11	0'04	0'02	7'84
0'32	0'17	0'25	0'19	0'24	0'21	0'21	2'51	1'99	1'02	0'60	0'58	1'30
2'44	2'31	2'19	1'90	2'04	1'71	1'57	35'66	10'57	4'28	2'86	1'78	11'03
4'17	3'75	3'66	3'17	3'33	2'83	2'79	87'43	18'53	7'85	5'15	3'93	24'72
—	—	—	—	—	—	—	—	—	—	—	—	—
—	0'01	—	0'01	—	—	0'01	0'05	0'01	—	—	—	0'01
0'07	0'11	0'12	0'25	0'20	0'21	0'30	1'40	2'08	0'87	0'42	0'35	0'99
—	0'01	—	—	—	—	—	0'02	0'13	0'17	0'28	0'18	0'15
—	—	0'02	0'01	0'01	0'02	0'04	0'12	0'35	0'47	0'64	0'77	0'44
0'23	0'28	0'31	0'19	0'37	0'27	0'27	3'51	1'64	0'65	0'21	0'18	1'23
0'19	0'13	0'09	0'07	0'06	0'02	0'03	1'73	0'20	0'08	0'05	0'02	0'42
0'09	0'11	0'16	0'15	0'05	0'06	0'09	1'86	0'39	0'07	0'03	0'03	0'48
—	0'02	0'02	—	0'01	—	0'01	0'23	0'02	0'02	0'01	—	0'06
0'33	0'28	0'21	0'22	0'14	0'12	0'12	3'08	0'58	0'11	0'01	0'02	0'77
—	—	0'01	—	—	0'01	—	17'96	—	—	—	—	3'71
0'08	0'04	0'08	0'04	0'01	0'02	0'06	5'78	0'13	0'07	0'02	0'01	1'24
0'01	0'01	0'01	0'01	0'01	0'01	0'01	0'34	—	—	—	—	0'07
0'41	0'27	0'19	0'13	0'19	0'17	0'07	13'18	0'44	0'04	0'02	0'01	2'82
0'12	0'06	0'07	0'08	0'12	0'10	0'10	0'79	0'81	0'43	0'26	0'25	0'49
0'08	0'05	0'10	0'06	0'03	0'02	0'03	0'84	0'49	0'24	0'12	0'09	0'35
0'12	0'06	0'08	0'05	0'09	0'09	0'08	0'88	0'69	0'35	0'22	0'24	0'46
0'03	0'05	0'01	0'03	0'02	0'03	0'01	0'69	0'03	—	—	—	0'15
—	0'01	0'01	—	0'01	—	0'01	0'08	—	—	0'01	—	0'02
0'05	0'03	0'04	0'05	—	0'06	0'08	0'38	0'43	0'17	0'04	0'01	0'20
—	—	—	—	—	—	—	0'96	—	—	—	—	0'20
0'14	0'13	0'15	0'07	0'12	0'11	0'08	1'18	0'63	0'21	0'22	0'14	0'47
0'52	0'36	0'30	0'28	0'22	0'20	0'17	9'79	0'94	0'30	0'13	0'07	2'29
—	0'02	0'02	0'02	0'02	0'04	—	0'17	0'21	0'23	0'12	0'15	0'17
0'43	0'35	0'41	0'39	0'30	0'30	0'23	5'44	1'56	0'41	0'23	0'05	1'55
0'59	0'74	0'71	0'62	0'78	0'66	0'66	7'61	4'03	1'43	0'82	0'47	2'85
0'05	0'05	0'03	0'09	0'07	0'05	0'03	1'38	0'29	0'11	0'02	0'01	0'37
0'04	0'01	0'01	0'01	0'01	—	0'01	0'83	0'02	0'01	0'01	—	0'18
0'59	0'56	0'50	0'34	0'49	0'26	0'29	7'15	2'43	1'41	1'26	0'88	2'58

TABLE 37.—ENGLAND AND WALES.—Both Sexes. Mortality of Infants and Young Children, Average 1905-1909 and 1910.

Cause of Death.	Proportion of Deaths to 1000 Births.								Death-rate per 1000 living under 5 years of age.	
	Under 3 months.		3 to 6 months.		6 to 12 months.		Under 1 year.		1905-09.	1910.
	1905-09.	1910.	1905-09.	1910.	1905-09.	1910.	1905-09.	1910.		
I. COM. INFECTION. DIS.	1'04	1'21	1'32	1'31	5'22	4'70	7'58	7'22	6'09	4'92
II. DIARRHOEAL DIS.	5'40	3'82	6'65	4'11	7'47	4'71	19'52	12'64	5'62	3'64
III. WASTING DIS. ..	37'43	35'59	3'41	3'03	1'96	1'88	42'80	40'50	10'25	9'11
IV. TUBERC. DIS. ..	0'72	0'52	1'41	1'16	2'52	2'23	4'65	3'91	2'62	2'17
V. MISCELLAN. DIS..	19'98	17'36	10'40	9'16	16'62	14'65	47'00	41'17	17'30	14'35
ALL CAUSES ..	64'57	58'50	23'19	18'77	33'79	28'17	121'55	105'44	41'88	34'19
I. { Small-pox ..	0'00	0'00	0'00	—	0'00	—	0'00	0'00	0'00	0'00
Chicken-pox ..	0'01	0'02	0'01	0'01	0'04	0'03	0'06	0'06	0'02	0'02
Measles	0'06	0'07	0'17	0'13	2'31	1'89	2'54	2'09	2'52	1'88
Scarlet Fever ..	0'01	0'00	0'02	0'01	0'11	0'08	0'14	0'09	0'49	0'33
Diphtheria, Croup	0'02	0'00	0'04	0'03	0'27	0'19	0'33	0'22	0'89	0'61
Whooping-cough	0'94	1'12	1'08	1'13	2'49	2'51	4'51	4'76	2'17	2'08
II. { Enteritis, including Ulcer, Intest.	0'98	0'93	0'96	0'77	0'92	0'79	2'86	2'49	0'82	0'69
Gastro-enteritis	0'76	0'78	0'79	0'72	0'77	0'74	2'32	2'24	0'66	0'64
Gastro-intestinal Catarrh.	3'66	2'11	4'90	2'62	5'78	3'18	14'34	7'91	4'14	2'31
Diarrhoea (other forms).										
III. { Premature Birth.	19'80	19'39	0'22	0'16	0'04	0'04	20'06	19'59	4'69	4'30
Congenital Defects.	5'82	5'97	0'43	0'44	0'32	0'28	6'57	6'69	1'60	1'52
Want of Breast Milk, Starvation, Atrophy, Debility, Marasmus.	0'47	0'36	0'22	0'16	0'10	0'09	0'79	0'61	0'18	0'13
IV. { Tuberculous Meningitis.	0'12	0'07	0'37	0'32	0'95	0'92	1'44	1'31	1'00	0'86
Tuberculous Peritonitis, Tuberculous Mesenterica.	0'38	0'30	0'66	0'56	0'83	0'69	1'87	1'55	0'80	0'66
Other Tuberculous Diseases.	0'22	0'15	0'38	0'28	0'74	0'62	1'34	1'05	0'82	0'65
V. { Syphilis	0'83	0'75	0'29	0'27	0'14	0'13	1'26	1'15	0'32	0'27
Erysipelas ..	0'16	0'09	0'05	0'03	0'04	0'05	0'25	0'17	0'07	0'04
Rickets	0'04	0'04	0'11	0'09	0'37	0'31	0'52	0'44	0'31	0'25
Injury at Birth..	0'92	0'94	0'00	0'00	0'00	0'00	0'92	0'94	0'22	0'21
Meningitis (not Tuberculous).	0'29	0'22	0'51	0'45	1'07	0'97	1'87	1'64	0'92	0'75
Convulsions ..	7'29	5'98	2'23	1'77	1'65	1'42	11'17	9'17	2'95	2'28
Laryngitis ..	0'04	0'03	0'03	0'03	0'11	0'09	0'18	0'15	0'18	0'15
Bronchitis ..	3'45	2'85	2'37	2'07	3'58	2'97	9'40	7'89	3'06	2'39
Pneumonia ..	2'20	2'06	2'55	2'36	6'29	5'78	11'04	10'20	5'15	4'45
Gastritis, Gastric Catarrh.	0'77	0'73	0'52	0'45	0'41	0'39	1'70	1'57	0'48	0'43
Suffocation ..	1'22	1'04	0'40	0'35	0'13	0'11	1'75	1'50	0'42	0'34
Other Causes ..	2'77	2'63	1'34	1'29	2'83	2'43	6'94	6'35	3'22	2'79

TABLE 38.—Mortality of **Illegitimate** as compared with **Legitimate Infants** under **One Year of Age, 1910.**

Cause of Death.	Proportion of Deaths among Illegitimate Infants to 1000 Illegitimate Births, and among Legitimate Infants to 1000 Legitimate Births.									
	England and Wales.						Urban Counties.		Rural Counties.	
	Both Sexes.		Males.		Females.		Both Sexes.		Both Sexes.	
	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.	Illegitimate.	Legitimate.
I. COM. INFEC. DIS.	8·92	7·16	8·45	6·82	9·42	7·50	10·44	8·20	5·16	5·08
II. DIARRHOEAL DIS.	26·34	12·05	28·77	13·42	23·80	10·63	33·21	14·59	12·54	6·58
III. WASTING DIS. ..	75·29	39·02	82·09	43·13	68·18	34·74	79·20	40·42	62·36	35·85
IV. TUBERC. DIS. ..	7·86	3·74	8·82	4·23	6·86	3·25	8·28	4·26	4·07	2·41
V. MISCELLAN. DIS. .	76·43	39·67	84·46	44·54	68·08	34·60	82·14	43·88	61·42	34·23
ALL CAUSES ..	194·84	101·64	212·59	112·14	176·34	90·72	213·27	111·35	145·55	84·15
I. { Small-pox ..	—	0·00	—	—	—	0·00	—	—	—	—
Chicken-pox ..	0·16	0·06	0·11	0·07	0·22	0·04	0·30	0·06	—	0·05
Measles	3·22	2·05	2·94	2·16	3·51	1·93	4·14	2·67	1·48	1·39
Scarlet Fever ..	0·08	0·09	0·16	0·09	—	0·09	0·15	0·13	—	0·02
Diphtheria, Croup	0·25	0·22	0·37	0·26	0·11	0·18	0·25	0·25	0·18	0·11
Whooping-cough	5·21	4·74	4·87	4·24	5·58	5·26	5·60	5·09	3·50	3·51
II. { Enteritis, including Ulcer, Intest.	5·84	2·34	6·47	2·62	5·18	2·05	7·12	2·69	3·14	1·65
Gastro-enteritis..	5·02	2·12	6·36	2·42	3·62	1·81	5·80	2·40	3·50	1·77
Gastro-intestinal Catarrh.	0·82	0·47	0·70	0·53	0·95	0·41	0·81	0·58	0·37	0·22
Diarrhoea (other forms).	14·66	7·12	15·24	7·85	14·05	6·36	19·48	8·92	5·53	2·94
III. { Premature Birth	32·16	19·06	35·35	20·87	28·82	17·17	33·11	19·58	27·49	17·42
Congenital Defects.	8·13	6·63	9·04	7·36	7·19	5·87	8·48	7·02	8·49	5·63
Want of Breast Milk, Starvation.	1·94	0·55	1·87	0·60	2·01	0·50	1·97	0·60	1·11	0·30
Atrophy, Debility, Marasmus.	33·06	12·78	35·83	14·30	30·16	11·20	35·64	13·22	25·27	12·50
IV. { Tuberculous Meningitis.	1·75	1·29	2·19	1·42	1·28	1·16	1·46	1·45	1·11	0·77
Tuberculous Peritonitis, Tabes Mesenterica.	4·04	1·45	4·33	1·64	3·74	1·25	4·80	1·70	1·48	0·80
Other Tuberculous Diseases.	2·07	1·00	2·30	1·17	1·84	0·84	2·02	1·11	1·48	0·84
V. { Syphilis	7·37	0·88	8·02	1·02	6·69	0·74	8·53	1·05	4·24	0·49
Erysipelas ..	0·05	0·17	0·11	0·19	—	0·15	0·10	0·18	—	0·08
Rickets	0·90	0·42	1·18	0·51	0·61	0·32	1·11	0·43	0·74	0·36
Injury at Birth ..	1·97	0·90	1·87	1·02	2·06	0·77	2·17	0·88	1·84	0·91
Meningitis (not Tuberculous).	1·67	1·64	2·14	1·81	1·17	1·46	1·67	1·89	1·48	1·16
Convulsions ..	16·76	8·85	19·15	10·00	14·27	7·66	16·76	9·34	16·42	9·41
Laryngitis ..	0·19	0·15	0·16	0·18	0·22	0·12	0·15	0·16	0·37	0·16
Bronchitis.. ..	11·19	7·76	12·68	8·63	9·64	6·84	12·72	8·70	7·19	5·34
Pneumonia ..	14·90	10·00	16·10	11·28	13·66	8·67	17·62	11·57	9·04	7·53
Gastritis, Gastric Catarrh.	2·98	1·51	3·58	1·73	2·34	1·29	3·38	1·71	2·21	1·33
Suffocation ..	3·52	1·41	3·37	1·39	3·68	1·43	3·99	1·77	2·03	0·76
Other Causes ..	14·93	5·98	16·10	6·78	13·74	5·15	13·94	6·20	15·86	6·70

TABLE 39.—Mortality of *Illegitimate* as compared with

—		Cause of Death.	Proportion of Deaths among to 1000			
			Under I Week.	Weeks.		
				1—	2—	3—
ENGLAND AND WALES.		<i>Illegitimate.</i>				
Both Sexes ..	I. Common Infectious Diseases	—	—	0'03	—	
	II. Diarrhoeal Diseases	0'03	0'22	0'57	0'65	
	III. Wasting Diseases	30'11	6'69	5'46	3'49	
	IV. Tuberculous Diseases	0'03	—	0'08	—	
	V. Miscellaneous Diseases ..	11'91	2'45	2'84	2'38	
	ALL CAUSES {	Illegitimate ..	42'08	9'36	8'98	6'52
		Legitimate ..	23'33	5'27	4'97	3'70
		<i>Illegitimate.</i>				
Males	I. Common Infectious Diseases	—	—	0'05	—	
	II. Diarrhoeal Diseases	—	0'32	0'64	0'75	
	III. Wasting Diseases	33'70	6'90	5'99	3'85	
	IV. Tuberculous Diseases	0'05	—	—	—	
	V. Miscellaneous Diseases ..	11'97	2'94	3'53	2'62	
	ALL CAUSES {	Illegitimate ..	45'72	10'16	10'21	7'22
		Legitimate ..	26'36	5'78	5'59	4'27
		<i>Illegitimate.</i>				
Females ..	I. Common Infectious Diseases	—	—	—	—	
	II. Diarrhoeal Diseases	0'06	0'11	0'50	0'56	
	III. Wasting Diseases	26'36	6'47	4'91	3'12	
	IV. Tuberculous Diseases	—	—	0'17	—	
	V. Miscellaneous Diseases ..	11'83	1'95	2'11	2'12	
	ALL CAUSES {	Illegitimate ..	38'25	8'53	7'69	5'80
		Legitimate ..	20'15	4'74	4'33	3'11
URBAN COUNTIES.		<i>Illegitimate.</i>				
Both Sexes ..	I. Common Infectious Diseases	—	—	—	—	
	II. Diarrhoeal Diseases	0'05	0'20	0'76	0'66	
	III. Wasting Diseases	31'46	6'36	5'55	3'28	
	IV. Tuberculous Diseases	—	—	0'15	—	
	V. Miscellaneous Diseases ..	11'71	2'52	3'13	3'03	
	ALL CAUSES {	Illegitimate ..	43'22	9'08	9'59	6'97
		Legitimate ..	23'53	5'55	5'41	3'99
RURAL COUNTIES.		<i>Illegitimate.</i>				
Both Sexes ..	I. Common Infectious Diseases	—	—	0'18	—	
	II. Diarrhoeal Diseases	—	0'18	0'37	0'37	
	III. Wasting Diseases	24'91	6'27	5'17	4'98	
	IV. Tuberculous Diseases	0'18	—	—	—	
	V. Miscellaneous Diseases ..	9'96	2'40	2'58	1'11	
	ALL CAUSES {	Illegitimate ..	35'05	8'85	8'30	6'46
		Legitimate ..	22'79	4'35	4'22	3'40

Legitimate Infants under One Year of Age, 1910.

Illegitimate Infants to 1000 Illegitimate Births, and among Legitimate Infants Legitimate Births.

Under 1 Month.	Months.											Total under 1 Year.
	1—	2—	3—	4—	5—	6—	7—	8—	9—	10—	11—	
0'03	0'30	0'90	0'41	0'44	0'63	0'85	0'93	1'09	1'38	1'11	0'85	8'92
1'47	3'84	3'41	3'69	3'06	2'37	2'02	1'75	1'56	1'31	0'96	0'90	26'34
45'75	10'14	6'01	3'74	3'03	1'56	1'58	1'04	1'01	0'44	0'55	0'44	75'29
0'11	0'74	0'93	0'90	0'85	0'90	0'60	0'76	0'57	0'35	0'66	0'49	7'86
19'58	9'72	6'74	7'28	5'23	5'40	5'02	4'25	3'74	3'45	3'19	2'83	76'43
66'94	24'74	17'99	16'02	12'61	10'86	10'07	8'73	7'97	6'93	6'47	5'51	194'84
37'27	10'81	8'26	6'72	5'88	5'28	4'98	4'88	4'61	4'54	4'31	4'10	101'64
0'05	0'27	0'75	0'48	0'48	0'59	0'70	1'07	1'07	1'44	0'96	0'59	8'45
1'71	4'01	3'90	4'23	3'64	2'94	1'87	1'87	1'28	1'39	1'07	0'86	28'77
50'44	11'71	7'49	3'74	3'10	1'55	1'44	0'64	0'75	0'37	0'43	0'43	82'09
0'05	0'96	1'02	1'23	0'75	1'02	0'59	0'96	0'37	0'32	0'91	0'64	8'82
21'06	10'49	7'43	8'08	5'67	5'83	6'15	4'66	4'07	3'81	3'90	3'31	84'46
73'31	27'44	20'59	17'76	13'64	11'93	10'75	9'20	7'54	7'33	7'27	5'83	212'59
42'00	12'07	9'13	7'21	6'45	5'87	5'58	5'19	4'95	4'87	4'62	4'20	112'14
—	0'33	1'06	0'33	0'39	0'67	1'00	0'78	1'12	1'34	1'28	1'12	9'42
1'23	3'67	2'90	3'12	2'45	1'78	2'17	1'62	1'84	1'23	0'84	0'95	23'80
40'86	8'53	4'46	3'74	2'95	1'56	1'73	1'45	1'28	0'50	0'67	0'45	68'18
0'17	0'50	0'84	0'56	0'95	0'78	0'61	0'56	0'78	0'39	0'39	0'33	6'86
18'01	8'87	6'02	6'47	4'80	4'97	3'86	3'84	3'40	3'06	2'45	2'33	68'08
60'27	21'90	15'28	14'22	11'54	9'76	9'37	8'25	8'42	6'52	5'63	5'18	176'34
32'33	9'49	7'35	6'22	5'30	4'67	4'35	4'56	4'27	4'21	3'98	3'99	90'72
—	0'35	0'86	0'40	0'45	0'66	0'76	1'16	1'81	1'72	1'31	0'96	10'44
1'67	4'79	4'44	4'39	3'53	2'93	2'68	2'57	1'97	1'82	1'21	1'21	33'21
46'65	10'80	6'16	4'24	3'53	1'87	1'97	1'26	1'21	0'35	0'71	0'45	79'20
0'15	0'81	1'15	1'01	0'96	0'91	0'56	0'61	0'66	0'25	0'81	0'40	8'28
20'39	10'16	7'33	8'23	5'66	5'59	5'59	4'95	3'79	3'53	3'53	3'39	82'14
68'86	26'91	19'94	18'27	14'13	11'96	11'56	10'55	9'44	7'67	7'57	6'41	213'27
38'48	11'80	9'08	7'52	6'65	6'01	5'71	5'50	5'35	5'33	5'06	4'86	111'35
0'18	0'37	0'18	0'18	0'55	0'37	0'37	0'37	0'18	0'93	0'93	0'55	5'16
0'92	2'20	1'11	1'66	1'48	0'74	0'92	0'74	1'48	0'37	0'55	0'37	12'54
41'33	6'84	5'54	1'84	2'58	0'55	1'84	—	0'37	0'74	0'18	0'55	62'36
0'18	0'37	—	0'75	0'75	0'55	0'37	0'37	0'18	0'18	0'37	—	4'07
16'05	7'01	6'27	4'98	4'97	4'80	3'14	1'84	3'88	3'31	3'50	1'67	61'42
58'66	16'79	13'10	9'41	10'33	7'01	6'64	3'32	6'09	5'53	5'53	3'14	145'55
34'76	9'23	7'21	5'43	4'59	4'01	3'58	3'68	3'00	3'21	2'68	2'77	84'15

TABLE 40.—ENGLAND AND WALES.—Infantile Mortality from Several Causes in Registration Counties, 1910.

REGISTRATION COUNTY.	Deaths under One Year to 1,000 Births.									
	All Causes.	Measles.	Whooping-cough.	Diarrhoeal Diseases.	Wasting Diseases.	Tuberculous Diseases.	Meningitis and Convulsions.	Bronchitis.	Pneumonia.	Other Causes.
ENGLAND AND WALES..	105	2	5	13	41	4	11	8	10	11
I.—LONDON.										
London*	104	3	5	13	38	4	6	7	13	15
II.—SOUTH EASTERN.										
Surrey	72	0	3	7	34	2	4	4	6	12
Kent	80	1	6	7	34	3	8	4	7	10
Sussex	81	2	6	7	32	4	6	4	8	12
Hampshire	81	1	3	8	37	3	6	5	7	11
Berkshire	69	0	6	4	30	3	7	5	5	9
III.—SOUTH MIDLAND.										
Middlesex	73	1	3	8	32	2	5	5	7	10
Hertfordshire	63	0	4	4	30	2	6	4	5	8
Buckinghamshire	74	1	5	5	34	2	8	5	5	9
Oxfordshire	67	0	4	5	32	2	5	4	6	9
Northamptonshire	88	2	4	6	45	3	6	6	7	9
Huntingdonshire	73	—	—	2	38	3	3	8	6	13
Bedfordshire	82	1	4	6	37	2	10	6	6	10
Cambridgeshire	80	1	2	7	39	3	5	5	7	11
IV.—EASTERN.										
Essex	82	1	4	7	36	3	6	7	7	11
Suffolk	80	1	3	5	42	2	7	4	6	10
Norfolk	84	1	3	5	40	4	8	5	5	13
V.—SOUTH WESTERN.										
Wiltshire.. .. .	69	0	3	3	36	2	6	4	6	9
Dorsetshire	74	1	4	4	36	2	9	5	5	8
Devonshire	88	1	6	9	33	3	9	7	8	12
Cornwall.. .. .	87	1	2	8	39	4	9	5	8	11
Somersetshire	73	2	3	6	31	2	6	5	6	12
VI.—WEST MIDLAND.										
Gloucestershire	83	1	4	9	36	3	7	5	8	10
Herefordshire	80	—	3	6	37	2	9	4	7	12
Shropshire	84	2	2	8	33	2	9	5	10	13
Staffordshire	113	2	4	13	47	6	14	8	8	11
Worcestershire	96	1	6	10	39	4	8	7	9	12
Warwickshire	112	1	5	15	44	4	10	8	11	14
VII.—NORTH MIDLAND.										
Leicestershire	107	1	5	11	45	5	12	10	8	10
Rutlandshire	65	—	5	13	23	—	8	8	—	8
Lincolnshire	101	2	5	11	40	2	12	7	8	14
Nottinghamshire	121	3	5	14	49	5	12	7	12	14
Derbyshire	102	2	5	9	43	4	12	6	8	13
VIII.—NORTH WESTERN.										
Cheshire	105	2	4	15	39	5	11	7	10	12
Lancashire	129	3	6	19	44	5	13	10	13	16
IX.—YORKSHIRE.										
West Riding	120	3	6	16	44	4	13	11	11	12
East Riding (with York)	120	1	3	23	42	3	14	10	10	14
North Riding	119	1	4	18	43	3	16	11	12	11
X.—NORTHERN.										
Durham	128	2	5	16	50	4	17	12	11	11
Northumberland	119	2	4	15	44	4	16	12	11	11
Cumberland	111	1	4	12	42	6	13	7	9	17
Westmorland	76	—	2	6	31	2	7	4	10	14
XI.—WELSH.										
Monmouthshire	110	3	4	11	39	4	15	9	13	12
Glamorganshire	126	4	4	16	40	4	20	10	14	14
Carmarthenshire	139	2	10	11	37	4	32	7	13	20
Pembrokeshire	105	0	8	11	33	2	20	6	12	13
Cardiganshire	111	1	6	12	39	1	20	6	14	12
Brecknockshire	105	4	1	3	50	4	18	6	8	11
Radnorshire	86	—	5	3	56	3	8	—	—	11
Montgomeryshire	69	—	2	3	30	4	12	6	4	8
Flintshire	86	1	—	5	39	3	17	6	7	8
Denbighshire	116	11	3	6	38	3	19	10	16	10
Merionethshire	90	—	2	6	32	2	20	6	8	14
Carnarvonshire	101	1	1	7	30	4	25	7	10	16
Anglesey	115	1	11	7	39	3	35	4	8	7

* See Note * to Table 28.

TABLE 41.—ENGLAND AND WALES.—Mortality among Children aged 0-5 Years, from Several Causes, in Registration Counties, 1910.

REGISTRATION COUNTY.	Deaths under 5 Years of Age to 1,000 Living.									
	All Causes.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping-cough.	Diarrhoeal Diseases.	Tuberculous Diseases.	Meningitis and Convulsions.	Bronchitis.	Pneumonia.
ENGLAND AND WALES..	34·19	1·88	0·33	0·61	2·08	3·64	2·17	3·03	2·39	4·45
I.—LONDON.										
London	38·21	3·80	0·22	0·57	2·71	3·97	2·58	1·84	2·17	6·10
II.—SOUTH EASTERN.										
Surrey	21·44	0·61	0·14	0·42	1·41	1·81	1·52	1·12	1·09	2·50
Kent	22·77	0·79	0·19	0·31	2·16	1·70	1·50	2·04	1·27	2·37
Sussex	22·52	1·75	0·11	0·17	1·74	1·71	1·80	1·48	1·12	2·72
Hampshire	24·21	0·97	0·23	0·61	1·25	2·08	1·47	1·71	1·30	2·91
Berkshire	20·08	0·82	0·13	0·66	2·14	1·19	1·29	1·85	1·19	1·63
III.—SOUTH MIDLAND.										
Middlesex	21·52	0·84	0·24	0·59	1·34	1·89	1·32	1·37	1·31	2·74
Hertfordshire ..	16·46	0·43	0·10	0·30	1·10	1·00	0·96	1·33	1·43	1·76
Buckinghamshire	19·64	0·84	0·05	0·33	1·40	1·17	1·03	1·87	1·31	1·87
Oxfordshire .. .	18·66	0·19	0·05	0·19	1·01	1·11	0·82	1·44	1·30	2·45
Northamptonshire	22·41	0·97	0·07	0·61	1·18	1·39	1·08	1·88	1·65	2·52
Huntingdonshire ..	19·45	0·39	0·19	0·39	0·19	0·58	1·54	0·77	1·93	1·35
Bedfordshire .. .	22·96	0·39	0·14	0·34	1·30	1·45	1·21	2·90	1·84	2·37
Cambridgeshire ..	22·29	0·56	0·04	0·39	0·87	1·60	1·21	1·56	1·39	2·65
IV.—EASTERN.										
Essex	23·51	1·14	0·16	0·49	1·46	1·98	1·59	1·53	2·03	2·80
Suffolk	22·36	1·07	0·02	0·21	1·09	1·42	1·28	1·72	1·26	2·42
Norfolk	22·55	0·50	0·19	0·26	0·86	1·43	1·51	1·99	1·34	2·07
V.—SOUTH WESTERN.										
Wiltshire.. .. .	18·63	0·32	0·10	0·49	1·04	0·65	1·17	1·75	1·17	1·81
Dorsetshire .. .	19·62	0·26	0·09	0·48	1·85	1·10	0·88	1·98	1·58	1·89
Devonshire .. .	25·68	0·96	0·06	0·73	2·18	1·48	1·48	2·31	1·87	2·99
Cornwall.. .. .	23·76	0·36	0·09	0·60	0·72	1·83	1·29	2·42	1·32	2·76
Somersetshire .. .	19·32	0·98	0·12	0·39	1·17	1·44	0·84	1·52	1·25	2·17
VI.—WEST MIDLAND.										
Gloucestershire ..	24·54	1·12	0·16	0·56	1·34	2·09	1·71	1·90	1·42	3·10
Herefordshire ..	21·57	0·08	0·08	0·33	0·91	1·66	1·00	2·32	1·16	2·49
Shropshire .. .	23·62	1·11	0·20	0·54	0·91	1·82	0·94	2·42	1·31	3·33
Staffordshire .. .	36·99	1·65	0·65	0·74	1·73	4·02	2·74	3·83	2·54	3·84
Worcestershire ..	27·19	0·72	0·36	0·28	2·08	2·67	1·60	2·14	2·01	3·44
Warwickshire .. .	36·37	0·70	0·59	0·62	2·36	4·48	1·98	3·09	2·38	4·62
VII.—NORTH MIDLAND.										
Leicestershire ..	30·26	1·00	0·20	0·23	2·01	2·69	1·99	3·10	2·67	3·28
Rutlandshire .. .	17·27	0·47	—	—	0·93	3·73	1·40	1·40	1·40	0·47
Lincolnshire .. .	31·80	1·43	0·05	0·47	2·26	3·14	1·61	3·21	2·18	3·60
Nottinghamshire ..	41·19	2·84	0·23	0·43	2·00	4·29	2·80	3·62	2·22	5·77
Derbyshire .. .	32·61	2·00	0·23	0·59	1·96	2·70	2·26	3·45	2·10	3·45
VIII.—NORTH WESTERN.										
Cheshire	34·23	1·82	0·40	0·86	2·11	3·91	2·79	3·09	2·18	4·38
Lancashire	45·24	2·54	0·72	0·81	3·09	5·96	2·90	3·90	3·25	5·93
IX.—YORKSHIRE.										
West Riding .. .	39·57	2·24	0·35	0·70	2·44	4·63	2·46	3·63	3·29	5·36
East Riding (with York)	37·39	1·37	0·20	0·59	1·55	6·51	1·69	4·05	3·08	4·35
North Riding .. .	41·07	0·68	0·16	1·11	1·95	5·85	2·69	4·78	3·47	5·20
X.—NORTHERN.										
Durham	44·89	1·51	0·32	0·76	2·38	5·26	3·10	5·02	4·09	5·58
Northumberland ..	41·81	2·04	0·27	0·60	1·93	4·69	3·09	4·67	3·99	5·45
Cumberland .. .	36·06	0·97	0·65	0·91	1·65	3·43	2·92	3·69	2·20	4·70
Westmorland .. .	20·97	—	—	0·93	0·31	1·39	1·70	2·16	1·08	2·78
XI.—WELSH.										
Monmouthshire ..	39·05	3·44	0·47	0·54	2·01	3·46	1·84	4·26	2·67	6·16
Glamorganshire ..	43·04	3·20	0·44	0·63	1·72	4·61	2·17	5·68	2·93	6·33
Carmarthenshire ..	42·19	1·05	0·17	0·81	3·55	3·03	1·86	8·38	2·21	5·12
Pembrokeshire ..	32·53	0·76	0·43	0·65	3·13	2·59	0·86	5·94	1·62	4·75
Cardiganshire .. .	26·36	0·13	0·13	0·38	1·53	2·29	0·76	4·46	1·15	4·20
Brecknockshire ..	34·54	4·47	0·31	0·15	0·46	1·39	1·85	4·93	2·00	3·55
Radnorshire .. .	24·56	—	—	2·01	2·01	0·50	2·51	1·50	—	1·00
Montgomeryshire ..	20·32	0·30	—	0·59	0·59	0·74	1·48	3·11	1·93	1·48
Flintshire .. .	32·31	0·73	1·09	1·69	0·12	1·94	1·45	4·84	3·03	3·39
Denbighshire .. .	37·14	6·99	0·57	0·31	0·76	1·51	2·08	4·60	2·39	5·98
Merionethshire ..	24·29	0·31	0·76	0·76	0·76	1·68	1·07	4·73	1·68	3·05
Carnarvonshire ..	25·34	0·55	0·21	0·28	0·28	1·52	1·52	5·46	2·00	3·11
Anglesey	31·84	0·27	—	1·07	2·41	1·87	2·68	7·49	1·87	2·68

TABLE 42.—ENGLAND AND WALES.—Deaths from Various Causes to a Million Deaths from All Causes, 1910.

CAUSES OF DEATH.	Proportional Number.	CAUSES OF DEATH.	Proportional Number.	CAUSES OF DEATH.	Proportional Number.
ALL CAUSES	1,000,000	Rickets.. .. .	2196	Intestinal Obstruction ..	5177
Small-pox	39	Purpura	625	Other Dis. of Intestines ..	733
Cow-pox and other effects of Vaccination.	17	Hæmophilia, Hæmorrhagic Diathesis.	176	Peritonitis (not Puerperal)	1146
Chicken-pox	201	Anæmia, Leucocythæmia	5006	Cirrhosis of Liver	6645
Measles (Morbilli) ..	17180	Diabetes Mellitus	8147	Other Diseases of Liver and Gall Bladder.	3923
German Measles	31	Premature Birth	36366	Other Diseases of Digestive System.	484
Scarlet Fever	4904	Congenital Hydrocephalus	625	Diseases of Spleen	79
Typhus.. .. .	10	Other Congenital Defects	9293	Other Diseases of Lymphatic System.	1057
Plague	10	Injury at Birth	1751	Diseases of Thyroid Body	1347
Relapsing Fever	4	Atelectasis	3214	Diseases of Supra Renal Capsules.	468
Influenza	13459	Want of Breast Milk ..	1120	Acute Nephritis, Uræmia..	7439
Whooping-cough	18204	Teething	3311	Chronic Bright's Disease, Albuminuria.	21422
Mumps.. .. .	236	Meningitis, Inflammation of Brain.	10359	Calculus (not Biliary) ..	495
Diphtheria	8865	Softening of Brain	4298	Diseases of Bladder and of Prostate.	4987
Cerebro-spinal Fever ..	273	General Paralysis of Insane.	4579	Other Diseases of Urinary System.	1473
Pyrexia* (origin uncertain)	25	Insanity (not Puerperal)..	4327	Ovarian Tumour (not Malignant).	602
Enteric Fever	3909	Chorea	283	Other Diseases of Ovary ..	48
Asiatic Cholera	—	Epilepsy	5550	Uterine Tumour (not Malignant).	646
Diarrhœa due to Food† ..	519	Convulsions	19443	Other Diseases of Uterus and Vagina.	590
Infective Enteritis, Epidemic Diarrhœa.	11189	Laryngismus Stridulus ..	488	Disorders of Menstruation	54
Diarrhœa (not oth. defined)	10028	Locomotor Ataxy	1200	Other Dis. of Generative and Mammary Organs.	163
Dysentery	503	Paraplegia, Diseases of Cord.	4348	Abortion, Miscarriage ..	161
Tetanus	408	Neuritis, Peripheral, Polyneuritis.	780	Puerperal Mania	99
Malaria	106	Brain Tumour(not Specific)	1664	Puerperal Convulsions ..	908
Rabies, Hydrophobia ..	2	Other Diseases of Nervous System.	4989	Placenta Prævia, Flooding	1266
Glanders	2	Otitis, Mastoid Disease ..	2107	Other Accidents of Pregnancy and Childbirth.	1531
Anthrax (Splenic Fever)..	31	Epistaxis, Diseases of Nose.	145	Caries, Necrosis	137
Syphilis	3392	Ophthalmia, Diseases of Eye.	128	Arthritis, Periostitis ..	482
Gonorrhœa	72	Valvular Disease, Endocarditis (not Infective).	34701	Other Diseases of Locomotor System.	724
Puerperal Septicæmia, Puer. Sept. Intoxication.	2001	Pericarditis	923	Ulcer, Bedsore	950
Puerperal Pyæmia.. ..	188	Hypertrophy of Heart ..	414	Eczema	507
Phlegmasia Alba Dolens..	114	Angina Pectoris	2090	Pemphigus	422
Puerperal Fever (not oth. defined).	333	Dilatation of Heart ..	6612	Other Diseases of the Skin.	482
Infective Endocarditis ..	1080	Fatty Degeneration of Heart.	5002	Other Specified Diseases ..	—
{ Lobar	19920	Syncope, Heart Disease (not specified).	51086	Atrophy, Debility	26994
{ Broncho-	36311	Cerebral Hæmorrhage, Cerebral Embolism.	37012	Old Age	65541
{ Epidemic	19	Apoplexy, Hemiplegia ..	15280	Dropsy, Ascites, Anasarca ..	83
{ Not defined ..	35028	Aneurysm	2324	Tumour	157
Erysipelas	1709	Senile Gangrene	2912	Abscess	495
Septicæmia, Sept. Intox. (not Puerperal).	621	Embolism, Thrombosis (not Cerebral).	830	Hæmorrhage	108
Pyæmia (not Puerperal) ..	244	Phlebitis	281	Sudden Death (Cause unascertained).	29
Phlegmon, Carbuncle (not Anthrax).	1442	Varicose Veins	219	Other ill-defined causes ..	1312
Phagedæna	10	Other Diseases of Blood Vessels.	6798	Causes not specified	372
Other Infective Processes	422	Laryngitis	1790		
Pulmonary Tuberculosis (Tuberc. Phthisis).	43026	Membranous Laryngitis(not Diphtheritic).	37	Accident. { In Mines and Quarries	2683
Phthisis (not other. defined)	32162	Croup (not Spasmodic nor Membranous).	151	{ Vehicles and Horses ..	4958
Tuberculous Meningitis ..	11321	Other Diseases of Larynx and Trachea.	43	{ Ships, Boats, and Docks (not Drowning).	524
Tuberculous Peritonitis ..	7354	Bronchitis	71315	{ Building Operations ..	412
Yabes Mesenterica	1637	Emphysema, Asthma ..	3363	{ Machinery	432
Lupus	126	Pleurisy	2655	{ Weapons and Implements.	184
Tubercle of other Organs..	4528	Fibroid Disease of Lung ..	927	{ Burns and Scalds	4811
General Tuberculosis ..	5968	Other Diseases of Respiratory System.	5289	{ Poisons, Poisonous Vapours.	1072
Scrofula	70	Tonsillitis, Quinsy	662	{ Drowning.. .. .	4673
Parasitic Diseases	368	Dis. of Mouth, Pharynx, Esophagus(not Specific).	1289	{ Suffocation	3143
Starvation	60	Gastric Ulcer.. .. .	3777	{ Falls	4875
Scurvy	91	Gastritis, Gastric Catarrh..	6597	{ Weather Agencies ..	346
Alcoholism, Delirium Tremens.	3083	Other Diseases of Stomach (not Malignant).	1316	{ Otherwise, or not stated	2618
Opium, Morphia Habit ..	21	Ulceration of Intestines ..	1775	Battle	—
Industrial Poisoning:—		Enteritis (not Epidemic)..	7654	Homicide	594
By Lead	178	Gastro-enteritis	6419	Suicide	7381
„ Phosphorus	—	Appendicitis, Perityphlitis	4886	Execution	33
„ Arsenic and other Poisons.	—	Hernia	3056		
Rheumatic Fever, Acute Rheumatism.	3476				
Rheumatism of Heart ..	658				
Chronic Rheumatism ..	768				
Rheumatoid Arthritis, Rheumatic Gout.	2152				
Gout	793				
Carcinoma	42049				
Sarcoma	4290				
Cancer, Malignant Disease (not otherwise defined).	25275				

* Called Simple Continued Fever previous to 1901. † Called Food, Ptomaine-Poisoning previous to 1904.

TABLE 43.—ENGLAND AND WALES.—Names on the Registers, Searches, and Fees received, at the General Register Office, 1861-1910.

YEAR.	NAMES ON THE REGISTERS AT THE END OF EACH YEAR.				SEARCHES IN THE REGISTERS, INCLUDING NON-PAROCIAL.	
	PERSONS MARRIED.	BIRTHS.	DEATHS.	TOTAL.	NUMBER.*	AMOUNT RECEIVED FOR SEARCHES AND FOR CERTIFICATES.*
						£ s. d.
1861	7,086,622	14,279,572	9,605,357	30,971,551	7,484	1,099 1 6
1862	7,414,682	14,992,256	10,041,923	32,448,861	8,522	1,250 12 6
1863	7,761,702	15,719,673	10,515,760	33,997,135	8,825†	1,280 17 6†
1864	8,122,476	16,459,948	11,011,291	35,593,715	9,607	1,371 18 6
1865	8,493,424	17,208,017	11,502,200	37,203,641	10,182	1,487 12 0
1866	8,868,976	17,961,887	12,002,889	38,833,752	12,135	1,866 15 6
1867	9,227,284	18,730,236	12,473,962	40,431,482	12,343	1,906 16 6
1868	9,581,208	19,517,094	12,954,584	42,052,886	12,913†	2,031 11 0†
1869	9,935,148	20,290,475	13,449,412	43,675,035	14,260	2,247 7 6
1870	10,298,458	21,083,262	13,964,741	45,346,461	16,170	2,456 19 6
1871	10,678,682	21,880,690	14,479,620	47,038,992	17,910	2,705 7 0
1872	11,081,216	22,706,597	14,971,885	48,759,698	18,970	2,867 5 6
1873	11,492,446	23,536,375	15,464,405	50,493,226	20,941†	3,142 9 6†
1874	11,896,466	24,391,331	15,991,037	52,278,834	22,354	3,364 7 0
1875	12,298,890	25,241,938	16,537,490	54,078,318	26,356	3,879 15 6
1876	12,702,638	26,129,906	17,047,805	55,880,349	27,590	4,109 15 6
1877	13,091,342	27,018,106	17,548,301	57,657,749	27,721	4,211 13 6
1878	13,471,450	27,910,012	18,088,173	59,469,635	28,540	4,313 8 6
1879	13,835,614	28,790,401	18,614,428	61,240,443	29,690†	4,517 15 0†
1880	14,219,544	29,672,044	19,143,052	63,034,640	31,308	4,695 3 0
1881	14,614,124	30,555,686	19,634,987	64,804,797	32,305	4,976 12 6
1882	15,022,934	31,444,700	20,151,641	66,619,275	33,597	5,170 15 0
1883	15,435,702	32,335,422	20,674,638	68,445,762	34,810	5,356 0 0
1884	15,844,304	33,242,172	21,205,466	70,291,942	34,843†	5,177 15 0†
1885	16,239,794	34,136,442	21,728,216	72,104,452	36,450	5,317 13 6
1886	16,631,936	35,040,202	22,265,492	73,937,630	36,079	5,168 16 0
1887	17,032,972	35,926,533	22,796,250	75,755,755	37,750	5,347 5 0
1888	17,440,614	36,806,401	23,307,221	77,554,236	40,477	5,808 0 6
1889	17,868,344	37,692,345	23,825,574	79,386,263	41,002	5,884 2 6
1890	18,314,400	38,562,282	24,387,822	81,264,504	43,874†	6,178 4 0†
1891	18,767,452	39,476,439	24,975,747	83,219,638	46,500	6,458 10 6
1892	19,221,722	40,374,396	25,535,431	85,131,549	50,942	6,921 15 0
1893	19,659,100	41,288,968	26,105,389	87,053,457	50,626	6,845 6 6
1894	20,111,998	42,179,257	26,604,216	88,895,471	54,255	7,166 3 6
1895	20,568,406	43,101,548	27,173,213	90,843,167	53,289	7,200 12 6
1896	21,053,934	44,016,879	27,699,940	92,770,753	57,444†	7,600 0 6†
1897	21,552,224	44,938,562	28,241,427	94,732,213	58,664	7,686 8 6
1898	22,062,982	45,861,727	28,793,568	96,718,277	63,825	8,450 19 6
1899	22,587,650	46,790,373	29,375,367	98,753,390	57,670	8,551 19 6
1900	23,102,610	47,717,435	29,963,197	100,783,242	57,895	8,658 9 6
1901	23,621,410	48,647,242	30,514,782	102,783,434	58,445	8,645 10 0
1902	24,144,910	49,587,751	31,050,320	104,782,981	61,437†	9,177 15 0†
1903	24,667,116	50,536,022	31,564,948	106,768,086	63,519	9,437 9 6
1904	25,182,828	51,481,411	32,114,732	108,778,971	62,270	9,274 12 0
1905	25,704,312	52,410,704	32,634,763	110,749,779	65,142	9,611 9 0
1906	26,244,388	53,345,785	33,166,044	112,756,217	64,340	9,458 6 0
1907	26,797,230	54,263,827	33,690,265	114,751,322	69,249	10,194 9 0
1908	27,327,110	55,204,210	34,210,721	116,742,041	72,370†	10,550 8 0†
1909	27,848,198	56,118,682	34,728,724	118,695,604	73,543	10,568 8 0
1910	28,383,640	57,015,644	35,211,971	120,611,255	75,369	10,939 5 6

* The figures in these columns refer to periods of 52 weeks except those marked † which refer to periods of 53 weeks.

TABLE 44.—ISLANDS IN THE BRITISH SEAS. **Area and Population; and Births and Deaths, 1886–1910.**

YEAR.	ISLANDS IN THE BRITISH SEAS.	ISLE OF MAN.	JERSEY.	GUERNSEY AND ADJACENT ISLANDS.				
Area in Acres }	193,408	145,325	28,717	19,366				
ENUMERATED POPULATION.								
1881	141,260	53,558	52,445	35,257				
1891	147,842	55,608	54,518	37,716				
1901	150,370	54,752	52,576	43,042				
1911	148,934	52,034	51,903	44,997				
—	Births.	Deaths.	Births.	Deaths.	Births.	Deaths.	Births.*	Deaths.
1886	3,778	2,960	1,574	1,096	1,464	1,145	740	719
1887	3,739	2,674	1,515	1,133	1,458	973	766	568
1888	3,810	2,663	1,564	1,078	1,523	1,025	723	560
1889	3,791	2,687	1,578	1,010	1,415	1,039	798	638
1890	3,607	3,040	1,458	1,159	1,375	1,156	774	725
1891	3,688	2,925	1,493	1,086	1,373	1,144	822	695
1892	3,382	3,031	1,331	1,131	1,269	1,262	782	638
1893	3,633	2,864	1,415	1,091	1,401	1,118	817	655
1894	3,305	2,700	1,336	1,091	1,227	987	742	622
1895	3,602	2,985	1,515	1,138	1,294	1,151	793	696
1896	3,538	2,602	1,437	1,073	1,307	998	794	531
1897	3,716	2,819	1,445	1,099	1,331	1,016	940	704
1898	3,585	2,760	1,400	1,008	1,259	1,020	926	732
1899	3,650	2,881	1,473	1,130	1,261	1,054	916	697
1900	3,375	2,894	1,376	1,143	1,151	1,054	848	697
1901	3,145	2,556	1,204	1,033	1,139	869	802	654
1902	3,289	2,466	1,256	979	1,137	834	896	623
1903	3,134	2,466	1,190	948	1,097	933	847	585
1904	3,536	2,649	1,227	1,027	1,068	903	1,241	719
1905	3,419	2,530	1,139	998	1,066	856	1,214	676
1906	3,310	2,397	1,123	894	1,007	878	1,180	625
1907	3,197	2,499	1,073	893	980	917	1,144	689
1908	3,162	2,391	1,044	901	1,039	815	1,079	675
1909	3,161	2,457	1,036	970	1,046	868	1,079	619
1910	3,125	2,246	1,023	841	1,038	765	1,064	640

NOTE.—The above numbers of births and deaths have been compiled from returns furnished to the Registrar-General by the Registrar-General of the Isle of Man, the Government Secretary of Jersey, and the Lieutenant-Governor of Guernsey and its Dependencies.
* Up to and including the year 1895 the figures in this column refer to the number of Baptisms.

TABLE 45.—BALANCE inward or outward on **Passenger Movement** into and out of the **United Kingdom, 1895-1910.**

YEAR.	BALANCE OUTWARD ON MOVEMENT TO AND FROM NON-EUROPEAN COUNTRIES.				BALANCE INWARD ON MOVEMENT TO AND FROM EUROPEAN COUNTRIES. (ALL NATIONALITIES)*	NET BALANCE OUTWARD ON TOTAL MOVEMENT TO AND FROM ALL COUNTRIES. (ALL NATIONALITIES)*
	BRITISH SUBJECTS.	FOREIGNERS.	NATIONALITY NOT DIS- TINGUISHED.	TOTAL.		
1895	75,763	18,015	2,320	96,098	28,503	67,595
1896	60,183	19,506	2,350	82,039	38,956	43,083
1897	51,239	4,938	1,989	58,166	17,850	40,316
1898	49,396	14,189	2,240	65,825	29,897	35,928
1899	46,116	30,444	2,025	78,585	56,660	21,925
1900	71,188	50,041	1,585	122,814	79,433	43,381
1901	72,016	63,618	1,923	137,557	88,712	48,845
1902	101,547	112,132	2,226	215,905	137,313	78,592
1903	147,036	99,149	3,136	249,321	114,540	134,781
1904	126,854	82,182	2,945	211,981	84,389	127,592
1905	139,365	110,514	4,590	254,469	107,733	146,736
1906	194,671	133,878	977†	327,572	134,199	193,373
1907	235,092	109,857	3,633†	341,316	113,385	227,931
1908	91,156	47,667†	—	43,489	24,267†	67,756
1909	139,693	73,360	—	213,053	94,263	118,790
1910	233,709	86,371	—	320,080	112,664	207,416

* Prior to 1st January, 1908, no statutory returns were available with regard to the passenger movement between the United Kingdom and the Continent of Europe, and the returns furnished voluntarily were to some extent incomplete, and were not prepared on an absolutely uniform system. Hence the figures given above for the years 1895 to 1907 cannot be regarded as a complete statement of the passenger movement between the United Kingdom and other countries in those years.

† Balance inward.

‡ Balance outward.

TABLE 46.—ARMY. **Strength and Mortality, 1871–1910.**
(Regiments on Passage Out and Home are included with the Number Abroad.)

YEAR.	STRENGTH.			DEATHS.			DEATH-RATE PER 1000.		
	TOTAL ARMY.	IN UNITED KING- DOM.	ABROAD.	TOTAL ARMY.	IN UNITED KING- DOM.	ABROAD.	TOTAL ARMY.	IN UNITED KING- DOM.	ABROAD.
1871 ..	192,665	105,757	86,908	2,327	1,005	1,322	12.1	9.5	15.2
1872 ..	192,007	104,154	87,853	2,649	940	1,709	13.8	9.0	19.5
1873 ..	188,379	100,583	87,796	2,139	931	1,208	11.4	9.3	13.8
1874 ..	186,389	97,635	88,754	2,136	1,007	1,129	11.5	10.3	12.7
1875 ..	184,669	97,193	87,476	2,269	1,061	1,208	12.3	10.9	13.8
1876 ..	184,433	97,146	87,287	2,102	930	1,172	11.4	9.6	13.4
1877 ..	190,502	101,904	88,598	1,801	856	945	9.5	8.4	10.7
1878 ..	200,758	109,201	91,557	2,249	778	1,471	11.2	7.1	16.1
1879 ..	191,290	88,215	103,075	4,239	796	3,443	22.2	9.0	33.4
1880 ..	188,986	91,887	97,099	3,333	756	2,577	17.6	8.2	26.5
1881 ..	188,798	91,946	96,852	2,650	844	1,806	14.0	9.2	18.6
1882 ..	189,229	94,295	94,934	2,224	806	1,418	11.8	8.5	14.9
1883 ..	181,971	90,071	91,900	1,783	672	1,111	9.8	7.5	12.1
1884 ..	183,004	89,994	93,010	1,611	523	1,088	8.8	5.8	11.7
1885 ..	198,064	91,579	106,485	2,730	735	1,995	13.8	8.0	18.7
1886 ..	203,805	98,057	105,748	2,813	703	2,110	13.8	7.2	20.0
1887 ..	209,574	106,767	102,807	2,006	568	1,438	9.6	5.3	14.0
1888 ..	211,105	106,913	104,192	2,041	731	1,310	9.7	6.8	12.6
1889 ..	210,298	105,956	104,342	1,961	525	1,436	9.3	5.0	13.8
1890 ..	209,221	105,668	103,553	1,813	631	1,182	8.7	6.0	11.4
1891 ..	209,699	104,860	104,839	1,869	562	1,307	8.9	5.4	12.5
1892 ..	213,540	106,115	107,425	1,950	502	1,448	9.1	4.7	13.5
1893 ..	217,279	106,074	111,205	1,803	586	1,217	8.3	5.5	10.9
1894 ..	219,121	105,749	113,372	1,871	447	1,424	8.5	4.2	12.6
1895 ..	220,309	107,636	112,673	1,839	491	1,348	8.3	4.6	12.0
1896 ..	220,742	106,408	114,334	1,862	431	1,431	8.4	4.1	12.5
1897 ..	219,283	102,155	117,128	2,188	403	1,785	10.0	3.9	15.2
1898 ..	225,027	102,202	122,825	2,699	452	2,247	12.0	4.4	18.3
1899 ..	238,739	107,504	131,235	2,516	486	2,030	10.5	4.5	15.5
1900 ..	383,037	117,041	265,996	10,554	958	9,596	27.6	8.2	36.1
1901 ..	412,949	126,797	286,152	6,237	780	5,457	15.1	6.2	19.1
1902 ..	379,048	126,992	252,056	4,029	625	3,404	10.6	4.9	13.5
1903 ..	295,589	137,755	157,834	2,067	703	1,364	7.0	5.1	8.6
1904 ..	283,691	134,345	149,346	1,715	444	1,271	6.0	3.3	8.5
1905 ..	274,158	132,141	142,017	1,526	385	1,141	5.6	2.9	8.0
1906 ..	263,834	129,421	134,413	1,445	399	1,046	5.5	3.1	7.8
1907 ..	249,890	123,668	126,222	1,186	382	804	4.7	3.1	6.4
1908 ..	247,277	124,422	122,855	1,178	329	849	4.8	2.6	6.9
1909 ..	252,105	130,098	122,007	985	400	585	3.9	3.1	4.8
1910 ..	250,942	129,131	121,811	844	319	525	3.4	2.5	4.3

TABLE 47.—ROYAL NAVY. **Mortality in the Service Afloat, 1871–1910.**
(From the Statistical Reports of the Health of the Navy.)

YEAR.	DEATH-RATE PER 1000.			YEAR.	DEATH-RATE PER 1000.		
	From All Causes.	From Disease.	From Violence.		From All Causes.	From Disease.	From Violence.
1871 ..	8.5	6.3	2.2	1891 ..	6.17	4.68	1.49
1872 ..	8.2	5.6	2.6	1892 ..	5.58	4.50	1.08
1873 ..	8.3	6.0	2.3	1893 ..	11.29	4.07	7.21
1874 ..	9.4	6.7	2.7	1894 ..	5.76	4.05	1.71
1875 ..	8.8	6.9	1.9	1895 ..	6.60	4.64	1.95
1876 ..	9.24	5.99	3.24	1896 ..	5.28	3.81	1.47
1877 ..	7.05	4.91	2.13	1897 ..	5.23	3.78	1.45
1878 ..	14.41	5.32	9.09	1898 ..	4.91	3.56	1.35
1879 ..	8.58	6.23	2.34	1899 ..	5.41	3.87	1.53
1880 ..	12.57	4.62	7.95	1900 ..	7.27	4.96	2.30
1881 ..	10.94	5.27	5.67	1901 ..	5.34	3.38	1.96
1882 ..	9.49	6.87	2.62	1902 ..	5.92	3.51	2.40
1883 ..	5.88	4.05	1.82	1903 ..	4.19	2.79	1.40
1884 ..	9.00	5.83	3.16	1904 ..	4.45	3.14	1.31
1885 ..	7.04	4.77	2.27	1905 ..	3.90	2.74	1.15
1886 ..	6.88	5.04	1.83	1906 ..	3.68	2.48	1.20
1887 ..	8.32	4.89	3.42	1907 ..	3.35	2.26	1.09
1888 ..	5.71	3.95	1.75	1908 ..	3.37	2.07	1.30
1889 ..	5.33	3.87	1.45	1909 ..	3.21	2.28	0.92
1890 ..	8.54	4.14	4.40	1910 ..	3.15	2.12	1.03

TABLE 48.—MERCHANT SERVICE. Number and Mortality of Masters and Seamen employed in Sea-going Vessels (excluding Fishing Vessels and Yachts) registered in the **United Kingdom** and the **Isle of Man**, under the Merchant Shipping Act, reported to the Board of Trade during each of the Years ending **30th June, 1890-1891 to 1909-1910.**

(Furnished to the Registrar-General by the Marine Department of the Board of Trade.)

YEARS.	No. of MASTERS and SEAMEN EMPLOYED.*	No. of DEATHS REPORTED.				DEATH-RATE per 1000.			
		From All Causes.	From Disease, &c.†	From Wreck or Casualty.‡	From Accident other than Wreck or Casualty.	From All Causes.	From Disease, &c.†	From Wreck or Casualty.‡	From Accident other than Wreck or Casualty.
Deaths in Sailing Vessels.									
1890-1891	65,792	1,526	352	805	369	23·2	5·4	12·2	5·6
1891-1892	63,357	1,561	455	750	356	24·6	7·2	11·8	5·6
1892-1893	63,618	1,248	392	541	315	19·6	6·2	8·5	5·6
1893-1894	61,327	1,344	374	613	357	21·9	6·1	10·0	5·8
1894-1895	58,537	1,400	484	594	322	23·9	8·3	10·1	5·5
1895-1896	56,095	1,370	410	637	323	24·4	7·3	11·4	5·8
1896-1897	53,267	965	285	413	267	18·1	5·4	7·8	5·0
1897-1898	49,858	781	295	255	231	15·7	5·9	5·1	4·6
1898-1899	46,553	896	271	430	195	19·2	5·8	9·2	4·2
1899-1900	43,356	754	256	307	191	17·4	5·9	7·1	4·4
1900-1901	41,151	894	215	474	205	21·7	5·2	11·5	5·0
1901-1902	38,400	686	207	294	185	17·9	5·4	7·7	4·8
1902-1903	36,406	588	217	196	175	16·2	6·0	5·4	4·8
1903-1904	34,748	652	175	300	177	18·8	5·0	8·6	5·1
1904-1905	32,466	599	166	283	150	18·5	5·1	8·7	4·6
1905-1906	30,204	576	146	287	143	19·1	4·8	9·5	4·7
1906-1907	28,142	386	103	152	131	13·7	3·7	5·4	4·7
1907-1908	25,821	462	105	226	131	17·9	4·1	8·8	5·1
1908-1909	23,478	399	107	214	78	17·0	4·6	9·1	3·3
1909-1910	21,470	283	66	134	83	13·2	3·1	6·2	3·9
Deaths in Steam Vessels.									
1890-1891	148,635	1,513	690	403	420	10·2	4·6	2·7	2·8
1891-1892	154,890	1,759	951	354	454	11·4	6·1	2·3	2·9
1892-1893	155,942	1,430	667	429	334	9·2	4·3	2·8	2·1
1893-1894	156,990	1,799	747	607	445	11·5	4·8	3·9	2·8
1894-1895	159,257	1,538	733	363	442	9·7	4·6	2·3	2·8
1895-1896	162,129	1,697	761	517	419	10·5	4·7	3·2	2·6
1896-1897	165,966	1,668	717	486	465	10·1	4·3	2·9	2·8
1897-1898	168,153	1,412	759	234	419	8·4	4·5	1·4	2·5
1898-1899	172,830	1,961	843	651	467	11·3	4·9	3·8	2·7
1899-1900	177,751	1,981	1,043	462	476	11·1	5·9	2·6	2·7
1900-1901	183,394	1,887	1,052	370	465	10·3	5·7	2·0	2·5
1901-1902	187,043	1,939	1,022	481	436	10·4	5·5	2·6	2·3
1902-1903	193,755	1,797	1,024	305	468	9·3	5·3	1·6	2·4
1903-1904	198,734	1,600	1,015	181	404	8·1	5·1	0·9	2·0
1904-1905	202,111	1,704	993	327	384	8·4	4·9	1·6	1·9
1905-1906	207,607	1,909	1,128	287	494	9·2	5·4	1·4	2·4
1906-1907	214,828	1,924	1,141	347	436	9·0	5·3	1·6	2·0
1907-1908	221,092	1,850	1,208	181	461	8·4	5·5	0·8	2·1
1908-1909	219,711	1,744	1,048	273	423	7·9	4·8	1·2	1·9
1909-1910	220,029	1,812	976	445	391	8·2	4·4	2·0	1·8
Total.									
1890-1891	214,427	3,039	1,042	1,208	789	14·2	4·9	5·6	3·7
1891-1892	218,247	3,320	1,406	1,104	810	15·2	6·4	5·1	3·7
1892-1893	219,560	2,678	1,059	970	649	12·2	4·8	4·4	3·0
1893-1894	218,317	3,143	1,121	1,220	802	14·4	5·1	5·6	3·7
1894-1895	217,794	2,938	1,217	957	764	13·5	5·6	4·4	3·5
1895-1896	218,224	3,067	1,171	1,154	742	14·1	5·4	5·3	3·4
1896-1897	219,233	2,633	1,002	899	732	12·0	4·3	4·1	3·3
1897-1898	218,016	2,193	1,054	489	650	10·1	4·8	2·2	3·0
1898-1899	219,383	2,857	1,114	1,081	662	13·0	5·1	4·9	3·0
1899-1900	221,107	2,735	1,299	769	667	12·4	5·9	3·5	3·0
1900-1901	224,545	2,781	1,267	844	670	12·4	5·6	3·8	3·0
1901-1902	225,443	2,625	1,229	775	621	11·6	5·5	3·4	2·8
1902-1903	230,161	2,385	1,241	501	643	10·4	5·4	2·2	2·8
1903-1904	233,482	2,252	1,190	481	581	9·6	5·1	2·1	2·5
1904-1905	234,577	2,303	1,159	610	534	9·8	4·9	2·6	2·3
1905-1906	237,811	2,485	1,274	574	637	10·4	5·4	2·4	2·7
1906-1907	242,970	2,310	1,244	499	567	9·5	5·1	2·1	2·3
1907-1908	246,913	2,312	1,313	407	592	9·4	5·3	1·6	2·4
1908-1909	243,189	2,143	1,155	487	501	8·8	4·7	2·0	2·1
1909-1910	241,499	2,095	1,042	579	474	8·7	4·3	2·4	2·0

* The figures relating to employment are made up for the year ending in December, and are compared with the deaths in the year ending in the following June.

† These figures include cases of homicide, suicide, supposed suicide, missing at sea, and a few cases where the causes of the deaths were unknown.

‡ These figures include only deaths resulting from casualties to ships.

TABLE 49.—ENGLAND AND WALES. Prices and Pauperism, 1861-1910.

YEAR.	AVERAGE PRICES.									PAUPERISM.			
	CONSOLS* (for Money) per £100 Stock.	WHEAT per Quarter in England and Wales.†	MEAT. Price per lb. at the Metropolitan Cattle Market (sinking the O.Tal.)‡						Average Price of SEABORNE COAL per Ton in the London Market.§	Average Number, to 1000 Persons living, in receipt of Poor Law Relief.¶			In-door Paupers to 1000 in receipt of out- door Relief.
			BEEF.			MUTTON.				Total.	In-door.	Out-door.	
			Inferior Quality.	Second Quality.	First Quality.	Inferior Quality.	Second Quality.	First Quality.					
	£ s. d.	s. d.	d.	d.	d.	d.	d.	d.	s. d.				
1861	92 0 8	55 4	4	—	6 4	5	—	7 3	—	41·9	6·1	35·8	170
1862	93 8 9	55 5	4	—	6 4	5	—	6 3	—	46·7	6·4	40·3	160
1863	92 17 10	44 9	4 3	—	6 3	4 6	—	7 7	—	48·0	6·3	41·7	151
1864	90 6 3	40 2	4 3	—	6 3	5 5	—	7 7	—	43·8	6·1	37·7	161
1865	89 11 7	41 10	4 3	—	7 7	5 3	—	8 3	—	41·9	6·0	35·9	168
1866	87 16 11	49 11	4 3	—	7 7	5 3	—	8 3	—	40·5	6·1	34·4	176
1867	93 1 3	64 5	4 3	—	6 6	5 5	—	7 7	—	42·5	6·4	36·1	178
1868	93 19 5	63 9	4 3	—	6 6	4 4	—	6 6	—	43·6	6·8	36·8	183
1869	93 2 2	48 2	4 3	—	7 7	5 5	—	7 7	—	43·4	6·7	36·7	183
1870	92 13 2	46 10	4 3	—	7 7	5 5	—	7 7	—	43·5	6·6	36·9	180
1871	92 18 5	56 8	5 3	—	7 7	5 4	—	8 3	—	41·6	6·3	35·3	179
1872	92 10 8	57 0	5 3	—	7 7	6 6	—	8 3	—	36·9	6·0	30·9	192
1873	92 14 8	58 8	5 3	—	8 8	6 6	—	9 3	31 0	33·9	5·9	28·0	210
1874	92 12 6	55 8	5 3	—	8 8	5 3	—	8 8	23 8	31·5	5·8	25·7	225
1875	93 15 11	45 2	5 3	—	8 8	5 4	—	9 1	21 8	29·7	5·6	24·1	233
1876	95 5 8	46 2	5 1	—	8 8	5 3	—	9 3	19 1	27·5	5·7	21·8	260
1877	95 10 0	56 9	4 3	—	8 8	4 3	—	9 3	17 5	27·0	6·0	21·0	283
1878	95 5 0	46 5	4 3	—	8 8	4 3	—	9 3	16 4	27·3	6·2	21·1	293
1879	97 12 10	43 10	4 3	—	7 7	4 3	—	8 8	15 11	29·0	6·5	22·5	290
1880	98 10 8	44 4	4 3	—	7 7	4 3	—	8 8	14 10	28·4	6·7	21·7	310
1881	100 2 6	45 4	4 3	—	7 7	5 1	—	9 3	16 0	28·2	6·8	21·4	318
1882	100 17 10	45 1	4 3	—	8 8	5 5	—	9 3	15 10	27·2	6·7	20·5	325
1883	101 8 2	41 7	5 3	—	8 8	5 5	—	9 3	16 10	26·7	6·6	20·1	331
1884	101 4 8	35 8	4 3	—	7 7	4 3	—	8 8	15 5	26·0	6·6	19·4	339
1885	99 4 8	32 10	3 3	—	6 6	4 3	—	7 7	15 5	26·0	6·6	19·4	338
1886	100 17 10	31 0	3 3	—	6 6	4 1	—	8 1	14 9	26·6	6·6	20·0	328
1887	101 16 2	32 6	3 3	—	5 5	3 3	—	7 7	14 10	26·2	6·6	19·6	336
1888	101 0 0	31 10	3 3	—	6 6	3 3	—	7 7	14 10	26·0	6·6	19·4	337
1889	98 0 9	29 9	—	—	—	—	—	—	16 6	25·0	6·4	18·6	345
1890	96 10 0	31 11	—	—	—	—	—	—	18 7	23·8	6·2	17·6	350
1891	95 14 8	37 0	—	—	—	—	—	—	18 3	22·8	6·0	16·8	360
1892	96 13 6	30 3	4 3	6 1	7 1	5 5	7 3	8 3	17 7	22·7	6·1	16·6	370
1893	98 7 4	26 4	4 3	6 1	7 7	5 5	7 7	8 3	19 0	23·2	6·4	16·8	378
1894	101 1 5	22 10	3 3	5 5	6 6	5 5	8 8	8 8	16 1	23·3	6·5	16·8	386
1895	106 3 3	23 1	4 3	6 6	6 6	5 5	8 8	8 7	14 7	24·2	6·6	17·6	376
1896	110 5 7	26 2	3 3	5 5	6 6	4 7	7 3	8 1	14 4	23·3	6·5	16·8	385
1897	112 8 0	30 2	3 3	5 5	6 6	5 5	7 3	8 1	15 7	23·0	6·4	16·6	390
1898	110 19 6	34 0	3 3	5 5	6 6	4 3	7 7	8 1	16 2	22·9	6·5	16·4	393
1899	107 3 11	25 8	3 3	5 5	6 6	5 5	7 3	8 1	17 10	21·7	6·4	15·3	414
1900	99 12 11	26 11	4 3	6 6	7 7	5 5	7 7	9 9	22 10	21·0	6·2	14·8	418
1901	94 5 8	26 9	3 4	6 6	6 7	4 7	7 3	8 1	19 4	21·2	6·3	14·9	427
1902	94 7 5	28 1	4 3	6 6	7 7	5 5	7 7	8 1	18 1	21·3	6·5	14·8	434
1903	90 15 8	26 9	4 3	6 6	7 7	5 5	7 7	8 1	16 2	21·5	6·7	14·8	447
1904	88 5 6	28 4	4 3	5 5	6 6	5 5	7 7	8 1	15 2	22·5	7·1	15·4	460
1905	89 16 9	29 8	4 3	5 5	7 7	5 5	7 7	8 7	14 11	23·1	7·2	15·9	458
1906	88 6 6	28 3	4 1	5 5	6 7	6 6	8 8	9 1	15 9	22·7	7·2	15·5	469
1907	84 3 4	30 7	4 3	5 5	7 7	6 6	8 1	9 3	19 6	22·3	7·3	15·0	483
1908	86 1 2	32 0	4 3	5 5	7 7	5 5	7 7	8 1	17 6	22·8	7·6	15·2	498
1909	83 16 11	36 11	4 3	6 6	7 7	4 3	6 6	8 8	16 11	22·8	7·7	15·1	514
1910	81 1 6	31 8	4 3	6 6	7 7	5 5	7 7	8 1	16 7	22·1	7·7	14·4	537

* The prices of Consols for the years 1861-88 relate to stock bearing 3 per cent. interest, from 1889 to 31st March, 1903, to stock bearing $2\frac{3}{4}$ per cent., and since then to stock bearing $2\frac{1}{2}$ per cent.

† From the Board of Trade Statistical Abstract.

‡ The Registrar-General is unable to give precise information as to the price of meat for the years 1889-91.

§ The prices of coal are furnished by the Mineral Statistics Department of the Home Office.

¶ Derived from Returns published by the Local Government Board, of the number of persons in receipt of Relief on each Saturday.

¶ March Quarter only.

TABLE 50.—Meteorological Elements,

YEAR.	Mean Weekly Movement of the Air in Miles.	Departure from Average of 50 Years.	Fall of Rain in Inches.	Departure from Average of 50 Years.	Mean Degree of Humidity of the Air (Saturation =100).	Departure from Average of 50 Years.	Mean Temperature of the Air.	Departure from Average of 50 Years.
	Miles.	Miles.	Inches.	Inches.	%	%	°	°
1861 ..	1666	- 285	20'8	- 3'2	84	+ 3	49'4	- 0'1
1862 ..	1680	- 271	26'2	+ 2'2	84	+ 3	49'5	0'0
1863 ..	1775	- 176	20'0	- 4'0	80	- 1	50'3	+ 0'8
1864 ..	1597	- 354	16'7	- 7'3	78	- 3	48'5	- 1'0
1865 ..	1553	- 398	29'0	+ 5'0	80	- 1	50'3	+ 0'8
1866 ..	1917	- 34	30'7	+ 6'7	82	+ 1	49'8	+ 0'3
1867 ..	1981	+ 30	28'4	+ 4'4	82	+ 1	48'6	- 0'9
1868 ..	2029	+ 78	25'2	+ 1'2	78	- 3	51'5	+ 2'0
1869 ..	2043	+ 92	24'0	0'0	81	0	49'5	0'0
1870 ..	1872	- 79	18'5	- 5'5	79	- 2	48'7	- 0'8
1871 ..	1749	- 202	22'3	- 1'7	81	0	48'5	- 0'8
1872 ..	1998	+ 47	30'0	+ 6'0	82	+ 1	50'7	+ 1'2
1873 ..	1940	- 11	23'4	- 0'6	82	+ 1	48'9	- 0'6
1874 ..	1915	- 36	20'0	- 4'0	82	+ 1	49'3	- 0'2
1875 ..	1942	- 9	28'2	+ 4'2	80	- 1	49'2	- 0'3
1876 ..	2036	+ 85	24'2	+ 0'2	80	- 1	50'1	+ 0'6
1877 ..	2184	+ 233	26'9	+ 2'9	79	- 2	49'4	- 0'1
1878 ..	1880	- 71	29'2	+ 5'2	81	0	49'6	+ 0'1
1879 ..	1873	- 78	31'3	+ 7'3	83	+ 2	46'2	- 3'3
1880 ..	1928	- 23	29'8	+ 5'8	84	+ 3	49'4	- 0'1
1881 ..	2030	+ 79	25'2	+ 1'2	81	0	48'7	- 0'8
1882 ..	2151	+ 200	25'2	+ 1'2	84	+ 3	49'7	+ 0'2
1883 ..	2058	+ 107	21'9	- 2'1	82	+ 1	49'4	- 0'1
1884 ..	2034	+ 83	18'1	- 5'9	80	- 1	50'7	+ 1'2
1885 ..	2008	+ 57	24'0	0'0	81	0	48'6	- 0'9
1886 ..	1962	+ 11	24'2	+ 0'2	81	0	48'7	- 0'8
1887 ..	1927	- 24	19'9	- 4'1	79	- 2	47'8	- 1'7
1888 ..	2049	+ 98	27'5	+ 3'5	82	+ 1	47'7	- 1'8
1889 ..	1934	- 17	23'3	- 0'7	83	+ 2	48'8	- 0'7
1890 ..	1946	- 5	21'9	- 2'1	81	0	48'6	- 0'9
1891 ..	1945	- 6	25'1	+ 1'1	82	+ 1	48'4	- 1'1
1892 ..	1863	- 88	22'3	- 1'7	80	- 1	48'1	- 1'4
1893 ..	1909	- 42	20'1	- 3'9	76	- 5	51'1	+ 1'6
1894 ..	2019	+ 68	26'9	+ 2'9	81	0	49'9	+ 0'4
1895 ..	1951	0	19'7	- 4'3	78	- 3	49'3	- 0'2
1896 ..	1932	- 19	22'4	- 1'6	79	- 2	50'2	+ 0'7
1897 ..	2033	+ 82	22'1	- 1'9	79	- 2	50'3	+ 0'8
1898 ..	1956	+ 5	18'9	- 5'1	78	- 3	51'3	+ 1'8
1899 ..	1911	- 40	22'3	- 1'7	77	- 4	50'6	+ 1'1
1900 ..	2050	+ 99	23'2	- 0'8	79	- 2	50'4	+ 0'9
1901 ..	1970	+ 19	20'3	- 3'7	78	- 3	49'2	- 0'3
1902 ..	1933	- 18	19'3	- 4'7	80	- 1	49'2	- 0'3
1903 ..	2226	+ 275	35'5	+11'5	80	- 1	50'1	+ 0'6
1904 ..	1913	- 38	20'7	- 3'3	82	+ 1	49'8	+ 0'3
1905 ..	2063	+ 112	23'0	- 1'0	81	0	49'9	+ 0'4
1906 ..	2093	+ 142	24'7	+ 0'7	79	- 2	50'7	+ 1'2
1907 ..	1977	+ 26	22'3	- 1'7	81	0	49'7	+ 0'2
1908 ..	1932	- 19	23'8	- 0'2	83	+ 2	50'1	+ 0'6
1909 ..	2041	+ 90	25'7	+ 1'7	83	+ 2	48'9	- 0'6
1910 ..	2155	+ 204	28'1	+ 4'1	84	+ 3	50'2	+ 0'7
Average } in 50 Years. }	1951	—	24'0	—	81	—	49'5	—

Greenwich, 1861-1910.

MEAN TEMPERATURE of the AIR in the Quarters ended the last day of								YEAR.
March.	Departure from Average of 50 Years.	June.	Departure from Average of 50 Years.	Sept.	Departure from Average of 50 Years.	Dec.	Departure from Average of 50 Years.	
°	°	°	°	°	°	°	°	
39·9	- 0·1	51·8	- 1·2	60·4	- 0·1	45·5	+ 1·2	1861
41·0	+ 1·2	53·3	+ 0·3	58·8	- 1·7	45·0	+ 0·7	1862
42·6	+ 2·6	53·1	+ 0·1	58·8	- 1·7	46·8	+ 2·5	1863
37·9	- 2·1	53·1	+ 0·1	59·4	- 1·1	43·7	- 0·6	1864
36·5	- 3·5	56·2	+ 3·2	62·5	+ 2·0	46·0	+ 1·7	1865
41·2	+ 1·2	53·0	0·0	58·9	- 1·6	46·2	+ 1·9	1866
38·9	- 1·1	53·5	+ 0·5	59·7	- 0·8	42·5	- 1·8	1867
41·4	+ 1·4	55·8	+ 2·8	63·9	+ 3·4	45·1	+ 0·8	1868
41·3	+ 1·3	52·0	- 1·0	61·4	+ 0·9	43·3	- 1·0	1869
38·0	- 2·0	54·4	+ 1·4	60·7	+ 0·2	41·6	- 2·7	1870
40·2	+ 0·2	51·5	- 1·5	61·3	+ 0·8	41·8	- 2·5	1871
43·6	+ 3·6	52·8	- 0·2	61·1	+ 0·6	45·3	+ 1·0	1872
39·4	- 0·6	51·8	- 1·2	60·3	- 0·2	44·2	- 0·1	1873
41·4	+ 1·4	52·8	- 0·2	60·9	+ 0·4	42·3	- 2·0	1874
39·5	- 0·5	53·4	+ 0·4	60·7	+ 0·2	43·1	- 1·2	1875
39·5	- 0·5	51·7	- 1·3	61·8	+ 1·3	47·0	+ 2·7	1876
42·3	+ 2·3	51·9	- 1·1	58·5	- 2·0	45·0	+ 0·7	1877
41·5	+ 1·5	54·6	+ 1·6	60·8	+ 0·3	41·6	- 2·7	1878
37·1	- 2·9	49·5	- 3·5	58·1	- 2·4	39·9	- 4·4	1879
39·8	- 0·2	52·4	- 0·6	61·4	+ 0·9	44·0	- 0·3	1880
37·3	- 2·7	52·9	- 0·1	60·0	- 0·5	44·6	+ 0·3	1881
42·3	+ 2·3	53·0	0·0	58·1	- 2·4	44·7	+ 0·4	1882
40·0	0·0	53·0	0·0	59·5	- 1·0	44·9	+ 0·6	1883
43·4	+ 3·4	52·5	- 0·5	62·7	+ 2·2	44·1	- 0·2	1884
40·3	+ 0·3	52·4	- 0·6	59·1	- 1·4	42·8	- 1·5	1885
36·5	- 3·5	52·5	- 0·5	61·2	+ 0·7	44·6	+ 0·3	1886
37·3	- 2·7	51·6	- 1·4	61·0	+ 0·5	41·3	- 3·0	1887
36·9	- 3·1	51·6	- 1·4	57·6	- 2·9	44·6	+ 0·3	1888
38·2	- 1·8	54·5	+ 1·5	58·9	- 1·6	43·5	- 0·8	1889
41·4	+ 1·4	52·8	- 0·2	58·4	- 2·1	40·8	- 3·5	1890
37·6	- 2·4	51·6	- 1·4	59·3	- 1·2	45·0	+ 0·7	1891
37·5	- 2·5	53·4	+ 0·4	59·2	- 1·3	42·3	- 2·0	1892
40·9	+ 0·9	57·0	+ 4·0	61·9	+ 1·4	44·6	+ 0·3	1893
41·4	+ 1·4	53·3	+ 0·3	58·6	- 1·9	46·4	+ 2·1	1894
35·2	- 4·8	55·1	+ 2·1	62·3	+ 1·8	44·7	+ 0·4	1895
42·2	+ 2·2	55·6	+ 2·6	60·4	- 0·1	42·4	- 1·9	1896
41·1	+ 1·1	53·1	+ 0·1	60·9	+ 0·4	46·0	+ 1·7	1897
41·5	+ 1·5	52·4	- 0·6	62·7	+ 2·2	48·5	+ 4·2	1898
41·8	+ 1·8	52·8	- 0·2	63·0	+ 2·5	44·7	+ 0·4	1899
39·2	- 0·8	52·8	- 0·2	61·8	+ 1·3	47·6	+ 3·3	1900
37·8	- 2·2	53·4	+ 0·4	61·7	+ 1·2	43·9	- 0·4	1901
40·5	+ 0·5	51·0	- 2·0	59·6	- 0·9	45·2	+ 0·9	1902
43·9	+ 3·9	51·2	- 1·8	60·0	- 0·5	45·2	+ 0·9	1903
39·5	- 0·5	53·8	+ 0·8	61·5	+ 1·0	44·3	0·0	1904
41·9	+ 1·9	53·8	+ 0·8	61·7	+ 1·2	42·2	- 2·1	1905
41·1	+ 1·1	52·8	- 0·2	63·2	+ 2·7	45·8	+ 1·5	1906
40·0	0·0	52·9	- 0·1	60·1	- 0·4	45·8	+ 1·5	1907
39·5	- 0·5	53·8	+ 0·8	60·3	- 0·2	46·6	+ 2·3	1908
38·4	- 1·6	52·5	- 0·5	59·7	- 0·8	44·8	+ 0·5	1909
41·5	+ 1·5	54·2	+ 1·2	59·3	- 1·2	45·6	+ 1·3	1910
40·0	—	53·0	—	60·5	—	44·3	—	{ Average in 50 Years.

TABLE 51.—Quarterly Meteorological

Winter Spring Summer Autumn	.. Jan., Feb., March. .. April, May, June. .. July, Aug., Sept. .. Oct., Nov., Dec.	Temperature of								Elastic Force of Vapour.		Weight of Vapour in a Cubic Foot of Air.		
		Air.			Evaporation.		Dew Point.		Air—Daily Range.		Mean.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.
		Mean of Maximum and Minimum.	Diff. from Average of 130 Years.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.				
1910.		°	°	°	°	°	°	°	°	in.	in.	grs.	gr.	
YEAR		50·2	+ 1·5	+ 0·8	46·7	+ 0·2	44·2	+ 0·7	14·5	- 1·3	·300	+·007	3·4	0·0
Winter Quarter		41·5	+ 2·6	+ 1·7	39·0	+ 1·2	36·7	+ 1·5	12·5	+ 0·7	·219	+·012	2·5	+ 0·1
Spring do.		51·2	+ 1·8	+ 1·3	49·6	+ 0·5	46·5	+ 1·3	18·0	- 1·9	·320	+·014	3·6	+ 0·2
Summer do.		59·3	- 0·5	- 1·1	54·9	- 1·6	52·1	- 0·9	16·4	- 3·3	·392	-·010	4·4	- 0·2
Autumn do.		45·6	+ 1·9	+ 1·2	43·3	+ 0·7	41·5	+ 0·9	11·2	- 0·5	·267	+·010	3·0	- 0·1

In this table + and - respectively signify that the number in the *preceding* column is

Elements, Greenwich, 1910.

Degree of Humidity.		Reading of Barometer, reduced to 32° F.		Weight of a Cubic Foot of Air.		Rain.		Readings of Thermometer on Grass.																	
Mean (Saturation = 100).	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.	Mean.	Diff. from Average of 60 Years.	Amount.	Diff. from Average of 86 Years.	Number of Nights it was			Lowest Reading at Night.	Highest Reading at Night.	Winter	Jan., Feb., March.	Spring	April, May, June.	Summer	July, Aug., Sept.	Autumn	Oct. Nov., Dec.	
								At or below 30°.	Between 30° and 40°.	Above 40°.															
%	%	ins.	in.	grs.	grs.	Sums.		Sums.			°	°	1910.												
						ins.	ins.									YEAR.									
84	+ 2	29·720	- ·057	542	0	28·06	+ 3·26	105	114	146	13·4	57·8	Winter Quarter												
86	+ 2	29·724	- ·050	551	- 1	5·51	+ 0·57	52	33	5	13·4	46·1	Spring do.												
79	+ 2	29·702	- ·083	538	0	6·94	+ 1·33	20	30	41	15·9	57·5	Summer do.												
81	+ 4	29·832	+ ·036	534	+ 4	6·69	- 0·48	1	16	75	29·1	57·8	Autumn do.												
88	- 1	29·621	- ·132	544	- 3	8·92	+ 1·84	32	35	25	16·9	50·0													

above or below the average to the amount of the quantities to which the signs are affixed.

TABLE 52.—Monthly Meteorological Elements at Greenwich, 1910.

1910.	Baro- meter.	Air Temperature.								Hygrometer.				Earth Temperature.		Bright Sunshine				
		Mean of A Mini- mum.		Mean of B Mini- mum.		Mean of A and B.	Difference from Normal.	Absolute Maximum and Minimum.				Mean of Observations at 9 a.m. and 9 p.m.*				At 1 foot depth.	At 3 ft. 2 in. depth.	Total Observed.	Difference from Normal.	Per cent. of Possible.
								Maxi- mum.	Day of Month.	Mini- mum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					
		ins. Level.* (Bar. 159 ft. above M.S.L.)	°	°	°	°	°									ins. °	%	hrs. °	hrs. °	
January	..	29.681	44.1	35.4	39.7	+1.3	55	2	20	27	39.5	1.6	.211	87	43.5	54	+ 13	21		
February	..	29.500	47.9	35.7	41.8	+2.0	56	17	28	5	41.2	1.7	.224	87	41.8	70	+ 13	25		
March	..	29.991	51.3	34.7	43.0	+0.5	58	7	26	23	41.7	2.0	.222	85	43.0	150	+ 51	41		
April..	..	29.672	55.4	38.8	47.1	-1.0	66	21	26	3	46.2	2.9	.247	80	45.4	130	- 17	31		
May	29.713	63.3	45.2	54.3	+0.5	78	28	30	10	52.5	3.3	.310	79	49.9	219	+ 33	46		
June	29.720	71.0	51.6	61.3	+1.0	82	20	44	16	59.8	3.6	.404	79	57.5	185	- 12	37		
July	29.709	67.0	51.9	59.4	-4.3	76	28	47	24	57.7	2.9	.392	82	58.6	113	- 123	23		
August	..	29.741	70.8	52.7	61.8	-1.1	77	12	49	29	60.5	3.4	.420	80	60.8	177	- 34	39		
September	30.046	64.6	48.5	56.6	-1.6	75	28	39	10	55.7	2.8	.363	82	58.7	142	- 13	38		
October	..	29.841	59.8	47.6	53.7	+3.3	73	2	40	23	52.6	1.8	.348	88	56.1	70	- 25	21		
November	29.476	45.4	32.4	38.9	-4.5	55	1	22	23	37.8	1.6	.197	87	48.2	50	+ 2	19		
December	29.545	48.3	40.0	44.2	+4.6	55	16	27	28	44.3	1.5	.257	88	45.8	20	- 13	8		
Year	29.720	57.4	42.9	50.2	+0.1	—	—	—	—	49.1	2.4	.300	84	50.8	1,380	- 123	31		

* The hours of observation are 9 a.m. and 9 p.m., local time.
+ The averages used are obtained from observations extending over 65 years for Rain and Temperature, and 10 years for Sunshine.
Wind Force.—Beaufort Scale (0-12) is used. The number of observations of moderate and strong wind (force 4-7), the number of observations of calm, and the number of days of gale (force 8 and above) are given in the table.

TABLE 52—(continued).

1910.	Cloud.	Rain and other forms of Precipitation.				Weather. Number of days of							Wind. Number of Observations at 9 a.m. and 9 p.m.*											
		Mean of Observa- tions of amount at 9 a.m. and 9 p.m. (Scale 0-10.)	Total Fall.		Difference from Normal.†	Most in a day.		Precipitation.	Snow.	Hail.	Thunderstorm.	Clear Sky.†	Overcast.†	Fog.	Wind force 8 and above.	Force (0-12).		Direction						
			ins.	ins.		ins.	Day of Month.									Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.
January	7.1	ins. 1.72	ins. -0.16	ins. 0.57	28	15	5	0	0	1	14	4	0	16	4	4	0	0	1	7	28	12	6	
February	6.2	2.69	+1.21	0.41	15	24	0	3	0	3	9	4	1	14	0	2	0	0	2	16	25	8	3	
March ..	4.9	1.10	-0.42	0.44	9	10	3	0	0	10	10	11	0	4	8	9	10	6	8	11	14	2	3	
April ..	7.1	2.62	+1.05	1.50	16	16	0	4	3	2	13	1	0	10	4	5	8	3	2	10	14	8	6	
May ..	7.0	2.24	+0.32	0.48	18	19	1	2	4	1	11	1	0	9	3	13	10	8	4	2	11	6	5	
June ..	7.5	2.08	+0.04	0.77	25	13	0	1	4	2	17	1	0	4	5	10	7	6	2	4	17	5	4	
July ..	8.4	3.52	+1.12	0.73	18	18	0	2	1	0	20	1	0	5	2	9	11	3	2	4	18	7	6	
August ..	6.8	2.43	+0.09	0.69	26	17	0	0	1	0	11	0	0	6	3	4	3	1	4	11	25	9	2	
September	6.4	0.74	-1.41	0.66	14	3	0	0	0	2	12	2	0	0	5	22	10	2	2	2	5	4	8	
October	7.6	1.81	-0.97	0.39	12	14	0	0	0	1	17	6	0	5	4	5	12	15	6	4	9	5	2	
November	5.5	3.57	+1.35	0.74	27	17	1	1	0	7	10	12	0	10	4	7	3	2	5	3	14	16	6	
December	7.0	3.54	+1.71	0.73	1	19	1	1	0	2	13	5	1	12	1	4	2	5	4	12	14	14	6	
Year ..	6.8	28.06	+3.93	—	—	185	11	14	13	31	157	48	2	95	43	94	76	51	39	83	191	96	57	

* A day is reckoned as a day of "clear sky" if the average of the estimates of the fraction of sky covered by cloud at 9 a.m. and 9 p.m. is less than 2, and as an "overcast" day if the average is greater than 8. Record is also kept of the days persistently cloudless and days persistently overcast from midnight to midnight. The number of such days for the period January to December, 1910, are:—cloudless, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0; and overcast, 3, 1, 1, 0, 0, 0, 0, 0, 1, 3, 3.

TABLE 53.—Mean Annual Values of Meteorological

1910.	Station.	Height of Barometer Cistern above M.S.L.	Baro- meter. Mean Pressure, at 32° F. at Level and Latitude of Station.	Air Temperature.								Hygrometer.				Earth Temperature.		Bright Sunshine.		
				Mean of		Mean of A and B.	Difference from Normal.	Absolute Maximum and Minimum.				Mean of Observations at 9 a.m. and 9 p.m., or at 7 a.m.				At 1 foot depth.	At 4 feet depth.	Total Observed.	Difference from Normal.	Per cent. of Possible.
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					
1. LONDON:—				Ft.	Ins.	°	°	°	°	°	°	°	°	In.	%	°	°	Hrs.	Hrs.	%
	Tottenham ..	55	29·822	56·9	41·5	50·7	+0·9	86	June 19	22	Jan. 27	50·1	1·9	·328	88	—	51·0	1,373	—	31
	Hampstead ..	453	29·405	54·8	43·1	49·0	—	78	June 19	19	Jan. 27	48·0	1·7	·306	88	—	—	1,372	—	31
	Camden Square	123	29·762	58·2	43·6	50·9	+0·5	84	June 20	20	Jan. 27	50·0	2·4	·311	85	49·7	49·7	1,183	—	27
	Westminster ..	54	29·823	57·0	44·1	50·6	+0·5	79	June 19, 20	21	Jan. 27, 28	47·6	1·6	·301	88	—	—	1,146	+ 2	26
	Greenwich ..	159	29·720	57·4	42·9	50·2	+0·1	82	June 20	20	Jan. 27	49·1	2·4	·300	84	—	50·8	1,379	-125	31
	Norwood.. ..	235	29·642	56·7	43·6	50·2	+0·6	81	June 19	20	Jan. 27	49·2	2·6	·296	83	49·7	—	—	—	—
	Kew*	34	29·862	56·4	44·2	50·3	+0·8	81	June 20	21	Jan. 27	49·7	2·9	·296	81	49·7	50·3	1,350	-117	31
	District Value..	—	—	55·8	43·7	50·3	+0·6	86	—	19	—	—	—	—	—	49·7	50·5	1,301	- 58	30
2. ENGLAND, CENT.:— (a) East, (b) West.																				
a	Huddersfield* ..	411	29·405	53·6	41·7	47·7	—	78	June 12, 19	12	Jan. 27	46·7	2·1	·282	86	47·6	47·2	1,196	—	27
	Wakefield† ..	100	29·741	55·7	41·9	48·8	+0·9	78	June 19	10	Jan. 27	48·7	2·8	·286	81	—	—	—	—	—
	Belvoir Castle..	276	29·573	54·7	41·5	48·1	0·0	79	June 19	15	Jan. 27	46·9	1·9	·285	86	48·4†	48·2	1,456	—	33
	Coventry	309	29·543	55·5	42·3	48·9	0·0	80	June 20	17	Jan. 27	48·3	2·8	·283	82	48·9	49·6	1,303	—	30
	NOTTINGHAM ..	85	29·764	55·4	41·4	48·4	0·0	80	June 20	17	Jan. 27, 28	45·7	1·4	·285	90	47·9	48·3	1,285	—	29
b	Birmingham ..	542	29·288	54·3	42·5	48·4	+0·3	79	June 20	19	Jan. 27	46·8	2·3	·279	84	46·8	47·6	1,113	—	25
	Oxford	212	29·666	55·9	42·6	49·3	+0·3	79	June 19, 20	18	Jan. 27, 28	47·2	2·1	·286	85	—	—	1,376	-122	31
	Bath	84	29·796	56·6	42·5	49·6	-0·2	78	June 20	16	Jan. 27	47·7	1·7	·299	88	51·2	51·4	1,578	—	36
	Shrewsbury ..	212	29·639	56·0	41·7	48·9	-0·1	80	June 19	12	Jan. 27	47·9	2·3	·293	85	—	—	—	—	—
	Sheffield	450	29·369	54·1	42·7	48·4	-0·1	76	June 19	19	Jan. 27	47·8	2·4	·287	84	47·5	47·6	1,264	—	29
	Buxton*	997	28·785	51·5	39·6	45·6	+0·3	75	June 19	1	Jan. 27	44·9	1·9	·264	86	46·9	47·0	1,423	—	32
	Wistanstow ..	484	—	—	—	—	—	—	July 13	—	—	—	—	—	—	—	—	—	—	—
	Cheltenham ..	206	29·665	55·6	43·0	49·3	+0·7	78	June 20	16	Jan. 27	48·9	2·0	·307	86	—	—	1,431	—	32
	District Value..	—	—	55·3	41·3	48·0	+0·2	83	—	1	—	—	—	—	—	48·0	48·2	1,326	- 81	30
3. ENGLAND, S.E.:—																				
	Salisbury ..	186	29·693	57·0	41·6	49·3	+0·3	79	June 19	15	Jan. 27	48·9	1·6	·314	90	51·0	—	—	—	—
	Brighton	48	29·849	55·8	45·3	50·6	+0·2	75	May 23	22	Jan. 27	50·9	2·8	·311	82	—	51·2	1,690	- 41	38
	Portsmouth ..	18	29·890	56·9	45·5	51·2	+0·9	76	May 23	22	Jan. 27	51·3	2·7	·317	82	51·4	52·0	1,689	—	38
	Eastbourne ..	36	29·867	55·6	45·3	50·5	+0·4	73	June 6	25	Jan. 27	50·6	2·3	·324	85	51·6	52·0	1,752	+ 13	40
	Southampton ..	84	29·819	57·3	44·5	50·9	+0·4	77	May 23	20	Jan. 27	50·2	2·6	·311	83	—	—	1,517	-148	34
	Ventnor	80	29·806	56·3	46·2	51·3	0·0	73	May 22, 23	24	Jan. 27	51·4	2·8	·318	82	—	—	1 654	- 69	38
	District Value..	—	—	55·8	43·6	49·5	0·0	84	—	10	—	—	—	—	—	50·6	51·1	1,529	- 74	35

† 3 feet.

† See note on p. 102

Elements from Observations at several Stations in the Year 1910.

Cloud (0-10).	Rain and other forms of Precipitation.				Weather. Number of days of								Wind. No. of Observations at 9 a.m. and 9 p.m., or at 7 a.m., 1 p.m., 6 p.m., or 9 p.m.											
	Total Fall.	Difference from Normal.	Most in a day.		Precipitation.	Snow.	Hail.	Thunderstorm.	Clear Sky. (See Note on p. 106.)	Overcast. (See Note on p. 106.)	Fog.	Wind force 8 and above.	Force (0-12).		Direction.									
			Amount.	Day of Month.									Moderate and Strong Wind. (Force 4-7.)	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.		
	Ins.	Ins.	Ins.																					
7.2	23.2	—	0.80	Apr. 16	156	4	2	18	11	156	16	0	43	24	85	80	46	38	53	198	107	99		
6.7	24.8	—	0.75	June 25	193	17	5	23	34	155	20	8	99	93	72	108	48	22	67	156	99	65		
7.2	25.4	+ 0.2	1.19	Apr. 16	186	4	3	8	56	203	7	—	—	34	64	46	11	10	36	53	53	58		
6.4	23.4	- 1.0	0.63	Nov. 30	201	14	8	19	27	136	4	13	171	56	63	95	52	25	53	179	130	77		
6.8	28.1	+ 4.0	1.50	Apr. 16	185	11	14	13	31	157	48	2	95	43	94	76	51	39	83	191	96	57		
6.7	27.8	+ 2.9	0.90	June 25	191	9	9	17	40	156	41	3	58	104	79	68	49	27	98	144	105	56		
6.8	25.5	+ 1.5	1.17	Aug. 5	180	4	6	20	22	155	14	0	245	151	123	102	83	39	132	225	161	79		
6.8	25.5	+ 1.5	1.50	—	185	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6.7	37.4	—	1.53	June 24	219	28	9	10	26	145	8	5	215	126	84	107	80	60	103	126	249	160		
6.9	26.6	+ 0.2	1.16	July 5	172	17	3	14	25	140	33	9	32	68	92	69	50	30	57	145	163	56		
6.7	28.9	+ 3.5	1.54	Dec. 1	226	20	12	30	23	139	61	9	200	70	91	37	22	20	80	189	116	105		
7.3	29.6	+ 3.9	1.06	July 2	212	10	9	13	55	222	3	2	158	11	30	32	36	27	48	60	58	63		
7.6	24.7	- 0.1	1.36	Dec. 1	203	15	8	15	16	135	13	27	334	3	103	107	137	49	108	216	292	80		
6.9	31.3	+ 3.9	1.35	Aug. 28	202	11	2	7	34	161	4	0	98	63	61	82	56	33	92	117	115	111		
7.2	28.9	+ 3.9	1.62	Oct. 11	192	10	9	18	43	161	20	3	220	45	80	91	38	42	102	154	109	69		
7.0	39.6	+ 9.1	1.44	Aug. 28	193	—	—	—	40	156	—	—	113	188	11	99	41	41	20	116	146	68		
6.5	26.0	—	0.94	Nov. 23	202	18	9	12	24	135	4	5	108	32	50	28	19	88	81	135	92	205		
6.9	31.0	- 1.6	1.09	Nov. 27	190	30	5	14	16	142	30	0	38	67	84	53	18	60	75	120	115	138		
6.6	48.7	- 1.9	1.26	July 25	209	53	21	10	33	152	17	2	167	19	37	89	132	92	91	213	217	205		
—	36.6	—	1.36	Aug. 23	191	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6.3	31.1	+ 3.5	1.26	Aug. 28	176	5	7	13	48	136	7	3	59	89	21	33	48	98	77	173	98	93		
6.7	30.9	+ 4.5	1.62	—	197	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6.7	42.9	+10.7	1.63	Oct. 12	235	5	12	13	21	125	24	4	137	3	102	87	29	56	58	127	113	155		
7.0	32.4	+ 4.8	1.22	Nov. 13	179	7	7	20	38	182	6	2	167	13	51	57	27	15	34	74	44	50		
6.0	31.4	+ 3.8	1.32	Oct. 11	172	7	12	15	87	142	5	5	151	4	36	56	31	28	31	54	62	63		
5.7	34.8	+ 3.9	0.92	Oct. 13	174	5	4	11	69	119	4	5	52	54	72	148	28	38	15	186	70	119		
5.8	33.6	+ 2.7	1.20	Oct. 12	190	6	7	15	61	112	12	5	261	0	7	175	6	98	6	226	20	192		
7.2	32.1	+ 2.5	1.65	Oct. 12	204	7	3	10	30	167	5	7	192	15	96	58	65	66	74	142	131	83		
6.9	32.0	+ 4.9	2.40	—	193	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

The sunshine entered to Portsmouth is registered at Southsea

TABLE 53 (continued).—Mean Annual Values of Meteorological

1910.	Station.	Height of Barometer Cistern above M.S.L.	Barometer. Mean Pressure, at 32° F. at Level and Latitude of Station.	Air Temperature.								Hygrometer.				Earth Temperature.		Bright Sunshine.		
				Mean of		Mean of A and B.	Difference from Normal.	Absolute Maximum and Minimum.				Mean of Observations at 9 a.m. and 9 p.m., or at 7 a.m.				At 1 foot depth.	At 4 feet depth.	Total Observed.	Difference from Normal.	Per cent. of Possible.
				A Maximum.	B Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					
4. ENGLAND, E.:— (a) North, (b) South.		Ft.	Ins.	°	°	°	°	°		°		°	°	In.	%	°	°	Hrs.	Hrs.	%
a	Lowestoft ..	75	29.792	53.7	43.6	48.7	+0.2	74	Aug. 15	22	Jan. 23	49.0	2.1	.305	86	50.2	50.3	1,667	—	38
	Cromer ..	139	29.679	54.2	43.0	48.6	—	78	June 21	20	Jan. 28	47.8	1.6	.302	89	—	—	1,425	—	32
	Hillington ..	92	29.757	55.2	41.2	48.2	0.0	83	May 20	22	Jan. 27	47.4	1.6	.300	89	—	—	1,355	-141	31
	(Norwich ..	93	—	55.4	42.8	49.1	—	80	June 19	21	Jan. 27, 28	—	—	—	—	—	—	—	—	—
	Cambridge ..	43	29.820	56.4	41.9	49.2	+0.3	80	June 19, 20	17	Jan. 27	48.3	2.1	.302	86	49.5	50.2	1,501	- 59	34
b	CLACTON..	62	29.815	54.9	44.0	49.5	-0.1	75	Aug. 15	23	Jan. 26, 27, 28	47.5	1.5	.303	89	50.5	51.4	1,581	—	36
	Bennington ..	411	29.477	55.5	41.9	48.7	+0.4	79	June 20	19	Jan. 27	47.5	2.1	.288	86	49.7	49.7	—	-	—
	Berkhampsted..	397	29.467	55.8	41.3	48.6	+0.2	79	June 20	16	Jan. 27	47.3	1.9	.290	86	49.9	—	1,348	—	31
District Value..				—	—	55.4	42.8	48.9	+0.7	83	—	12	—	—	—	50.2	50.6	1,471	-112	33
5. ENGLAND, N.E.:— (a) North, (b) South.																				
a	Cockle Park (Morpeth). Shields ..	331	29.459	52.0	39.8	45.9	—	73	June 12	17	Jan. 26, 27	45.8	1.8	.279	88	45.8	46.5	1,380	—	31
	Durham ..	117	29.683	52.9	40.2	46.6	-0.6	73	Aug. 12	15	Jan. 27	45.3	1.4	.277	90	—	—	—	—	—
	(York ..	352	29.432	52.9	40.3	46.6	-0.2	74	June 12, 20	10	Jan. 27	46.3	1.8	.283	87	—	—	1,326	+ 9	30
	Spurn Head* ..	53	29.791	55.4	42.0	48.7	+0.6	79	Aug. 13	12	Jan. 27	47.7	2.2	.291	86	48.6	48.6	1,229	- 47	28
	Lincoln† ..	28	29.794	52.8	43.8	48.3	0.0	74	June 19	25	Jan. 23, 27, 28	47.0	1.5	.293	89	—	—	—	—	—
b	Hull ..	42	—	55.4	41.6	48.5	+0.1	80	May 20	13	Jan. 26, 28	48.8	2.2	.309	85	48.0	48.1	—	—	—
		12	—	55.0	42.3	48.7	+0.9	79	June 21	16	Jan. 27	48.4	2.2	.299	85	48.2	48.2	1,062	—	24
District Value..				—	—	54.0	41.5	47.6	+0.3	81	—	6	—	—	—	47.9	48.2	1,362	- 89	31
6. ENGLAND, N.W.:— (a) England, N.W (b) North Wales.																				
a	Southport ..	42	29.810	53.9	43.5	48.7	+0.5	78	June 7	16	Jan. 26	48.5	2.3	.295	84	49.1	49.5	1,570	+104	36
	Manchester (City).	195	29.645	54.7	44.4	49.6	—	80	July 14	15	Jan. 27	48.9	2.7	.296	83	47.9	49.3	982	—	22
	Aspatria ..	254	29.547	53.7	40.9	47.3	+0.2	78	June 20	16	Jan. 26	47.1	2.0	.284	86	—	—	1,498	—	34
	Stonyhurst ..	363	29.455	53.2	41.8	47.5	+0.1	78	June 20	14	Jan. 27	47.4	2.6	.280	82	—	—	1,262	- 94	29
	Liverp'l, Bidston Obs.	197	29.632	53.8	44.1	49.0	+0.1	77	July 9	21	Jan. 27	48.4	2.6	.287	82	—	—	1,585	—	36
b	Llandudno ..	32	29.829	55.0	44.9	50.0	+0.1	81	June 20	23	Jan. 27	50.0	2.5	.307	83	—	—	1,564	+108	35
	Bettws-y-Coed	100	29.725	54.9	42.1	48.5	-1.2	81	July 13	17	Jan. 27	48.4	1.9	.302	88	47.7	48.3	1,210	—	27
District Value..				—	—	54.1	42.6	48.2	0.0	81	—	7	—	—	—	48.5	48.6	1,442	+ 55	33

† See note on p. 106.

lements from Observations at several Stations in the Year 1910.

Cloud (0-10).	Rain and other forms of Precipitation.				Weather. Number of days of								Wind.											
													No. of Observations at 9 a.m. and 9 p.m., or at 7 a.m., 1 p.m., 6 p.m., or 9 p.m.											
	Mean of Observations of amount at 9 a.m. and 9 p.m., or at 7 a.m.	Total Fall.	Difference from Normal.		Most in a day.		Precipitation.	Snow.	Hail.	Thunderstorm.	Clear sky. (See Note on p. 106.)	Overcast. (See Note on p. 106.)	Fog.	Wind force 8 and above.	Force (0-12).		Direction.							
Moderate and Strong Wind. (Force 4-7.)															Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.	
	Ins.	Ins.	Ins.																					
5.8	29.0	+ 5.3	1.05	Sept. 13	172	26	8	22	40	95	27	10	347	14	86	76	58	35	72	119	165	105		
7.4	25.5	—	0.80	Nov. 27	255	7	1	0	6	158	28	1	336	0	116	50	55	58	128	111	123	89		
6.5	33.4	+ 5.9	1.16	May 8	213	21	12	28	38	145	28	3	54	159	31	133	26	29	24	141	88	99		
—	31.8	—	1.18	Dec. 1	233	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6.4	22.8	+ 0.1	1.37	Oct. 11	185	16	10	25	37	141	19	10	174	87	105	27	26	75	92	157	102	59		
6.9	21.5	—	0.83	Sept. 13	163	8	3	16	11	114	18	2	396	11	90	91	100	112	171	135	176	209		
7.1	27.1	+ 1.1	1.12	June 9	190	19	18	25	28	172	44	0	61	121	47	88	51	55	58	137	149	24		
6.9	31.4	+ 2.9	1.57	June 9	184	19	14	17	33	157	23	0	9	118	43	78	40	39	83	105	141	83		
6.7	27.4	+ 3.7	1.57	—	201	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6.7	26.8	- 3.3	1.49	Jan. 28	224	30	6	16	10	128	5	26	244	37	56	70	30	97	70	79	124	167		
7.7	24.4	- 0.6	0.92	Jan. 28	207	20	8	6	2	203	33	6	136	27	82	54	57	63	87	157	136	67		
7.3	24.9	- 2.3	0.90	July 25	188	34	1	16	32	186	3	8	140	134	56	54	28	30	111	106	146	65		
6.4	24.6	- 0.7	0.92	July 5	191	16	5	12	40	127	15	1	30	5	124	43	52	30	163	72	169	72		
7.4	20.6	+ 1.0	0.90	July 6	174	19	4	13	5	102	38	25	824	0	137	94	93	106	134	203	189	139		
5.9	24.8	+ 1.5	0.95	Nov. 27	196	14	0	0	75	134	6	9	40	137	21	34	72	57	31	92	245	41		
6.6	25.6	- 0.2	1.48	June 24	207	26	12	22	39	139	19	2	44	98	47	116	30	59	34	130	89	127		
6.9	25.1	+ 0.2	1.49	—	194	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6.9	35.0	+ 2.1	1.16	July 20	213	7	24	17	17	121	6	19	633	46	75	64	122	143	119	136	206	184		
5.3	37.5	+ 2.3	1.28	Aug. 28	223	18	11	11	24	39	14	0	55	12	64	82	85	96	117	126	106	42		
6.2	38.3	- 0.7	1.32	July 5	214	12	9	5	43	112	3	8	132	98	66	85	29	27	53	130	187	55		
7.0	53.3	+ 6.5	2.07	Jan. 15	220	27	37	18	29	160	5	1	97	254	25	70	39	18	58	116	110	40		
6.8	28.6	- 0.2	0.92	July 20	227	10	24	23	26	129	10	3	200	9	40	57	83	116	57	108	178	82		
7.1	36.7	+ 5.9	1.22	July 5	225	6	22	7	34	184	1	2	66	11	59	44	78	31	143	127	178	59		
6.3	58.7	—	1.32	Oct. 31	232	16	33	7	23	88	0	32	141	13	51	60	57	67	24	187	144	127		
6.8	39.1	+ 4.1	2.07	—	220	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

TABLE 53 (continued).—Mean Annual Values of Meteorological

1910.	Height of Barometer Cistern above M.S.L.	Barometer.	Air Temperature.								Hygrometer.				Earth Temperature.		Bright Sunshine.		
Station.	Mean Pressure, at 32° F. at Level and Latitude of Station.		Mean of		Mean of A and B.	Difference from Normal.	Absolute Maximum and Minimum.				Mean of Observations at 9 a.m. and 9 p.m., or at m.				At 1 foot depth.	At 4 feet depth.	Total Observed.	Difference from Normal.	Per cent. of Possible.
			Maximum.	Minimum.			Maximum.	Day of Month.	Minimum.	Day of Month.	Dry Bulb.	Depression of Wet Bulb.	Vapour Pressure.	Humidity.					
7. ENGLAND, S.W.:—	Ft.	Ins.	°	°	°	°	°	°	°	°	°	°	In.	%	°	°	Hrs.	Hrs.	%
(a) South Wales.																			
(b) England, S.W.																			
a { <i>Llangamarch Wells.</i>	585	29·239	54·1	39·4	46·8	-1·0	78	June 19	8	Jan. 27	47·2	1·8	·292	88	48·4	48·9	1,236	—	28
{ PEMBROKE ..	150	29·691	54·2	45·3	49·8	-0·1	73	July 14	25	Jan 27	48·8	1·3	·318	91	—	—	1,593	- 49	36
{ <i>Bristol (Clifton)</i> ..	229	—	56·0	44·3	50·2	+0·3	81	June 20	20	Jan 27	—	—	—	—	—	—	1,472	—	33
{ PORTLAND BILL	23	29·847	55·0	47·1	51·1	+0·1	72	May 24	29	Jan. 27	50·3	1·3	·340	91	—	—	—	—	—
b { <i>Plymouth*</i> ..	116	29·778	56·4	46·1	51·3	+0·4	76	June 20	26	Jan. 27	51·1	2·4	·327	85	—	—	1,652	+ 2	37
{ <i>Falmouth*</i> ..	183	29·730	55·3	46·9	51·1	+0·1	71	May 24	32	Jan. 27	50·8	2·4	·319	85	—	—	1,730	- 36	39
{ <i>Woolacombe</i> ..	100	29·781	55·7	46·7	51·2	-1·0	76	June 20	24	Jan 27	51·0	2·6	·314	83	—	—	1,597	- 29	36
District Value..	—	—	55·2	44·0	49·4	-0·1	81	—	8	—	—	—	—	—	50·3	—	1,530	- 36	35
8. ENGLISH CHAN.:—																			
SCILLY	152	29·771	55·9	47·8	51·9	-0·4	74	Aug. 14	35	April 4	50·8	1·6	·335	89	—	—	1,660	-151	38
JERSEY	36	29·899	57·3	47·2	52·3	+0·2	78	June 8, 20	28	Jan. 27, 28	50·8	2·1	·326	86	—	—	1,739	-188	40
Guernsey (Brooklyn).	311	29·597	56·2	47·3	51·8	0·0	76	Aug. 14	31	Jan. 27	50·9	2·4	·321	84	52·7	52·7	1,773	-133	40
District Value..	—	—	56·8	47·4	52·0	-0·1	79	—	28	—	—	—	—	—	—	—	1,731	-173	39

NOTES ON THE STATISTICAL TABLES.

Hours of Observation.—The hours of observation are indicated by the type in which the names of stations are printed. Clarendon, normal climatological stations, 9 a.m. and 9 p.m.; **BLACK CAPITALS**, telegraphic reporting, normal climatological stations, 7 a.m., 1 p.m., 9 p.m.; Roman, telegraphic reporting stations, 7 a.m., 6 p.m.; *Italics*, auxiliary climatological stations, 9 a.m. only (Ventnor, 9 a.m. and 3 p.m.). At stations marked * an additional observation is taken, at 3 p.m. in the case of stations printed in clarendon type, and at 1 p.m. in the case of stations printed in Roman type. These additional observations are used in preparing the wind summaries, and in computing the number of days of overcast or clear sky. At telegraphic reporting stations (black capitals or Roman type), the results given under "hygrometer" and "cloud" are based on the morning observations only. At Lincoln and Wakefield the hygrometrical results are based on the 9 a.m. observations only.

Barometer.—The correction for latitude has not been applied. The values are for station level. They are the means of readings at 9 a.m. only, or 9 a.m. and 9 p.m., or 7 a.m., 1 p.m., 9 p.m., or 7 a.m. and 6 p.m., as the case may be.

Rainfall.—The amounts are for the 24 hours commencing at the time of morning observation.

Weather Phenomena.—The number of days of Rain, Snow, Hail, Thunder storm, Fog and Gale are counted irrespective of the hours at which the phenomena occur. Except in the case of rainfall (see above) the day is the civil day. A day is reckoned as a day of "clear sky," if the mean of the estimates of the "amount of cloud" at the fixed hours of observation is less than 2, and as an "overcast" day if the mean is greater than 8.

ements from Observations at several Stations in the Year 1910.

Cloud (10). amount at 9 a.m. and 9 p.m., or at 7 a.m.	Rain and other forms of Precipitation.				Weather. Number of days of								Wind. No. of Observations at 9 a.m. and 9 p.m., or at 7 a.m., 1 p.m., 6 p.m., or 9 p.m.											
	Difference from Normal.		Most in a day.		Precipitation.	Snow.	Hail.	Thunderstorm.	Clear Sky. (See Note on p. 106.)	Overcast. (See Note on p. 106.)	Fog.	Wind force 8 and above.	Force (0-12).		Direction.									
			Amount.	Day of Month.									Moderate and Strong Wind. (Force 4-7.)	Calm.	N.	N.E.	E.	S.E.	S.	S.W.	W.	N.W.		
	Total Fall.																							
	Ins.	Ins.	Ins.																					
8.2	58.8	—	1.46	June 5	239	5	19	12	26	264	12	1	73	72	18	35	36	6	30	53	76	39		
7.4	38.9	+ 3.8	0.86	Dec. 8	232	2	19	10	10	97	37	16	589	23	116	127	96	90	118	214	158	153		
—	42.4	+ 7.8	1.85	Aug. 28	199	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3.9	26.0	—	0.86	July 17	191	3	2	8	8	97	36	53	612	16	97	159	100	72	93	196	203	168		
3.9	44.3	+ 8.4	1.11	Oct. 10	212	4	9	3	24	118	14	10	432	152	163	51	138	38	113	173	147	120		
5.9	53.0	+ 7.6	1.37	Oct. 12	230	3	34	11	35	98	14	1	285	130	152	47	65	87	94	201	151	168		
3.4	36.7	+ 4.7	1.60	Oct. 11	217	2	16	10	42	130	27	1	217	34	31	138	65	75	30	131	84	142		
3.7	45.5	+ 6.6	2.06	—	219	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7.2	36.6	+ 3.0	1.42	Aug. 22	226	1	4	6	4	106	46	45	663	12	113	86	122	110	77	148	222	205		
7.3	44.4	+10.2	1.32	June 9	230	6	35	11	12	118	55	16	501	6	48	129	104	105	76	170	248	209		
3.5	46.2	+ 8.6	1.61	Oct. 13	232	2	15	11	23	120	55	30	280	67	49	126	24	62	64	98	138	102		
3.8	41.8	+ 8.9	1.67	—	224	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

Wind Summaries.—The results given under wind direction, and the number of observations of calms and of fresh or strong wind, are based on the observations at fixed hours (see above). At Falmouth, Kew and Stonyhurst the wind observations are based on the records of a standard Robinson anemometer (factor 2.2). (At Plymouth and Southport the equivalent values are obtained from a Dines Pressure Tube Anemometer.) Velocities of between 13 and 38 miles in the hour have been entered as “fresh or strong winds,” velocities of 39 miles in the hour, or above, as gales.

Averages.—The averages used are—Temperature and Rainfall for the 35 years 1871-1905; Bright Sunshine for the 25 years 1881-1905. The values are published in Appendix III. to the Weekly Weather Report of the Meteorological Office for 1906.

Royal Observatory, Greenwich.—The averages for Temperature and Rainfall, with which the current values are compared, are for the 65 years 1841-1905. The averages for sunshine are for the period 1897-1906. The earth temperatures are taken at a depth of 3 ft. 2 ins. The daily rainfall amounts are those for the 24 hours comprising the civil day.

Mean Values for Districts.—The yearly mean values for districts for temperature, rainfall and sunshine are computed from the data for those stations which are included in the Weekly Weather Report of the Meteorological Office. The selection of stations is not identical with that included in this Report. The district values, as quoted, are comparable with the statistics published in previous issues of the Weekly Weather Report of which a Summary is in course of preparation. The averages with which the current district values are compared are for the 25 years 1881-1905. The district values for amount of cloud and earth temperatures are taken from the Monthly Weather Report of the Meteorological Office.

TABLE 54.—INTERNATIONAL STATISTICS.—Males and Females at Twelve Groups of Ages in a Million Persons at All Ages.

—		ENGLAND AND WALES.	SCOTLAND.	IRELAND.	COMMON- WEALTH OF AUSTRALIA.	NEW ZEALAND.	DENMARK.	SWEDEN.	RUSSIA (EURO- PEAN).	FINLAND.
CENSUS YEAR	1901.	1901.	1901.	1901.	1901.	1901.	1900.	1897.	1900.
Persons All Ages	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
Under 5 years	114,262	119,191	99,290	115,089	112,338	124,559	114,695	151,215	129,898
5—	107,209	110,182	101,122	120,974	110,954	110,228	106,652	121,757	110,077
10—	102,735	104,944	103,080	114,719	110,292	103,787	103,061	112,418	105,430
15—	99,796	101,973	106,035	100,134	109,761	96,695	94,464	101,189	97,042
20—	95,946	96,886	99,625	93,106	107,615	84,231	82,861	83,477	87,518
25—	161,579	155,226	147,266	161,957	162,421	136,873	127,912	138,705	139,544
35—	122,849	117,021	108,276	130,652	109,295	114,127	116,635	111,339	115,479
45—	89,222	86,166	92,730	72,592	78,340	91,504	93,286	80,943	94,050
55—	59,741	60,010	78,768	47,333	57,581	69,113	76,750	56,466	68,609
65—	33,080	33,747	42,823	29,957	32,038	44,458	55,859	29,822	38,106
75 years and upwards	13,581	14,654	20,985	9,952	8,517	21,939	27,825	12,331	14,247
Age not stated	—	—	—	3,535	828	2,486	—	338	—
Males All Ages	483,543	486,070	493,418	524,288	525,407	487,213	487,971	489,599	494,765
Under 5 years	57,039	60,008	50,424	58,233	57,361	62,686	58,344	75,236	65,622
5—	53,462	55,748	51,232	61,186	56,054	55,634	54,209	60,389	55,376
10—	51,370	53,283	52,533	57,859	55,777	52,422	52,142	55,998	53,057
15—	49,420	51,509	52,705	50,240	54,944	48,484	48,223	48,985	44,076
20—	45,273	47,045	46,735	45,284	53,313	40,917	41,967	40,378	44,076
25—	76,425	74,298	71,967	84,402	84,120	65,203	62,187	67,095	69,907
35—	59,394	56,202	52,436	73,542	59,388	54,053	54,779	54,761	57,244
45—	42,924	41,180	43,616	41,256	44,708	43,940	43,721	39,151	45,616
55—	27,913	27,095	37,946	26,116	34,313	32,729	35,248	27,463	32,149
65—	14,691	14,152	21,598	17,035	20,069	20,516	25,273	14,339	16,981
75 years and upwards	5,632	5,550	10,226	5,316	4,801	9,347	11,878	6,132	5,752
Age not stated	—	—	—	2,619	559	1,282	—	173	—
Females All Ages	516,457	513,930	506,582	475,712	474,593	512,787	512,029	510,401	505,235
Under 5 years	57,223	59,183	48,866	56,856	54,977	61,873	56,351	75,979	64,276
5—	53,747	54,434	49,890	59,788	54,900	54,594	52,443	61,368	54,701
10—	51,365	51,661	50,547	56,860	54,515	51,365	50,919	53,420	52,373
15—	50,376	50,464	53,330	49,894	54,817	48,211	46,241	52,705	48,057
20—	50,573	49,841	50,890	46,822	54,302	43,314	40,894	43,099	43,442
25—	85,154	80,928	75,299	77,555	78,301	71,670	65,725	71,610	69,637
35—	63,455	60,819	55,840	57,110	49,907	60,074	61,856	56,578	58,235
45—	46,298	44,986	49,114	31,336	33,632	47,564	49,565	41,792	48,434
55—	31,828	32,915	40,822	21,217	23,268	36,384	41,602	29,003	36,460
65—	18,389	19,595	21,225	12,922	11,969	23,942	30,586	15,483	21,125
75 years and upwards	7,949	9,104	10,759	4,436	3,716	12,592	15,947	6,199	8,495
Age not stated	—	—	—	916	269	1,204	—	165	—

TABLE 54—continued.—INTERNATIONAL STATISTICS.—Males and Females at Twelve Groups of Ages in a Million Persons at All Ages.

	CENSUS YEAR	GERMAN EMPIRE.	PRUSSIA.	AUSTRIA.	HUNGARY.	BULGARIA.	THE NETHERLANDS.	BELGIUM.	FRANCE.	SWITZERLAND.	SPAIN.	ITALY.
		1900.	1900.	1900.	1900.	1900.	1899.	1900.	1901.	1900.	1900.	1901.
Persons All Ages..		1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000	1,000,000
Under 5 years	..	130,753	133,830	130,537	133,866	145,739	129,852	117,061	93,190	114,082	116,089	126,866
5—	..	113,651	116,105	111,250	115,940	131,263	112,937	103,349	83,757	101,576	113,513	109,863
10—	..	103,579	105,641	102,301	106,155	124,898	105,419	96,686	84,126	94,538	105,272	104,437
15—	..	94,367	94,300	95,358	100,702	109,594	95,315	96,329	85,161	95,165	83,720	92,988
20—	..	90,468	88,688	87,381	80,733	71,772	87,470	90,522	82,753	90,725	83,530	81,559
25—	..	149,389	147,697	143,751	135,319	123,777	142,001	154,383	150,795	154,385	145,188	131,225
35—	..	115,980	116,533	118,838	122,325	98,639	109,778	119,008	133,934	123,450	123,035	115,862
45—	..	87,802	86,649	91,865	94,499	78,038	86,834	88,528	112,582	91,642	101,890	98,595
55—	..	65,217	62,839	68,951	66,155	64,845	70,316	72,244	91,652	76,145	74,653	76,858
65—	..	35,530	34,373	36,444	32,785	33,548	42,006	43,233	58,411	43,191	37,812	44,702
75 years and upwards	..	13,264	13,149	13,324	11,444	17,726	18,050	18,656	23,639	15,101	14,187	17,000
Age not stated		—	196	—	77	161	22	1	—	—	1,111	45
Males All Ages	..	492,082	492,318	491,485	497,656	509,995	493,835	496,722	491,977	490,741	488,015	497,385
Under 5 years	..	65,602	67,253	65,297	67,100	73,692	65,517	58,871	46,566	57,133	58,609	64,709
5—	..	56,894	58,259	55,976	57,992	65,921	56,752	51,807	41,830	50,857	57,250	55,882
10—	..	51,908	53,117	50,788	53,050	63,693	53,091	48,505	42,180	47,318	53,060	52,832
15—	..	47,300	47,496	46,626	49,332	55,652	47,772	48,376	42,487	48,008	40,528	46,065
20—	..	45,057	43,675	43,315	39,560	36,555	43,027	45,514	40,685	44,506	39,490	40,269
25—	..	74,282	73,386	70,525	66,462	61,410	69,020	77,444	74,886	77,050	69,888	63,722
35—	..	57,087	57,331	58,547	61,688	50,835	54,301	59,305	66,652	60,295	59,377	56,953
45—	..	41,958	41,465	44,516	47,406	39,516	42,737	43,463	54,924	43,624	48,665	48,477
55—	..	30,234	29,057	32,903	33,235	35,288	34,053	34,917	44,244	35,257	35,839	37,860
65—	..	15,991	15,446	16,952	16,237	18,295	19,509	20,339	27,241	19,803	18,190	22,126
75 years and upwards	..	5,769	5,725	6,040	5,550	9,046	8,046	8,180	10,282	6,890	6,540	8,472
Age not stated	..	—	108	—	44	92	10	1	—	—	579	18
Females All Ages..		507,918	507,682	508,515	502,344	490,005	506,165	503,278	508,023	509,259	511,985	502,615
Under 5 years	..	65,151	66,577	65,240	66,766	72,047	64,335	58,190	46,624	56,949	57,480	62,157
5—	..	56,757	57,846	55,274	57,948	65,342	56,185	51,542	41,927	50,719	56,263	53,981
10—	..	51,671	52,524	51,513	53,105	61,205	52,328	48,181	41,946	47,220	52,212	51,605
15—	..	47,067	46,804	48,732	51,370	53,942	47,543	47,953	42,674	47,157	43,192	46,923
20—	..	45,411	45,013	44,066	41,173	35,217	44,443	45,008	42,068	46,219	44,040	41,290
25—	..	75,107	74,311	73,226	68,857	62,367	72,981	76,939	75,909	77,335	75,300	67,503
35—	..	58,893	59,202	60,291	60,637	47,804	55,477	59,703	67,282	63,155	63,658	58,909
45—	..	45,844	45,184	47,349	47,093	38,522	44,097	45,065	57,658	48,018	53,225	50,118
55—	..	34,983	33,782	36,048	32,920	29,557	36,263	37,327	47,408	40,888	38,814	38,998
65—	..	19,539	18,927	19,492	16,548	15,253	22,497	22,894	31,170	23,388	19,622	22,576
75 years and upwards	..	7,495	7,424	7,284	5,894	8,680	10,004	10,476	13,357	8,211	7,617	8,528
Age not stated	..	—	88	—	33	69	12	0	—	—	532	27

TABLE 55.—Births and Deaths per 1000 of the Population, in the UNITED
(Tabulated from returns furnished by

YEAR.	UNITED KINGDOM.	ENGLAND AND WALES.	SCOTLAND.	IRELAND.	COMMONWEALTH OF AUSTRALIA.	NEW ZEALAND.	PROVINCE OF ONTARIO.	CEYLON.	JAMAICA.	DENMARK.	NORWAY.	SWEDEN.	RUSSIA (EUROPEAN).	FINLAND.	GERMAN EMPIRE.
	BIRTHS PER														
1881	32.5	33.9	33.7	24.5	35.3	37.9	21.2	27.1	36.7	32.2	30.6	29.1	47.8	35.0	37.0
1882	32.3	33.8	33.5	24.0	34.5	37.3	22.1	26.7	35.7	32.3	31.1	29.4	50.4	36.3	37.2
1883	32.0	33.5	32.8	23.5	34.8	36.3	22.3	29.6	41.5	31.8	31.2	28.9	49.8	35.9	36.6
1884	32.2	33.6	33.7	23.9	35.6	35.9	23.1	31.3	36.1	33.3	31.3	30.0	49.0	36.1	37.2
1885	31.6	32.9	32.7	23.5	35.7	34.3	23.5	28.1	37.8	32.5	31.6	29.4	48.4	31.2	37.0
1886	31.5	32.8	32.9	23.2	35.4	33.1	22.0	27.1	36.1	32.4	31.2	29.8	46.5	35.3	37.0
1887	30.7	31.9	31.7	23.1	35.6	32.1	21.7	32.7	34.7	31.7	31.2	29.7	47.5	36.2	36.9
1888	30.1	31.2	31.3	22.8	35.5	31.2	21.8	31.8	39.1	31.5	31.2	28.8	49.9	34.9	36.6
1889	30.0	31.1	30.9	22.7	34.7	30.2	22.6	27.7	35.3	31.2	30.1	27.7	48.8	33.4	36.4
1890	29.2	30.2	30.4	22.3	35.0	29.4	22.0	31.9	38.4	30.5	30.3	28.0	48.2	32.7	35.7
1891	30.4	31.4	31.2	23.1	34.5	29.0	22.4	31.9	38.3	31.0	30.9	28.3	48.8	34.3	37.0
1892	29.5	30.4	30.7	22.5	33.7	27.8	19.5	30.2	37.3	29.6	29.6	27.0	47.2	31.5	35.7
1893	29.8	30.7	30.8	23.0	32.8	27.5	19.7	31.3	40.6	30.8	30.6	27.4	47.0	29.9	36.8
1894	28.8	29.6	29.9	23.0	30.8	27.3	19.1	33.2	37.2	30.4	29.6	27.1	48.7	30.8	35.9
1895	29.4	30.3	30.0	23.3	30.4	26.8	18.8	31.8	38.8	30.3	30.5	27.5	49.4	32.6	36.1
1896	29.0	29.6	30.4	23.7	28.4	26.3	20.6	32.0	38.5	30.5	30.2	27.2	49.7	32.1	36.3
1897	28.9	29.6	30.0	23.5	28.2	26.0	20.8	37.7	39.8	29.8	29.9	26.7	49.5	31.9	36.0
1898	28.7	29.3	30.1	23.3	27.2	25.7	20.2	38.8	38.1	30.2	30.1	27.1	48.7	34.0	36.1
1899	28.5	29.1	29.8	23.1	27.3	25.1	19.2	38.5	42.2	29.7	30.7	26.4	49.0	33.2	35.8
1900	28.2	28.7	29.6	22.7	27.3	25.6	19.6	38.6	35.7	29.7	29.9	27.0	49.4	32.0	35.6
1901	28.0	28.5	29.5	22.7	27.2	26.3	20.7	37.5	40.9	29.7	29.6	27.0	47.9	32.5	35.7
1902	28.0	28.5	29.3	23.0	26.7	25.9	21.3	38.5	39.3	29.2	29.0	26.5	49.1	31.5	35.1
1903	28.0	28.5	29.4	23.1	25.3	26.6	21.7	40.0	39.9	28.7	28.8	25.7	48.1	30.4	33.9
1904	27.7	28.0	29.1	23.6	26.4	26.9	22.3	38.5	36.1	28.9	28.1	25.8	48.5	31.8	34.1
1905	27.1	27.3	28.6	23.4	26.2	27.2	23.0	38.7	38.8	28.4	27.4	25.7	—	30.6	33.0
1906	27.0	27.2	28.6	23.6	23.6	27.1	22.9	36.5	38.1	28.5	26.7	25.7	—	31.4	33.1
1907	26.3	26.5	27.7	23.2	26.8	27.3	23.3	33.6	35.0	28.2	26.3	25.5	—	31.3	32.3
1908	26.5	26.7	28.1	23.3	26.6	27.4	24.9	41.0	37.6	28.5	26.2	25.7	—	30.8	32.1
1909	25.7	25.8	27.3	23.5	26.7	27.3	24.3	37.5	37.8	28.2	26.1	25.6	—	31.3	31.1
1910	25.0	25.1	26.2	23.3	26.7	26.2	24.9	39.0	38.6	27.5	26.1	24.8	—	30.2	—
	DEATHS PER														
1881	18.7	18.9	19.3	17.5	14.7	11.1	11.9	27.2	26.0	18.3	17.0	17.7	33.2	25.0	25.5
1882	19.3	19.6	19.4	17.3	16.0	11.2	11.3	19.7	20.4	19.2	18.5	17.4	39.5	22.3	25.7
1883	19.6	19.6	20.2	19.2	15.3	11.4	10.9	19.3	23.0	18.4	17.2	17.3	36.9	20.8	25.9
1884	19.4	19.7	19.6	17.5	16.5	10.4	11.3	22.3	22.7	18.3	16.6	17.5	32.7	20.9	26.0
1885	19.1	19.2	19.3	18.4	16.0	10.6	11.5	29.1	22.6	17.8	16.6	17.8	34.7	22.0	25.7
1886	19.2	19.5	18.9	17.8	15.4	10.5	11.0	23.7	23.3	18.1	16.2	16.6	31.2	22.2	26.2
1887	19.0	19.1	19.0	18.2	14.6	10.3	11.1	24.0	24.2	18.2	16.2	16.1	32.2	19.0	24.2
1888	18.1	18.1	18.0	17.9	14.6	9.4	11.0	26.4	22.3	19.5	17.2	16.0	32.3	19.8	23.7
1889	18.1	18.2	18.4	17.4	15.4	9.4	10.9	28.5	22.2	18.5	17.6	16.0	34.5	19.6	23.7
1890	19.4	19.5	19.7	18.2	14.3	9.7	11.1	23.0	25.1	19.0	17.9	17.1	35.7	19.5	24.4
1891	20.0	20.2	20.7	18.4	14.8	10.3	11.3	28.7	22.7	20.0	17.5	16.8	34.6	21.2	23.4
1892	19.0	19.0	18.5	19.4	12.9	10.1	10.8	27.5	20.9	19.5	17.8	17.9	42.1	23.7	24.1
1893	19.0	19.2	19.3	18.0	13.7	10.2	10.6	29.6	22.1	19.0	16.3	16.8	33.1	20.9	24.6
1894	16.8	16.6	17.1	18.2	12.7	10.2	10.3	27.9	21.0	17.6	16.8	16.4	34.0	19.2	22.3
1895	18.7	18.7	19.4	18.5	12.5	9.9	10.2	27.6	22.7	16.9	15.5	15.2	35.0	17.7	22.1
1896	16.9	17.1	16.6	16.7	12.8	9.1	11.0	25.3	22.1	15.7	15.1	15.6	32.8	18.5	20.8
1897	17.6	17.4	18.4	18.5	12.1	9.1	11.7	23.7	23.0	16.6	15.3	15.4	31.4	17.5	21.3
1898	17.7	17.5	18.0	18.2	14.1	9.8	11.1	26.6	21.0	15.5	15.2	15.1	33.2	17.4	20.5
1899	18.2	18.2	18.1	17.7	12.9	10.2	12.0	30.6	22.8	17.3	16.7	17.7	31.0	19.9	21.5
1900	18.4	18.2	18.5	19.6	11.8	9.4	12.3	28.7	21.6	16.8	15.8	16.8	31.1	21.5	22.1
1901	17.1	16.9	17.9	17.8	12.2	9.8	13.0	27.6	21.9	15.8	14.9	16.1	32.1	20.6	20.7
1902	16.5	16.3	17.3	17.5	12.5	10.5	12.1	27.5	19.8	14.6	13.8	15.4	31.5	18.5	19.5
1903	15.8	15.5	16.8	17.5	12.2	10.4	12.9	25.9	24.6	14.7	14.8	15.1	30.0	17.9	20.0
1904	16.6	16.3	17.1	18.0	11.1	9.5	13.4	24.9	24.7	14.1	14.3	15.3	29.9	17.7	19.6
1905	15.6	15.3	16.2	17.1	10.9	9.3	13.5	27.7	21.9	15.0	14.8	15.6	—	18.4	19.8
1906	15.7	15.5	16.4	16.9	10.9	9.3	14.1	35.1	26.2	13.5	13.6	14.4	—	17.5	18.2
1907	15.5	15.1	16.6	17.6	11.0	10.9	14.3	30.7	28.3	14.1	14.2	14.6	—	17.9	18.0
1908	15.3	14.8	16.6	17.6	11.1	9.5	13.9	30.1	22.4	14.6	14.3	14.9	—	18.5	18.1
1909	15.0	14.6	15.9	17.1	10.3	9.2	14.6	31.0	21.7	13.2	13.4	13.7	—	16.7	17.2
1910	14.0	13.5	15.3	17.1	10.4	9.7	14.0	27.3	23.1	12.9	13.5	14.0	—	16.6	—

KINGDOM and in certain COLONIES and FOREIGN COUNTRIES, 1881-1910.

the authorities of the various States.)

PRUSSIA.	AUSTRIA.	HUNGARY.	ROUMANIA.	BULGARIA.	SERVIA.	THE NETHERLANDS.	BELGIUM.	FRANCE.	SWITZERLAND.	SPAIN.	ITALY.	JAPAN.	CHILL.	UNITED STATES OF AMERICA (REGISTRATION AREA).	YEAR.
1000 LIVING.															
37'0	37'5	42'9	41'5	33'5	45'7	35'0	31'8	24'9	29'8	37'1	38'0	25'6	46'2	—	1881
37'5	38'9	43'8	40'4	36'5	44'4	35'3	31'6	24'8	28'9	36'2	37'1	24'9	41'9	—	1882
37'0	38'1	44'8	42'8	38'3	47'0	34'3	30'8	24'8	28'5	35'6	37'2	26'8	42'7	—	1883
37'5	38'6	45'6	41'4	38'2	47'6	34'9	30'9	24'7	28'3	36'7	39'0	25'8	40'3	—	1884
37'7	37'7	44'8	43'1	37'3	46'6	34'4	30'3	24'3	27'7	36'3	38'6	26'9	25'8	—	1885
37'7	38'1	45'6	42'2	32'3	42'0	34'6	29'9	23'9	27'8	36'7	37'0	27'3	32'0	—	1886
37'6	38'3	44'2	41'0	38'2	46'3	33'7	29'7	23'5	27'9	36'1	38'9	27'1	33'0	—	1887
37'4	38'1	43'8	42'4	37'5	45'7	33'7	29'4	23'1	27'7	36'4	37'5	29'6	35'4	—	1888
37'1	38'1	43'7	40'6	36'5	44'1	33'2	29'4	23'0	27'6	36'4	38'3	30'2	38'0	—	1889
36'6	36'5	40'3	38'5	34'9	40'2	32'9	29'0	21'8	26'6	34'4	35'8	28'3	37'6	—	1890
37'7	38'3	42'3	42'3	38'9	45'0	33'7	30'0	22'6	28'2	35'3	37'2	26'7	34'3	—	1891
36'2	36'1	40'4	39'0	35'8	42'4	32'0	28'9	22'3	27'7	35'8	36'2	29'4	38'3	—	1892
37'4	38'0	42'6	40'5	34'9	42'5	32'9	29'5	22'8	27'9	35'6	36'5	28'5	37'7	—	1893
36'5	36'8	41'5	40'9	37'6	42'4	32'7	29'0	22'3	27'3	34'8	35'5	28'9	39'5	—	1894
36'9	38'1	41'8	42'3	40'2	44'0	32'8	28'5	21'7	27'3	35'0	34'9	29'5	36'2	—	1895
36'9	38'0	40'5	40'7	41'0	41'2	32'7	29'0	22'5	28'1	35'9	34'8	30'0	34'6	—	1896
36'5	37'5	40'3	42'9	42'2	42'6	32'5	29'0	22'2	28'3	34'1	34'7	30'9	34'8	—	1897
36'7	36'3	37'7	36'7	39'1	35'1	31'9	28'6	21'8	28'5	33'3	33'5	31'3	33'1	—	1898
36'3	37'3	39'3	42'0	40'5	39'3	32'0	28'8	21'9	29'0	34'2	33'9	31'4	33'5	—	1899
36'1	37'3	39'3	38'8	42'2	42'0	31'5	28'9	21'4	28'6	33'8	33'0	31'7	34'6	—	1900
36'2	36'6	37'8	39'3	37'5	38'0	32'3	29'4	22'0	29'0	34'9	32'6	32'7	35'9	—	1901
35'5	37'0	38'9	39'0	38'8	38'0	31'8	28'4	21'7	28'5	35'5	33'4	32'9	35'7	—	1902
34'4	35'2	36'9	40'1	40'9	40'9	31'6	27'5	21'1	27'4	36'3	31'7	32'0	34'0	—	1903
34'7	35'5	37'4	40'1	42'4	39'8	31'4	27'1	20'9	27'3	34'3	32'8	30'6	35'4	—	1904
33'5	33'7	36'3	38'6	43'5	37'3	30'8	26'1	20'6	26'9	35'2	32'5	30'6	36'7	—	1905
33'7	34'9	36'5	40'5	44'0	41'3	30'4	25'7	20'6	26'9	34'0	31'9	28'9	36'0	—	1906
33'0	33'8	36'7	41'7	43'6	40'0	30'0	25'3	19'7	26'2	33'6	31'5	33'0	38'6	—	1907
32'7	33'6	36'9	40'8	40'4	36'8	29'7	24'9	20'2	26'4	34'0	33'4	33'9	39'3	—	1908
31'7	33'4	37'7	41'7	40'6	36'5	29'1	23'7	19'6	25'5	33'5	32'4	34'2	38'8	—	1909
30'5	32'5	35'7	39'8	—	—	28'6	—	19'7	—	33'1	32'9	—	38'4	—	1910
1000 LIVING.															
24'9	30'5	34'4	26'7	16'3	24'7	21'5	21'2	22'0	22'4	30'2	27'6	18'7	28'6	—	1881
25'4	30'6	35'3	28'2	19'0	23'0	20'7	20'5	22'2	21'9	31'4	27'6	18'1	29'2	—	1882
25'6	30'1	32'2	26'0	19'6	22'8	21'8	21'1	22'2	20'4	32'6	27'6	18'1	27'0	—	1883
25'6	29'4	31'0	25'5	17'1	25'0	22'2	21'2	22'6	20'2	30'5	26'9	18'6	23'8	—	1884
25'4	30'2	31'8	25'0	16'6	26'9	21'0	20'4	22'0	21'3	38'0	27'0	23'2	26'4	—	1885
26'1	29'5	31'7	26'7	19'1	29'6	21'8	21'3	22'5	20'7	29'3	28'7	24'4	32'4	—	1886
23'8	29'0	33'8	30'5	18'1	24'9	19'7	19'3	22'0	20'2	32'7	28'0	19'3	37'1	—	1887
22'8	29'4	32'0	30'6	18'1	24'4	20'4	20'3	21'9	19'9	30'1	27'5	19'0	37'3	—	1888
23'2	27'5	29'9	27'2	18'4	25'5	20'1	19'8	20'7	20'3	30'4	25'6	20'2	32'5	—	1889
24'1	29'3	32'4	28'4	21'0	25'3	20'5	20'8	22'8	20'9	32'1	26'3	20'4	36'2	—	1890
22'9	28'1	33'1	30'1	26'6	26'5	20'7	21'2	22'9	20'6	31'3	26'1	21'0	34'0	—	1891
23'4	28'7	35'1	34'7	31'4	33'5	21'0	21'8	22'8	19'0	30'6	26'2	21'6	36'5	—	1892
24'1	27'2	31'2	30'8	27'5	29'7	19'2	20'3	22'5	20'1	29'7	25'2	22'7	33'1	—	1893
21'7	27'9	30'5	31'7	27'2	28'0	18'5	18'6	21'2	20'1	30'3	25'0	20'1	32'7	—	1894
21'8	27'6	29'7	27'6	26'2	26'9	18'6	19'5	22'2	19'2	29'0	25'0	20'2	27'3	—	1895
20'7	26'3	28'9	29'1	24'1	27'0	17'2	17'5	20'0	17'8	29'6	24'1	21'4	29'2	—	1896
20'9	25'6	28'5	29'6	25'4	26'5	16'9	17'2	19'4	17'7	28'4	21'9	20'3	28'1	—	1897
20'0	24'9	28'0	26'5	23'0	22'9	17'0	17'6	20'9	18'3	28'2	22'9	20'4	26'4	—	1898
21'4	25'6	27'2	27'5	24'7	24'3	17'1	18'8	21'1	17'7	28'8	21'9	21'1	26'9	—	1899
21'8	25'3	26'9	24'2	22'5	23'3	17'8	19'3	21'9	19'3	28'9	23'8	20'4	33'3	17'6	1900
20'5	24'0	25'4	26'2	23'1	21'0	17'2	17'2	20'1	18'0	27'7	22'0	20'4	34'3	16'5	1901
19'2	24'7	27'1	27'7	23'8	22'3	16'3	17'3	19'5	17'0	26'0	22'2	20'9	27'1	15'9	1902
19'7	23'8	26'2	24'8	22'7	23'5	15'6	17'0	19'2	17'4	25'0	22'4	20'0	26'9	16'0	1903
19'2	23'7	25'0	24'4	21'2	21'1	15'9	16'9	19'4	17'5	25'7	21'1	21'2	28'8	16'5	1904
19'6	25'0	28'2	25'0	21'8	24'4	15'3	16'5	19'6	17'6	25'8	21'9	22'0	33'9	16'0	1905
17'9	22'4	25'1	24'3	22'3	24'0	14'8	16'4	19'9	16'6	26'1	20'8	19'8	32'2	15'7	1906
17'8	22'6	25'7	26'7	22'3	22'8	14'6	15'7	20'2	16'4	24'5	20'7	20'9	29'6	16'0	1907
17'9	22'5	25'2	27'7	24'3	23'7	15'0	16'5	19'0	15'8	23'8	22'6	21'0	31'6	14'8	1908
17'0	22'9	25'6	27'8	26'6	29'3	13'7	15'8	19'3	16'1	24'0	21'5	22'0	31'5	14'4	1909
16'0	21'2	23'6	25'2	—	—	13'6	—	17'9	—	23'3	19'6	—	32'5	15'0	1910

TABLE 56.—UNITED KINGDOM. Population, Marriages, Births, and Deaths, 1881-1910.

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	34,934,476	490,240	1,135,660	654,295	14'0	32'5	18'7	124
1882	35,206,617	506,060	1,137,820	678,143	14'4	32'3	19'3	133
1883	35,449,721	509,242	1,133,343	696,116	14'4	32'0	19'6	131
1884	35,724,231	505,984	1,154,782	693,150	14'1	32'2	19'4	138
1885	36,015,501	488,452	1,136,321	688,069	13'6	31'6	19'1	131
1886	36,313,582	482,360	1,145,577	698,208	13'3	31'5	19'2	140
1887	36,599,143	492,678	1,123,149	693,889	13'5	30'7	19'0	137
1888	36,881,271	498,372	1,112,694	668,037	13'5	30'1	18'1	130
1889	37,178,929	523,460	1,116,568	674,499	14'1	30'0	18'1	136
1890	37,484,764	542,974	1,096,717	727,102	14'5	29'2	19'4	143
1891*	37,802,440	551,940	1,148,259	757,497	14'6	30'4	20'0	141
1892	38,134,110	554,670	1,127,234	725,273	14'5	29'5	19'0	140
1893	38,490,333	535,096	1,147,764	732,449	13'9	29'8	19'0	151
1894	38,859,067	551,310	1,120,010	653,468	14'2	28'8	16'8	131
1895	39,221,109	559,492	1,154,898	735,244	14'3	29'4	18'7	152
1896	39,599,072	592,178	1,152,144	673,104	15'0	29'0	16'9	139
1897	39,987,294	606,172	1,157,224	704,470	15'2	28'9	17'6	150
1898	40,380,792	620,142	1,159,483	712,942	15'4	28'7	17'7	153
1899	40,774,296	635,246	1,163,279	741,091	15'6	28'5	18'2	154
1900	41,154,646	622,508	1,159,922	757,732	15'1	28'2	18'4	147
1901*	41,537,078	626,702	1,162,975	710,811	15'1	28'0	17'1	144
1902	41,892,019	633,224	1,174,639	691,155	15'1	28'0	16'5	128
1903	42,245,403	632,892	1,183,627	667,988	15'0	28'0	15'8	127
1904	42,609,678	626,176	1,181,803	707,278	14'7	27'7	16'6	139
1905	42,978,588	630,180	1,163,535	669,638	14'7	27'1	15'6	121
1906	43,358,371	651,634	1,170,622	681,343	15'0	27'0	15'7	127
1907	43,734,635	664,456	1,148,624	678,851	15'2	26'3	15'5	114
1908	44,120,134	638,560	1,173,784	675,185	14'4	26'5	15'3	118
1909	44,515,297	626,604	1,145,900	667,608	14'1	25'7	15'0	107
1910†	44,911,346	641,398	1,122,925	630,386	14'3	25'0	14'0	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.†	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	3,189	8,714	17,192	4,292	13,808	7,346	18,037	—	65,307	17,365
1882	1,449	15,518	16,545	5,338	18,199	8,084	21,272	—	66,985	17,995
1883	984	11,759	15,750	5,204	15,480	7,929	19,620	—	69,229	18,646
1884	2,249	13,323	13,506	6,204	15,821	8,123	31,114	—	67,823	19,255
1885	2,870	17,244	8,446	5,455	16,699	6,370	16,683	—	66,806	19,658
1886	301	12,978	7,894	5,017	16,037	6,588	28,667	—	66,525	20,585
1887	537	19,670	10,011	5,629	15,849	6,730	24,490	—	62,682	21,553
1888	1,032	13,125	7,959	6,134	15,268	6,254	15,659	—	61,104	21,959
1889	31	17,254	7,856	6,694	15,974	6,774	22,142	—	61,787	23,431
1890	16	15,849	8,032	6,514	18,288	6,778	20,644	—	66,202	24,006
1891	56	14,688	6,003	6,147	17,329	6,533	17,115	—	63,914	24,983
1892	442	17,016	6,908	7,645	16,352	5,395	17,988	—	60,136	25,289
1893	1,526	15,831	8,271	10,869	13,371	8,652	34,723	—	60,422	26,231
1894	1,021	13,763	6,465	10,328	16,148	6,266	13,210	—	58,375	26,725
1895	416	13,855	5,904	8,944	12,589	6,816	31,506	—	59,946	28,234
1896	547	19,649	6,897	9,987	16,276	6,503	20,538	—	56,195	28,971
1897	38	15,837	5,815	8,562	16,159	6,504	31,133	—	58,590	30,290
1898	255	15,826	4,782	8,695	14,239	7,806	34,534	—	58,103	31,306
1899	176	13,129	4,758	10,371	13,011	7,997	35,935	—	59,163	32,551
1900	139	15,175	4,743	10,478	13,968	7,004	26,929	—	60,362	32,941
1901	636	11,133	5,139	10,013	14,079	6,617	34,117	—	57,549	34,042
1902	2,545	15,394	5,585	8,885	12,572	5,314	16,352	—	56,643	34,444
1903	841	10,969	4,775	7,092	12,530	4,379	20,905	—	56,321	35,935
1904	708	14,340	4,251	6,743	15,865	4,029	32,471	—	58,422	36,657
1905	125	13,547	4,215	6,418	11,533	3,927	23,078	—	54,540	37,644
1906	22	11,277	3,854	7,258	10,605	3,963	33,655	—	55,170	39,658
1907	12	14,362	3,552	6,689	13,549	3,073	12,523	—	55,082	39,634
1908	18	11,372	3,280	6,636	12,940	3,271	20,865	—	54,089	40,642
1909	21	13,951	3,899	6,500	10,572	2,743	12,061	1	52,690	42,337
1910	—	—	—	—	—	—	—	—	—	—

* Census year. † The figures for the year 1910 are provisional.
‡ See note † to England and Wales on next page.

TABLE 57.—ENGLAND AND WALES. **Population, Marriages, Births, and Deaths, 1881-1910.**

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	26,046,142	394,580	883,642	491,935	15·1	33·9	18·9	130
1882	26,334,942	408,810	889,014	516,654	15·5	33·8	19·6	141
1883	26,626,949	412,768	890,722	522,997	15·5	33·5	19·6	137
1884	26,922,192	408,602	906,750	530,828	15·1	33·6	19·7	147
1885	27,220,706	395,490	894,270	522,750	14·5	32·9	19·2	138
1886	27,522,532	392,142	903,760	537,276	14·2	32·8	19·5	149
1887	27,827,706	401,036	886,331	530,758	14·4	31·9	19·1	145
1888	28,136,258	407,642	879,868	510,971	14·4	31·2	18·1	136
1889	28,448,239	427,730	885,944	518,353	15·0	31·1	18·2	144
1890	28,763,673	446,056	869,937	562,248	15·5	30·2	19·5	151
1891*	29,085,819	453,052	914,157	587,925	15·6	31·4	20·2	149
1892	29,421,392	454,270	897,957	559,684	15·4	30·4	19·0	148
1893	29,760,842	437,378	914,572	569,958	14·7	30·7	19·2	159
1894	30,104,201	452,898	890,289	498,827	15·0	29·6	16·6	137
1895	30,451,528	456,408	922,291	568,997	15·0	30·3	18·7	161
1896	30,802,858	485,528	915,331	526,727	15·7	29·6	17·1	148
1897	31,158,245	498,290	921,683	541,487	16·0	29·6	17·4	156
1898	31,517,725	510,758	923,165	552,141	16·2	29·3	17·5	160
1899	31,881,365	524,668	928,646	581,799	16·5	29·1	18·2	163
1900	32,249,187	514,960	927,062	587,830	16·0	28·7	18·2	154
1901*	32,612,134	518,800	929,807	551,585	15·9	28·5	16·9	151
1902	32,951,455	523,500	940,509	535,538	15·9	28·5	16·3	133
1903	33,294,308	522,206	948,271	514,628	15·7	28·5	15·5	132
1904	33,640,736	515,712	945,389	549,784	15·3	28·0	16·3	145
1905	33,990,764	521,484	929,293	520,031	15·3	27·3	15·3	128
1906	34,344,429	540,076	935,081	531,281	15·7	27·2	15·5	132
1907	34,701,776	552,842	918,042	524,221	15·9	26·5	15·1	118
1908	35,062,847	529,880	940,383	520,456	15·1	26·7	14·8	120
1909	35,427,672	521,088	914,472	518,003	14·7	25·8	14·6	109
1910	35,796,289	535,442	896,962	483,247	15·0	25·1	13·5	105

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.†	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	3,098	7,300	14,275	3,153	10,830	5,529	14,855	—	47,541	13,542
1882	1,317	12,711	13,732	3,992	15,259	6,036	17,544	—	48,715	14,057
1883	957	9,329	12,649	4,218	10,471	6,078	16,328	—	50,053	14,614
1884	2,234	11,324	10,863	5,020	11,476	6,380	27,225	—	49,325	15,198
1885	2,827	14,495	6,355	4,471	13,106	4,765	13,709	—	48,175	15,560
1886	275	12,013	5,986	4,098	12,936	5,061	25,286	—	47,872	16,243
1887	506	16,765	7,859	4,443	11,251	5,155	20,709	—	44,935	17,113
1888	1,026	9,784	6,378	4,815	12,287	4,848	13,068	—	44,248	17,506
1889	23	14,732	6,698	5,368	12,225	5,011	18,769	—	44,738	18,654
1890	16	12,614	6,974	5,150	13,756	5,146	17,840	—	48,366	19,433
1891	49	12,673	4,959	5,036	13,612	4,875	13,972	—	46,515	20,117
1892	431	13,553	5,618	6,552	13,406	4,037	15,342	—	43,323	20,353
1893	1,457	11,110	6,982	9,466	10,176	6,801	29,753	—	43,632	21,135
1894	820	11,757	5,032	8,774	12,354	4,781	10,789	—	41,641	21,422
1895	223	11,491	4,532	7,895	9,594	5,326	27,418	—	42,490	22,945
1896	541	17,618	5,476	8,993	13,266	5,125	17,412	—	40,251	23,521
1897	25	12,711	4,577	7,654	11,431	4,851	27,089	—	41,642	24,443
1898	253	13,220	3,548	7,661	10,175	5,708	30,153	—	41,335	25,196
1899	174	9,998	3,722	9,295	10,129	6,304	31,040	—	42,408	26,325
1900	85	12,710	3,844	9,345	11,467	5,591	23,531	—	42,987	26,721
1901	356	9,019	4,339	8,898	10,205	5,071	30,186	—	41,224	27,487
1902	2,464	12,930	4,875	7,802	9,805	4,149	14,147	—	40,671	27,872
1903	760	9,150	4,158	6,077	9,522	3,347	18,498	—	40,132	29,089
1904	507	12,306	3,770	5,763	11,909	3,153	29,759	—	41,851	29,682
1905	116	11,076	3,834	5,456	8,709	3,052	20,534	—	38,950	30,221
1906	21	9,444	3,475	6,108	8,313	3,169	30,563	—	39,746	31,668
1907	10	12,625	3,220	5,732	10,255	2,344	10,658	—	39,839	31,745
1908	12	8,011	2,827	5,569	9,851	2,651	18,442	—	39,499	32,717
1909	21	12,618	3,215	5,235	7,182	2,142	10,328	1	38,639	34,053
1910	19	8,302	2,370	4,284	8,797	1,889	10,747	—	36,334	34,607

* Census year.
† The deaths from Asiatic cholera were not separately tabulated for the years 1881-1900.

TABLE 58.—SCOTLAND. **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the Registrar-General, Scotland.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	3,742,564	52,008	126,171	72,325	13·9	33·7	19·3	112
1882	3,770,657	53,192	126,158	72,989	14·1	33·5	19·4	118
1883	3,798,961	53,738	124,458	76,891	14·1	32·8	20·2	119
1884	3,827,478	52,212	129,157	75,168	13·6	33·7	19·6	118
1885	3,856,207	50,608	126,100	74,607	13·1	32·7	19·3	120
1886	3,885,155	49,030	127,890	73,640	12·6	32·9	18·9	116
1887	3,914,318	49,752	124,418	74,546	12·7	31·7	19·0	122
1888	3,943,701	50,610	123,269	71,174	12·8	31·3	18·0	113
1889	3,973,305	52,688	122,783	73,238	13·3	30·9	18·4	121
1890	4,003,132	54,938	121,526	79,004	13·7	30·4	19·7	131
1891*	4,036,245	55,938	125,986	83,573	13·9	31·2	20·7	128
1892	4,078,910	57,340	125,043	75,545	14·1	30·7	18·5	117
1893	4,122,029	54,290	127,110	79,670	13·2	30·8	19·3	136
1894	4,165,606	55,208	124,367	71,113	13·3	29·9	17·1	117
1895	4,209,645	56,844	126,494	81,852	13·5	30·0	19·4	133
1896	4,254,153	60,540	129,172	70,677	14·2	30·4	16·6	115
1897	4,299,132	62,100	128,877	79,144	14·4	30·0	18·4	138
1898	4,344,589	64,224	130,861	78,397	14·8	30·1	18·0	134
1899	4,390,530	65,956	130,733	79,593	15·0	29·8	18·1	131
1900	4,436,958	64,888	131,401	82,296	14·6	29·6	18·5	128
1901*	4,479,065	62,774	132,192	80,107	14·0	29·5	17·9	129
1902	4,507,048	63,826	132,267	77,941	14·2	29·3	17·3	113
1903	4,535,201	64,702	133,525	76,002	14·3	29·4	16·8	118
1904	4,563,530	64,542	132,603	77,981	14·1	29·1	17·1	123
1905	4,592,036	62,540	131,410	74,536	13·6	28·6	16·2	116
1906	4,620,720	66,284	132,005	75,635	14·3	28·6	16·4	115
1907	4,649,586	66,596	128,840	77,296	14·3	27·7	16·6	110
1908	4,678,629	63,212	131,362	77,838	13·5	28·1	16·6	121
1909	4,707,858	60,216	128,669	74,632	12·8	27·3	15·9	108
1910†	4,737,268	61,732	124,000	72,245	13·0	26·2	15·3	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	19	1,012	1,573	816	1,620	1,004	1,617	—	7,739	1,914
1882	3	1,289	1,583	961	2,108	1,204	2,123	—	8,012	2,056
1883	11	1,629	1,336	747	2,968	998	1,728	—	8,401	2,037
1884	14	1,440	1,266	830	2,511	1,050	2,277	—	7,915	2,110
1885	39	1,426	944	688	2,157	889	1,688	—	7,922	2,173
1886	24	681	1,058	583	1,882	755	1,900	—	7,959	2,313
1887	17	1,598	1,179	805	3,212	835	1,926	—	7,418	2,373
1888	3	1,406	732	872	1,722	665	1,338	—	7,044	2,450
1889	8	1,948	701	968	2,268	795	1,891	—	7,098	2,643
1890	—	2,509	739	1,018	3,039	777	1,642	—	7,660	2,428
1891	—	1,775	736	830	2,437	799	1,770	—	7,361	2,703
1892	11	2,280	871	807	1,792	644	1,367	—	6,765	2,715
1893	68	3,639	832	992	2,026	932	2,763	—	6,921	2,816
1894	129	791	834	1,173	2,552	702	1,263	—	7,108	2,928
1895	47	2,063	782	744	1,948	730	2,379	—	7,688	2,993
1896	2	1,515	669	671	1,970	662	1,563	—	6,893	3,013
1897	10	2,056	716	569	2,877	655	2,203	—	7,200	3,212
1898	2	2,290	909	661	2,476	814	2,363	—	7,090	3,453
1899	1	1,599	831	697	1,894	803	2,592	—	7,275	3,572
1900	53	1,825	654	771	1,812	644	1,626	—	7,299	3,503
1901	278	1,655	595	739	2,751	717	2,239	—	6,776	3,662
1902	80	1,388	524	662	1,765	552	1,075	—	6,572	3,711
1903	41	1,133	407	640	1,946	552	1,312	—	6,630	3,798
1904	185	1,512	277	663	2,405	410	1,394	—	6,738	3,920
1905	4	1,662	211	657	2,243	573	1,226	—	6,374	4,132
1906	1	1,445	230	801	1,363	400	1,417	—	6,491	4,509
1907	1	1,153	233	674	2,485	367	798	—	6,415	4,551
1908	6	2,503	381	695	2,144	282	1,224	—	6,079	4,611
1909	—	890	555	870	2,215	296	731	—	6,000	4,782
1910	—	—	—	—	—	—	—	—	—	—

* Census year.

† The figures for the year 1910 are provisional.

TABLE 59.—IRELAND. Population, Marriages, Births, and Deaths, 1881-1910.

(Furnished by the Registrar-General, Ireland.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS.	DEATHS. Exclusive of Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	5,145,770	43,652	125,847	90,035	8·5	24·5	17·5	91
1882	5,101,018	44,058	122,648	88,500	8·6	24·0	17·3	95
1883	5,023,811	42,736	118,163	96,228	8·5	23·5	19·2	98
1884	4,974,561	45,170	118,875	87,154	9·1	23·9	17·5	92
1885	4,938,588	42,354	115,951	90,712	8·6	23·5	18·4	95
1886	4,905,895	41,188	113,927	87,292	8·4	23·2	17·8	94
1887	4,857,119	41,890	112,400	88,585	8·6	23·1	18·2	95
1888	4,801,312	40,120	109,557	85,892	8·4	22·8	17·9	97
1889	4,757,385	43,042	107,841	82,908	9·0	22·7	17·4	94
1890	4,717,959	41,980	105,254	85,850	8·9	22·3	18·2	95
1891*	4,680,376	42,950	108,116	85,999	9·2	23·1	18·4	95
1892	4,633,808	43,060	104,234	90,044	9·3	22·5	19·4	105
1893	4,607,462	43,428	106,082	82,821	9·4	23·0	18·0	102
1894	4,589,260	43,204	105,354	83,528	9·4	23·0	18·2	102
1895	4,559,936	46,240	106,113	84,395	10·1	23·3	18·5	104
1896	4,542,061	46,110	107,641	75,700	10·2	23·7	16·7	95
1897	4,529,917	45,782	106,664	83,839	10·1	23·5	18·5	109
1898	4,518,478	45,160	105,457	82,404	10·0	23·3	18·2	110
1899	4,502,401	44,622	103,900	79,699	9·9	23·1	17·7	108
1900	4,468,501	42,660	101,459	87,606	9·5	22·7	19·6	109
1901*	4,445,879	45,128	100,976	79,119	10·2	22·7	17·8	101
1902	4,433,516	45,898	101,863	77,676	10·4	23·0	17·5	190
1903	4,415,894	45,984	101,831	77,358	10·4	23·1	17·5	96
1904	4,405,412	45,922	103,811	79,513	10·4	23·6	18·0	100
1905	4,395,788	46,156	102,832	75,071	10·5	23·4	17·1	95
1906	4,393,222	45,324	103,536	74,427	10·3	23·6	16·9	93
1907	4,383,273	45,018	101,742	77,334	10·3	23·2	17·6	92
1908	4,378,658	45,468	102,039	76,891	10·4	23·3	17·6	97
1909	4,379,767	45,300	102,759	74,973	10·3	23·5	17·1	92
1910	4,377,789	44,224	101,963	74,894	10·1	23·3	17·1	95

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	72	402	1,344	323	1,358	813	1,565	—	10,027	1,909
1882	129	1,518	1,230	385	832	844	1,605	—	10,258	1,882
1883	16	801	1,765	239	2,041	853	1,564	—	10,775	1,995
1884	1	559	1,377	354	1,834	693	1,612	—	10,583	1,947
1885	4	1,323	1,147	296	1,436	716	1,286	—	10,709	1,925
1886	2	284	850	336	1,219	772	1,481	—	10,694	2,029
1887	14	1,307	973	381	1,386	740	1,855	—	10,329	2,067
1888	3	1,935	849	447	1,259	741	1,253	—	9,812	2,003
1889	—	574	457	358	1,481	968	1,482	—	9,951	2,134
1890	—	726	319	346	1,493	855	1,162	—	10,176	2,145
1891	7	240	308	231	1,280	859	1,373	—	10,038	2,163
1892	—	1,183	419	286	1,154	714	1,279	—	10,048	2,221
1893	1	1,082	457	411	1,169	919	2,207	—	9,869	2,280
1894	72	1,215	599	381	1,242	783	1,158	—	9,626	2,375
1895	146	301	590	305	1,047	760	1,709	—	9,768	2,296
1896	4	516	752	323	1,040	716	1,563	—	9,051	2,437
1897	3	1,070	522	339	1,851	998	1,841	—	9,748	2,635
1898	—	316	325	373	1,588	1,284	2,018	—	9,678	2,657
1899	1	1,532	205	379	938	890	2,303	—	9,480	2,654
1900	1	640	245	362	689	769	1,772	—	10,076	2,717
1901	2	459	205	376	1,123	829	1,692	—	9,549	2,893
1902	1	1,076	186	421	1,002	613	1,130	—	9,400	2,861
1903	40	686	210	375	1,062	480	1,095	—	9,559	3,048
1904	16	522	204	317	1,551	466	1,318	—	9,833	3,055
1905	5	809	170	305	581	502	1,318	—	9,216	3,291
1906	—	388	149	349	929	394	1,675	—	8,933	3,481
1907	1	584	99	283	809	362	1,067	—	8,828	3,338
1908	—	858	72	372	945	338	1,199	—	8,511	3,314
1909	—	443	129	395	1,175	305	1,002	—	8,051	3,502
1910	—	853	173	342	1,297	278	1,081	—	7,527	3,664

* Census year.

TABLE 60.—COMMONWEALTH OF AUSTRALIA. **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the Commonwealth Statistician.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF MEAN POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	2,269,135	34,488	80,004	33,327	15·2	35·3	14·7	117
1882	2,347,410	38,010	80,943	37,453	16·2	34·5	16·0	136
1883	2,446,910	40,888	85,202	37,413	16·7	34·8	15·3	122
1884	2,555,731	42,298	90,994	42,072	16·6	35·6	16·5	126
1885	2,650,123	43,224	94,573	42,504	16·3	35·7	16·0	129
1886	2,741,236	43,182	96,960	42,130	15·8	35·4	15·4	127
1887	2,834,708	43,008	100,916	41,426	15·2	35·6	14·6	116
1888	2,931,521	46,766	104,080	42,692	16·0	35·5	14·6	116
1889	3,022,077	46,352	104,724	46,530	15·3	34·7	15·4	132
1890	3,106,917	47,450	108,683	44,449	15·3	35·0	14·3	108
1891*	3,196,172	47,724	110,187	47,430	14·9	34·5	14·8	116
1892	3,273,371	44,098	110,158	42,263	13·5	33·7	12·9	106
1893	3,333,825	41,262	109,322	45,801	12·4	32·8	13·7	115
1894	3,394,328	41,250	104,660	42,958	12·2	30·8	12·7	103
1895	3,459,192	43,128	105,084	43,080	12·5	30·4	12·5	101
1896	3,522,362	46,136	100,134	45,202	13·1	28·4	12·8	113
1897	3,585,442	47,878	101,137	43,447	13·4	28·2	12·1	105
1898	3,641,251	48,944	98,845	51,406	13·4	27·2	14·1	127
1899	3,690,353	51,916	100,638	47,629	14·1	27·3	12·9	117
1900	3,740,665	54,202	102,221	44,060	14·5	27·3	11·8	100
1901*	3,790,710	55,506	102,945	46,330	14·6	27·2	12·2	104
1902	3,847,998	55,852	102,776	48,078	14·5	26·7	12·5	107
1903	3,893,329	51,954	98,443	47,293	13·3	25·3	12·2	111
1904	3,942,730	55,364	104,113	43,572	14·0	26·4	11·1	82
1905	4,001,117	58,008	104,941	43,514	14·5	26·2	10·9	82
1906	4,060,324	60,820	107,890	44,333	15·0	26·6	10·9	83
1907	4,123,729	64,940	110,347	45,305	15·7	26·8	11·0	81
1908	4,194,410	65,102	111,545	46,426	15·5	26·6	11·1	78
1909	4,274,617	67,550	114,071	44,172	15·8	26·7	10·3	72
1910	4 370,185	73,184	116,801	45,590	16·7	26·7	10·4	75

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping Cough.	Enteric Fever.	Diarrhoea and Enteritis (under 2 years).‡	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	2	192	175	860	334	1,004	3,339	—	2,821	784
1882	25	68	162	897	315	1,262	4,054	—	3,080	800
1883	—	155	129	1,113	325	1,505	3,797	—	3,099	896
1884	5	519	292	1,055	496	1,708	4,335	—	3,436	956
1885	4	111	148	1,361	479	1,308	3,932	—	3,533	942
1886	—	31	122	1,032	686	1,579	3,741	16	3,428	1,097
1887	25	131	88	1,118	441	1,471	3,670	—	3,528	1,156
1888	2	252	149	1,434	138	1,334	3,664	—	3,588	1,215
1889	—	33	106	1,681	568	1,993	3,836	—	3,515	1,375
1890	—	7	200	2,219	560	1,166	2,659	—	3,650	1,358
1891	—	14	99	1,620	514	905	3,111	2	3,549	1,593
1892	2	4	102	1,246	504	917	3,241	—	3,505	1,557
1893	7	1,280	210	1,123	589	702	3,565	—	3,638	1,613
1894	3	335	214	1,028	591	997	3,007	—	3,587	1,681
1895	—	6	103	666	606	1,083	3,024	—	3,511	1,771
1896	—	8	99	516	278	1,495	3,959	—	3,403	1,904
1897	—	11	180	647	69	1,339	3,454	—	3,322	1,971
1898	2	1,452	234	805	572	1,615	4,520	—	3,622	2,145
1899	1	404	131	462	1,101	1,147	3,508	—	3,378	2,200
1900	—	132	41	376	311	986	3,430	—	3,434	2,341
1901	5	138	24	442	597	839	3,520	—	3 557	2,401
1902	1	416	104	309	551	903	3,966	—	3,552	2,467
1903	19	89	193	403	493	1,145	4,280	—	3,526	2,396
1904	—	28	100	517	337	671	2,717	—	3,524	2,371
1905	—	133	44	324	42	626	2,636	—	3,231	2,539
1906	—	41	61	340	294	735	3,095	—	3,174	2,608
1907	—	147	37	403	1,070	564	2,733	—	3,166	2,940
1908	—	125	63	421	219	736	3,236	—	3,367	2,921
1909	1	31	74	435	257	651	2,803	—	3,119	3,092
1910	4	124	48	555	476	618	3,145	—	2,989	3,205

* Census year.

† Excluding croup in Western Australia for the years 1881-1896.

‡ For the years 1881-1896 the deaths in Western Australia relate to diarrhoea and dysentery at all ages, and in the remaining States of the Commonwealth for the years 1881-1888 to diarrhoea and enteritis at all ages.

TABLE 61.—NEW ZEALAND. **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the Registrar-General, New Zealand.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED MEAN POPULATION.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	493,482	6,554	18,732	5,491	13·3	37·9	11·1	92
1882	509,309	7,200	19,009	5,701	14·1	37·3	11·2	88
1883	529,292	7,224	19,202	6,061	13·6	36·3	11·4	104
1884	552,590	7,600	19,846	5,740	13·7	35·9	10·4	79
1885	573,362	7,626	19,693	6,081	13·3	34·3	10·6	89
1886*	582,117	6,976	19,299	6,135	12·0	33·1	10·5	98
1887	596,374	7,126	19,135	6,137	11·9	32·1	10·3	94
1888	605,371	7,234	18,902	5,708	11·9	31·2	9·4	72
1889	611,716	7,264	18,457	5,772	11·9	30·2	9·4	79
1890	620,730	7,594	18,278	5,994	12·2	29·4	9·7	79
1891*	629,733	7,610	18,273	6,518	12·1	29·0	10·3	91
1892	642,245	8,004	17,876	6,459	12·5	27·8	10·1	89
1893	661,349	8,230	18,187	6,767	12·4	27·5	10·2	88
1894	679,196	8,356	18,528	6,918	12·3	27·3	10·2	81
1895	692,417	8,220	18,546	6,863	11·9	26·8	9·9	88
1896*	706,846	9,686	18,612	6,432	13·7	26·3	9·1	77
1897	721,609	9,856	18,737	6,595	13·7	26·0	9·1	72
1898	736,260	10,182	18,955	7,244	13·8	25·7	9·8	80
1899	749,934	10,922	18,835	7,680	14·6	25·1	10·2	96
1900	763,594	11,720	19,546	7,200	15·3	25·6	9·4	75
1901*	777,968	12,190	20,491	7,634	15·7	26·3	9·8	71
1902	797,793	12,788	20,655	8,375	16·0	25·9	10·5	33
1903	820,217	13,496	21,829	8,528	16·5	26·6	10·4	81
1904	845,022	13,966	22,766	8,087	16·5	26·9	9·5	71
1905	870,000	14,400	23,682	8,061	16·6	27·2	9·3	68
1906*	895,594	15,184	24,252	8,339	17·0	27·1	9·3	62
1907	919,105	16,334	25,094	10,066	18·0	27·3	10·9	89
1908	945,063	16,678	25,940	9,043	18·0	27·4	9·5	68
1909	971,784	16,188	26,524	8,959	16·7	27·3	9·2	62
1910	992,802	16,472	25,984	9,639	16·6	26·2	9·7	68

The Total Deaths include:—

YEAR.	Small-pox	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	113	104	83	20	124	436	—	468	134
1882	—	86	153	142	68	110	327	—	438	147
1883	—	15	26	84	246	157	509	—	500	158
1884	—	31	17	112	167	104	208	—	498	191
1885	—	1	12	104	91	118	399	—	514	177
1886	—	54	7	78	132	123	455	—	500	214
1887	—	30	18	92	138	158	475	—	534	238
1888	—	6	21	143	72	130	214	—	476	263
1889	—	3	19	113	19	118	355	—	499	260
1890	—	1	31	116	82	145	290	—	520	295
1891	—	1	24	86	242	119	319	—	495	295
1892	—	—	4	195	115	134	329	—	524	307
1893	—	525	1	128	55	97	193	—	545	332
1894	—	14	5	92	190	115	207	—	576	408
1895	—	—	6	76	150	94	232	—	553	383
1896	—	1	4	74	24	124	334	—	523	389
1897	—	1	2	49	2	106	257	—	596	395
1898	—	57	2	45	6	120	275	—	597	471
1899	—	137	—	58	123	93	298	—	593	468
1900	—	9	10	63	90	68	199	—	577	430
1901	—	7	17	44	9	95	139	—	596	515
1902	—	134	39	54	83	53	275	—	617	536
1903	1	143	131	23	204	61	184	—	570	582
1904	—	10	13	27	35	73	193	—	598	571
1905	—	8	10	35	3	45	128	—	496	566
1906	—	12	18	35	26	48	97	—	556	623
1907	—	101	25	55	307	53	314	—	612	674
1908	—	19	60	35	42	90	198	—	607	657
1909	—	26	26	64	41	55	103	—	588	711
1910	—	1	13	75	148	62	164	—	550	742

* Census year.

TABLE 62.—DOMINION OF CANADA—PROVINCE OF ONTARIO. **Population, Marriages, Births, and Deaths, 1881-1910.**
(Furnished by the Deputy Registrar-General of Ontario.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	1,923,610†	26,212	40,714	22,821	13.6	21.2	11.9	—
1882		26,898	42,429	21,800	14.0	22.1	11.3	—
1883		28,554	42,981	21,049	14.8	22.3	10.9	—
1884		27,292	44,504	21,702	14.2	23.1	11.3	—
1885		27,350	45,228	22,105	14.2	23.5	11.5	—
1886	2,115,971	27,690	46,458	23,184	13.1	22.0	11.0	—
1887	2,115,971	28,920	45,904	23,414	13.7	21.7	11.1	—
1888	2,148,971	29,102	46,953	23,734	13.5	21.8	11.0	—
1889	2,148,971	29,760	48,538	23,329	13.8	22.6	10.9	—
1890	2,161,971	28,926	47,433	24,013	13.4	22.0	11.1	—
1891*	2,122,716	28,378	47,472	24,013	13.4	22.4	11.3	—
1892	2,146,020	28,964	41,947	23,120	13.5	19.5	10.8	—
1893	2,167,460	28,950	42,686	22,903	13.4	19.7	10.6	—
1894	2,189,116	28,682	41,899	22,538	13.1	19.1	10.3	—
1895	2,211,101	27,974	41,474	22,461	12.7	18.8	10.2	—
1896	2,263,492	29,808	46,680	24,857	13.2	20.6	11.0	—
1897	2,257,378	30,586	46,888	26,508	13.5	20.8	11.7	—
1898	2,279,929	30,750	46,067	25,409	13.5	20.2	11.1	—
1899	2,302,705	33,028	44,286	27,747	14.3	19.2	12.0	125
1900	2,325,712	34,214	45,549	28,543	14.7	19.6	12.3	138
1901*	2,184,144	36,070	45,281	28,500	16.5	20.7	13.0	121
1902	2,205,965	36,144	46,973	26,713	16.4	21.3	12.1	104
1903	2,198,692	39,660	47,709	28,399	18.0	21.7	12.9	115
1904	2,203,968	39,578	49,158	29,600	18.0	22.3	13.4	107
1905	2,208,364	40,852	50,808	29,748	18.5	23.0	13.5	121
1906	2,214,116	39,692	50,621	31,244	17.9	22.9	14.1	137
1907	2,220,430	43,830	51,838	31,756	19.7	23.3	14.3	121
1908	2,226,860	42,116	55,388	30,947	18.9	24.9	13.9	124
1909	2,233,264	44,732	52,629	30,792	20.0	24.3	14.6	131
1910	2,239,621	48,072	53,664	31,332	20.7	24.9	14.0	123

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	5	148	470	1,704	270	616	1,084	—	2,446	313
1882	15	75	543	1,708	183	555	649	—	2,591	397
1883	4	177	405	1,076	123	469	593	—	2,667	403
1884	63	81	382	929	154	492	653	—	2,506	422
1885	30	78	314	1,282	192	462	529	—	2,499	463
1886	19	149	260	1,833	205	386	716	—	2,573	440
1887	—	169	116	1,716	124	569	834	—	2,556	614
1888	—	128	132	1,450	187	529	934	—	2,551	635
1889	—	141	159	1,101	225	565	1,192	—	2,417	714
1890	—	186	151	893	190	545	978	—	2,503	685
1891	—	79	216	952	102	744	911	—	2,379	402
1892	—	117	240	890	145	445	917	—	2,592	410
1893	?	?	?	942	?	?	?	—	2,552	?
1894	?	?	454	1,075	?	?	?	—	2,379	?
1895	?	?	?	942	?	588	?	—	2,472	?
1896	—	136	99	932	187	552	?	—	2,922	?
1897	—	80	169	976	169	355	1,511	—	3,161	927
1898	—	115	222	634	126	405	1,773	—	3,291	975
1899	7	40	246	599	124	452	1,561	—	3,405	1,041
1900	11	143	170	738	185	682	2,299	—	3,484	1,055
1901	7	181	268	772	166	500	1,267	—	3,243	1,094
1902	7	143	346	676	204	392	1,050	—	2,694	1,048
1903	21	55	580	687	204	391	1,337	—	2,723	1,156
1904	3	30	163	608	109	482	1,127	—	2,877	1,253
1905	3	63	72	503	181	446	1,835	—	2,667	1,224
1906	4	128	64	423	240	891	2,075	—	2,911	1,411
1907	4	166	102	380	214	520	1,298	—	2,530	1,329
1908	2	38	163	450	246	662	1,753	—	2,511	1,348
1909	3	167	200	430	262	669	1,573	—	2,380	1,597
1910	2	304	237	435	186	706	1,630	—	2,287	1,587

* Census year.

† Census population.

NOTE.—A ? denotes that the figures are not available for the whole Province.

TABLE 63.—CEYLON. **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the Registrar-General, Ceylon.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.†	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.†	BIRTHS.	DEATHS.	
1881*	2,755,558	24,174	74,794	75,012	9.4	27.1	27.2	170
1882	2,773,389	26,428	74,042	54,672	10.3	26.7	19.7	138
1883	2,781,711	31,780	82,240	53,680	12.3	29.6	19.3	136
1884	2,793,689	27,540	87,407	62,398	10.6	31.3	22.3	157
1885	2,815,166	21,446	79,234	81,908	8.2	28.1	29.1	189
1886	2,830,359	40,428	76,836	67,041	15.4	27.1	23.7	152
1887	2,855,216	34,342	93,223	68,496	13.0	32.7	24.0	152
1888	2,901,262	29,276	92,289	76,724	10.9	31.8	26.4	167
1889	2,938,977	25,582	81,465	83,845	9.4	27.7	28.5	174
1890	2,980,245	30,216	95,106	68,600	10.9	31.9	23.0	145
1891*	3,021,579	29,474	96,493	86,643	10.5	31.9	23.7	170
1892	3,088,405	33,366	93,233	84,937	11.7	30.2	27.5	162
1893	3,121,093	34,654	97,800	92,422	11.9	31.3	29.6	177
1894	3,144,561	45,566	104,301	87,784	15.4	33.2	27.9	165
1895	3,193,821	61,382	101,480	88,301	20.4	31.8	27.6	169
1896	3,240,501	39,358	103,854	81,898	12.8	32.0	25.3	158
1897	3,315,768	43,638	125,019	78,538	14.0	37.7	23.7	140
1898	3,395,519	43,508	131,620	90,256	15.3	38.8	26.6	169
1899	3,429,745	64,988	132,190	104,983	20.1	38.5	30.6	197
1900	3,520,574	56,384	136,051	100,873	17.2	38.6	28.7	178
1901*	3,582,697	47,472	134,252	98,813	14.2	37.5	27.6	170
1902	3,629,986	55,632	141,893	99,680	16.4	38.5	27.5	173
1903	3,703,615	47,068	148,027	96,084	13.7	40.0	25.9	164
1904	3,767,826	43,894	145,253	93,940	12.5	38.5	24.9	174
1905	3,901,471	42,376	150,785	108,160	11.7	38.7	27.7	176
1906	3,883,168	36,010	141,847	136,271	9.3	36.5	35.1	198
1907	3,885,967	37,966	130,403	119,377	9.8	33.6	30.7	186
1908	3,923,369	42,104	160,713	117,982	10.7	41.0	30.1	183
1909	3,969,629	40,242	148,891	122,969	10.1	37.5	31.0	202
1910	4,035,173	43,954	157,553	110,195	10.9	39.0	27.3	176

The Total Deaths† include:—

YEAR	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	237	610	—	227	88	—	11,636	991	1,717	69
1882	320	78	—	203	52	—	8,624	857	1,756	84
1883	335	5	—	201	88	—	8,125	800	1,817	97
1884	347	41	—	118	69	—	8,495	812	2,010	99
1885	726	50	—	239	64	—	11,819	1,294	1,949	83
1886	462	166	—	159	103	—	10,792	893	1,936	85
1887	89	170	—	145	67	—	9,808	933	1,885	92
1888	145	184	—	147	239	2,768	12,747	1,331	2,010	117
1889	97	235	—	130	102	2,990	11,826	2,563	1,977	141
1890	88	287	—	178	38	2,354	8,495	1,872	2,104	171
1891	452	574	—	152	51	3,398	11,529	3,398	2,233	139
1892	69	390	—	105	69	3,140	18,108	2,833	2,373	187
1893	37	254	—	153	65	3,628	22,396	645	2,575	235
1894	3	188	—	13	107	3,644	22,408	530	2,512	196
1895	5	372	—	7	50	4,042	22,291	589	2,445	207
1896	21	384	—	11	53	3,943	20,019	428	2,873	128
1897	25	563	—	6	61	3,603	18,886	104	2,782	177
1898	13	292	—	15	43	4,638	19,975	302	2,889	175
1899	96	188	—	14	65	5,262	21,201	—	3,167	191
1900	41	123	—	15	111	5,437	22,058	217	3,217	233
1901	80	207	—	8	53	4,902	23,954	52	3,390	213
1902	35	194	—	11	40	5,477	21,551	139	3,297	219
1903	6	158	—	18	63	5,243	19,880	6	3,383	212
1904	2	64	—	16	34	4,739	17,804	4	3,488	190
1905	112	211	—	8	167	6,025	22,867	1	3,733	207
1906	72	296	—	10	66	9,440	33,448	204	4,153	182
1907	27	89	—	8	34	7,729	27,606	77	4,096	148
1908	303	102	—	17	108	8,240	20,681	33	4,039	169
1909	82	232	—	22	82	9,665	22,297	8	4,195	158
1910	29	57	—	10	62	4,619	17,262	22	3,917	264

* Census year.

† Registration of marriages is not compulsory in Ceylon, except among the Kandyan Sinhalese. The figures in these columns relate to persons whose marriages were registered.

‡ The Registrar-General, Ceylon, states that "too much reliance should not be placed on the figures given under Causes of Death, as, in the large majority of cases outside the towns, the cause of death is not medically certified, and registration is made in the vernacular languages, and by registrars who possess no medical qualifications."

TABLE 64.--JAMAICA. **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the Registrar-General, Jamaica.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS
	ESTIMATED POPULATION in the middle of each year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	580,804	4,356	21,340	15,125	7·4	36·7	26·0	173
1882	588,718	4,736	20,749	11,874	8·0	35·7	20·4	141
1883	594,023	5,738	24,132	13,397	9·6	41·5	23·0	153
1884	591,819	5,906	21,402	13,484	9·9	36·1	22·7	165
1885	596,383	5,990	22,558	13,500	10·0	37·8	22·6	159
1886	603,354	4,780	21,831	14,060	7·9	36·1	23·3	154
1887	603,500	5,326	20,964	14,641	8·8	34·7	24·2	170
1888	613,376	6,706	24,025	13,696	10·9	39·1	22·3	162
1889	624,105	6,446	22,044	13,874	10·3	35·3	22·2	175
1890	634,930	7,120	24,507	16,040	11·2	38·4	25·1	188
1891*	645,829	6,810	24,744	14,711	10·5	38·3	22·7	175
1892	655,595	6,698	24,475	13,717	10·2	37·3	20·9	165
1893	667,554	7,468	27,365	14,885	11·1	40·6	22·1	168
1894	678,786	7,258	25,298	14,321	10·6	37·2	21·0	168
1895	690,667	6,484	26,842	15,716	9·3	38·8	22·7	178
1896	701,181	6,052	27,064	15,535	8·6	38·5	22·1	176
1897	713,384	5,322	28,447	16,474	7·4	39·8	23·0	177
1898	725,033	6,724	27,648	15,290	9·2	38·1	21·0	176
1899	740,171	7,534	31,259	16,880	10·1	42·2	22·8	170
1900	751,588	6,442	26,869	16,243	8·5	35·7	21·6	174
1901	763,545	6,404	31,268	16,756	8·3	40·9	21·9	163
1902	778,120	7,202	30,605	15,413	9·2	39·3	19·8	162
1903	794,053	7,152	31,687	19,593	9·0	39·9	24·6	187
1904	802,609	5,760	29,025	19,863	7·1	36·1	24·7	193
1905	814,800	6,232	31,618	17,871	7·6	38·8	21·9	165
1906	827,744	11,014	31,547	21,723	13·2	38·1	26·2	197
1907	834,012	12,502	29,210	23,672	14·8	35·0	28·3	223
1908	843,648	7,052	31,785	18,928	8·3	37·6	22·4	175
1909	856,785	7,086	32,402	18,636	8·2	37·8	21·7	174
1910	826,371	6,680	31,918	19,119	8·0	38·6	23·1	188

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Croup).	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	1	15	7	17	341	47	1,658	—	1,071	57
1882	—	4	1	23	4	30	686	—	1,005	43
1883	1	114	—	21	—	29	868	—	1,083	65
1884	—	109	1	35	—	22	800	—	1,097	66
1885	—	6	—	20	1	31	816	—	979	64
1886	187	1	—	12	1	33	883	—	1,043	65
1887	672	2	—	21	1	41	885	—	958	61
1888	25	5	—	9	1	54	727	—	935	73
1889	—	67	—	9	65	49	825	—	1,032	70
1890	—	175	1	3	1,924	48	726	—	1,064	80
1891	—	22	—	9	7	53	976	—	1,085	91
1892	—	2	1	6	—	42	846	—	1,050	88
1893	—	1	—	13	13	49	912	—	1,040	96
1894	—	—	1	10	202	57	763	—	1,102	102
1895	—	9	—	16	326	75	914	—	1,182	115
1896	—	121	—	14	495	89	868	—	1,191	113
1897	—	19	—	12	311	117	808	—	1,168	97
1898	—	4	—	9	138	65	623	—	1,156	108
1899	—	23	—	14	25	90	661	—	1,187	129
1900	—	128	—	12	—	55	703	—	1,204	124
1901	—	33	—	7	2	71	766	—	1,148	118
1902	—	3	—	2	—	96	599	—	1,149	109
1903	—	—	1	3	292	89	1,482	—	1,232	125
1904	—	3	1	4	1,546	131	934	—	1,308	128
1905	—	—	—	12	40	69	733	—	1,240	153
1906	—	97	—	6	5	86	793	—	1,328	141
1907	—	150	1	4	2	223	1,327	—	1,451	126
1908	—	2	—	4	—	243	781	—	1,317	136
1909	—	—	—	5	—	244	820	—	1,232	157
1910	—	1	—	—	619	237	851	—	1,291	172

NOTE.--The figures in the table for the years 1881-1889 relate to the 12 months ended 30th September in each of those years; those for 1890 and subsequent years to the 12 months ended 31st March of the following year.

* Census year.

TABLE 65.—DENMARK (the Kingdom properly so-called). **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the Director of the Statistical Bureau, Denmark.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	1,995,000	31,058	64,145	36,471	15·6	32·2	18·3	121
1882	2,013,000	30,992	65,070	38,738	15·4	32·3	19·2	151
1883	2,029,000	31,284	64,474	37,403	15·4	31·8	18·4	138
1884	2,051,000	31,940	68,340	37,597	15·6	33·3	18·3	137
1885	2,076,000	31,290	67,464	36,999	15·0	32·5	17·8	122
1886	2,102,000	29,668	68,062	38,076	14·2	32·4	18·1	136
1887	2,124,000	29,452	67,417	38,645	13·9	31·7	18·2	134
1888	2,143,000	30,182	67,427	41,868	14·0	31·5	19·5	143
1889	2,161,000	30,466	67,385	40,004	14·1	31·2	18·5	141
1890*	2,179,000	29,950	66,376	41,377	13·8	30·5	19·0	133
1891	2,195,000	29,882	67,937	43,954	13·6	31·0	20·0	134
1892	2,210,000	30,078	65,468	43,079	13·5	29·6	19·5	140
1893	2,226,000	31,478	68,530	42,295	14·2	30·8	19·0	150
1894	2,248,000	31,374	68,300	39,508	14·0	30·4	17·6	134
1895	2,276,000	32,294	68,871	38,573	14·2	30·3	16·9	137
1896	2,306,000	33,646	70,271	36,090	14·6	30·5	15·7	126
1897	2,338,000	34,928	69,576	38,744	15·0	29·8	16·6	129
1898	2,371,000	35,794	71,670	36,671	15·1	30·2	15·5	123
1899	2,403,000	35,874	71,355	41,477	15·0	29·7	17·3	154
1900	2,432,000	36,996	72,129	40,891	15·2	29·7	16·8	128
1901*	2,462,000	35,198	73,211	38,786	14·3	29·7	15·8	134
1902	2,491,000	35,298	72,795	36,408	14·2	29·2	14·6	114
1903	2,519,000	35,852	72,348	36,945	14·2	28·7	14·7	116
1904	2,546,000	36,450	73,691	35,903	14·3	28·9	14·1	112
1905	2,574,000	36,958	73,082	38,598	14·3	28·4	15·0	121
1906*	2,603,000	38,716	74,216	35,231	14·9	28·5	13·5	109
1907	2,635,000	40,206	74,327	37,275	15·3	28·2	14·1	106
1908	2,668,000	40,022	76,232	39,072	15·0	28·5	14·6	123
1909	2,702,000	39,888	76,301	35,837	14·7	28·2	13·2	98
1910	2,737,000	39,972	75,297	35,187	14·6	27·5	12·9	—

The Total Deaths in Copenhagen and other large Cities include :—

YEAR.	Popula- tion of Cities.	Small- pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whoop- ing Cough.	Enteric Fever.	Diarrhoea and Dys- entery.	Asiatic Cholera.	Pulmon- ary Tuberc- ulosis.	Cancer (including Carcinoma and Sarcoma).
1880*	553,497	—	—	—	—	—	—	—	—	—	—
1881	—	5	30	184	194	236	167	437	—	1,435	593
1882	—	12	502	154	125	280	216	972	—	1,530	606
1883	—	4	17	61	125	318	165	685	—	1,502	641
1884	—	—	353	41	151	290	248	924	—	1,569	686
1885	—	23	188	129	199	174	146	548	—	1,540	726
1886	—	—	46	78	302	191	175	1,003	—	1,497	722
1887	—	—	798	148	570	378	142	748	—	1,596	775
1888	—	—	385	241	671	238	149	733	—	1,798	782
1889	—	3	32	106	779	272	256	1,220	—	1,637	866
1890*	726,355	1	269	195	960	368	102	766	—	1,645	832
1891	—	10	216	78	810	257	136	826	—	1,619	927
1892	—	—	255	68	676	301	109	674	—	1,557	837
1893	—	—	80	132	683	370	101	1,300	—	1,516	936
1894	—	1	220	316	574	144	100	794	—	1,492	875
1895	—	—	215	127	272	383	122	889	—	1,521	933
1896	—	1	186	55	178	251	94	994	—	1,393	1,022
1897	—	—	166	31	198	151	87	996	—	1,466	1,054
1898	—	—	63	76	147	444	93	756	—	1,412	1,073
1899	—	—	142	173	176	358	102	1,583	—	1,405	1,063
1900	—	—	56	140	163	120	83	887	—	1,566	1,123
1901*	958,905	6	260	102	124	324	131	1,339	—	1,409	1,201
1902	—	—	151	85	100	389	50	567	—	1,303	1,276
1903	—	—	81	65	76	279	59	899	—	1,376	1,229
1904	—	1	102	50	49	342	44	1,029	—	1,446	1,313
1905	—	—	184	56	96	247	49	1,117	—	1,481	1,338
1906*	1,023,334	—	131	20	70	227	35	1,153	—	1,348	1,344
1907	—	1	151	15	90	437	38	561	—	1,336	1,438
1908	—	—	103	68	87	320	59	1,313	—	1,420	1,415
1909	—	3	125	112	72	280	45	495	1	1,228	1,515
1910	—	—	—	—	—	—	—	—	—	—	—

* Census year.

TABLE 66.—NORWAY. **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the Director of the Central Statistical Bureau, Norway.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	1,909,700	24,632	58,342	32,427	12·9	30·6	17·0	96
1882	1,906,300	25,748	59,375	35,325	13·5	31·1	18·5	110
1883	1,905,600	25,420	59,498	32,834	13·3	31·2	17·2	96
1884	1,915,100	26,494	60,025	31,730	13·8	31·3	16·6	98
1885	1,929,800	26,048	61,052	32,111	13·5	31·6	16·6	93
1886	1,943,900	25,638	60,716	31,566	13·2	31·2	16·2	90
1887	1,955,200	24,982	60,908	31,675	12·8	31·2	16·2	89
1888	1,961,800	24,308	61,277	33,645	12·4	31·2	17·2	95
1889	1,969,200	24,832	59,188	34,704	12·6	30·1	17·6	109
1890*	1,981,600	25,844	60,108	35,492	13·0	30·3	17·9	98
1891	1,996,900	26,358	61,721	34,856	13·2	30·9	17·5	97
1892	2,010,000	25,484	59,430	35,769	12·7	29·6	17·8	105
1893	2,021,400	25,948	61,918	32,915	12·8	30·6	16·3	89
1894	2,039,800	25,932	60,450	34,355	12·7	29·6	16·8	104
1895	2,065,900	26,678	62,932	32,189	12·9	30·5	15·5	96
1896	2,094,100	27,924	63,308	31,574	13·3	30·2	15·1	96
1897	2,123,700	28,440	63,417	32,389	13·4	29·9	15·3	97
1898	2,155,400	30,078	64,821	32,693	14·0	30·1	15·2	91
1899	2,185,300	31,060	67,013	36,563	14·2	30·7	16·7	105
1900*	2,211,300	30,444	66,149	34,932	13·8	29·9	15·8	90
1901	2,234,700	29,520	66,207	33,295	13·2	29·6	14·9	93
1902	2,253,600	28,770	65,262	31,163	12·8	29·0	13·8	75
1903	2,264,900	27,132	65,155	33,567	12·0	28·8	14·8	79
1904	2,274,100	26,962	63,955	32,467	11·9	28·1	14·3	76
1905	2,285,700	26,538	62,698	33,793	11·6	27·4	14·8	81
1906	2,296,300	27,180	61,316	31,214	11·8	26·7	13·6	69
1907	2,305,700	27,906	60,722	32,789	12·1	26·3	14·2	67
1908	2,321,600	28,306	60,866	33,181	12·2	26·2	14·3	76
1909	2,353,900	28,160	61,407	31,603	12·0	26·1	13·4	72
1910†	2,352,000	29,109	61,300	31,800	12·4	26·1	13·5	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	14	314	1,028	549	421	208	512	—	2,595	874
1882	52	679	1,231	1,380	311	249	782	—	2,649	892
1883	—	10	818	1,641	247	228	563	—	2,664	959
1884	3	1	505	1,782	343	197	635	—	2,619	1,006
1885	6	1	571	1,638	239	171	520	—	2,862	1,047
1886	—	3	898	1,548	235	165	714	—	2,701	1,098
1887	1	212	623	1,801	260	172	778	—	2,694	1,116
1888	5	487	461	1,632	448	139	675	—	2,827	1,112
1889	3	372	327	2,057	480	222	1,044	—	2,877	1,144
1890	1	123	454	2,528	216	184	739	—	3,055	1,148
1891	14	187	305	1,754	183	210	670	—	3,085	1,237
1892	3	334	215	1,368	453	87	822	2	3,358	1,278
1893	1	125	195	1,615	170	137	1,086	—	3,559	1,405
1894	1	470	275	1,620	436	140	1,115	—	3,663	1,449
1895	3	146	242	620	462	141	977	—	3,837	1,464
1896	—	185	224	356	470	185	1,076	—	3,892	1,691
1897	3	240	162	349	296	145	1,052	—	4,123	1,802
1898	6	243	113	379	369	164	600	—	4,391	1,802
1899	—	214	127	283	450	172	1,505	—	4,773	1,931
1900	—	216	177	181	365	133	880	—	4,888	2,008
1901	—	103	118	156	338	174	1,829	—	4,337	2,126
1902	—	287	106	242	461	102	508	—	4,249	1,964
1903	—	300	120	334	440	144	700	—	4,488	2,112
1904	—	234	72	318	140	99	720	—	4,489	2,182
1905	6	87	130	444	468	86	571	—	4,652	2,248
1906	—	42	80	477	428	126	627	—	4,539	2,239
1907	—	132	59	511	255	78	382	—	4,656	2,310
1908	19	293	85	555	225	79	849	—	4,376	2,252
1909	2	118	146	497	557	68	410	—	3,997	2,226
1910	—	—	—	—	—	—	—	—	—	—

NOTE.—The deaths from the several diseases for the earlier years are incomplete; only about 50 per cent. of the causes of death were stated in 1881, against 85 per cent. in 1901, and 89 per cent. in 1909

* Census year.

† The figures for the year 1910 are provisional.

TABLE 67.—SWEDEN. **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the Director of the Central Statistical Bureau, Sweden.)

YEAR.	NUMBERS				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	4,568,956	56,602	132,804	80,800	12.4	29.1	17.7	113
1882	4,575,680	57,934	134,300	79,406	12.7	29.4	17.4	125
1883	4,591,355	58,898	132,875	79,487	12.9	28.9	17.3	116
1884	4,624,022	60,400	138,745	81,077	13.1	30.0	17.5	113
1885	4,663,609	61,822	137,308	82,781	13.3	29.4	17.8	114
1886	4,699,979	60,266	139,882	78,045	12.8	29.8	16.6	111
1887	4,726,045	59,034	140,169	76,227	12.5	29.7	16.1	103
1888	4,741,579	56,150	136,451	75,831	11.8	28.8	16.0	100
1889	4,761,333	56,956	132,069	76,124	12.0	27.7	16.0	107
1890*	4,779,695	57,222	133,597	81,824	12.0	28.0	17.1	103
1891	4,793,866	55,880	135,516	80,603	11.7	28.3	16.8	108
1892	4,804,808	54,676	129,622	85,894	11.4	27.0	17.9	109
1893	4,815,508	54,438	131,729	81,027	11.3	27.4	16.8	101
1894	4,848,667	55,702	131,409	79,444	11.5	27.1	16.4	101
1895	4,896,221	57,456	134,599	74,368	11.7	27.5	15.2	95
1896	4,940,914	58,752	134,308	77,259	11.9	27.2	15.6	103
1897	4,986,100	60,442	132,999	76,552	12.1	26.7	15.4	99
1898	5,036,275	61,800	136,523	75,949	12.3	27.1	15.1	91
1899	5,080,160	63,420	133,882	89,678	12.5	26.4	17.7	112
1900*	5,116,922	62,956	138,139	86,146	12.3	27.0	16.8	99
1901	5,155,835	62,556	139,370	82,772	12.1	27.0	16.1	103
1902	5,186,990	61,792	137,364	79,722	11.9	26.5	15.4	86
1903	5,210,022	60,176	133,896	78,610	11.6	25.7	15.1	93
1904	5,241,051	61,366	134,952	80,152	11.7	25.8	15.3	84
1905	5,277,848	61,776	135,409	82,443	11.7	25.7	15.6	88
1906	5,315,970	65,166	136,620	76,366	12.3	25.7	14.4	81
1907	5,357,384	66,502	136,793	78,149	12.4	25.5	14.6	77
1908	5,403,657	66,168	138,874	80,568	12.2	25.7	14.9	85
1909	5,453,021	65,092	139,505	74,538	11.9	25.6	13.7	72
1910*†	5,499,192	66,262	136,431	77,140	12.0	24.8	14.0	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.†	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.§	Cancer (including Carcinoma and Sarcoma).§
1881	299	1,097	1,905	4,708	815	1,143	1,545	—	—	—
1882	159	1,721	1,364	4,423	1,044	1,325	3,206	—	—	—
1883	125	1,253	2,721	4,287	481	1,320	1,765	—	—	—
1884	58	321	3,305	3,490	726	1,398	1,962	—	—	—
1885	4	538	3,811	2,576	1,257	1,078	1,428	—	—	—
1886	2	445	3,326	2,333	1,116	1,220	2,091	—	—	—
1887	5	1,280	2,160	2,945	579	1,055	1,620	—	—	—
1888	9	1,383	1,259	2,102	700	879	1,378	—	—	—
1889	2	417	1,345	2,174	725	1,193	1,970	—	—	—
1890	2	733	2,382	2,796	1,003	1,068	1,374	—	—	—
1891	2	1,770	1,658	2,382	922	1,109	1,615	—	—	—
1892	4	422	1,587	2,704	956	1,022	1,338	—	—	—
1893	25	159	1,657	3,804	841	950	1,486	1	—	—
1894	21	302	1,115	3,582	874	905	1,386	5	—	—
1895	—	463	788	2,220	577	761	1,462	—	—	—
1896	2	665	654	1,871	1,109	809	1,675	—	—	—
1897	1	620	415	1,701	1,038	752	1,508	—	—	—
1898	1	324	271	1,881	1,047	710	1,288	—	—	—
1899	1	786	414	2,974	1,092	803	1,785	—	—	—
1900	2	459	426	2,610	626	704	1,598	—	—	—
1901	—	378	485	2,617	884	647	2,005	—	—	—
1902	1	638	436	1,754	1,084	539	985	—	—	—
1903	2	807	352	1,382	953	275	863	—	—	—
1904	1	173	437	1,346	885	266	878	—	—	—
1905	3	142	624	1,710	765	517	1,085	—	—	—
1906	—	198	387	1,146	881	334	932	—	—	—
1907	—	440	221	834	630	339	746	—	—	—
1908	1	490	252	643	962	478	917	—	—	—
1909	—	221	270	722	750	239	565	—	—	—
1910	—	—	—	—	—	—	—	—	—	—

* Census year.

† The figures for the year 1910 are provisional.

‡ Including brain fever and acute polio-myelitis.

§ The deaths from these diseases are not tabulated for the whole of Sweden.

TABLE 68.—RUSSIA, EUROPEAN (50 Governments, excluding Finland and the Provinces of the Vistula and of the Caucasus). **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the Central Statistical Committee, Ministry of the Interior.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	—	1,462,542	3,679,694	2,560,483	18·8	47·8	33·2	252
1882	—	1,437,864	3,926,661	3,076,262	18·4	50·4	39·5	301
1883	—	1,470,126	3,884,964	2,881,430	18·8	49·8	36·9	284
1884	—	1,386,608	4,007,858	2,674,065	17·0	49·0	32·7	248
1885	81,725,185†	1,366,588	3,957,528	2,833,108	16·8	48·4	34·7	270
1886	85,395,209†	1,364,076	3,972,797	2,661,898	16·0	46·5	31·2	248
1887	—	1,467,098	4,062,606	2,757,722	17·2	47·5	32·2	256
1888	—	1,616,520	4,268,601	2,760,971	18·8	49·9	32·3	250
1889	—	1,485,364	4,232,577	2,991,608	17·2	48·8	34·5	275
1890	—	1,436,550	4,227,915	3,130,996	16·4	48·2	35·7	289
1891	—	1,494,302	4,372,419	3,095,552	16·6	48·8	34·6	274
1892	—	1,567,778	4,033,402	3,596,585	18·4	47·2	42·1	307
1893	—	1,575,054	4,298,323	3,028,300	17·2	47·0	33·1	252
1894	93,292,955†	1,696,766	4,391,658	3,062,022	18·8	48·7	34·0	265
1895	—	1,685,262	4,539,176	3,213,841	18·4	49·4	35·0	280
1896	—	1,619,694	4,634,809	3,063,047	17·4	49·7	32·8	274
1897*	94,494,853	1,714,742	4,692,621	2,976,453	18·2	49·5	31·4	260
1898	—	1,651,204	4,625,558	3,156,303	17·4	48·7	33·2	279
1899	97,143,469	1,796,404	4,764,678	3,013,114	18·4	49·0	31·0	240
1900	98,379,841	1,746,036	4,853,804	3,055,030	17·6	49·4	31·1	252
1901	100,172,597	1,724,816	4,801,190	3,218,501	17·2	47·9	32·1	272
1902	101,634,686	1,755,818	4,993,248	3,204,333	17·2	49·1	31·5	260
1903	103,423,601	1,838,164	4,978,305	3,103,213	17·8	48·1	30·0	256
1904	105,650,900†	1,605,050	5,124,544	3,153,146	15·2	48·5	29·9	232
1905	—	1,679,972	4,819,155	3,410,569	15·6	44·8	31·1	—
1906	—	—	—	—	—	—	—	—
1907	—	—	—	—	—	—	—	—
1908	—	—	—	—	—	—	—	—
1909	—	—	—	—	—	—	—	—
1910	—	—	—	—	—	—	—	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881										
1882										
1883										
1884										
1885										
1886										
1887										
1888										
1889										
1890										
1891										
1892										
1893										
1894										
1895										
1896										
1897										
1898										
1899										
1900										
1901										
1902										
1903										
1904										
1905										
1906										
1907										
1908										
1909										
1910										

NOTE.—The deaths from the several diseases are not tabulated for the whole of the Russian Empire.

* Census year. † Estimated to the 1st January.

TABLE 69.—FINLAND. **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the Central Statistical Bureau, Finland.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	2,071,712	28,566	72,436	51,744	13·8	35·0	25·0	186
1882	2,097,972	31 856	76,053	46,821	15·2	36·3	22·3	184
1883	2,129,848	33,092	76,378	44,291	15·5	35·9	20·8	149
1884	2,163,471	33,170	78,147	45,204	15·3	36·1	20·9	148
1885	2,194,532	31,956	75,129	48,261	14·6	34·2	22·0	162
1886	2,223,545	32,496	78,576	49,514	14·6	35·3	22·2	157
1887	2,258,356	34,358	81,724	42,875	15·2	36·2	19·0	132
1888	2,296,159	33,496	80,172	45,417	14·6	34·9	19·8	146
1889	2,330,940	32,198	77,881	45,679	13·8	33·4	19·6	142
1890*	2,380,469	33,770	77,860	46,479	14·2	32·7	19·5	142
1891	2,396,814	33,144	82,128	50,715	13·8	34·3	21·2	145
1892	2,423,580	29,650	76,433	57,486	12·2	31·5	23·7	170
1893	2,445,668	28,190	73,030	51,002	11·5	29·9	20·9	143
1894	2,472,341	32,226	76,206	47,467	13·0	30·8	19·2	140
1895	2,506,452	36,512	81,783	44,482	14·6	32·6	17·7	129
1896	2,543,583	38,378	81,656	47,061	15·1	32·1	18·5	143
1897	2,580,820	39,826	82,330	45,233	15·4	31·9	17·5	133
1898	2,622,679	41,222	89 106	45,751	15·7	34·0	17·4	128
1899	2,663,871	39,078	88,358	53,042	14·7	33·2	19·9	137
1900*	2,697,490	36,590	86,339	57,915	13·6	32·0	21·5	153
1901	2,728,757	37,070	88,637	56,223	13·6	32·5	20·6	145
1902	2,762,985	35,016	87,082	50,999	12·7	31·5	18·5	129
1903	2,798,658	35,308	85,120	49,992	12·6	30·4	17·9	127
1904	2,836,668	37,292	90,253	50,227	13·1	31·8	17·7	120
1905	2,874,563	37,264	87,841	52,773	13·0	30·6	18·4	135
1906	2,912,972	39,874	91,401	50,857	13·6	31·4	17·5	119
1907	2,954,330	40,532	92,457	53,028	13·7	31·3	17·9	112
1908	2,993,826	40,182	92,146	55,305	13·4	30·8	18·5	125
1909	3,036,087	38,836	95,005	50,577	12·8	31·3	16·7	111
1910*	3,080,640	37,562	92,984	51,007	12·2	30·2	16·6	118

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.†	Whooping Cough.‡	Enteric Fever.†	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.†	Cancer (including Carcinoma and Sarcoma).§
1881	8,057	2,336	—	—	—	5,049	1,759	—	5,725	—
1882	4,137	1,412	—	—	—	4,911	1,727	—	5,082	—
1883	784	3,642	—	—	—	4,507	1,484	—	5,351	—
1884	321	4,179	—	—	—	4,570	1,480	—	5,568	—
1885	279	5,256	—	—	—	4,402	1,522	—	5,467	—
1886	266	5,696	—	—	—	4,516	1,725	—	5,602	—
1887	180	1,767	—	—	—	4,444	1,192	—	5,561	—
1888	99	1,048	—	—	—	4,885	1,808	2	6,120	—
1889	130	1,425	—	—	—	4,800	2,825	—	5,801	—
1890	90	2,933	—	—	—	4,985	1,642	2	6,279	—
1891	105	5,702	—	—	—	4,780	1,738	—	6,137	—
1892	790	7,576	—	—	—	5,540	1,489	3	6,777	—
1893	876	3,890	—	—	—	5,333	1,588	13	6,336	—
1894	255	3,287	—	—	—	4,703	1,403	29	6,383	—
1895	72	1,479	—	—	—	4,505	1,413	4	6,335	—
1896	56	1,692	—	—	—	4,836	1,766	—	6,765	—
1897	52	1,797	—	—	—	4,063	1,779	—	6,620	—
1898	77	2,414	—	—	—	4,016	1,707	—	6,687	—
1899	83	5,126	—	—	—	4,360	1,766	—	7,530	—
1900	49	6,282	—	—	—	4,939	2,176	—	8,011	—
1901	103	4,900	—	—	—	4,723	4,441	—	7,720	—
1902	72	3,233	—	—	—	4,479	1,557	—	8,090	—
1903	35	2,632	—	—	—	3,857	2,330	—	8,044	—
1904	36	1,398	—	—	—	4,202	1,573	—	8,490	—
1905	18	1,222	—	—	—	4,348	2,366	—	8,445	—
1906	29	2,253	—	—	—	4,579	1,816	—	7,858	—
1907	23	3,251	—	—	—	4,612	1,436	5	8,295	—
1908	24	2,773	—	—	—	5,254	2,380	5	8,713	—
1909	61	2,043	—	—	—	4,029	1,822	8	7,941	—
1910	70	1,990	—	—	—	4,303	2,018	9	8,076	—

* Census year.

† The deaths from diphtheria and croup are included under enteric fever.

‡ The deaths from whooping cough are included under pulmonary tuberculosis.

§ The deaths from the several forms of malignant disease are not available.

TABLE 70.—GERMAN EMPIRE. **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the Presidents of the Statistical Department, German Empire, and of the Imperial Health Office, Berlin.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS.	DEATHS. Exclusive of Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	45,425,887	677,818	1,682,149	1,156,391	14.9	37.0	25.5	—
1882	45,716,815	700,914	1,702,348	1,176,853	15.3	37.2	25.7	—
1883	46,013,927	705,998	1,683,699	1,190,002	15.3	36.6	25.9	—
1884	46,334,474	725,192	1,725,583	1,203,500	15.7	37.2	26.0	—
1885*	46,704,503	737,238	1,729,927	1,199,742	15.8	37.0	25.7	—
1886	47,131,981	744,652	1,746,133	1,233,737	15.8	37.0	26.2	—
1887	47,627,738	741,318	1,757,079	1,151,924	15.6	36.9	24.2	—
1888	48,165,671	753,308	1,761,407	1,142,826	15.6	36.6	23.7	—
1889	48,715,494	778,678	1,772,570	1,153,087	16.0	36.4	23.7	—
1890*	49,239,445	790,712	1,759,253	1,199,006	16.1	35.7	24.4	—
1891	49,762,266	798,796	1,840,172	1,164,421	16.1	37.0	23.4	—
1892	50,266,216	797,550	1,795,971	1,211,402	15.9	35.7	24.1	—
1893	50,756,521	802,468	1,865,715	1,248,201	15.8	36.8	24.6	—
1894	51,339,492	816,132	1,841,205	1,144,331	15.9	35.9	22.3	—
1895*	52,001,060	828,436	1,877,278	1,151,488	15.9	36.1	22.1	—
1896	52,753,455	864,214	1,914,749	1,098,966	16.4	36.3	20.8	—
1897	53,569,271	895,540	1,926,690	1,142,056	16.7	36.0	21.3	—
1898	54,406,277	917,754	1,964,731	1,117,860	16.9	36.1	20.5	—
1899	55,248,225	913,038	1,980,304	1,185,197	17.1	35.8	21.5	—
1900*	56,045,886	952,982	1,996,139	1,236,382	17.0	35.6	22.1	—
1901.	56,861,612	936,658	2,032,313	1,174,489	16.5	35.7	20.7	207
1902	57,709,213	914,416	2,024,735	1,122,492	15.9	35.1	19.5	183
1903	58,575,463	926,300	1,983,078	1,170,905	15.8	33.9	20.0	204
1904	59,430,283	955,644	2,025,847	1,163,183	16.1	34.1	19.6	196
1905*	60,285,103	971,812	1,987,153	1,194,314	16.1	33.0	19.8	205
1906	61,139,923	997,980	2,022,477	1,112,202	16.3	33.1	18.2	185
1907	61,994,743	1,007,928	1,999,933	1,117,309	16.3	32.3	18.0	176
1908	62,849,563	1,001,240	2,014,735	1,135,341	15.9	32.1	18.1	178
1909	63,695,875	988,254	1,978,078	1,093,664	15.5	31.1	17.2	170
1910*	—	—	—	—	—	—	—	—

The Total Deaths† include :—

YEAR.	Estimated Population in the middle of each Year.	Small-pox.	Measles (including Rötheln).	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma, Sarcoma, and New Growths).
1892	47,125,446	105	14,614	10,437	55,746	18,766	8,230	151,309	8,937	113,720	28,745
1893	47,625,932	151	13,555	13,575	75,322	19,713	7,392	149,927	360	115,641	30,013
1894	48,259,077	84	16,130	8,884	63,162	21,428	6,314	138,996	479	113,971	31,137
1895	48,818,672	27	9,536	8,538	37,527	17,063	6,129	171,016	1	112,087	32,071
1896	49,356,136	10	13,462	8,142	31,503	19,495	5,587	132,025	—	107,103	33,620
1897	49,893,600	5	10,793	6,720	25,788	21,056	5,771	162,269	—	107,089	34,584
1898	50,431,064	16	12,728	9,031	23,642	18,004	5,081	158,997	—	100,544	35,504
1899	51,843,158	25	12,794	13,369	23,816	19,015	5,756	161,771	—	104,698	38,209
1900	52,624,706	49	12,317	13,169	20,477	18,445	5,894	182,830	—	108,827	37,946
1901	53,406,252	52	16,334	13,351	21,142	19,766	5,691	163,435	—	103,154	39,917
1902	54,187,799	12	14,085	12,949	17,457	18,754	3,769	123,037	—	101,730	40,613
1903	54,969,346	18	14,979	14,851	18,707	16,797	4,028	138,876	—	102,972	42,535
1904	58,433,571	25	12,389	12,651	18,982	17,753	4,115	154,823	—	106,709	46,723
1905	59,413,982	27	9,421	9,351	16,967	18,856	3,750	147,605	77	106,552	48,078
1906	61,139,923	47	13,340†	9,974	14,692	17,948†	3,478	132,417†	—	98,152†	49,127†
1907	61,994,743	63	11,330†	11,151	14,089	12,830†	3,012	113,219†	—	97,555†	50,930†
1908	62,849,563	65	10,612†	10,852	14,909	16,388†	2,979	119,601†	1	95,402†	51,948†
1909	63,695,875	23	10,269†	11,082	15,512	15,162†	2,675	108,541†	—	90,962†	53,214†
1910	—	—	—	—	—	—	—	—	—	—	—

* Census year.
† The causes of death for the whole of the German Empire are not available for years prior to 1906. The deaths in this table for the years 1892-1903 relate to ten of the federated states, representing 94 per cent. of the total population of the German Empire, and those for 1904 and 1905 to 23 states.
‡ Excluding deaths in Mecklenburg Schwerin and Mecklenburg Strelitz. The population of these States at the Census (1st December, 1905) was 728,496.

TABLE 71.—PRUSSIA (including Heligoland since 1891). **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the President of the Statistical Department, Prussia.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	27,400,370	419,172	1,013,274	682,415	15.3	37.0	24.9	199
1882	27,608,242	434,478	1,036,515	700,389	15.7	37.5	25.4	208
1883	27,816,114	441,496	1,029,200	711,439	15.9	37.0	25.6	211
1884	28,023,986	451,878	1,051,514	718,283	16.1	37.5	25.6	213
1885*	28,231,858	461,414	1,065,016	717,089	16.3	37.7	25.4	204
1886	28,509,431	463,176	1,074,808	742,955	16.2	37.7	26.1	225
1887	28,836,793	459,998	1,085,507	686,369	16.0	37.6	23.8	199
1888	29,164,155	466,842	1,091,679	665,619	16.0	37.4	22.8	198
1889	29,491,517	481,992	1,094,924	682,960	16.3	37.1	23.2	207
1890*	29,818,879	489,314	1,092,596	717,344	16.4	36.6	24.1	210
1891	30,176,929	491,812	1,138,551	689,604	16.3	37.7	22.9	201
1892	30,556,897	490,894	1,106,797	714,818	16.1	36.2	23.4	211
1893	30,936,865	496,696	1,156,592	746,670	16.1	37.4	24.1	206
1894	31,316,833	501,920	1,143,337	679,931	16.0	36.5	21.7	196
1895*	31,696,801	507,458	1,168,242	689,796	16.0	36.9	21.8	212
1896	32,160,485	529,644	1,185,524	666,795	16.5	36.9	20.7	191
1897	32,683,962	549,386	1,194,092	683,035	16.8	36.5	20.9	205
1898	33,207,439	560,788	1,219,585	665,145	16.9	36.7	20.0	193
1899	33,730,916	574,816	1,225,698	720,698	17.0	36.3	21.4	204
1900*	34,254,393	586,128	1,235,927	745,543	17.1	36.1	21.8	212
1901	34,801,604	577,134	1,260,580	713,792	16.6	36.2	20.5	200
1902	35,365,767	563,064	1,255,932	677,428	15.9	35.5	19.2	172
1903	35,929,930	570,768	1,235,392	708,038	15.9	34.4	19.7	194
1904	36,494,093	589,464	1,264,743	702,258	16.2	34.7	19.2	185
1905*	37,058,256	599,976	1,241,876	726,867	16.2	33.5	19.6	198
1906	37,628,378	619,844	1,269,787	673,766	16.5	33.7	17.9	177
1907	38,202,757	626,078	1,259,817	681,070	16.4	33.0	17.8	168
1908	38,777,136	622,262	1,269,573	694,144	16.0	32.7	17.9	173
1909	39,351,515	615,808	1,249,189	667,872	15.6	31.7	17.0	164
1910*	39,925,894	620,830	1,219,447	637,982	15.5	30.5	16.0	157

The Total Deaths include:—

YEAR.	Small-pox.	Measles (including Röteln).	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Fever.	Diarrhoea and Dysentery.†	Asiatic Cholera.	Tuberculosis.‡	Cancer (including Carcinoma, Sarcoma, and New Growths).
1881	990	8,433	17,180	39,850	13,855	15,487	23,599	—	84,363	8,525
1882	1,007	9,887	16,484	49,855	15,655	13,914	25,574	—	85,359	8,778
1883	547	10,371	13,187	45,890	14,714	12,804	27,809	—	88,837	9,383
1884	413	13,435	16,573	49,702	14,622	12,657	31,745	—	87,756	9,865
1885	395	16,042	17,750	53,842	13,620	9,782	25,621	—	88,056	10,108
1886	143	19,326	12,301	55,033	15,152	8,972	35,078	—	88,283	10,919
1887	148	11,470	8,511	50,597	14,555	7,670	27,213	—	84,124	10,981
1888	84	8,248	6,691	38,519	14,470	6,795	26,770	—	84,109	11,906
1889	159	9,380	7,749	40,814	13,416	7,106	38,119	—	82,529	12,819
1890	36	12,150	8,670	43,497	17,299	6,121	32,607	—	84,086	12,904
1891	36	6,110	4,918	36,160	13,438	6,019	35,799	—	80,151	13,487
1892	91	10,606	6,267	40,201	13,929	6,243	43,563	866	76,161	15,122
1893	136	8,751	9,956	55,401	15,272	5,303	43,743	289	76,977	15,740
1894	77	9,706	6,779	46,026	14,755	4,772	36,411	478	74,656	16,480
1895	24	6,184	7,067	28,717	12,329	4,697	54,784	—	73,752	16,850
1896	7	10,116	6,892	24,251	14,846	4,328	37,931	—	70,373	17,643
1897	5	6,814	5,471	20,077	15,142	4,308	51,280	—	70,380	18,315
1898	12	9,040	7,708	18,147	12,748	3,729	49,082	—	65,560	18,695
1899	25	9,752	12,136	18,593	13,351	4,416	57,610	—	68,408	20,011
1900	46	6,803	12,039	16,138	13,313	4,631	64,017	—	70,602	20,430
1901	47	10,744	11,831	16,809	13,990	4,420	62,962	—	67,445	21,488
1902	13	10,080	11,134	14,175	13,284	2,846	36,756	—	66,726	21,876
1903	14	9,702	12,427	14,914	11,663	2,874	56,859	—	70,049	23,420
1904	17	7,367	10,202	14,162	12,051	2,867	68,128	—	69,326	25,050
1905	10	6,292	7,446	12,005	13,327	2,730	80,286	77	70,323	25,704
1906	30	9,107	7,770	10,025	11,749	2,419	70,322	—	64,459	26,498
1907	23	6,925	8,484	9,307	8,827	2,168	58,898	—	65,054	28,034
1908	61	7,379	8,482	9,797	10,672	2,065	65,860	1	63,320	28,531
1909	18	6,657	8,455	9,832	9,875	1,911	58,864	9	60,871	29,429
1910	28	7,310	5,798	9,683	9,330	1,889	54,653	11	60,479	31,340

* Census year.

† The deaths from diarrhoea for the years 1881-1902 relate to children under 15 years of age.

‡ Deaths from pulmonary tuberculosis were not separately tabulated for the entire period.

TABLE 72.—AUSTRIA. **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the President of the Statistical Central Commission, Austria.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	22,209,173	353,966	833,476	676,515	15·9	37·5	30·5	—
1882	22,458,476	366,756	873,522	686,951	16·3	38·9	30·6	—
1883	22,522,423	352,032	858,832	677,337	15·6	38·1	30·1	—
1884	22,696,370	358,342	878,321	666,523	15·8	38·6	29·4	—
1885	22,865,317	351,084	861,391	691,229	15·4	37·7	30·2	—
1886	23,027,423	361,046	876,851	679,994	15·7	38·1	29·5	—
1887	23,212,423	364,854	890,186	673,878	15·7	38·3	29·0	—
1888	23,399,791	372,546	890,663	688,122	15·9	38·1	29·4	—
1889	23,604,923	356,260	899,168	648,224	15·1	38·1	27·5	—
1890*	23,795,286	358,446	869,703	697,935	15·1	36·5	29·3	—
1891	23,996,119	373,516	920,306	674,683	15·6	38·3	28·1	—
1892	24,163,944	375,970	872,098	694,746	15·6	36·1	28·7	—
1893	24,340,142	387,116	924,298	661,533	15·9	38·0	27·2	—
1894	24,537,039	388,952	902,159	683,944	15·9	36·8	27·9	—
1895	24,731,121	399,522	941,184	682,899	16·2	38·1	27·6	238
1896	24,961,694	396,922	948,419	657,011	15·9	38·0	26·3	235
1897	25,212,994	407,686	944,764	646,019	16·2	37·5	25·6	220
1898	25,462,769	399,322	923,241	635,115	15·7	36·3	24·9	228
1899	25,714,019	427,502	960,205	658,269	16·6	37·3	25·6	219
1900*	25,975,976	428,428	967,939	658,680	16·5	37·3	25·3	226
1901	26,291,190	427,514	961,501	631,377	16·3	36·6	24·0	210
1902	26,572,015	413,154	984,240	656,400	15·5	37·0	24·7	218
1903	26,841,221	418,270	943,953	638,092	15·6	35·2	23·8	211
1904	27,106,432	420,292	961,430	642,333	15·5	35·5	23·7	219
1905	27,337,991	425,854	921,764	684,537	15·6	33·7	25·0	216
1906	27,581,146	431,634	961,253	619,063	15·8	34·9	22·4	209
1907	27,862,590	419,028	942,169	629,913	15·0	33·8	22·6	204
1908	27,963,601	427,340	941,375	627,771	15·3	33·6	22·5	205
1909	28,205,320	426,166	941,239	646,122	15·1	33·4	22·9	—
1910*	28,447,029	429,940	923,545	602,046	15·1	32·5	21·2	—

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.†	Asiatic Cholera.	Pulmonary Tuberculosis‡	Cancer (including Carcinoma and Sarcoma).
1881	18,019	10,812	14,608	36,648	23,698	18,712	33,326	—	84,533	9,364
1882	21,154	9,573	16,906	38,769	24,242	17,561	40,937	—	84,329	9,545
1883	13,310	9,903	13,340	31,066	23,957	15,342	37,616	—	90,249	9,991
1884	11,521	11,953	12,503	28,588	27,695	14,774	36,766	—	88,608	10,364
1885	13,212	11,479	12,410	29,490	24,785	16,384	40,713	—	92,164	10,877
1886	8,794	14,209	12,147	31,666	20,977	15,890	42,581	—	91,555	11,122
1887	9,591	14,073	15,737	35,512	21,792	14,807	41,855	—	85,616	11,086
1888	14,138	12,627	14,571	32,532	20,561	14,049	42,807	—	89,593	11,537
1889	12,358	8,990	10,453	28,845	23,156	11,531	43,208	—	84,583	12,175
1890	5,935	15,182	12,158	28,414	27,274	11,099	46,317	—	93,364	12,525
1891	6,838	11,816	13,749	28,888	20,654	10,543	43,362	—	86,657	13,027
1892	6,087	8,941	13,790	28,412	17,178	13,637	59,774	—	88,043	13,774
1893	5,821	7,503	12,695	28,531	15,429	11,123	45,398	—	83,885	14,352
1894	2,512	14,228	12,287	32,578	14,621	9,207	50,114	—	88,539	14,912
1895	1,161	8,577	13,517	29,874	19,016	8,901	7,942	459	91,663	15,757
1896	897	7,928	16,341	27,401	18,208	7,851	4,066	19	88,278	16,410
1897	1,450	9,229	14,316	23,347	12,956	7,382	4,834	—	86,278	17,109
1898	2,521	13,765	15,009	19,740	10,622	7,127	3,557	—	83,682	17,667
1899	1,899	11,556	14,614	18,198	12,307	6,290	2,583	—	88,251	17,961
1900	369	5,731	10,422	13,723	13,452	6,229	3,291	—	92,196	18,423
1901	96	8,166	12,551	13,152	12,123	5,878	1,712	—	87,897	19,154
1902	30	17,169	14,930	11,251	15,984	4,813	1,600	—	89,648	19,685
1903	17	5,546	15,573	11,227	11,911	5,301	2,991	—	90,230	19,728
1904	17	8,265	9,767	11,961	9,704	5,237	1,365	—	89,830	20,231
1905	20	6,789	8,099	10,740	9,737	4,864	2,848	—	98,312	20,744
1906	39	9,107	10,574	9,228	13,255	4,127	1,364	—	86,754	21,391
1907	41	6,845	10,006	6,893	10,606	4,164	2,525	—	87,627	21,431
1908	14	7,923	14,965	8,009	8,972	4,201	827	—	84,947	21,788
1909	13	12,392	16,123	8,135	8,569	3,954	1,888	—	85,410	22,181
1910	5	10,079	13,735	7,443	8,515	3,558	1,226	6	81,789	22,157

NOTE.—The figures in these tables refer exclusively to the civil population.

* Census year.

† The deaths in this column for 1895 and subsequent years refer to dysentery only.

‡ The deaths in this column for 1895 and subsequent years refer to all forms of Tuberculosis.

TABLE 73.—HUNGARY. Population, Marriages, Births, and Deaths, 1881-1910.

(Furnished by the Director of the Central Statistical Office, Kingdom of Hungary.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	15,797,000	315,466	676,891	542,880	19·9	42·9	34·4	—
1882	15,919,000	327,678	696,682	561,579	20·6	43·8	35·3	—
1883	16,064,000	335,312	718,908	516,468	20·9	44·8	32·2	—
1884	16,265,000	335,056	741,206	504,473	20·6	45·6	31·0	—
1885	16,472,000	330,598	737,358	524,619	20·1	44·8	31·8	—
1886	16,676,000	321,586	759,865	527,961	19·3	45·6	31·7	—
1887	16,861,000	303,248	744,737	569,380	18·0	44·2	33·8	—
1888	17,031,000	317,762	745,867	545,169	18·7	43·8	32·0	—
1889	17,233,000	281,226	753,312	513,467	16·3	43·7	29·9	—
1890*	17,404,000	285,366	701,504	563,609	16·4	40·3	32·4	—
1891	17,536,168	301,650	742,416	581,263	17·2	42·3	33·1	255
1892	17,647,293	325,414	712,608	618,765	18·4	40·4	35·1	274
1893	17,779,476	333,022	758,222	554,941	18·8	42·6	31·2	239
1894	17,963,599	332,150	744,995	547,194	18·6	41·5	30·5	244
1895	18,155,843	307,862	758,302	538,768	17·0	41·8	29·7	240
1896	18,355,347	294,954	742,936	530,368	16·2	40·5	28·9	226
1897	18,554,494	302,338	748,064	528,967	16·4	40·3	28·5	222
1898	18,738,579	312,416	706,833	524,390	16·8	37·7	28·0	222
1899	18,927,595	341,652	743,272	514,334	18·2	39·3	27·2	206
1900*	19,144,142	339,374	752,718	515,234	17·8	39·3	26·9	219
1901	19,342,190	340,632	731,721	491,804	17·6	37·8	25·4	205
1902	19,513,336	338,058	759,739	528,058	17·3	38·9	27·1	216
1903	19,669,177	320,442	725,239	515,926	16·3	36·9	26·2	212
1904	19,831,663	364,340	740,799	495,836	18·4	37·4	25·0	195
1905	19,869,296	341,120	720,532	560,921	17·2	36·3	28·2	230
1906	20,099,028	353,652	733,953	504,790	17·6	36·5	25·1	205
1907	20,210,113	402,862	740,867	518,614	19·9	36·7	25·7	208
1908	20,458,762	377,296	755,888	516,128	18·4	36·9	25·2	199
1909	20,603,760	357,770	776,395	526,798	17·4	37·7	25·6	212
1910*	20,792,709	359,074	742,899	490,689	17·3	35·7	23·6	194

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Infective Enteritis, Infantile Diarrhoea and Dysentery.†	Asiatic Cholera.	Tuberculosis.‡	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—
1887	—	—	—	—	—	—	—	—	—	—
1888	—	—	—	—	—	—	—	—	—	—
1889	—	—	—	—	—	—	—	—	—	—
1890	—	—	—	—	—	—	—	—	—	—
1891	—	—	—	—	—	—	—	—	—	—
1892	—	—	—	—	—	—	—	—	—	—
1893	—	—	—	—	—	—	—	—	—	—
1894	—	—	—	—	—	—	—	—	—	—
1895	—	—	—	—	—	—	—	—	—	—
1896	—	—	—	—	—	—	—	—	—	—
1897	1,506	5,182	8,645	14,007	15,069	7,255	9,486	—	59,860	4,975
1898	1,656	9,111	11,666	14,005	12,433	8,224	11,876	—	68,511	5,458
1899	1,363	10,950	12,258	12,552	8,968	6,782	8,675	—	73,323	5,267
1900	815	7,327	9,658	9,941	7,616	6,193	8,578	—	72,467	7,021
1901	841	7,983	11,486	9,227	7,028	5,538	6,019	—	70,731	6,941
1902	322	10,103	14,135	9,038	12,817	5,338	6,834	—	75,145	7,461
1903	249	6,965	16,318	10,740	9,500	5,554	6,542	—	76,637	7,742
1904	445	5,969	14,467	9,013	5,360	5,089	5,461	—	77,923	8,112
1905	457	8,816	9,100	8,132	6,650	6,499	7,337	—	89,120	8,110
1906	232	9,894	8,829	7,150	8,103	5,509	6,073	—	78,225	8,229
1907	146	8,569	11,758	7,166	8,807	5,440	5,615	—	79,018	8,635
1908	121	9,299	13,598	9,288	6,369	5,058	4,571	—	76,940	9,022
1909	101	8,163	10,654	9,212	7,044	6,336	6,997	—	75,954	9,175
1910	116	9,339	10,626	8,657	6,427	5,009	4,929	302	72,423	9,489

* Census year.
† Infective enteritis relates to deaths certified by physician-coroners.
‡ The deaths from pulmonary tuberculosis being incomparable, those from tuberculosis have been substituted.

TABLE 74.—ROUMANIA. **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the Director of the Statistical Department, Roumania.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION to the end of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	4,622,674	84,134	192,004	123,390	18·2	41·5	26·7	177
1882	4,687,722	88,484	189,220	132,411	18·8	40·4	28·2	199
1883	4,776,193	94,412	204,301	124,069	19·8	42·8	26·0	175
1884	4,862,037	81,096	201,413	123,808	16·6	41·4	25·5	178
1885	4,960,043	79,172	213,581	123,814	16·0	43·1	25·0	180
1886	5,046,363	77,976	212,820	134,739	15·4	42·2	26·7	183
1887	5,108,406	77,922	209,573	155,769	15·2	41·0	30·5	193
1888	5,177,629	76,672	219,658	158,674	14·8	42·4	30·6	199
1889	5,256,221	82,244	213,222	142,869	15·6	40·6	27·2	191
1890	5,318,341	77,288	204,667	150,786	14·6	38·5	28·4	211
1891	5,392,576	88,534	228,283	162,287	16·6	42·3	30·1	210
1892	5,424,517	83,514	211,679	187,977	15·4	39·0	34·7	243
1893	5,485,739	81,054	222,115	169,132	14·8	40·5	30·8	217
1894	5,544,706	99,072	226,605	175,877	17·8	40·9	31·7	227
1895	5,635,434	82,964	238,191	155,702	14·8	42·3	27·6	201
1896	5,709,959	94,648	232,428	166,142	16·6	40·7	29·1	230
1897	5,795,235	83,216	248,845	171,808	14·4	42·9	29·6	216
1898	5,863,037	87,522	215,029	155,358	15·0	36·7	26·5	222
1899*	5,956,690	100,280	250,450	163,881	16·8	42·0	27·5	198
1900	6,045,389	80,814	234,843	146,144	13·4	38·8	24·2	191
1901	6,125,742	87,500	240,704	160,351	14·2	39·3	26·2	205
1902	6,195,798	110,908	241,884	171,828	18·0	39·0	27·7	221
1903	6,292,032	109,576	252,242	156,008	17·4	40·1	24·8	201
1904	6,392,273	103,624	256,177	155,936	16·2	40·1	24·4	—
1905	6,480,300	102,382	247,959	159,932	15·8	38·6	25·0	—
1906	6,585,572	133,726	262,438	157,204	20·6	40·5	24·3	—
1907	6,684,265	140,526	274,487	175,794	21·3	41·7	26·7	—
1908	6,771,722	122,998	272,850	185,393	18·4	40·8	27·7	—
1909	6,865,739	126,424	282,342	188,325	18·7	41·7	27·8	—
1910	6,966,002	128,572	273,106	172,843	18·4	39·8	25·2	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.†	Cancer (including Carcinoma).†
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—
1886	1,046	323	550	1,366	183	—	101	—	—	—
1887	1,471	1,291	1,088	1,096	332	—	611	—	—	—
1888	2,662	268	1,574	656	190	—	378	—	—	—
1889	885	352	446	604	189	—	109	—	—	—
1890	236	1,055	295	1,236	199	—	185	—	—	—
1891	241	360	713	1,128	776	1,363	283	—	—	—
1892	308	402	829	1,077	808	1,056	384	—	—	—
1893	289	875	1,620	907	613	734	200	872	—	—
1894	26	2,568	3,638	1,187	495	629	1,527	—	—	—
1895	638	729	2,080	1,092	488	573	284	—	—	—
1896	2,813	361	1,773	1,339	623	407	349	—	—	—
1897	1,512	452	889	2,297	1,178	972	97	—	—	—
1898	99	2,026	728	1,928	1,482	712	260	—	—	—
1899	63	1,954	2,101	1,814	706	819	685	—	—	—
1900	2	307	2,263	1,251	925	496	275	—	—	—
1901	1	1,176	3,036	1,293	600	671	716	—	—	—
1902	14	2,854	4,189	981	1,425	628	728	—	—	—
1903	2	2,028	3,760	829	1,358	914	1,085	—	—	—
1904	18	1,671	2,099	631	618	813	972	—	—	—
1905	—	319	1,152	477	1,013	932	1,369	—	—	—
1906	2	224	1,309	441	1,290	1,027	632	—	3,562	788
1907	—	1,433	2,362	376	1,102	1,160	591	—	3,401	709
1908	—	1,662	5,260	303	2,360	1,400	494	—	2,967	818
1909	1	705	7,392	358	1,081	1,982	503	—	3,547	765
1910	—	1,447	5,349	678	1,946	1,091	237	4	3,353	835

* Census year.

† Figures are not available for years prior to 1906. Deaths from pulmonary tuberculosis and cancer are verified by doctors in the towns only.

TABLE 75.—BULGARIA. **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the Director of the Statistical Bureau, Bulgaria.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	2,020,633	40,534	67,591	32,287	20·0	33·5	16·3	69
1882	2,046,303	39,590	74,612	38,854	19·4	36·5	19·0	106
1883	2,072,299	40,690	79,278	40,673	19·6	38·3	19·6	75
1884	2,098,627	36,542	80,257	35,787	17·4	38·2	17·1	78
1885	2,125,289	27,880	79,344	35,183	13·2	37·3	16·6	75
1886	2,152,289	39,192	69,714	41,044	18·2	32·3	19·1	105
1887	2,179,632	40,178	83,179	39,396	18·4	38·2	18·1	78
1888*	3,169,671	52,444	118,826	57,278	16·6	37·5	18·1	92
1889	3,200,485	50,806	116,918	58,893	15·8	36·5	18·4	92
1890	3,231,599	58,846	112,772	67,854	18·2	34·9	21·0	108
1891	3,263,016	59,316	126,924	86,817	18·2	38·9	26·6	121
1892	3,294,737	55,106	117,883	103,550	16·8	35·8	31·4	144
1893*	3,336,276	43,934	116,319	91,829	13·2	34·9	27·5	147
1894	3,387,995	53,280	127,516	92,037	15·8	37·6	27·2	142
1895	3,440,517	62,460	138,338	90,210	18·2	40·2	26·2	144
1896	3,493,852	58,398	143,255	84,076	16·8	41·0	24·1	134
1897	3,548,014	58,454	149,631	90,134	16·4	42·2	25·4	147
1898	3,603,017	56,464	141,046	82,725	15·6	39·1	23·0	143
1899	3,658,872	64,154	148,172	90,324	17·6	40·5	24·7	158
1900*	3,715,593	61,322	156,962	83,667	16·6	42·2	22·5	131
1901	3,772,444	65,638	141,373	87,239	17·9	37·5	23·1	143
1902	3,829,402	72,082	148,719	91,093	18·8	38·8	23·8	143
1903	3,887,219	73,368	159,164	88,314	18·8	40·9	22·7	154
1904	3,945,911	89,236	167,263	83,731	22·6	42·4	21·2	142
1905*	4,005,488	86,482	174,189	87,304	21·6	43·5	21·8	159
1906	4,065,965	77,540	178,989	90,870	19·1	44·0	22·3	154
1907	4,127,361	81,700	180,059	92,193	19·8	43·6	22·3	154
1908	4,189,684	74,096	169,328	101,807	17·7	40·4	24·3	170
1909†	4,252,861	77,834	172,583	113,304	18·3	40·6	26·6	—
1910*	—	—	—	—	—	—	—	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881										
1882										
1883										
1884										
1885										
1886										
1887										
1888										
1889										
1890										
1891										
1892										
1893										
1894										
1895										
1896										
1897										
1898										
1899										
1900										
1901										
1902										
1903										
1904										
1905										
1906										
1907										
1908										
1909										
1910										

NOTE.—The deaths from the several diseases are not tabulated for the whole of Bulgaria.

NOTE.—The figures for the years 1881-1887 relate to North Bulgaria, only those for 1888 and subsequent years include Eastern Roumelia.

* Census year.

† The figures for the year 1909 are provisional.

TABLE 76.—SERVIA. Population, Marriages, Births, and Deaths, 1881-1910.

(Furnished by the Director of the State Statistical Bureau, Servia.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still- born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	1,764,844	41,864	80,678	43,645	23·7	45·7	24·7	149
1882	1,806,967	44,016	80,274	41,648	34·3	44·4	23·0	150
1883	1,855,352	44,194	87,151	42,263	23·8	47·0	22·8	145
1884	1,901,736	40,740	90,441	47,552	21·4	47·6	25·0	166
1885*	1,946,354	34,214	90,627	52,313	17·6	46·6	26·9	174
1886	1,977,224	46,652	83,091	58,525	23·6	42·0	29·6	192
1887	2,026,958	45,110	93,911	50,481	22·3	46·3	24·9	156
1888	2,077,427	45,474	94,865	50,700	21·9	45·7	24·4	140
1889	2,123,362	43,506	93,724	54,093	20·5	44·1	25·5	155
1890*	2,161,961	43,110	87,020	54,723	19·9	40·2	25·3	145
1891	2,191,908	46,392	98,538	58,149	20·2	45·0	26·5	167
1892	2,211,606	42,036	93,833	74,135	19·0	42·4	33·5	196
1893	2,240,270	47,358	95,232	66,568	21·1	42·5	29·7	175
1894	2,272,992	49,926	96,488	63,766	22·0	42·4	28·0	163
1895*	2,312,484	41,198	101,676	62,184	17·8	44·0	26·9	158
1896	2,345,837	41,682	96,752	63,399	17·8	41·2	27·0	167
1897	2,384,205	42,314	101,605	63,237	17·7	42·6	26·5	167
1898	2,413,694	45,042	84,789	55,300	18·7	35·1	22·9	161
1899	2,450,392	48,912	96,246	59,548	20·0	39·3	24·3	152
1900*	2,492,882	62,406	104,772	58,034	25·0	42·0	23·3	150
1901	2,535,956	42,060	96,348	53,274	16·6	38·0	21·0	145
1902	2,576,517	53,036	98,000	57,439	20·6	38·0	22·3	151
1903	2,621,576	49,002	105,553	60,494	19·0	40·9	23·5	151
1904	2,671,505	61,098	106,259	56,330	22·9	39·8	21·1	135
1905*	2,688,747	53,216	100,242	65,276	19·8	37·3	24·4	165
1906	2,735,147	55,956	112,973	65,851	20·4	41·3	24·0	144
1907	2,784,036	59,130	111,310	62,451	21·2	40·0	22·8	147
1908	2,821,015	51,780	103,903	66,924	18·4	36·8	23·7	158
1909	2,847,891	53,282	110,226	83,350	18·7	36·5	29·3	—
1910*	—	—	—	—	—	—	—	—

The Total Deaths include:—										
YEAR.	Small- pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whoop- ing Cough.	Enteric Fever.	Diarrhoea and Dys- entery.	Asiatic Cholera.	Pulmon- ary Tuberc- ulosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—
1887	—	—	—	—	—	—	—	—	—	—
1888	1,773	—	—	—	—	—	2,483	—	—	—
1889	1,986	—	—	—	—	4,307	1,439	—	—	—
1890	1,916	—	—	—	—	5,486	1,726	—	—	—
1891	?	—	—	—	—	3,169	2,345	—	—	—
1892	2,184	2,341	6,511	7,691	4,367	5,437	—	—	5,626	121
1893	3,516	2,411	7,221	4,344	3,708	3,285	—	—	6,505	140
1894	4,233	1,304	9,934	4,227	3,232	1,576	—	—	5,482	156
1895	2,865	612	11,653	5,643	2,678	1,505	—	—	5,055	128
1896	5,567	386	11,572	5,174	2,471	1,654	—	—	5,109	154
1897	1,548	306	7,663	5,741	3,412	2,833	—	—	5,413	167
1898	2,693	420	3,401	5,745	2,726	1,358	—	—	5,228	178
1899	4,203	1,953	4,241	5,019	2,638	1,454	—	—	5,811	233
1900	1,343	2,074	3,194	5,703	2,351	1,922	—	—	6,396	235
1901	799	1,799	1,937	3,913	2,432	1,677	—	—	6,166	230
1902	1,654	2,635	1,875	5,214	2,179	1,460	—	—	6,843	248
1903	3,148	2,593	1,992	7,544	1,834	1,685	—	—	7,276	238
1904	1,067	2,498	1,366	4,642	1,964	1,798	—	—	7,400	275
1905	2,607	3,418	1,433	4,408	435	2,066	—	—	8,940	279
1906	4,778	4,696	1,415	4,166	451	2,263	—	—	7,861	290
1907	996	3,974	1,142	4,986	367	1,739	—	—	8,113	371
1908	1,722	3,987	915	5,856	371	2,177	—	—	8,799	355
1909	—	—	—	—	—	—	—	—	—	—
1910	—	—	—	—	—	—	—	—	—	—

* Census year,

TABLE 77.—THE NETHERLANDS. **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the Director of the Netherlands Central Statistical Bureau.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	† PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	† PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	4,087,334	59,698	142,969	87,726	14.6	35.0	21.5	182
1882	4,143,524	59,142	146,454	85,950	14.2	35.3	20.7	175
1883	4,199,018	59,630	144,102	91,656	14.2	34.3	21.8	187
1884	4,251,669	61,056	148,480	94,413	14.4	34.9	22.2	194
1885	4,307,142	59,788	148,028	90,304	13.8	34.4	21.0	169
1886	4,363,434	60,596	150,851	95,239	13.8	34.6	21.8	192
1887	4,420,864	61,848	149,157	87,093	14.0	33.7	19.7	162
1888	4,478,401	61,724	151,094	91,241	13.8	33.7	20.4	173
1889*	4,527,264	62,988	150,529	91,135	14.0	33.2	20.1	177
1890	4,537,990	64,608	149,329	93,246	14.0	32.9	20.5	171
1891	4,593,155	65,414	154,687	94,844	14.2	33.7	20.7	169
1892	4,645,660	66,660	148,714	97,530	14.4	32.0	21.0	174
1893	4,701,243	68,622	159,005	90,372	14.6	32.9	19.2	164
1894	4,764,279	68,940	154,722	87,970	14.4	32.7	18.5	152
1895	4,827,549	71,196	158,130	90,007	14.8	32.8	18.6	167
1896	4,894,055	72,980	160,247	84,291	15.0	32.7	17.2	148
1897	4,966,431	73,592	161,441	83,856	14.8	32.5	16.9	148
1898	5,039,418	73,626	160,765	85,813	14.6	31.9	17.0	156
1899*	5,107,098	75,980	163,289	87,319	14.8	32.0	17.1	149
1900	5,159,347	78,838	162,611	92,043	15.2	31.5	17.8	155
1901	5,221,180	80,522	168,380	89,967	15.4	32.3	17.2	149
1902	5,305,207	79,889	168,728	86,248	15.2	31.8	16.3	130
1903	5,389,082	79,415	170,108	83,933	14.9	31.6	15.6	135
1904	5,470,301	80,530	171,495	87,128	14.7	31.4	15.9	137
1905	5,550,690	80,766	170,767	85,016	14.6	30.8	15.3	131
1906	5,631,824	83,739	170,952	83,259	14.9	30.4	14.8	127
1907	5,709,755	85,912	171,510	83,356	15.0	30.0	14.6	112
1908	5,786,231	83,066	171,861	86,936	14.4	29.7	15.0	125
1909*	5,861,813	82,548	170,766	80,283	14.1	29.1	13.7	99
1910	5,901,552	84,579	168,894	79,984	14.3	28.6	13.6	108

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria (excluding Group).	Whooping Cough.	Enteric Fever.†	Diarrhoea and Dysentery.§	Asiatic Cholera.	Pulmonary Tuberculosis.¶	Cancer (including Carcinoma and Sarcoma).
1881	75	874	400	240	1,626	877	1,756	—	7,991	2,353
1882	153	784	275	314	1,633	813	1,674	—	8,163	2,421
1883	673	1,012	259	554	1,196	765	1,883	—	8,547	2,436
1884	62	2,193	1,017	703	994	764	2,119	—	8,645	2,621
1885	31	657	1,286	718	1,955	571	1,312	—	8,583	2,841
1886	72	2,035	844	814	1,326	670	2,733	—	8,594	2,925
1887	18	1,541	428	689	973	568	1,677	—	7,845	2,887
1888	1	1,655	188	535	1,864	556	1,778	—	8,335	3,111
1889	10	1,620	98	658	1,273	622	2,075	—	8,804	3,411
1890	1	1,526	77	671	1,276	579	1,633	—	8,865	3,332
1891	10	1,331	74	684	1,649	631	1,689	—	8,979	3,648
1892	49	1,200	246	665	1,488	711	1,240	193	8,906	3,712
1893	190	795	233	934	1,521	566	1,743	113	8,647	3,798
1894	625	737	128	903	1,269	496	1,232	53	9,010	3,859
1895	79	538	166	603	1,535	518	1,821	—	8,897	4,122
1896	34	1,171	202	617	1,477	481	1,368	—	8,429	4,329
1897	1	538	162	543	1,094	447	711	—	8,631	4,487
1898	7	838	106	474	1,357	507	554	—	8,027	4,685
1899	—	405	206	439	1,488	583	588	—	7,937	4,900
1900	6	1,326	152	428	1,180	544	423	—	8,451	4,733
1901	7	2,741	101	631	1,211	474	9,227	—	7,171	4,894
1902	5	2,430	128	540	1,053	454	5,980	—	7,028	5,040
1903	22	1,223	132	484	860	457	7,874	—	7,117	5,331
1904	11	2,399	175	485	1,409	485	8,444	1	7,081	5,356
1905	13	1,182	191	445	1,226	461	7,682	—	7,533	5,618
1906	6	1,400	155	357	1,002	453	7,333	—	7,531	5,673
1907	6	1,477	269	352	1,035	372	5,149	—	7,403	5,813
1908	1	1,576	302	365	1,325	363	7,443	—	6,917	5,947
1909	—	968	177	338	1,002	317	5,034	18	7,186	6,012
1910	—	1,176	113	319	1,056	310	5,766	—	6,936	6,279

* Census year.

† The figures for 1902 and subsequent years are exclusive of foreigners.

‡ Including Typhus.

§ The deaths in this column for 1901 and subsequent years include those of children under two years of age from gastro-enteritis.

¶ The deaths in this column for 1881-1886 include those from diabetes.

TABLE 78.—BELGIUM. **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the Director-General of the Statistical Department, Belgium.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION to the end of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	5,585,846	78,974	175,411	117,007	14.3	31.8	21.2	155
1882	5,655,197	78,428	176,345	114,298	14.0	31.6	20.5	151
1883	5,720,807	77,332	174,484	119,196	13.7	30.8	21.1	154
1884	5,784,958	78,410	176,721	121,070	13.6	30.9	21.2	168
1885	5,853,278	79,820	175,043	117,775	13.8	30.3	20.4	150
1886	5,909,975	79,284	175,091	124,904	13.5	29.9	21.3	178
1887	5,974,743	84,982	175,466	115,296	14.4	29.7	19.3	145
1888	6,030,043	84,854	175,586	121,097	14.2	29.4	20.3	165
1889	6,093,798	87,518	177,542	119,726	14.5	29.4	19.8	160
1890*	6,069,321	89,192	176,595	126,545	14.6	29.0	20.8	166
1891	6,136,444	90,898	181,917	128,786	15.0	30.0	21.2	162
1892	6,195,355	94,418	177,485	133,693	15.4	28.9	21.8	169
1893	6,262,272	94,130	183,062	125,530	15.2	29.5	20.3	165
1894	6,341,958	95,470	181,466	118,213	15.0	29.0	18.6	152
1895	6,410,783	99,424	183,015	125,148	15.5	28.5	19.5	172
1896	6,495,886	105,170	188,533	113,748	16.2	29.0	17.5	142
1897	6,586,593	108,396	190,987	113,586	16.5	29.0	17.2	149
1898	6,669,732	110,888	190,921	117,457	16.6	28.6	17.6	169
1899	6,744,532	111,530	194,268	126,963	16.5	28.8	18.8	167
1900*	6,693,548	115,422	193,789	129,046	17.2	28.9	19.3	172
1901	6,799,999	114,262	200,077	116,077	17.4	29.4	17.2	142
1902	6,896,079	112,314	195,871	119,330	16.2	28.4	17.3	144
1903	6,985,219	109,892	192,301	118,675	15.7	27.5	17.0	155
1904	7,074,910	113,480	191,721	119,506	16.0	27.1	16.9	152
1905	7,160,547	113,358	187,437	118,343	15.8	26.1	16.5	146
1906	7,238,622	116,776	186,271	118,884	16.1	25.7	16.4	153
1907	7,317,561	117,320	185,138	115,347	16.0	25.3	15.7	132
1908	7,386,444	115,128	183,834	121,964	15.6	24.9	16.5	147
1909	7,451,903	114,252	176,431	117,571	15.3	23.7	15.8	137
1910*	7,423,784	—	—	—	—	—	—	—

The Total Deaths include :—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.†	Cancer (including Carcinoma and Sarcoma).‡
1881	2,721	2,936	1,895	4,016	4,081	3,818	7,836	76	17,305	—
1882	1,570	3,048	1,712	4,184	3,953	3,120	7,925	85	16,814	—
1883	1,796	2,944	1,381	4,244	3,823	3,523	8,322	56	17,523	—
1884	1,355	2,622	1,476	4,898	4,267	3,164	10,139	97	17,334	—
1885	1,636	3,253	1,383	5,092	3,195	2,509	7,807	46	17,098	—
1886	1,213	2,653	1,211	5,425	4,318	2,784	10,502	58	17,085	—
1887	610	3,233	1,082	3,993	3,453	2,177	7,624	29	16,128	—
1888	865	2,936	964	3,586	3,366	2,287	7,833	30	11,324	—
1889	1,212	4,336	859	3,279	3,661	2,195	7,457	27	16,829	—
1890	636	4,187	1,064	3,433	4,166	2,491	7,756	30	10,859	—
1891	1,300	4,196	954	3,297	3,848	2,521	7,437	36	11,408	—
1892	2,528	4,319	871	3,130	3,205	2,508	8,305	981	10,491	—
1893	2,103	4,137	847	3,331	3,487	2,150	7,503	452	9,982	—
1894	537	2,766	816	3,237	3,071	1,775	6,678	1,223	7,478	—
1895	298	3,535	1,159	2,383	3,782	1,843	9,064	41	9,698	—
1896	130	3,134	1,003	1,982	3,290	1,584	6,852	27	9,524	—
1897	140	2,083	1,019	1,734	2,809	1,598	8,333	56	9,359	—
1898	158	2,364	1,726	1,682	2,734	1,491	9,696	84	9,311	—
1899	257	3,188	2,095	1,769	3,633	1,682	9,077	32	9,818	—
1900	193	2,610	1,360	1,828	3,459	1,702	9,738	37	9,117	—
1901	260	2,036	1,409	1,750	2,365	1,508	8,471	26	9,186	—
1902	652	3,305	992	1,817	2,651	1,228	7,405	17	9,077	—
1903	1,630	2,309	698	1,393	2,734	1,088	8,023	9	7,586	4,084
1904	656	2,758	726	1,289	2,918	1,051	8,839	6	7,716	3,969
1905	244	2,446	760	1,253	2,689	984	7,240	5	7,701	4,203
1906	41	2,459	785	1,198	2,544	890	9,369	39	7,647	4,232
1907	55	2,011	927	1,141	2,354	874	7,195	2	7,377	4,396
1908	42	2,982	1,203	1,228	2,676	824	7,866	—	7,463	4,713
1909	40	2,676	1,184	1,141	2,089	693	7,233	10	7,590	4,786
1910	—	—	—	—	—	—	—	—	—	—

* Census year.

† The deaths in this column for the years 1881-1887 include those from other chronic diseases of the lungs.

‡ The deaths from cancer were not separately tabulated prior to 1903

TABLE 79.—FRANCE. **Population, Marriages, Births, and Deaths, 1881-1910.**

(Furnished by the Director of the Statistical Bureau, France.)

YEAR	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS.	DEATHS. Exclusive of Still-born.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	37,590,000	564,158	937,057	828,828	15'0	24'9	22'0	165
1882	37,730,000	562,120	935,566	838,539	14'9	24'8	22'2	165
1883	37,860,000	569,038	937,944	841,141	15'0	24'8	22'2	165
1884	38,010,000	579,110	937,758	858,784	15'2	24'7	22'6	177
1885	38,110,000	566,340	924,558	836,897	14'9	24'3	22'0	162
1886*	38,230,000	566,416	912,838	860,222	14'8	23'9	22'5	173
1887	38,260,000	554,120	899,333	842,797	14'5	23'5	22'0	161
1888	38,290,000	553,696	882,639	837,867	14'4	23'1	21'9	165
1889	38,370,000	545,806	880,453	794,933	14'2	23'0	20'7	155
1890	38,380,000	538,664	838,059	876,505	14'0	21'8	22'8	176
1891*	38,350,000	570,916	866,377	876,882	14'9	22'6	22'9	161
1892	38,360,000	580,638	855,847	875,888	15'1	22'3	22'8	181
1893	38,380,000	574,588	874,672	867,526	14'9	22'8	22'5	173
1894	38,420,000	573,324	855,388	815,620	14'9	22'3	21'2	158
1895	38,460,000	575,830	834,173	851,986	14'7	21'7	22'2	180
1896*	38,520,000	580,302	865,586	771,886	15'1	22'5	20'0	148
1897	38,680,000	582,924	859,107	751,019	15'1	22'2	19'4	152
1898	38,800,000	574,358	843,933	810,073	14'8	21'8	20'9	169
1899	38,900,000	591,504	847,627	816,233	15'3	21'9	21'1	163
1900	38,900,000	598,168	827,297	853,285	15'5	21'4	21'9	161
1901*	38,980,000	606,938	857,274	784,876	15'6	22'0	20'1	142
1902	39,055,000	589,572	845,378	761,434	15'1	21'7	19'5	135
1903	39,124,000	591,992	826,712	753,606	15'1	21'1	19'2	137
1904	39,190,000	597,442	818,229	761,203	15'2	20'9	19'4	144
1905	39,222,000	605,246	807,291	770,171	15'4	20'6	19'6	136
1906*	39,270,000	612,974	806,847	780,196	15'6	20'6	19'9	143
1907†	39,222,000	629,512	773,645	793,537	16'0	19'7	20'2	135
1908†	39,267,000	631,856	791,712	745,271	16'1	20'2	19'0	129
1909†	39,276,000	615,902	769,969	756,545	15'7	19'6	19'3	120
1910†	39,339,000	618,578	774,358	703,777	15'8	19'7	17'9	—

The Total Deaths in Towns‡ with populations exceeding 5,000 persons **include** :—

YEAR.	Popu-lation of Towns.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Group.	Whoop-ing Cough.	Enteric Fever.	Diarrhoea and Dysentery.§	Asiatic Cholera.	Pulmon-ary Tubercu-losis.	Cancer (including Carcinoma and Sarcoma).
1889	11,521,260	2,136	3,894	695	6,988	2,054	5,362	20,786	—	29,516	?
1890	—	1,537	7,196	731	6,850	2,317	5,133	23,023	1	33,192	?
1891*	12,223,548	1,897	3,813	713	6,373	1,933	4,516	21,844	—	32,074	?
1892	—	1,699	2,705	647	6,018	1,573	5,130	26,562	—	31,080	10,761
1893	—	1,336	4,662	801	6,231	1,741	4,512	23,523	—	31,025	11,442
1894	—	1,155	3,056	647	4,774	1,633	3,870	19,618	—	31,418	11,607
1895	—	1,082	2,095	675	2,263	1,660	3,367	24,420	—	33,076	11,955
1896*	12,869,412	1,076	3,290	744	2,207	1,432	2,969	19,240	—	32,751	12,212
1897	—	190	2,831	412	1,550	1,259	3,182	21,996	—	31,316	12,631
1898	—	105	2,828	541	1,588	1,581	3,400	25,798	—	31,980	12,789
1899	—	670	3,046	796	1,775	1,775	4,501	23,409	—	33,282	13,181
1900	—	1,783	2,521	574	1,800	1,105	4,210	23,173	—	34,357	13,392
1901*	13,771,440	1,017	1,937	550	2,269	1,504	2,868	16,757	—	37,160	12,385
1902	—	2,553	2,317	511	2,191	1,837	2,727	15,779	—	37,483	12,463
1903	—	2,350	2,163	496	1,578	1,254	2,773	15,706	—	37,512	12,912
1904	—	735	2,055	410	1,264	1,247	2,650	18,368	2	37,613	13,312
1905	—	292	1,783	308	1,161	1,053	2,168	14,916	—	37,642	13,793
1906*	39,270,000	631	3,754	907	3,314	3,492	5,453	41,699	2	71,496	27,306
1907†	39,222,000	2,679	3,763	1,623	3,637	3,534	5,133	30,698	—	74,746	29,234
1908†	39,267,000	171	3,222	1,495	3,470	3,514	4,855	33,236	—	73,327	30,124
1909†	39,276,000	87	2,881	1,567	3,502	2,619	3,857	25,773	—	70,223	30,645
1910†	39,339,000	—	—	—	—	—	—	—	—	—	—

NOTE.—The deaths of Frenchmen abroad, civil or military, are registered in the books of the Commune in which they were last domiciled.

* Census year.

† The figures for the years 1907-10 are provisional.

‡ The figures relate to 567 towns for the years 1889-1895, to 584 towns for the years 1896-1900, to 616 towns for the years 1901-5, and to the whole of France for 1906 and subsequent years.

§ For the year 1901 and subsequent years, the deaths in this column relate to children under 2 years of age.

TABLE 80.—SWITZERLAND. Population, Marriages, Births, and Deaths, 1881-1910.

(Furnished by the Federal Statistical Bureau, Switzerland.)

YEAR.	NUMBERS.				PROPORTION PER 1,000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	2,852,463	38,850	85,142	63,979	13·6	29·8	22·4	187
1882	2,863,367	38,828	82,689	62,849	13·6	28·9	21·9	172
1883	2,874,271	39,392	81,974	58,733	13·7	28·5	20·4	164
1884	2,885,175	39,796	81,571	58,301	13·8	28·3	20·2	161
1885	2,896,079	40,210	80,349	61,548	13·9	27·7	21·3	173
1886	2,906,983	40,160	80,763	60,061	13·8	27·8	20·7	164
1887	2,917,887	41,292	81,287	58,939	14·2	27·9	20·2	162
1888*	2,928,791	41,412	81,098	58,229	14·1	27·7	19·9	153
1889	2,939,695	41,382	81,176	59,715	14·1	27·6	20·3	159
1890	2,950,599	41,672	78,548	61,805	14·1	26·6	20·9	157
1891	2,965,053	42,528	83,596	61,183	14·3	28·2	20·6	163
1892	3,002,263	43,768	83,125	57,178	14·6	27·7	19·0	150
1893	3,039,472	43,768	84,897	61,059	14·4	27·9	20·1	152
1894	3,076,682	44,376	84,142	61,885	14·4	27·3	20·1	153
1895	3,113,891	45,364	84,973	59,747	14·6	27·3	19·2	159
1896	3,151,101	47,568	88,428	56,096	15·1	28·1	17·8	132
1897	3,188,310	49,908	90,078	56,399	15·7	28·3	17·7	141
1898	3,225,520	50,228	91,793	58,914	15·6	28·5	18·3	155
1899	3,262,729	50,824	94,472	57,591	15·6	29·0	17·7	136
1900*	3,299,939	51,074	94,316	63,606	15·5	28·6	19·3	150
1901	3,340,984	50,756	97,028	60,018	15·2	29·0	18·0	137
1902	3,384,769	50,156	96,481	57,702	14·8	28·5	17·0	132
1903	3,428,554	50,566	93,824	59,626	14·7	27·4	17·4	133
1904	3,472,339	51,004	94,867	60,859	14·7	27·3	17·5	140
1905	3,516,124	52,538	94,653	61,800	14·9	26·9	17·6	129
1906	3,559,909	54,596	95,595	59,204	15·3	26·9	16·6	127
1907	3,603,694	55,320	94,508	59,252	15·4	26·2	16·4	121
1908	3,647,479	55,268	96,245	57,697	15·2	26·4	15·8	108
1909	3,691,264	54,940	94,112	59,416	14·9	25·5	16·1	115
1910*	—	—	—	—	—	—	—	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery,†	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	167	537	278	2,246	831	1,067	4,012	—	5,665	2,866
1882	22	250	316	2,313	918	866	3,151	—	5,982	2,874
1883	24	220	243	1,504	441	665	3,155	—	6,089	2,941
1884	64	157	247	1,705	607	1,008	3,600	1	5,904	3,042
1885	426	390	150	1,468	643	599	3,348	—	6,413	3,134
1886	182	341	99	1,100	987	531	3,108	—	6,420	3,294
1887	14	451	163	975	366	445	3,527	—	5,836	3,276
1888	17	249	270	818	499	450	2,791	—	6,204	3,389
1889	3	470	429	1,070	734	481	3,073	—	6,165	3,354
1890	32	481	400	990	536	441	3,000	—	6,639	3,405
1891	26	594	533	1,337	724	349	3,468	—	6,141	3,528
1892	35	316	211	1,135	562	345	3,616	—	5,785	3,706
1893	15	870	138	1,599	377	380	3,832	—	5,756	3,653
1894	51	473	58	1,930	694	302	3,184	—	6,222	3,802
1895	1	185	62	999	581	305	4,094	—	6,377	3,923
1896	8	423	89	848	511	288	2,776	—	6,051	3,916
1897	1	272	47	760	476	261	3,921	—	6,106	4,088
1898	2	354	34	994	445	308	5,011	—	5,984	4,125
1899	3	264	38	1,106	601	269	3,780	—	5,823	4,130
1900	30	809	34	981	695	220	4,150	—	6,692	4,235
1901	37	829	71	1,052	846	240	3,767	—	6,241	4,271
1902	2	456	73	726	512	207	3,936	—	6,280	4,258
1903	4	545	162	540	561	169	3,812	—	6,381	4,447
1904	4	821	279	607	836	265	4,252	—	6,452	4,464
1905	36	657	312	668	654	174	3,350	—	6,630	4,555
1906	14	569	153	516	649	167	3,930	—	6,407	4,593
1907	8	613	140	528	433	176	2,995	—	6,063	4,414
1908	2	226	147	565	489	135	2,580	—	6,150	4,669
1909	3	373	170	580	846	113	2,533	—	6,008	4,676
1910	—	—	—	—	—	—	—	—	—	—

* Census year.

† The deaths in this column relate to diarrhoea in young children.

TABLE 81.—SPAIN (including the Balearic, Canary Islands and Ceuta). Population, Marriages, Births, and Deaths, 1881-1910.

(Furnished by the Director-General Instituto Geografico y Estadístico.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	16,951,100	215,708	629,582	511,810	12·7	37·1	30·2	189
1882	17,043,500	205,796	616,901	534,793	12·1	36·2	31·4	192
1883	17,136,300	212,322	610,559	559,500	12·4	35·6	32·6	204
1884	17,229,600	227,984	631,694	526,434	13·2	36·7	30·5	186
1885	17,323,500	220,470	628,932	657,664	12·7	36·3	38·0	192
1886	17,417,800	221,220	638,548	509,480	12·7	36·7	29·3	175
1887*	17,512,700	191,820	632,174	573,490	11·0	36·1	32·7	199
1888	17,599,500	197,436	640,592	529,021	11·2	36·4	30·1	184
1889	17,678,100	275,090	643,433	538,044	15·6	36·4	30·4	—
1890	17,757,100	281,142	610,417	570,181	15·8	34·4	32·1	—
1891	17,836,400	312,380	629,854	557,995	17·5	35·3	31·3	—
1892	17,916,000	302,534	641,731	547,604	16·9	35·8	30·6	—
1893	17,996,000	281,736	640,324	534,721	15·7	35·6	29·7	—
1894	18,076,400	282,338	628,382	540,579	15·6	34·8	30·3	—
1895	18,157,100	279,912	636,130	527,192	15·4	35·0	29·0	—
1896	18,238,200	265,290	654,796	539,145	14·5	35·9	29·6	—
1897	18,319,700	257,360	625,304	520,210	14·0	34·1	28·4	—
1898	18,401,500	250,818	612,343	518,795	13·6	33·3	28·2	—
1899	18,493,700	312,226	632,588	533,109	16·9	34·2	28·8	—
1900*	18,536,200	322,402	627,848	536,716	17·4	33·8	28·9	204
1901	18,657,000	315,624	650,649	517,578	16·9	34·9	27·7	186
1902	18,755,000	327,834	666,687	488,289	17·5	35·5	26·0	181
1903	18,853,000	308,978	685,265	470,387	16·4	36·3	25·0	162
1904	18,951,000	290,916	649,878	486,889	15·3	34·3	25·7	173
1905	19,049,000	273,794	670,651	491,369	14·4	35·2	25·8	161
1906	19,147,000	276,968	650,385	499,018	14·5	34·0	26·1	173
1907	19,245,000	272,646	646,374	472,012	14·2	33·6	24·5	158
1908†	19,343,000	282,092	657,701	480,940	14·6	34·0	23·8	—
1909†	19,442,000	259,056	650,415	466,675	13·3	33·5	21·0	—
1910*†	19,540,000	278,352	646,786	456,127	14·2	33·1	23·3	—

The Total Deaths include:—

YEAR.	Small-pox.†	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.‡	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	—	—	—	—	—	—	—	—	—	—
1886	—	—	—	—	—	—	—	—	—	—
1887	—	—	—	—	—	—	—	—	—	—
1888	—	—	—	—	—	—	—	—	—	—
1889	—	—	—	—	—	—	—	—	—	—
1890	—	—	—	—	—	—	—	—	—	—
1891	—	—	—	—	—	—	—	—	—	—
1892	—	—	—	—	—	—	—	—	—	—
1893	—	—	—	—	—	—	—	—	—	—
1894	—	—	—	—	—	—	—	—	—	—
1895	—	—	—	—	—	—	—	—	—	—
1896	—	—	—	—	—	—	—	—	—	—
1897	—	—	—	—	—	—	—	—	—	—
1898	—	—	—	—	—	—	—	—	—	—
1899	—	—	—	—	—	—	—	—	—	—
1900	6,497	12,010	1,237	8,489	4,750	11,426§	75,080	—	23,026	7,294
1901	5,250	18,463	1,140	6,299	3,889	9,594	70,757	—	28,649	7,912
1902	5,590	10,746	1,184	5,247	4,236	8,587	69,836	—	27,983	8,117
1903	4,699	9,989	1,011	4,751	4,551	8,164	70,658	—	27,096	8,315
1904	2,859	9,770	978	3,823	4,559	8,397	78,057	—	28,523	8,825
1905	2,740	13,763	1,046	3,524	4,386	7,158	72,071	—	26,827	8,719
1906	4,342	8,699	1,399	3,390	4,434	8,068	84,331	—	27,502	9,113
1907	3,234	6,834	2,357	3,630	3,397	6,825	65,094	—	27,015	9,141
1908†	2,802	7,188	2,201	3,932	4,837	6,319	69,456	—	26,651	9,947
1909†	3,965	7,735	1,735	4,263	3,537	5,367	62,580	—	24,762	9,914
1910†	2,105	6,870	1,622	4,228	2,497	4,639	41,859	—	24,508	10,093

* Census year.

† The figures for the years 1908-10 are provisional.

‡ Including Chicken-pox.

§ Including Typhus.

¶ Excluding Dysentery for the years 1906-09; and for the year 1910 relating to Diarrhoea under 2 years only.

TABLE 82.—ITALY. Population, Marriages, Births, and Deaths, 1881-1910.

(Furnished by the Director of the Statistical Department, Italy.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in each Year. (See Note.)	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881*	28,459,628	460,286	1,081,125	784,181	16·2	38·0	27·6	—
1882	28,563,773	448,082	1,061,094	787,326	15·7	37·1	27·6	—
1883	28,773,790	463,890	1,071,452	794,196	16·1	37·2	27·6	—
1884	28,984,382	479,026	1,130,741	780,361	16·5	39·0	26·9	—
1885	29,194,398	467,862	1,125,970	787,217	16·0	38·6	27·0	—
1886	29,404,414	466,620	1,086,960	844,603	15·9	37·0	28·7	—
1887	29,614,430	471,258	1,152,906	828,992	15·9	38·9	28·0	—
1888	29,825,022	473,766	1,119,563	820,431	15·9	37·5	27·5	—
1889	30,035,038	460,902	1,149,197	768,068	15·3	38·3	25·6	—
1890	30,245,054	443,944	1,083,103	795,911	14·7	35·8	26·3	192
1891	30,455,070	455,312	1,132,139	795,327	15·0	37·2	26·1	188
1892	30,665,662	457,144	1,110,573	802,779	14·9	36·2	26·2	184
1893	30,875,678	456,206	1,126,296	776,713	14·8	36·5	25·2	180
1894	31,085,694	463,162	1,102,935	776,372	14·9	35·5	25·0	184
1895	31,295,710	456,304	1,092,102	783,813	14·6	34·9	25·0	187
1896	31,506,302	445,206	1,095,505	758,129	14·1	34·8	24·1	177
1897	31,716,318	458,082	1,101,848	695,602	14·4	34·7	21·9	165
1898	31,926,334	439,194	1,070,074	732,265	13·8	33·5	22·9	169
1899	32,136,350	471,330	1,088,558	703,393	14·7	33·9	21·9	156
1900	32,346,366	465,262	1,067,376	768,917	14·4	33·0	23·8	172
1901*	32,475,253	469,638	1,057,763	715,036	14·5	32·6	22·0	165
1902	32,744,743	475,026	1,093,074	727,181	14·5	33·4	22·2	175
1903	32,921,317	474,422	1,042,090	736,311	14·4	31·7	22·4	168
1904	33,139,697	495,616	1,085,431	698,604	15·0	32·8	21·1	164
1905	33,362,167	511,746	1,084,518	730,340	15·3	32·5	21·9	166
1906	33,541,094	521,560	1,070,978	696,875	15·5	31·9	20·8	160
1907	33,776,087	520,208	1,062,333	700,333	15·4	31·5	20·7	155
1908	34,129,304	566,320	1,138,813	770,054	16·6	33·4	22·6†	153
1909	34,417,831	532,668	1,115,831	738,460	15·5	32·4	21·5	155
1910	34,756,836	538,052	1,144,266	682,495	15·5	32·9	19·6	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis†	Cancer (including Carcinoma and Sarcoma).
1887	16,249	23,768	14,631	28,206	11,140	27,800	99,475	8,150	39,123	12,631
1888	18,110	20,961	9,050	25,683	7,633	23,869	98,799	—	41,423	12,625
1889	13,416	13,800	6,444	19,915	12,275	23,071	98,223	—	42,756	12,923
1890	7,017	14,396	7,344	15,059	13,090	20,118	99,438	—	41,183	12,917
1891	2,910	19,551	7,294	16,747	8,983	19,207	106,788	—	39,514	13,094
1892	1,453	12,399	7,890	16,634	7,594	15,619	103,898	—	39,715	13,069
1893	2,638	12,953	6,596	17,783	6,847	15,065	103,640	3,040	38,380	13,234
1894	2,606	9,001	4,511	15,585	8,261	13,639	101,314	20	40,169	13,841
1895	2,998	11,322	3,814	11,466	8,678	15,590	114,362	—	41,624	15,089
1896	2,033	11,499	3,234	9,286	6,660	16,397	108,719	—	41,069	15,482
1897	1,003	6,156	3,907	8,881	7,938	15,557	99,852	—	38,670	15,967
1898	420	5,429	4,492	7,808	7,420	17,412	112,259	—	38,335	16,330
1899	214	7,433	4,487	6,893	7,886	14,963	95,101	—	39,807	16,680
1900	316	8,827	1,483	5,790	6,565	15,060	115,190	—	41,733	16,873
1901	3,396	5,562	1,185	5,444	6,916	11,748	98,617	—	38,512	17,141
1902	2,413	9,961	1,338	4,514	7,202	11,358	111,570	—	35,722	17,634
1903	6,049	7,283	1,991	4,064	6,521	11,671	108,712	—	36,924	17,774
1904	3,093	5,332	1,611	4,519	5,958	12,239	104,592	—	39,152	18,860
1905	482	6,738	1,689	4,255	5,767	10,896	115,564	—	40,349	19,348
1906	169	9,726	2,724	4,253	6,165	9,424	108,868	—	40,899	20,653
1907	451	8,184	2,940	5,634	6,142	8,614	97,195	—	41,968	20,668
1908	559	11,740	3,464	5,921	5,545	9,287	94,950	—	41,587	21,828
1909	758	11,043	2,703	5,781	5,218	9,741	105,121	—	42,098	21,871
1910	—	—	—	—	—	—	—	—	—	—

NOTE.—The population figures given for census years show the numbers enumerated on 31st December in 1881 and on 10th February, 1901; for the years 1881-1901 the population is estimated on the assumption that the annual rate of increase had been uniform throughout that period; for 1902 and following years the population is obtained by applying the natural increase and balance of migration.

* Census year.
Including 77,283 deaths in the earthquake at Messina and Reggio (28th December, 1908); excluding these deaths, the death-rate was 20·3.
The deaths in this column also include those from general tuberculosis.

TABLE 83.—JAPAN. Population, Marriages, Births, and Deaths, 1881-1910.

(Furnished by the Director of the General Statistical Bureau, Japan.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION to the end of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	36,700,118	—	941,343	686,064	—	25·6	18·7	92
1882	37,017,302	—	922,715	668,342	—	24·9	18·1	93
1883	37,451,764	674,912	1,004,989	676,369	18·0	26·8	18·1	90
1884	37,868,987	575,684	975,252	705,126	15·2	25·8	18·6	102
1885	38,151,217	518,994	1,024,574	886,824	13·6	26·9	23·2	141
1886	38,507,177	630,622	1,050,617	938,343	16·4	27·3	24·4	95
1887	39,069,691	668,298	1,058,137	753,456	17·1	27·1	19·3	106
1888	39,607,234	660,492	1,172,729	752,834	16·7	29·6	19·0	110
1889	40,072,020	680,890	1,209,910	808,680	17·0	30·2	20·2	135
1890	40,453,461	650,282	1,145,374	823,718	16·1	28·3	20·4	133
1891	40,718,677	651,302	1,086,775	853,139	16·0	26·7	21·0	141
1892	41,089,940	698,978	1,207,034	886,988	17·0	29·4	21·6	150
1893	41,388,313	716,778	1,178,428	937,644	17·3	28·5	22·7	158
1894	41,813,215	722,638	1,208,983	840,768	17·3	28·9	20·1	144
1895	42,270,620	731,266	1,246,427	852,422	17·3	29·5	20·2	141
1896	42,708,264	1,003,554	1,282,178	912,822	23·5	30·0	21·4	149
1897	43,228,863	730,414	1,334,125	876,837	16·9	30·9	20·3	151
1898	43,763,855	942,596	1,369,638	894,524	21·5	31·3	20·4	154
1899	44,260,642	594,856	1,388,185	934,566	13·4	31·4	21·1	154
1900	44,815,980	693,180	1,421,919	914,557	15·4	31·7	20·4	155
1901	45,437,032	757,274	1,487,477	928,578	16·6	32·7	20·4	151
1902	46,022,476	788,756	1,513,090	962,097	17·1	32·9	20·9	161
1903	46,732,876	742,374	1,493,547	933,834	15·9	32·0	20·0	157
1904	47,215,630	798,436	1,444,307	999,621	16·9	30·6	21·2	151
1905	47,674,460	702,520	1,457,039	1,044,855	14·7	30·6	22·0	151
1906	48,450,900	706,548	1,399,203	961,550	14·6	28·9	19·8	153
1907	49,092,000	867,054	1,621,973	1,024,286	17·7	33·0	20·9	151
1908*	49,318,300	923,880	1,672,627	1,038,110	18·7	33·9	21·0	157
1909	49,903,700	877,542	1,705,877	1,099,797	17·6	34·2	22·0	166
1910	50,504,000	—	—	—	—	—	—	—

The Total Deaths include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	453	—	—	1,110	—	5,866	1,837	6,197	—	—
1882	197	—	—	1,079	—	4,954	1,300	33,784	—	—
1883	295	—	—	1,231	—	5,043	5,066	434	—	—
1884	410	—	—	1,266	—	5,699	5,989	415	—	—
1885	3,299	—	—	1,439	—	6,483	10,627	9,310	—	—
1886	18,676	—	—	1,465	—	13,807	6,839	108,405	36,138	—
1887	9,967	—	—	1,429	—	9,813	4,257	654	36,367	—
1888	853	—	—	1,450	—	9,211	6,576	460	39,687	—
1889	328	—	—	1,495	—	8,623	5,970	431	42,452	—
1890	25	—	—	1,438	—	8,464	8,706	35,227	46,025	—
1891	721	—	—	1,974	—	9,614	11,208	1,760	54,505	—
1892	8,409	—	—	2,531	—	8,529	16,844	497	57,292	—
1893	11,852	—	—	3,205	—	8,183	41,282	364	57,798	—
1894	3,342	—	—	2,903	—	8,054	38,094	314	52,888	—
1895	268	—	—	3,025	—	8,401	12,959	40,154	58,992	—
1896	3,388	—	—	3,296	—	9,174	22,356	908	62,790	—
1897	12,276	—	3	5,579	—	5,870	23,189	488	65,597	—
1898	362	—	7	6,453	—	5,697	22,392	374	72,708	—
1899	223	2,558	7	7,481	1,334	6,761	89,390	2	55,938	19,382
1900	7	1,740	13	6,017	1,456	5,549	69,209	—	59,525	20,334
1901	7	3,643	6	4,937	1,450	5,882	67,047	—	62,062	22,149
1902	24	3,348	17	4,519	1,868	5,239	63,662	8,164	65,993	24,598
1903	25	850	3	4,271	2,117	4,585	57,579	140	67,722	25,550
1904	154	1,434	15	3,846	2,533	5,100	60,351	51	69,107	?
1905	70	4,129	18	3,881	2,773	6,291	72,742	34	76,061	26,668
1906	99	2,351	36	4,215	3,215	6,338	65,337	29	75,469	27,863
1907	211	2,107	70	4,256	3,289	5,974	74,721	1,702	75,544	28,451
1908	4,274	2,742	126	5,088	4,044	5,824	76,311	297	76,589	30,440
1909	36	4,504	339	5,269	3,715	6,024	111,277	158	82,623	32,543
1910	—	—	—	—	—	—	—	—	—	—

* Census year.

TABLE 84.—CHILI. Population, Marriages, Births, and Deaths, 1881-1910.

(Furnished by Oficina Central de Estadística, Santiago.)

YEAR.	NUMBERS.				PROPORTION PER 1000 OF THE POPULATION.			DEATHS of CHILDREN under 1 YEAR to 1,000 BIRTHS.
	ESTIMATED POPULATION in the middle of each Year.	PERSONS MARRIED.	BIRTHS. Exclusive of Still-born.*	DEATHS.	PERSONS MARRIED.	BIRTHS.	DEATHS.	
1881	2,199,180	31,978	101,635	62,866	15·4	46·2	28·6	—
1882	2,237,949	33,756	93,902	65,425	15·0	41·9	29·2	—
1883	2,266,426	34,518	96,683	61,233	15·2	42·7	27·0	—
1884	2,432,185	35,746	99,994	58,909	14·4	40·3	23·8	—
1885	2,527,320	11,262	66,247	66,818	4·4	25·8	26·4	308
1886	2,545,803	14,138	82,569	82,491	5·6	32·0	32·4	240
1887	2,564,285	16,326	85,267	95,336	6·4	33·0	37·1	219
1888	2,582,768	19,334	91,337	96,488	7·4	35·4	37·3	268
1889	2,601,250	23,602	100,698	84,741	9·0	38·0	32·5	288
1890	2,619,733	21,908	98,538	95,547	8·4	37·6	36·2	306
1891	2,638,215	13,706	79,235	89,422	5·0	34·3	34·0	412
1892	2,656,698	25,790	103,065	97,004	9·4	38·3	36·5	334
1893	2,675,180	27,568	103,082	88,775	10·2	37·7	33·1	331
1894	2,693,663	29,452	108,724	88,157	10·8	39·5	32·7	313
1895	2,983,359	29,562	110,158	81,682	9·8	36·2	27·3	292
1896	3,008,569	33,944	106,638	88,095	11·2	34·6	29·2	304
1897	3,049,352	26,908	109,057	85,956	8·8	34·8	28·1	344
1898	3,082,178	27,842	104,536	81,419	9·0	33·1	26·4	329
1899	3,110,085	27,006	106,787	83,778	8·6	33·5	26·9	337
1900	3,128,095	26,662	110,697	104,312	8·4	34·6	33·3	349
1901	3,146,577	34,940	115,745	108,199	11·0	35·9	34·3	366
1902	3,173,784	33,502	115,813	86,107	10·6	35·7	27·1	366
1903	3,206,042	31,824	115,524	86,378	9·8	34·0	26·9	263
1904	3,238,764	32,590	116,950	93,254	10·1	35·4	28·8	285
1905	3,245,872	34,416	119,441	110,258	10·6	36·7	33·9	249
1906	3,248,014	37,506	117,032	104,890	11·5	36·0	32·2	328
1907	3,254,451	42,572	126,104	96,449	13·0	38·6	29·6	297
1908	3,303,919	42,974	129,733	104,236	13·0	39·3	31·6	320
1909	3,329,030	39,274	129,333	104,707	11·8	38·8	31·5	315
1910	3,353,009	38,652	130,052	106,073	11·5	38·4	32·5	313

The Total Deaths† include:—

YEAR.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Dysentery.†	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1881	—	—	—	—	—	—	—	—	—	—
1882	—	—	—	—	—	—	—	—	—	—
1883	—	—	—	—	—	—	—	—	—	—
1884	—	—	—	—	—	—	—	—	—	—
1885	2,286	2,370	9	445	1,153	244	4,375	—	5,636	329
1886	4,841	2,485	6	757	653	236	2,532	—	5,622	239
1887	1,374	461	16	413	329	224	4,047	13,568	6,513	367
1888	1,119	1,791	—	460	1,483	255	3,160	8,622	5,530	437
1889	929	3,781	119	439	1,024	819	3,248	60	6,680	468
1890	6,754	3,217	72	428	1,603	846	3,471	—	5,996	475
1891	6,012	2,556	137	692	1,381	922	2,742	—	6,863	464
1892	4,062	1,151	260	777	666	861	2,011	—	7,077	457
1893	3,803	872	72	1,122	1,979	1,164	2,139	—	7,698	455
1894	2,337	1,138	60	2,667	2,847	687	1,559	—	7,714	546
1895	2,048	852	40	2,425	2,689	859	1,159	—	6,677	426
1896	946	1,535	78	3,124	2,604	882	1,388	—	6,521	554
1897	—	—	—	—	—	—	—	—	—	—
1898	—	—	—	—	—	—	—	—	—	—
1899	—	—	—	—	—	—	—	—	—	—
1900	—	—	—	—	—	—	—	—	—	—
1901	—	—	—	—	—	—	—	—	—	—
1902	—	—	—	—	—	—	—	—	—	—
1903	445	131	2	830	1,534	1,437	2,289	—	7,859	604
1904	1,739	—	4	463	1,514	1,207	2,435	—	9,035	1,194
1905	8,786	2,625	184	495	2,052	2,963	2,891	—	6,904	954
1906	3,341	2,372	89	450	3,034	5,620	2,317	—	8,587	1,209
1907	858	174	47	280	2,475	4,301	2,383	—	8,363	1,251
1908	421	1,458	41	262	2,213	3,766	3,672	—	8,587	1,434
1909	3,172	1,038	94	369	2,228	5,719	5,606	—	8,657	1,369
1910	1,760	2,876	45	188	1,699	1,812	5,079	—	9,126	1,087

* The births and deaths for the years 1881-1884, 1888, 1890 and 1891 are inclusive of stillborn.

† Complete statistics of causes of death are not available for the years 1897-1902.

‡ The deaths in this column for 1906 and subsequent years relate to diarrhoea and enteritis.

TABLE 85.—UNITED STATES OF AMERICA (REGISTRATION AREA).

Population and Deaths, 1900-1910.

(Furnished by Chief Statistician for Vital Statistics, Bureau of the Census, U.S.A.)

NOTE.—The following Table embodies the Mortality Statistics collected and tabulated by the Bureau of the Census since 1900 from those States and Cities whose registration laws are considered to be efficient by the Bureau. The Registration Area for the years 1900-05 includes the States of Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont; to which were added, for the years 1906-10, California, Colorado, Maryland, Pennsylvania; 1906-09, South Dakota; 1908-10, Washington and Wisconsin; 1909-10, Ohio; and 1910, Minnesota, Montana, and Utah. The District of Columbia (city of Washington) is treated as a separate city, and for 1910 all Municipalities of North Carolina of 1,000 population (in addition to seven cities of 10,000 population and over) are included.

Year.	Estimated Population in the middle of each year.		The Registration Area includes :—		Deaths, excluding Still-births.	Death-rate per 1,000 persons living.
	Total United States (Continental).	Total Registration Area.	States.	Cities (not included in preceding column).		
1900*	75,994,575	30,765,618	10	134	539,939	17.6
1901	77,747,402	31,370,952	10	126	518,207	16.5
1902	79,365,396	32,029,815	10	125	508,640	15.9
1903	80,983,390	32,701,083	10	125	524,415	16.0
1904	82,601,384	33,345,163	10	124	551,354	16.5
1905	84,219,378	34,052,201	10	124	545,533	16.0
1906	85,837,372	41,983,419	15	78	658,105	15.7
1907	87,455,366	43,016,990	15	77	687,034	16.0
1908	89,073,360	46,789,913	17	75	691,574	14.8
1909	90,691,354	50,870,518	18	55	732,538	14.4
1910*	92,309,348	53,843,896	20	51	805,412	15.0

The Total Deaths include :--

Year.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria and Croup.	Whooping Cough.	Enteric Fever.	Diarrhoea and Enteritis under 2 years.	Asiatic Cholera.	Pulmonary Tuberculosis.	Cancer (including Carcinoma and Sarcoma).
1900	611	3,865	3,135	13,314	3,719	11,044	33,479	—	55,910	19,381
1901	1,085	2,287	4,113	10,667	3,051	10,127	28,523	—	55,262	20,171
1902	2,111	3,033	4,041	9,859	3,854	10,980	26,903	—	52,620	20,847
1903	1,382	3,221	3,991	10,363	5,171	11,149	26,697	—	54,449	22,325
1904	709	3,659	3,610	9,444	2,183	10,557	30,315	—	59,333	23,395
1905	308	2,557	2,284	8,039	3,599	9,479	33,032	—	57,380	24,330
1906	95	5,087	3,227	10,793	6,324	13,160	42,581	—	65,986	29,020
1907	74	4,302	4,309	10,154	4,856	12,670	41,563	—	67,064	30,514
1908	92	4,611	5,577	10,052	4,969	11,375	44,521	—	68,074	33,465
1909	79	4,860	5,781	10,358	4,906	10,722	44,648	—	70,844	37,562
1910	202	6,598	6,255	11,521	6,146	12,673	54,266	—	75,211	41,039

* Census year.

BIRTHS, DEATHS, AND MARRIAGES.

Registered in the Year

1910.

BIRTHS, DEATHS, AND MARRIAGES, 1910.

REGISTRATION DIVISIONS AND COUNTIES.*		BIRTHS (exclusive of Still-born).					DEATHS (exclusive of Still-born).			MARRIAGES.
		Total.	Legitimate.		Illegitimate.		Total.	Males.	Females.	
			Males.	Females.	Males.	Females.				
	ENGLAND AND WALES	896962	438568	421759	18698	17937	483247	249016	234231	267721
No	I.—LONDON.	116381	56729	54889	2454	2309	62699	32418	30281	39149
1	LONDON	116381	56729	54889	2454	2309	62699	32418	30281	39149
	II.—SOUTH EASTERN.	80563	39458	37701	1773	1631	44619	22904	21715	25346
2	SURREY	19488	9484	9294	367	343	10056	5137	4919	5681
3	KENT	21830	10747	10196	494	393	12052	6197	5855	6864
4	SUSSEX	12296	5961	5676	324	335	8193	4003	4190	4189
5	HAMPSHIRE ..	20472	10092	9537	430	413	10827	5808	5019	6573
6	BERKSHIRE ..	6477	3174	2998	158	147	3491	1759	1732	2039
	III.—SOUTH MIDLAND.	59184	29029	27953	1135	1067	28571	14418	14153	17563
7	MIDDLESEX ..	27425	13527	13093	407	398	10737	5310	5427	7370
8	HERTFORDSHIRE	5693	2802	2696	101	94	3242	1614	1628	1781
9	BUCKINGHAMSH.	4124	2030	1946	69	79	2142	1115	1027	1172
10	OXFORDSHIRE ..	4197	1978	1976	124	119	2465	1244	1221	1411
11	NORTHAMPTONS.	7612	3759	3539	160	154	4326	2195	2131	2576
12	HUNTINGDONSH.	1046	513	474	38	21	632	331	301	343
13	BEDFORDSHIRE ..	4276	2081	2003	102	90	2280	1174	1106	1348
14	CAMBRIDGESH. ..	4811	2339	2226	134	112	2747	1435	1312	1562
	IV.—EASTERN.	52001	25343	24507	1095	1056	25426	12979	12447	14986
15	ESSEX	32380	16020	15403	495	462	14268	7408	6860	8858
16	SUFFOLK	8624	4088	4045	244	247	4870	2421	2449	2629
17	NORFOLK	10997	5235	5059	356	347	6288	3150	3138	3499
	V.—SOUTH WESTERN.	41649	20237	19650	888	874	26042	12758	13284	14282
18	WILTSHIRE	6177	2992	2918	134	133	3261	1629	1632	1905
19	DORSETSHIRE ..	4354	2104	2062	101	87	2651	1354	1297	1502
20	DEVONSHIRE ..	14302	6911	6796	300	295	9465	4603	4862	5106
21	CORNWALL	6739	3285	3123	157	174	4630	2304	2326	2426
22	SOMERSETSHIRE	10077	4945	4751	196	185	6035	2868	3167	3343
	VI.—WEST MIDLAND.	102229	50316	47895	2015	2003	53329	27508	25821	29517
23	GLOUCESTERSH. ...	14811	7268	6937	304	302	8713	4340	4373	4807
24	HEREFORDSHIRE	2423	1136	1114	88	85	1539	808	731	723
25	SHROPSHIRE ..	6019	2895	2727	201	196	3555	1881	1674	1696

* The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with the Poor Law Unions. The Counties are grouped in Registration Divisions, the County of Monmouth being by this arrangement included in the Welsh Division. The differences between Registration Counties and Administrative Counties are shown in Table 2 of the Census County Volumes (1901).

BIRTHS, DEATHS, AND MARRIAGES, 1910.—*continued.*

REGISTRATION DIVISIONS AND COUNTIES.		BIRTHS (exclusive of Still-born).					DEATHS (exclusive of Still-born).			MARRIAGES.
		Total.	Legitimate.		Illegitimate.		Total.	Males.	Females.	
			Males.	Females.	Males.	Females.				
No.	VI.—WEST MIDLAND— <i>continued.</i>									
26	STAFFORDSHIRE	38789	19053	18191	787	758	18768	9731	9037	10137
27	WORCESTERSH. ..	12922	6353	6078	239	252	6769	3457	3312	4040
28	WARWICKSHIRE	27265	13611	12848	396	410	13985	7291	6694	8114
	VII.—NORTH MIDLAND.	60526	29587	28101	1429	1409	29969	15490	14479	17725
29	LEICESTERSHIRE	11523	5657	5395	247	224	5816	2984	2832	3724
30	RUTLANDSHIRE ..	400	203	177	9	11	243	106	137	119
31	LINCOLNSHIRE ..	13936	6731	6437	390	378	7388	3839	3549	4200
32	NOTTINGHAMSH.	20062	9790	9245	493	534	9662	4991	4671	5580
33	DERBYSHIRE ..	14605	7206	6847	290	262	6860	3570	3290	4102
	VIII.—NORTH WESTERN.	145383	71193	68590	2865	2735	85863	44087	41776	43604
34	CHESHIRE	21277	10411	10003	446	417	11747	5942	5805	6303
35	LANCASHIRE ..	124106	60782	58587	2419	2318	74116	38145	35971	37301
	IX.—YORKSHIRE.	99314	48276	46525	2290	2223	56523	29399	27124	30470
36	WEST RIDING ..	74775	36398	35162	1625	1590	43050	22286	20764	23578
37	EAST RIDING (with York).	13142	6371	6060	376	335	7350	3908	3442	3851
38	NORTH RIDING ..	11397	5507	5303	289	298	6123	3205	2918	3041
	X.—NORTHERN.	70864	34549	33378	1498	1439	35249	18625	16624	18017
39	DURHAM	43408	21234	20576	820	778	20132	10603	9529	10642
40	NORTHUMBERLD.	19521	9460	9186	465	410	10208	5443	4765	5003
41	CUMBERLAND ..	6690	3243	3057	174	216	4115	2187	1928	1926
42	WESTMORLAND ..	1245	612	559	39	35	794	392	402	446
	XI.—WELSH.	68868	33851	32570	1256	1191	34957	18430	16527	17062
43	MONMOUTHSH. ..	12736	6397	6011	169	159	5508	3015	2493	2906
44	GLAMORGANSH...	35272	17510	16763	524	475	15663	8428	7235	8448
45	CARMARTHENSH.	4092	2014	1942	65	71	2270	1148	1122	1084
46	PEMBROKESHIRE	2117	1016	974	74	53	1282	630	652	589
47	CARDIGANSHIRE	1489	668	728	49	44	1418	668	750	442
48	BRECKNOCKSH. ..	1398	665	679	29	25	847	454	393	386
49	RADNORSHIRE ..	395	207	158	18	12	243	140	103	105
50	MONTGOMERYSH.	1372	647	621	51	53	844	418	426	329
51	FLINTSHIRE.. ..	1921	906	938	32	45	982	523	459	474
52	DENBIGHSHIRE ..	3315	1561	1583	83	88	2208	1146	1062	917
53	MERIONETHSH. ..	1232	580	557	38	57	972	491	481	327
54	CARNARVONSH. ..	2789	1334	1287	89	79	2134	1090	1044	844
55	ANGLESEY	740	346	329	35	30	586	279	307	211

I.—LONDON.—BIRTHS, DEATHS, AND MARRIAGES, 1910.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.*	AREA in Acres. †	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
1.—LONDON.									
1.—Paddington.	1356	142576	2911	2753	158	2008	1021	987	1452
1 Paddington North <i>H</i> ..	539	64015	1444	1408	36	586	276	310	—
2 Paddington Central <i>W,3H</i> ..	429	48521	1190	1076	114	1247	657	590	—
3 Paddington South	388	30040	277	269	8	175	88	87	—
2.—Kensington.	2291	172402	3018	2863	155	2522	1238	1284	1634
1 Kensington South† <i>W,3H</i> ..	1388	84208	3018	2863	155	2522	1238	1284	—
2 Kensington Central† <i>W,H</i> ..	386	39827							
3 Kensington North† <i>w</i> ..	517	48367							
3.—Fulham.‡	3990	274928	7124	6834	290	3276	1680	1596	2508
1 North Hammersmith <i>3W,w,H</i> ..	1535	57984	1541	1463	78	771	415	356	—
2 South Hammersmith <i>w,2H</i> ..	751	63619	1371	1325	46	802	415	387	—
3 North West Fulham <i>W</i> ..	485	55749	1843	1744	99	827	428	399	—
4 North East Fulham <i>F</i> ..	514	48815	1148	1109	39	466	221	245	—
5 South Fulham <i>W</i> ..	705	48761	1221	1193	28	410	201	209	—
4.—Chelsea.	660	66404	1299	1225	74	1428	794	634	583
1 Chelsea North <i>W,w,3H</i> ..	353	37440	690	631	59	1004	555	449	—
2 Chelsea South <i>W,2H</i> ..	307	28964	609	594	15	424	239	185	—
5.—St. George Hanover Square.	1887	117968	1854	1759	95	1498	824	674	1288
1 Mayfair and Knightsbridge	915	26183	213	210	3	141	79	62	—
2 Belgrave <i>W,H</i> ..	539	51620	861	788	73	734	395	339	—
3 St. Margt. and St. John <i>6H</i> ..	433	40165	780	761	19	623	350	273	—
6.—Westminster.	216	25451	361	339	22	183	96	87	432
1 St. James and St. Anne <i>W,6H</i> ..	216	25451	361	339	22	183	96	87	—
7.—St. Marylebone.	1473	118221	4116	3276	840	1562	776	786	1322
1 All Souls <i>7H</i> ..	243	29485	689	608	81	718	384	334	—
2 St. Mary <i>W,4H</i> ..	224	32126	2205	1475	730	359	164	195	—
3 Christchurch <i>H</i> ..	601	36544	867	844	23	280	147	133	—
4 St. John <i>2H</i> ..	405	20066	355	349	6	205	81	124	—
8.—Hampstead.	2265	85510	1269	1233	36	1073	505	568	630
1 Hampstead <i>W,F,6H</i> ..	2265	85510	1269	1233	36	1073	505	568	—
9.—St. Pancras.	2694	218453	5397	5141	256	3416	1854	1562	1997
1 West St. Pancras <i>2H</i> ..	613	58295	1368	1324	44	618	314	304	—
2 South St. Pancras <i>w,11H</i> ..	297	45250	1025	960	65	1018	615	403	—
3 East St. Pancras <i>W,H</i> ..	632	57477	1616	1508	108	936	499	437	—
4 North St. Pancras <i>2W</i> ..	1152	57431	1388	1349	39	844	426	418	—

* The Registration Districts, 634 in number at the end of the year 1910, are generally co-extensive with the Poor Law Unions of the same names. They are divided into Sub-districts (2011 in number), each having a Registrar of Births and Deaths. The letter *W* denotes a Workhouse, or a Workhouse Infirmary belonging to the District or Union in which it stands; *w* indicates a similar Institution belonging wholly or partly to other Districts or Unions; *F* a Hospital for Infectious Diseases; *H* another Hospital; *L* a Lunatic Asylum. When a Sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The deaths in these Institutions are shown on pages 225-276.

† These areas are derived from those published in the Preliminary Census Report for 1911. They do not include space occupied by foreshore or tidal water of rivers and creeks.

‡ 2: 1, 2, 3.—On 1st May, 1910, Kensington Town (1) sub-district was abolished and its constituent parts divided between Brompton (2) re-named Kensington South (1) and two new sub-districts Kensington Central (2) and Kensington North (3), see page 491. The births and deaths for the new sub-districts cannot be shown separately.

§ 3.—The district of FULHAM comprises the two Poor Law Parishes of HAMMERSMITH and FULHAM.

I.—LONDON.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
1.—LONDON—continued.										
10.—Islington.		3092	327423	7989	7733	256	4397	2226	2171	2876
No.	Tufnell W	411	33528	735	694	41	1146	597	549	—
1	Upper Holloway 2W,w,H..	299	37127	968	849	119	1004	570	434	—
2	Tollington 2W,w,H	315	30615	713	694	19	270	113	157	—
3	Lower Holloway	413	39364	1029	1013	16	371	189	182	—
4	Barnsbury	310	53015	1489	1470	19	483	238	245	—
5	Islington South East F ..	545	71782	1806	1777	29	567	280	287	—
6	Highbury 2H	799	61992	1249	1236	13	556	239	317	—
11.—Hackney.		4151	273270	6448	6048	400	3379	1669	1710	1958
1	Stoke Newington H ..	863	50683	955	940	15	462	203	259	—
2	North Hackney	1081	53701	975	962	13	451	216	235	—
3	Central Hackney 2w,F ..	857	53604	1309	1293	16	553	292	261	—
4	South West Hackney 3H..	586	58058	1634	1365	269	727	365	362	—
5	South East Hackney 2W,w,H	764	57224	1575	1488	87	1186	593	593	—
12.—St. Giles.		232	25065	813	778	35	227	133	94	348
1	St. Giles and Bloomsbury 2W,2H	232	25065	813	778	35	227	133	94	—
13.—Strand.		399	16858	155	140	15	485	307	178	324
1	Strand W,4H	399	16858	155	140	15	485	307	178	—
14.—Holborn.		762	112247	3924	3863	61	1537	802	735	1057
1	Holborn W,6H	202	25634	579	570	9	734	402	332	—
2	Clerkenwell H	317	57166	1662	1632	30	500	250	250	—
3	St. Luke 3H,L	243	29447	1683	1661	22	303	150	153	—
15.—London City.		672	19657	263	254	9	818	499	319	454
1	St. Botolph H	239	7901	106	106	—	59	32	27	—
2	St. Sepulchre and Allhallows W,2H	433	11756	157	148	9	759	467	292	—
16.—Shoreditch.		658	111463	3488	3325	163	1787	911	876	1025
1	Shoreditch South 3H ..	256	40653	1158	1136	22	353	170	183	—
2	Shoreditch North West W,w,H	176	36153	1250	1128	122	1151	606	545	—
3	Shoreditch North East ..	226	34652	1080	1061	19	283	135	148	—
17.—Bethnal Green.		759	128282	4033	3979	54	2045	1103	942	1010
1	Bethnal Green North East 2W,2H,L	470	63996	1930	1884	46	1565	862	703	—
2	Bethnal Green South West H	289	64286	2103	2095	8	480	241	239	—
18.—Whitechapel.		378	67750	2255	2194	61	2074	1173	901	499
1	Spitalfields*	129	33498	2255	2194	61	2074	1173	901	—
2	Whitechapel* W,H	249	34252							
19.—St. George in the East.		244	47101	1760	1732	28	604	302	302	268
1	St. George and St. John 2W	244	47101	1760	1732	28	604	302	302	—

* 18:1, 2.—On 1st December, 1910, the boundary between Spitalfields (1) and Mile End New Town (2) sub-districts was altered, *see* page 491, and on the same date Mile End New Town (2), as reduced, and Goodman's Fields (3) sub-districts were united and called Whitechapel (2). The births and deaths for the altered sub-districts cannot be shown separately.

I.—LONDON.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males	Females.	
1.—LONDON—continued.										
20.—Stepney.		466	53798	1603	1592	11	909	490	419	446
No. 1	Shadwell and Ratcliff w,H	221	22843	643	639	4	636	352	284	—
2	Limehouse W.. ..	245	30955	960	953	7	273	138	135	—
21.—Mile End Old Town.		678	111375	4002	3945	57	1207	598	609	1293
1	Mile End Old Town South Western H.	319	63249	2632	2622	10	444	211	233	—
2	Mile End Old Town North Eastern W,w.	359	48126	1370	1323	47	763	387	376	—
22.—Poplar.		2328	162449	4971	4856	115	2552	1381	1171	1352
1	Bow	556	40837	1172	1159	13	331	151	180	—
2	Bromley 2w,H	606	65285	2059	2025	34	1582	899	683	—
3	Poplar W,w	1166	56327	1740	1672	68	639	331	308	—
23.—Southwark.		1132	191951	5629	5473	156	2867	1476	1391	1854
1	Christchurch and St. Saviour Southwark W,2H.	210	19350	546	537	9	972	525	447	—
2	Kent Road	105	20100	650	640	10	199	96	103	—
3	St. George the Martyr West W,2H,L.	183	35682	988	970	18	534	290	244	—
4	Newington North	227	46045	1405	1386	19	436	232	204	—
5	Newington South 2W ..	407	70774	2040	1940	100	726	333	393	—
24.—St. Olave (Bermondsey).		1500	125960	3978	3908	70	1729	930	799	1149
1	St. Olave 2W	122	8699	296	261	35	87	47	40	—
2	Bermondsey W	626	82119	2647	2624	23	753	366	387	—
3	Rotherhithe W,F	752	35142	1035	1023	12	889	517	372	—
25.—Lambeth.		4080	298126	8385	7875	510	4357	2165	2192	2513
1	Waterloo 2H	172	22329	1481	1433	48	380	184	196	—
2	Lambeth Church H	182	25598	769	759	10	890	499	391	—
3	Kennington 2W	398	48619	1443	1321	122	1251	627	624	—
4	Stockwell F,H	583	62623	1919	1670	249	609	311	298	—
5	Brixton H	1027	76661	1611	1556	55	682	313	369	—
6	Norwood 3W,H	1718	62296	1162	1136	26	545	231	314	—
26.—Wandsworth.		11268	479195	11170	10840	330	5030	2506	2524	3517
1	East Battersea H	947	69774	1977	1947	30	582	287	295	—
2	North West Battersea ..	363	49157	1439	1408	31	458	249	209	—
3	South West Battersea 3W,H	850	48862	878	854	24	1130	568	562	—
4	Clapham 2H	1075	58596	1182	1156	26	486	221	265	—
5	Streatham W,w,F,2L ..	3370	132163	2822	2756	66	1371	697	674	—
6	Springfield 2W,L	888	37186	1074	953	121	354	186	168	—
7	Southfields H	1557	55211	1327	1308	19	409	187	222	—
8	Putney	2218	28246	471	458	13	240	111	129	—
27.—Camberwell.		4480	261357	6517	6330	187	3886	2028	1858	2054
1	Dulwich	1266	14975	201	198	3	114	51	63	—
2	Camberwell South W,2w ..	846	45037	936	855	81	1233	710	523	—
3	Camberwell North W,2L ..	716	64392	1505	1464	41	1319	661	658	—
4	St. George	328	45972	1440	1413	27	415	211	204	—
5	Peckham North	427	47758	1452	1428	24	477	241	236	—
6	Peckham South 2W	897	43223	983	972	11	328	154	174	—
28.—Greenwich.		3424	185688	4972	4838	134	2721	1400	1321	1312
1	Deptford North* F	675	47349	3147	3094	53	1313	634	679	—
2	Deptford East*	270	28476							—
3	Deptford South*	730	40964							—
4	Greenwich West H	298	22936	623	612	11	307	135	172	—
5	Greenwich East 2W,H ..	1451	45963	1202	1132	70	1101	631	470	—

* 28: 1, 2, 3.—On 1st August, 1910, the boundary between these sub-districts was altered, *see* pages 491 and 492, and on the same date Deptford Central (2) sub-district was renamed Deptford East. The births and deaths for the altered sub-districts cannot be shown separately.

I.—LONDON.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS <i>(exclusive of Still-born).</i>			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
1.—LONDON—continued.											
29.—Lewisham.			10774	174296	3679	3567	112	1669	798	862	1019
No.											
1	Eltham <i>w,H</i>		3760	13453	268	266	2	92	47	45	—
2	Lee <i>H</i>		1616	26915	469	457	12	226	102	124	—
3	Lewisham <i>2W,w,F</i>		3680	83124	1874	1804	70	948	468	480	—
4	Sydenham <i>H</i>		1718	50804	1068	1040	28	394	181	213	—
30.—Woolwich.											
			6507	127737	2998	2925	73	1462	733	729	975
1	Charlton <i>F,2H</i>		1991	19787	395	390	5	253	135	118	—
2	Woolwich <i>5H</i>		1130	36727	1104	1081	23	349	172	177	—
3	Plumstead West <i>W,H</i>		1282	40332	809	799	10	359	164	195	—
4	Plumstead East <i>2W</i>		2104	30891	690	655	35	501	262	239	—

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910.

2.—SURREY.									
31.—Epsom.									
	43882	87286	1585	1544	41	1620	845	775	401
1 Carshalton <i>w,2F,4H,L</i>	12228	45841	891	873	18	720	365	355	—
2 Epsom <i>W,w,2F,H,4L</i>	13074	27722	435	414	21	789	427	362	—
3 Leatherhead <i>3H</i>	18580	13723	259	257	2	111	53	58	—
32.—Chertsey.									
	43638	49621	1024	989	35	438	232	206	295
1 Walton <i>3H</i>	8230	19144	373	360	13	157	83	74	—
2 Chertsey <i>W,F</i>	16296	18348	392	380	12	203	110	93	—
3 Chobham	19112	12129	259	249	10	78	39	39	—
33.—Guildford.									
	65648	72731	1502	1447	55	823	398	425	485
1 Woking <i>F,2H,L</i>	19292	25675	607	595	12	281	124	157	—
2 Ripley	9179	3262	64	63	1	17	10	7	—
3 Albury <i>H</i>	17793	5471	78	73	5	51	24	27	—
4 Guildford <i>W,F,H</i>	6616	25720	542	512	30	384	193	191	—
5 Godalming <i>H</i>	12768	12603	211	204	7	90	47	43	—
34.—Farnham.									
	41213	76475	1923	1876	47	698	392	306	490
1 Frimley <i>F,2H</i>	13998	18155	383	379	4	126	70	56	—
2 Aldershot <i>2F,3H</i>	4176	35175	1035	1020	15	253	151	102	—
3 Farnham <i>W,3H</i>	10003	13869	314	293	21	217	119	98	—
4 Frensham <i>F,H</i>	13036	9276	191	184	7	102	52	50	—
35.—Hambledon.									
	63196	25371	510	489	21	241	124	117	159
1 Witley* <i>W,H,L</i>	28720	12380	235	222	13	137	64	73	—
2 Cranley* <i>H</i>	34476	12991	275	267	8	104	60	44	—
36.—Dorking.									
	40864	18430	369	357	12	223	129	94	102
1 Capel <i>2H</i>	24820	5188	97	94	3	47	25	22	—
2 Dorking <i>W,F,H</i>	16044	13242	272	263	9	176	104	72	—
37.—Reigate.									
	50645	49702	954	917	37	553	281	272	291
1 Betchworth <i>L</i>	18006	9648	181	176	5	116	69	47	—
2 Reigate <i>W,3H,L</i>	5994	28505	534	509	25	319	148	171	—
3 Horley <i>2F,H</i>	26645	11549	239	232	7	118	64	54	—
38.—Godstone.									
	52345	34158	646	618	28	504	258	246	180
1 Godstone <i>W,F,6H,2L</i>	52345	34158	646	618	28	504	258	246	—

* 35: 1, 2.—On 1st December, 1910, the boundary between these sub-districts was altered, *see* p. 492. The births and deaths are shown as if the change had taken place at the beginning of the year.

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un- revised.)	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
2.—SURREY—continued.										
1	39.—Croydon.	32562	269964	5984	5761	223	2762	1405	1357	1720
2	Coulsdon L	11069	14856	257	252	5	225	133	92	—
3	South Croydon w,2H ..	4200	55194	1077	1059	18	442	210	232	—
4	West Croydon 3W,F,2H ..	2168	62795	1571	1466	105	936	528	458	—
5	North Croydon H	2644	51570	1164	1109	55	408	188	220	—
6	Penge w	770	22331	381	374	7	166	76	90	—
	Mitcham 2w	11711	63218	1534	1501	33	535	270	265	—
1	40.—Kingston.	24551	172637	3698	3526	172	1623	804	819	1118
2	Wimbledon F,3H	3221	54876	1159	1110	49	426	204	222	—
3	Kingston 4W,H	6224	51552	1150	1072	78	648	342	306	—
4	Surbiton F,H.. ..	3046	17713	332	323	9	136	69	67	—
5	Esher 2H	7496	19018	406	394	12	166	74	92	—
	Hampton F,H,L	4564	29478	651	627	24	247	115	132	—
1	41.—Richmond.	5009	63602	1293	1254	39	571	269	302	440
2	Richmond 2W,H	2491	33223	611	582	29	357	161	196	—
	Mortlake W,F	2518	30379	682	672	10	214	108	106	—
3.—KENT.										
1	42.—Bromley.†	42259	104462	1999	1921	78	951	469	482	536
2	Bromley* F,4H	4696	33649	640	619	21	270	117	153	—
3	Beckenham* H	7832	33920	605	590	15	238	126	112	—
4	Orpington W,F	21117	16075	394	359	35	275	149	126	—
	Chislehurst† w,2H	8614	20818	360	353	7	168	77	91	—
1	43.—Dartford.†	51040	107169	2567	2485	82	1259	682	577	651
2	Bexley† F,H	7397	22129	531	518	13	191	105	86	—
3	Erith F,H	3859	27755	691	683	8	233	118	115	—
4	Dartford W,4F,H,3L ..	13334	42710	1017	968	49	715	398	317	—
	Farningham 3H	26450	14575	328	316	12	120	61	59	—
1	44.—Gravesend.	1260	28117	606	577	29	381	210	171	209
	Gravesend 2W,2H	1260	28117	606	577	29	381	210	171	—
1	45.—Strood.	36932	42973	1036	990	46	441	220	221	305
2	Northfleet 5F	20044	19038	473	461	12	196	92	104	—
	Strood 2W	16888	23935	563	529	34	245	128	117	—
1	46.—Hoo.	19727	3966	101	97	4	39	26	13	26
	Hoo W,F	19727	3966	101	97	4	39	26	13	—
1	47.—Medway.	11778	112461	2818	2745	73	1251	670	581	833
2	Rochester and Chatham W,3F,2H.	6799	61024	1466	1407	59	808	429	379	—
	Gillingham 2F,2H	4979	51437	1352	1338	14	443	241	202	—
1	48.—Malling.	47341	28402	627	596	31	306	167	139	211
2	Aylesford W,2F	21417	17848	384	359	25	201	114	87	—
	Wrotham F	25924	10554	243	237	6	105	53	52	—
1	49.—Sevenoaks.	66595	33213	606	582	24	323	163	160	223
2	Shoreham F	19575	7560	161	152	9	68	34	34	—
3	Sevenoaks W,F,2H	21198	17414	274	264	10	186	91	95	—
	Penshurst F	25822	8239	171	166	5	69	38	31	—
1	50.—Tonbridge.	47681	71811	1340	1279	61	858	409	449	509
2	Tunbridge Wells F,3H ..	12916	43858	773	744	29	514	231	283	—
3	Tonbridge W,F,H	15649	19711	408	380	28	262	137	125	—
	Brenchley 2F	19116	8242	159	155	4	82	41	41	—

* 42:1, 2.—On 1st February, 1910, the boundary between these sub-districts was altered, *see* page 492. The births and deaths are shewn as if the change had taken place at the beginning of the year.

† 42:4, 43:1.—On 1st December, 1910, the boundary between these sub-districts was altered, *see* page 492. The births and deaths are included in the figures for the sub-district in which they were registered.

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	3.—KENT—continued.									
	51.—Maidstone.	39004	51876	1096	1051	45	814	396	418	348
1	Yalding	21309	7621	149	143	6	78	33	45	—
2	Loose 2W,FH.. ..	13687	8778	180	168	12	150	87	63	—
3	Maidstone F,2H,L	4008	35477	767	740	27	586	276	310	—
	52.—Hollingbourn.	57670	12846	260	245	15	155	72	83	85
1	Hollingbourn W,F	22259	4269	75	72	3	61	30	31	—
2	Lenham	16260	3256	77	75	2	43	17	26	—
3	Headcorn	19151	5321	108	98	10	51	25	26	—
	53.—Cranbrook.	41315	13689	262	244	18	175	79	96	88
1	Cranbrook W,F,2H	20574	6393	134	123	11	100	43	57	—
2	Hawkhurst H	20741	7296	128	121	7	75	36	39	—
	54.—Tenterden.	47324	9381	183	174	9	112	56	56	61
1	Tenterden W.. ..	47324	9381	183	174	9	112	56	56	—
	55.—West Ashford.	42340	21634	425	404	21	262	133	129	145
1	Calehill W,2F	22775	5160	110	104	6	86	42	44	—
2	Ashford F,H	19565	16474	315	300	15	176	91	85	—
	56.—East Ashford.	54800	13618	293	285	8	167	85	82	101
1	Brabourne W,F	27209	8123	174	169	5	111	60	51	—
2	Wye	27591	5495	119	116	3	56	25	31	—
	57.—Bridge.*	41797	11196	249	233	16	262	132	130	82
1	Chartham* L	18313	5448	130	120	10	187	94	93	—
2	Barham W,F.. ..	23484	5748	119	113	6	75	38	37	—
	58.—Canterbury.*	3975	24628	501	469	32	348	180	168	138
1	Canterbury* W,2F,2H,L ..	3975	24628	501	469	32	348	180	168	—
	59.—Blean.*	28566	23362	463	439	24	327	167	160	145
1	Sturry*	8649	3122	75	73	2	46	27	19	—
2	Herne W,3F,6H	13844	11400	211	193	18	167	77	90	—
3	Whitstable F,H	6073	8840	177	173	4	114	63	51	—
	60.—Faversham.	44685	24748	596	562	34	336	168	168	185
1	Boughton	21332	5369	128	125	3	72	33	39	—
2	Faversham W,F,H	8265	14544	349	322	27	205	99	106	—
3	Teynham 2F	15088	4835	119	115	4	59	36	23	—
	61.—Milton.	31285	28314	652	624	28	303	162	141	213
1	Milton W,F,H	31285	28314	652	624	28	303	162	141	—
	62.—Sheppey.	22365	24389	570	559	11	235	124	111	173
1	Minster W,2F,2H	8223	23169	540	529	11	224	118	106	—
2	Eastchurch	14142	1220	30	30	—	11	6	5	—
	63.—Thanet.	26178	78549	1435	1357	78	1022	535	487	522
1	Minster WH	15321	5982	119	94	25	149	77	72	—
2	Margate w,7H	4371	32309	536	510	26	362	183	179	—
3	Broadstairs w,2F,4H	2930	10095	141	135	6	122	66	56	—
4	Ramsgate W,4H,L	3556	30163	639	618	21	389	209	180	—

* 57 : 1, 58 : 1, 59 : 1.—On 1st June, 1910, the boundary between these sub-districts was altered, *see* page 492. The births and deaths are included in the figures for the sub-district in which they were registered.

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
3.—KENT—continued.											
No.	64.—Eastry.		46491	32845	664	631	33	393	194	199	209
1	Sandwich <i>W,F,H</i>		21785	9225	185	178	7	131	72	59	—
2	Wingham		8336	2996	72	68	4	35	16	19	—
3	Eythorne		8206	2279	46	45	1	25	10	15	—
4	Deal <i>F,H</i>		8164	18345	361	340	21	202	96	106	—
65.—Dover.			29069	51946	1157	1120	37	608	326	282	459
1	St. Margaret's at Cliffe ..		12469	5323	96	95	1	48	20	28	—
2	Dover <i>W,F,3H</i>		1948	43647	1005	970	35	531	287	244	—
3	Hougham		14652	2971	56	55	1	29	19	10	—
66.—Elham.			43676	57271	1163	1119	44	642	328	314	363
1	Folkestone <i>W,2F,13H</i> ..		6266	43914	907	879	28	459	221	238	—
2	Elham <i>W,F</i>		21259	4009	73	59	14	77	45	32	—
3	Hythe <i>2F,H</i>		16151	9348	183	181	2	106	62	44	—
67.—Romney Marsh.			43822	7004	161	155	6	82	44	38	44
1	New Romney <i>2W,F,H</i> ..		27033	3936	100	95	5	54	27	27	—
2	Lydd		16789	3068	61	60	1	28	17	11	—
4.—SUSSEX.											
68.—Rye.			38242	11375	297	190	17	144	66	78	59
1	Rye <i>W</i>		15895	6421	112	101	11	83	36	47	—
2	Beckley <i>2F</i>		22347	4954	95	89	6	61	30	31	—
69.—Hastings.			13603	61014	916	857	59	884	454	430	398
1	Ore <i>2W,F,H</i>		10571	8634	182	159	23	201	116	85	—
2	All Saints		1018	27438	424	400	24	307	151	156	—
3	St. Mary Magdalen <i>12H</i> ..		2014	24942	310	298	12	376	187	189	—
70.—Battle.			53924	26791	463	440	23	252	137	115	186
1	Bexhill <i>F,H</i>		15888	18856	320	303	17	165	87	78	—
2	Battle <i>W</i>		38036	7935	143	137	6	87	50	37	—
71.—Eastbourne.			41305	61575	1049	998	51	674	310	364	361
1	Westham <i>2F</i>		18418	4435	91	90	1	49	19	30	—
2	Eastbourne <i>W,F,6H</i> ..		8977	51963	885	838	47	573	269	304	—
3	Seaford <i>F,H</i>		13910	5177	73	70	3	52	22	30	—
72.—Hailsham.			58063	18045	372	347	25	259	110	149	116
1	Hurstmonceux		29144	7728	168	157	11	74	35	39	—
2	Hellingly <i>W,F,L</i>		28919	10317	204	190	14	185	75	110	—
73.—Ticehurst.			52136	16966	304	289	15	173	76	97	90
1	Ticehurst <i>W,F</i>		27780	8188	158	149	9	86	37	49	—
2	Wadhurst <i>F</i>		24356	8778	146	140	6	87	39	48	—
74.—Uckfield.			75785	26649	470	449	21	268	135	133	161
1	Rotherfield <i>H</i>		25322	10821	192	188	4	98	47	51	—
2	Framfield		15334	4514	77	76	1	42	17	25	—
3	Isfield <i>W,H</i>		6038	4081	66	58	8	58	27	31	—
4	Maresfield		29091	7233	135	127	8	70	44	26	—
75.—East Grinstead.			52313	20097	426	412	14	212	116	96	121
1	Withyham		18514	4107	75	74	1	43	25	18	—
2	East Grinstead <i>W,F,H</i> ..		15128	10125	204	198	6	127	69	58	—
3	Worth		18671	5865	147	140	7	42	22	20	—

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate	Total.	Males.	Females.	
4.—SUSSEX—continued.											
76.—Cuckfield.			57379	28727	512	496	16	281	138	143	191
No.											
1	Cuckfield	W,H	34985	16572	310	300	10	175	85	90	—
2	Hurstpierpoint	F,2H	22394	12155	202	196	6	106	53	53	—
77.—Lewes.			50972	23738	412	394	18	330	172	158	140
1	Chailey	W,2F,2H,L	32119	9687	153	148	5	158	85	73	—
2	Lewes	W,F,H	18853	14051	259	246	13	172	87	85	—
78.—Newhaven.			27061	12807	259	247	12	130	80	50	63
1	Newhaven	2W,w,F,H	27061	12807	259	247	12	130	80	50	—
79.—Brighton.			1629	101792	2091	1928	163	1647	783	864	792
1	East Brighton	W,3H	890	48181	1040	949	91	961	465	496	—
2	West Brighton	4H	739	53611	1051	979	72	686	318	368	—
80.—Steyning.			46143	99828	1740	1659	81	1080	489	591	529
1	Preston	F	5332	30921	540	523	17	286	123	163	—
2	Hove	5H	2795	42616	622	590	32	461	201	260	—
3	Shoreham	2W,F	14565	19933	472	440	32	275	135	140	—
4	Steyning	23451	6358	106	106	—	58	30	28	—
81.—Horsham.			76613	32108	652	628	24	335	159	176	194
1	South Horsham	24774	5367	102	99	3	62	34	28	—
2	North Horsham	W,2H	32003	22037	450	433	17	242	114	128	—
3	West Horsham	H	19836	4704	100	96	4	31	11	20	—
82.—Petworth.			45754	8776	158	144	14	101	55	46	53
1	Petworth Northern	W	25298	3977	80	72	8	38	18	20	—
2	Petworth Southern	W,F,H	20456	4799	78	72	6	63	37	26	—
83.—Thakeham.			40632	8334	167	160	7	86	46	40	39
1	Pulborough	18149	4183	99	96	3	35	21	14	—
2	Washington	W	22483	4151	68	64	4	51	25	26	—
84.—East Preston.			34980	48356	906	859	47	598	278	320	272
1	Worthing	F,5H	10015	32320	605	578	27	394	176	218	—
2	Littlehampton	W,F,3H	8964	11417	228	214	14	158	81	77	—
3	Arundel	H	16001	4619	73	67	6	46	21	25	—
85.—Westhampnett.			71757	23690	435	427	8	242	130	112	185
1	Yapton	17002	4718	103	102	1	51	25	26	—
2	Bognor	F,5H	2753	8683	140	135	5	89	49	40	—
3	Oving	24731	6325	131	129	2	76	44	32	—
4	Boxgrove	F	27271	3964	61	61	—	26	12	14	—
86.—Chichester.			1538	12594	275	249	26	274	143	131	77
1	Chichester	W,F,H,L	1538	12594	275	249	26	274	143	131	—
87.—Midhurst.			66775	15283	322	311	11	135	78	57	109
1	Midhurst	W,H	23808	7208	169	164	5	74	41	33	—
2	Fernhurst	13847	3180	68	67	1	24	13	11	—
3	Harting	29120	4895	85	80	5	37	24	13	—
88.—Westbourne.			32026	8331	160	153	7	88	48	40	53
1	Westbourne	W,F	32026	8331	160	153	7	88	48	40	—

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	5.—HAMPSHIRE.									
	89.—Havant.	14214	13662	254	246	8	145	76	69	85
1	Havant <i>W,F,H</i>	14214	13662	254	246	8	145	76	69	—
	90.—Portsmouth.	6100	231165	5809	5591	218	3094	1657	1437	1915
1	North End and Buckland ..	2951	65177	1834	1792	42	627	347	280	—
2	Kingston and East Southsea <i>W,2F,3H,L</i>	1674	61209	1603	1523	80	1164	612	552	—
3	Portsea and Landport <i>2H</i>	691	56851	1397	1332	65	778	439	339	—
4	Portsmouth and Mid South- sea <i>6H</i>	784	47928	975	944	31	525	259	266	—
	91.—Alverstoke.	3869	33301	919	886	33	437	275	162	221
1	Alverstoke <i>W,F,H</i>	3869	33301	919	886	33	437	275	162	—
	92.—Fareham.	36660	23898	501	492	9	360	193	167	170
1	Fareham <i>W,F,2H,L</i> ..	17241	14140	304	296	8	272	143	129	—
2	Titchfield	19419	9758	197	196	1	88	50	38	—
	93.—Isle of Wight.	94145	88193	1643	1569	74	972	492	480	564
1	Cowes <i>F,2H,L</i>	14038	18963	418	408	10	178	82	96	—
2	Newport <i>W,H,L</i>	16150	17864	367	345	22	213	131	82	—
3	Ryde <i>F,H</i>	7342	18028	294	283	11	205	96	109	—
4	Brading <i>F,2H</i>	13329	14179	223	213	10	156	68	88	—
5	Godshill <i>F,3H</i>	19977	11196	183	170	13	130	68	62	—
6	Calbourne	23309	7963	158	150	8	90	47	43	—
	94.—Lymington.	39180	16235	318	304	14	138	83	55	101
1	Lymington <i>W,F,H</i>	24839	9930	193	181	12	91	61	30	—
2	Milford <i>H</i>	14341	6305	125	123	2	47	22	25	—
	95.—Christchurch.	31001	90365	1509	1410	99	1044	523	521	649
1	Christchurch <i>2W,F,H</i> ..	26929	23194	484	433	51	285	158	127	—
2	Bournemouth <i>F,11H</i> ..	4072	67171	1025	977	48	759	365	394	—
	96.—Ringwood.	36447	7151	167	162	5	100	60	40	36
1	Ringwood <i>W,H</i>	36447	7151	167	162	5	100	60	40	—
	97.—Fordingbridge.	36186	6445	134	124	10	61	35	26	54
1	Fordingbridge <i>W,H</i> ..	36186	6445	134	124	10	61	35	26	—
	98.—New Forest.	69507	16373	349	334	15	152	88	64	87
1	Lyndhurst <i>H</i>	24632	4108	67	64	3	32	13	14	—
2	Fawley	23156	4477	90	86	4	37	22	15	—
3	Eling <i>W</i>	21719	7788	192	184	8	83	48	35	—
	99.—Southampton.	4604	119039	2930	2800	130	1557	831	726	916
1	Southampton Eastern <i>W,H</i>	2033	75391	1904	1842	62	932	480	452	—
2	Southampton Western <i>W,2F,3H</i>	2571	43648	1026	958	68	625	351	274	—
	100.—South Stoneham.	23078	50370	1397	1361	36	429	245	184	347
1	St. Mary Extra* <i>H,L</i> ..	6890	27820	823	806	17	237	131	106	—
2	South Stoneham* <i>W,F</i> ..	9532	19118	489	473	16	162	95	67	—
3	Millbrook	6656	3432	85	82	3	30	19	11	—
	101.—Romsey.	32029	11471	236	226	10	139	79	60	97
1	Romsey <i>W,H</i>	13070	7338	140	132	8	93	55	38	—
2	Michelmersh	18959	4133	96	94	2	46	24	22	—
	102.—Stockbridge.	44314	6485	126	115	11	77	38	39	41
1	Broughton	22599	3025	53	52	1	36	16	20	—
2	Stockbridge <i>W</i>	21715	3460	73	63	10	41	22	19	—

* 100 : 1, 2.—On 1st November, 1910, the boundary between these sub-districts was altered, *see* p. 492. The births and deaths are shown as if the change had taken place at the beginning of the year.

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
5.—HAMPSHIRE— <i>continued.</i>										
No.	103.—Winchester.*	79820	40532	803	773	30	440	239	201	267
1	Micheldever <i>F</i>	36254	4956	99	97	2	35	19	16	—
2	Winchester <i>W,F,H</i>	9231	24146	453	429	24	310	167	143	—
3	Twyford	17579	7037	151	149	2	47	30	17	—
4	Hursley <i>W</i>	16756	4393	100	98	2	48	23	25	—
104.—Droxford.		48647	12906	301	283	18	130	71	59	88
1	Bishops Waltham	12699	4570	100	95	5	42	24	18	—
2	West Meon	13819	1874	40	40	—	15	9	6	—
3	Hambledon <i>W,H</i>	22129	6462	161	148	13	73	38	35	—
105.—Catherington.		13144	3668	52	51	1	39	23	16	37
1	Horndean <i>W,F</i>	13144	3668	52	51	1	39	23	16	—
106.—Petersfield.		45895	15977	328	313	15	177	100	77	94
1	Petersfield <i>W,F,H</i>	19998	12613	247	235	12	145	83	62	—
2	East Meon	25897	3364	81	78	3	32	17	15	—
107.—Alresford.		42315	7531	152	144	8	90	50	40	32
1	Ropley	23902	4037	74	71	3	41	20	21	—
2	Alresford <i>W</i>	18413	3494	78	73	5	49	30	19	—
108.—Alton.		61758	23842	480	465	15	248	130	118	145
1	Alton <i>W,2F,2H</i>	33823	11111	242	231	11	157	92	65	—
2	Binsted	27935	12731	238	234	4	91	38	53	—
109.—Hartley Wintney.		57486	36128	752	718	34	344	179	165	220
1	Odiham <i>W,2H</i>	24675	11109	212	207	5	135	66	69	—
2	Farnborough <i>2H</i>	12473	19572	406	389	17	137	75	62	—
3	Hartley Wintney <i>W,H</i>	20338	5447	134	122	12	72	38	34	—
110.—Basingstoke.		76954	23911	518	497	21	266	133	133	179
1	Basingstoke <i>W,F,H</i>	19713	15420	339	325	14	176	83	93	—
2	Bramley	23218	4652	97	90	7	50	30	20	—
3	Dummer	34023	3839	82	82	—	40	20	20	—
111.—Whitchurch.		31358	6121	147	141	6	53	28	25	39
1	Whitchurch <i>W,F</i>	31358	6121	147	141	6	53	28	25	—
112.—Andover.		74219	21892	473	456	17	229	125	104	137
1	Longparish	27183	3984	88	83	5	43	24	19	—
2	Amport <i>H</i>	18877	7611	156	156	—	36	20	16	—
3	Andover <i>W,F,H</i>	14022	8687	198	187	11	131	70	61	—
4	Hurstbourne Tarrant	14137	1610	31	30	1	19	11	8	—
113.—Kingsclere.		45986	8842	174	168	6	106	55	51	52
1	Highclere	20514	3581	56	55	1	37	20	17	—
2	Kingsclere <i>W,F</i>	25472	5261	118	113	5	69	35	34	—
6.—BERKSHIRE.										
114.—Newbury.		44216	22867	459	436	23	292	141	151	163
1	Newbury <i>W,F,H</i>	1828	12108	240	226	14	182	89	93	—
2	Speen	27624	5433	109	104	5	53	22	31	—
3	Thatcham <i>2H</i>	14764	5326	110	106	4	57	30	27	—

* 103.—The District of WINCHESTER comprises the two Poor Law Unions of Winchester (Micheldever Winchester, and Twyford sub-districts) and Hursley (Hursley sub-district).

II.—SOUTH EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—cont.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS		MARRIAGES.	
						Total.	Legitimate.	Illegitimate.	Total.	Males		Females.
6.—BERKSHIRE— <i>continued.</i>												
115.—Hungerford.				96430	16121	368	352	16	181	84	97	96
No. 1	Kintbury..	24211	3774	88	87	1	38	14	24	—
2	Hungerford W	38650	7820	171	160	11	98	51	47	—
3	Lambourn	33569	4527	109	105	4	45	19	26	—
116.—Faringdon.				64984	12947	294	272	22	143	71	72	72
1	Shrivenham	22081	3502	79	77	2	34	13	21	—
2	Faringdon W,H	42903	9445	215	195	20	109	58	51	—
117.—Abingdon.				55710	18733	423	398	25	211	114	97	122
1	Fyfield	20155	3752	78	72	6	38	27	11	—
2	Abingdon W,F,H	13228	9439	211	197	14	110	59	51	—
3	Sutton Courtenay	22327	5542	134	129	5	63	28	35	—
118.—Wantage.				76978	15656	352	335	17	185	102	83	108
1	Wantage W,H	35280	9581	210	199	11	114	65	49	—
2	Ilsley	41698	6075	142	136	6	71	37	34	—
119.—Wallingford.				42696	14976	321	298	23	232	119	113	102
1	Cholsey W,L	21276	7120	152	144	8	124	58	66	—
2	Wallingford W,F,H	21420	7856	169	154	15	108	61	47	—
120.—Bradfield.				64369	20238	382	365	17	191	100	91	122
1	Bucklebury W	36256	8474	151	146	5	87	43	44	—
2	Tilehurst F,H..	28113	11764	231	219	12	104	57	47	—
121.—Reading.				5876	75214	1680	1608	72	885	419	466	574
1	St. Mary W,H	2197	32233	813	771	42	360	183	177	—
2	St. Giles F,H	3679	42981	867	837	30	525	236	289	—
122.—Wokingham.				44491	21005	441	420	21	227	120	107	143
1	Wokingham W,H	23346	12952	291	273	18	153	79	74	—
2	Wargrave	21055	8053	150	147	3	74	41	33	—
123.—Maidenhead.				29926	27519	590	563	27	314	168	146	186
1	Maidenhead W,F,H	29926	27519	590	563	27	314	168	146	—
124.—Easthampstead.				27033	17550	297	293	4	131	71	60	89
1	Bracknell W,H	22497	10349	198	195	3	79	37	42	—
2	Sandhurst L	4536	7201	99	98	1	52	34	18	—
125.—Windsor.				21070	40602	870	832	38	499	250	249	262
1	Egham W,2H,L	14101	19653	422	408	14	187	93	94	—
2	Windsor W,F,4H	6969	20949	448	424	24	312	157	155	—

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
7.—MIDDLESEX.										
No.	126.—Staines.	24331	38430	952	906	46	415	234	181	226
1	Sunbury <i>w</i>	11054	21912	531	517	14	222	120	102	—
2	Staines <i>W,H</i>	13277	16518	421	389	32	193	114	79	—
127.—Uxbridge.										
	26858	60740	1462	1416	46	699	349	350	355	
1	Hillingdon <i>W,F,H</i>	6035	17161	400	381	19	199	101	98	—
2	Uxbridge <i>H</i>	12757	12306	270	264	6	97	41	56	—
3	Hayes <i>w,2F,H,L</i>	8066	31273	792	771	21	403	207	196	—
128.—Brentford.										
	20980	266932	6471	6229	242	2581	1227	1354	1776	
1	Isleworth <i>3W,3F,H</i>	6859	43316	1119	1031	88	739	371	368	—
2	Twickenham <i>F,2H</i>	2421	29374	696	671	25	251	117	134	—
3	Hanwell* <i>w,2H</i>	4108	20195	526	505	21	159	87	72	—
4	Brentford* <i>3F,2H</i>	4038	77819	1720	1673	47	612	288	324	—
5	Chiswick <i>H</i>	1249	33705	935	914	21	310	133	177	—
6	Acton* <i>F,H</i>	2305	57523	1475	1435	40	510	231	279	—
129.—Willesden.										
	4384	154267	3809	3717	92	1313	629	684	994	
1	Willesden <i>W,F,2H</i>	4384	154267	3809	3717	92	1313	629	684	—
130.—Hendon.										
	29185	93484	2059	2008	51	659	350	309	552	
1	Harrow <i>F,H</i>	13809	49020	1112	1090	22	273	144	129	—
2	Edgware <i>2F,2H</i>	6994	5658	109	109	—	43	21	22	—
3	Hendon <i>2W,w,F</i>	8382	38806	838	809	29	343	185	158	—
131.—Barnet.										
	25767	84945	1885	1847	38	939	444	495	490	
1	South Mimms <i>2F,2H</i>	17755	8268	173	167	6	66	32	34	—
2	Barnet <i>W,F,2H</i>	3324	22327	470	447	23	208	106	102	—
3	Finchley <i>F,3H,L</i>	4688	54350	1242	1233	9	665	306	359	—
132.—Edmonton.										
	47102	445960	10787	10497	290	4131	2077	2054	2977	
1	Hornsey <i>F,2H</i>	2875	84602	1377	1351	26	626	278	348	—
2	Wood Green <i>w,H</i>	1625	49372	1143	1118	25	356	172	184	—
3	West Tottenham <i>F</i>	995	64400	1723	1684	39	589	296	293	—
4	East Tottenham <i>2H</i>	2019	73057	1971	1927	44	786	427	359	—
5	Edmonton <i>2W,2w,3F</i>	7491	98433	2671	2557	114	1097	553	544	—
6	Enfield <i>3W,F,H</i>	12601	56344	1421	1382	39	521	269	252	—
7	Waltham Abbey <i>F</i>	11017	6796	145	145	—	65	37	28	—
8	Cheshunt <i>F,H</i>	8479	12956	336	333	3	91	45	46	—
8.—HERTFORD-SHIRE.										
133.—Ware.										
	36158	22504	418	413	5	196	77	119	145	
1	Hoddesdon†	7853	8997	153	152	1	61	23	38	—
2	Stanstead	7985	2988	54	54	—	30	9	21	—
3	Ware† <i>W</i>	7043	7190	154	150	4	76	29	47	—
4	Standon	13277	3329	57	57	—	29	16	13	—
134.—Bishop Stortford.										
	54471	23888	434	419	15	258	122	136	144	
1	Stortford <i>W,2F,H</i>	15804	13209	234	225	9	153	78	75	—
2	Stansted	18610	6024	134	130	4	64	26	38	—
3	Braughing <i>H</i>	20057	4655	66	64	2	41	18	23	—
135.—Royston.†										
	91066	21494	403	382	21	287	136	151	128	
1	Buntingford <i>W,F</i>	28470	5023	116	108	8	73	35	38	—
2	Royston <i>H</i>	34140	7854	134	130	4	98	53	45	—
3	Melbourn <i>W,F</i>	28456	8617	153	144	9	116	48	68	—
136.—Hitchin.										
	66840	36961	856	830	26	389	204	185	200	
1	Baldock	32157	17164	398	391	7	140	66	74	—
2	Hitchin <i>W,3H</i>	34683	19797	458	439	19	249	138	111	—

* 128:3, 4, 6.—On 1st August, 1910, the boundary between BRENTFORD (4) and ACTON (6) sub-districts was altered, and a new sub-district HANWELL (3) was created, *see* page 492. The births and deaths are shown as if the change had taken place at the beginning of the year.

† 133:1, 3.—On 1st March, 1910, the boundary between these sub-districts was altered, *see* page 492. The births and deaths are shown as if the change had taken place at the beginning of the year.

‡ 135.—The District of ROYSTON comprises the two Poor Law Unions of Buntingford (Buntingford sub-district) and Royston (Royston and Melbourn sub-districts).

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
No.	8.—HERTFORD-SHIRE—continued.									
	137.—Hertford.	35435	18475	378	354	24	233	120	113	122
1	Watton <i>F</i>	16615	3972	81	79	2	42	24	18	—
2	Hertford <i>W,F,H</i>	18820	14503	297	275	22	191	96	95	—
	138.—Hatfield.*	30063	11140	245	234	11	121	63	58	64
1	Hatfield <i>W,H</i>	23486	8592	186	178	8	94	46	48	—
2	Welwyn <i>W,F,H</i>	6582	2548	59	56	3	27	17	10	—
	139.—St. Albans.	41402	43774	817	794	23	602	316	286	314
1	Harpenden	20616	14534	283	277	6	120	58	62	—
2	St. Albans <i>W,F,H,2L</i>	20786	29240	534	517	17	482	258	224	—
	140.—Watford.	36952	72000	1421	1369	52	722	361	361	417
1	Bushey <i>2H</i>	12012	11405	192	191	1	80	40	40	—
2	Watford <i>2W,2F,H</i>	2061	40953	892	850	42	388	199	189	—
3	Rickmansworth	14034	10973	223	216	7	86	40	46	—
4	Abbots Langley <i>w,L</i>	8845	8669	114	112	2	168	82	86	—
	141.—Hemel Hempstead.	27178	19453	407	396	11	264	137	127	139
1	Hemel Hempstead <i>W,F,2H</i>	15541	16394	340	332	8	242	127	115	—
2	Flamstead	11637	3059	67	64	3	22	10	12	—
	142.—Berkhampstead.	26854	17309	314	307	7	170	78	92	108
1	Berkhampstead <i>W</i>	11509	9752	181	177	4	97	38	59	—
2	Tring <i>2F</i>	15345	7557	133	130	3	73	40	33	—
	9.—BUCKINGHAM-SHIRE.									
	143.—Amersham.	50396	28954	632	614	18	293	154	139	151
1	Missenden	6322	3055	75	71	4	25	13	12	—
2	Chesham <i>F,H</i>	13659	11365	252	247	5	109	58	51	—
3	Amersham <i>W</i>	20568	9609	196	189	7	117	64	53	—
4	Chalfont <i>H</i>	9847	4925	109	107	2	42	19	23	—
	144.—Eton.	42988	41626	871	844	27	400	201	199	237
1	Eton <i>W,F,2H</i>	20698	29858	649	627	22	308	159	149	—
2	Burnham <i>F</i>	22290	11768	222	217	5	92	42	50	—
	145.—Wycombe.	75498	49907	1113	1071	42	546	278	268	317
1	Wycombe <i>H</i>	18756	27879	632	613	19	286	139	147	—
2	Marlow <i>2F,H</i>	13709	11096	280	265	15	118	60	58	—
3	Princes Risborough	22782	6525	107	106	1	64	35	29	—
4	Stokenchurch <i>2W</i>	20251	4407	94	87	7	78	44	34	—
	146.—Aylesbury.	75411	27073	554	531	23	383	205	178	190
1	Haddenham <i>L</i>	27541	6090	102	101	1	110	64	46	—
2	Aylesbury <i>W,F,H</i>	19395	15397	313	299	14	202	110	92	—
3	Waddesdon	28475	5586	139	131	8	71	31	40	—
	147.—Winslow.	34525	6995	135	125	10	86	43	43	42
1	Winslow <i>W</i>	34525	6995	135	125	10	86	43	43	—
	148.—Newport Pagnell.	74206	28436	560	544	16	302	163	139	164
1	Fenny Stratford	33144	15198	328	319	9	163	90	73	—
2	Newport Pagnell <i>W</i>	3432	4239	81	78	3	49	29	20	—
3	Olney	37630	8999	151	147	4	90	44	46	—

* 138.—The District of HATFIELD comprises the two Poor Law Unions of Hatfield (Hatfield sub-district) and Welwyn (Welwyn sub-district).

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
9.—BUCKINGHAMSHIRE—continued.										
149.—Buckingham.		54022	10960	259	247	12	132	71	61	71
1	Buckingham W,F,H ..	26769	6201	153	144	9	75	45	30	—
2	Tingewick	27253	4759	106	103	3	57	26	31	—
10.—OXFORDSHIRE.										
150.—Henley.		59540	28446	633	591	42	289	142	147	188
1	Henley W,F,H	25971	12010	240	220	20	130	69	61	—
2	Caversham	14550	12669	305	291	14	98	41	57	—
3	Watlington F,H	19019	3767	88	80	8	61	32	29	—
151.—Thame.		61413	12746	254	233	21	152	81	71	79
1	Lewknor	27835	4258	83	74	9	41	24	17	—
2	Thame W,3F,H	33578	8488	171	159	12	111	57	54	—
152.—Headington.		29093	43930	882	831	51	683	344	339	310
1	Wheatley* 2F.. ..	19071	3947	74	72	2	30	15	15	—
2	St. Clement* 2W,w,F,5H,2L	10022	39983	808	759	49	653	329	324	—
153.—Oxford.		1720	23227	503	476	27	217	108	109	200
1	Oxford F	1720	23227	503	476	27	217	108	109	—
154.—Bicester.		63008	12566	281	264	17	167	78	89	99
1	Bletchington F	32188	5668	117	115	2	71	32	39	—
2	Bicester W,F	30820	6898	164	149	15	96	46	50	—
155.—Woodstock.		47854	12305	260	244	16	148	72	76	78
1	Deddington	21412	4341	98	93	5	58	25	33	—
2	Woodstock W.. ..	26442	7964	162	151	11	90	47	43	—
156.—Witney.		77795	19995	442	422	20	257	131	126	133
1	Eynsham	18077	4177	85	80	5	57	32	25	—
2	Bampton	23691	4666	108	103	5	56	24	32	—
3	Witney W	15043	7576	195	186	9	95	51	44	—
4	Burford H	20984	3576	54	53	1	49	24	25	—
157.—Chipping Norton.		72511	16307	315	299	16	183	89	94	116
1	Charlbury	39293	8037	153	146	7	91	41	50	—
2	Chipping Norton W ..	33218	8270	162	153	9	92	48	44	—
158.—Banbury.		78487	28977	627	594	33	369	199	170	208
1	Bloxham	19702	5597	112	109	3	64	32	32	—
2	Swalcliffe	22744	4416	93	86	7	39	21	18	—
3	Cropredy.. ..	19596	2949	59	58	1	36	21	15	—
4	Banbury W,2F,H	16445	16015	363	341	22	230	125	105	—
11.—NORTHAMPTONSHIRE.										
159.—Brackley.		55825	10941	239	226	13	116	64	52	75
1	Brackley W,H	55825	10941	239	226	13	116	64	52	—
160.—Towcester.		42457	10483	198	185	13	144	73	71	85
1	Towcester W	42457	10483	198	185	13	144	73	71	—

* 152 : 1, 2.—On 1st April, 1910, the boundary between these sub-districts was altered, *see* page 492. The births and deaths are shown as if the change had taken place at the beginning of the year.

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
11.—NORTHAMPTON-SHIRE—continued.										
161.—Potterspury.		24373	15616	332	324	8	166	83	83	93
No. 1	Potterspury W	24373	15616	332	324	8	166	83	83	—
162.—Hardingstone.		32924	12302	232	221	11	119	59	60	84
1	Brafield	12388	2973	62	60	2	30	19	11	—
2	Hardingstone W,2F	20536	9329	170	161	9	89	40	49	—
163.—Northampton.		19315	92041	1906	1839	67	1289	640	649	675
1	St. Giles 2W,2H,L	5668	54330	1090	1045	45	840	432	408	—
2	All Saints	4537	33493	752	734	18	330	155	175	—
3	Bugbrooke L	9110	4218	64	60	4	119	53	66	—
164.—Daventry.		64510	17327	383	364	19	185	95	90	114
1	Weedon	19827	4142	87	85	2	36	15	21	—
2	Daventry 2W,F	24567	8259	182	171	11	96	54	42	—
3	Long Buckby	20116	4926	114	108	6	53	26	27	—
165.—Brixworth.		63647	11833	225	212	13	143	72	71	91
1	West Brixworth H	32106	5398	113	107	6	56	23	33	—
2	East Brixworth W,F	31541	6435	112	105	7	87	49	38	—
166.—Wellingborough.		55761	57799	1166	1118	48	618	313	305	415
1	Wellingborough W,F,H	26836	29562	593	571	22	345	183	162	—
2	Higham Ferrers	28925	28237	573	547	26	273	130	143	—
167.—Kettering.		58189	51384	1132	1095	37	539	268	271	342
1	Burton Latimer W	22596	7773	171	167	4	68	36	32	—
2	Kettering W,2F,H	2814	29976	663	636	27	328	162	166	—
3	Rothwell	32779	13635	298	292	6	143	70	73	—
168.—Thrapston.		51744	15387	348	338	10	218	113	105	111
1	Thrapston W	27802	7785	181	176	5	108	59	49	—
2	Raunds	23942	7602	167	162	5	110	54	56	—
169.—Oundle.		69516	10936	203	194	9	150	91	59	69
1	Oundle W,F	69516	10936	203	194	9	150	91	59	—
170.—Peterborough.		104141	57843	1248	1182	66	639	324	315	422
1	Stilton	30495	5627	118	114	4	54	31	23	—
2	Peterborough W,2F,H	22690	43285	897	844	53	488	241	247	—
3	Crowland	33114	7059	184	176	8	79	42	37	—
4	Thorney	17842	1872	49	48	1	18	10	8	—
12.—HUNTINGDON-SHIRE.										
171.—Huntingdon.		79736	18402	428	396	32	233	130	103	120
1	Ramsey F	27066	6409	171	162	9	58	34	24	—
2	Sawtry	16493	1757	40	35	5	18	4	14	—
3	Spaldwick	20362	2152	43	43	—	21	12	12	—
4	Huntingdon W,F,H	15815	8084	174	156	18	133	80	53	—

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.	
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.		
12.—HUNTINGDON-SHIRE—continued.													
No.	172.—St. Ives.			61914	15300	323	304	19	207	106	101	119	
1	Warboys	15738	2897	64	61	3	28	14	14	—	
2	Somersham	15298	3378	65	63	2	38	18	20	—	
3	Swavesey	14445	2584	46	42	4	46	27	19	—	
4	St. Ives W	16433	6441	148	138	10	95	47	48	—	
173.—St. Neots.				65922	14403	295	287	8	192	95	97	104	
1	St. Neots	30548	8262	171	169	2	96	47	49	—	
2	Kimbolton W..	35374	6141	124	118	6	96	48	48	—	
13.—BEDFORDSHIRE.													
174.—Bedford.				96653	62796	1207	1155	52	654	338	316	389	
1	Riseley	28546	4142	74	72	2	54	29	25	—	
2	Harrold	11584	2183	34	33	1	24	12	12	—	
3	Turvey	9251	1755	31	31	—	14	10	4	—	
4	Bedford and Kempston W,F	17411	29809	528	501	27	300	154	146	—	
5	Bedford and Cardington F,H	29861	24907	540	518	22	262	133	129	—	
175.—Biggleswade.				58275	27309	609	563	46	387	203	184	166	
1	Biggleswade W,2F	31474	15216	359	330	29	198	95	103	—	
2	Stotfold L	26801	12093	250	233	17	189	108	81	—	
176.—Amphill.				69992	21810	443	421	22	295	153	142	164	
1	Shillington	12579	3518	77	74	3	44	24	20	—	
2	Amphill W,2F	20120	7837	150	143	7	123	60	63	—	
3	Cranfield	10832	2726	62	57	5	34	17	17	—	
4	Woburn 2H	26461	7729	154	147	7	94	52	42	—	
177.—Leighton Buzzard.				42639	18208	398	376	22	213	113	100	115	
1	Leighton Buzzard W,4F	21537	12734	296	276	20	164	87	77	—	
2	Wing	7278	1994	37	36	1	15	9	6	—	
3	Ivinghoe	6213	1374	20	20	—	12	7	5	—	
4	Edlesborough	7611	2106	45	44	1	22	10	12	—	
178.—Luton.				39779	67537	1619	1569	50	731	367	364	514	
1	Dunstable F	13672	10842	217	210	7	106	51	55	—	
2	Luton 2W,F,2H	26107	56695	1402	1359	43	625	316	309	—	
14.—CAMBRIDGE-SHIRE.													
179.—Caxton.				51403	8313	159	153	6	85	43	42	57	
1	Caxton W	51403	8313	159	153	6	85	43	42	—	
180.—Chesterton.				80995	38968	798	770	28	396	229	167	252	
1	Chesterton W,F	41014	22453	479	462	17	210	130	80	—	
2	Cherry Hinton F,L	39981	16515	319	308	11	186	99	87	—	
181.—Cambridge.				3233	40028	802	760	42	570	299	271	305	
1	St. Andrew the Less W,F	1398	30714	704	666	38	369	192	177	—	
2	St. Andrew the Great 2H	1835	9314	98	94	4	201	107	94	—	

III.—SOUTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS <i>(exclusive of Still-born).</i>			DEATHS			MARRIAGES.
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
14.—CAMBRIDGE-SHIRE— <i>continued.</i>												
182.—Linton.				50916	11071	220	205	15	136	75	61	77
No. 1	Duxford	15371	4558	95	89	6	49	26	23	—	—	
2	Linton W	16949	3755	69	60	9	57	32	25	—	—	
3	Balsham	18596	2758	56	56	—	30	17	13	—	—	
183.—Newmarket.				101353	32604	782	747	35	392	203	189	210
1	Cheveley	39712	7786	186	182	4	90	36	54	—	—	
2	Newmarket W,F,H	5651	10483	230	213	17	142	84	58	—	—	
3	Burwell	23130	5175	138	132	6	56	23	33	—	—	
4	Soham	32860	9160	228	220	8	104	60	44	—	—	
184.—Ely.				80741	20833	451	433	18	301	159	142	154
1	Haddenham	16459	3323	69	64	5	39	23	16	—	—	
2	Sutton	19945	3188	69	64	5	39	21	18	—	—	
3	Ely W	15993	7888	151	146	5	132	74	58	—	—	
4	Littleport	28344	6434	162	159	3	91	41	50	—	—	
185.—North Witchford.				59584	18877	464	437	27	242	123	119	142
1	Chatteris W	23981	7607	196	180	16	115	57	58	—	—	
2	March F	35603	11270	268	257	11	127	66	61	—	—	
186.—Whittlesey.				26199	7587	199	178	21	108	54	54	54
1	Whittlesey W	26199	7587	199	178	21	108	54	54	—	—	
187.—Wisbech.				112069	36841	936	882	54	517	250	267	311
1	Leverington	26445	5710	163	156	7	62	33	29	—	—	
2	Wisbech W,F,H	6477	10828	247	225	22	222	103	119	—	—	
3	Walpole St. Peter	15057	2833	76	75	1	26	17	9	—	—	
4	Terrington St. Clement	24112	5281	131	126	5	56	27	29	—	—	
5	Walsoken	19860	7120	197	181	16	79	36	43	—	—	
6	Upwell	20118	5069	122	119	3	72	34	38	—	—	

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910.

15.—ESSEX.												
No.	188.—West Ham.			18784	704267	18983	18511	472	7287	3718	3569	4981
1	Stratford 2W,H	1091	50738	1432	1405	27	549	292	257	—
2	Forest Gate W,w	787	51079	1046	1037	9	449	234	215	—
3	Plaistow F,3H	1249	105024	3428	3321	107	1041	494	547	—
4	Canning Town H	1556	82261	2756	2704	52	853	458	395	—
5	South East Ham W,F	1991	63892	1753	1725	28	527	273	254	—
6	North East Ham w,H	1333	69612	1669	1640	29	550	277	273	—
7	Wanstead W,F	1679	13831	209	205	4	85	42	43	—
8	South Leyton W	631	49948	1384	1255	129	672	333	339	—
9	North Leyton 2W,w,F	1963	74788	1768	1729	39	1494	796	698	—
10	Walthamstow 2H,L	6504	143094	3538	3490	48	1067	519	548	—
189.—Epping.				48117	36718	785	757	28	368	189	179	203
1	Chigwell F,3H	11778	21248	465	452	13	168	84	84	—
2	Epping W,F	19298	8600	186	176	10	135	77	58	—
3	Harlow	17041	6870	134	129	5	65	28	37	—
190.—Ongar.				47236	10647	239	228	11	116	68	48	72
1	Bobbingworth	24327	4973	118	114	4	48	25	23	—
2	Chipping Ongar W,w	22909	5674	121	114	7	68	43	25	—
191.—Romford.				47651	151840	3566	3481	85	1540	811	729	836
1	Romford W,2F,H	15873	25527	646	605	41	347	198	149	—
2	Ilford F,2L	8496	78205	1642	1627	15	773	395	378	—
3	Barking Town F	3805	31302	914	895	19	277	141	136	—
4	Hornchurch w,L	19477	16806	364	351	10	143	77	66	—

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
15.—ESSEX—continued.										
192.—Orsett.		41298	40877	1045	1018	27	405	224	181	255
No.	Grays 2w,F,H	15998	32498	862	844	18	285	161	124	—
1	Orsett W	25300	8379	183	174	9	120	63	57	—
193.—Billericay.		49854	28480	497	483	14	504	276	228	149
1	Brentwood 4w,2H,L ..	25584	20549	345	340	5	403	220	183	—
2	Wickford W	24270	7931	152	143	9	101	56	45	—
194.—Chelmsford.		86157	40800	786	750	36	463	250	213	261
1	Ingatestone F	28523	7135	162	154	8	80	44	36	—
2	Chelmsford W,F,H ..	16393	18368	341	329	12	209	112	97	—
3	Great Waltham	25764	6797	125	117	8	76	38	38	—
4	Great Baddow F	15477	8500	158	150	8	98	56	42	—
195.—Rochford.		63121	93844	1881	1801	80	936	481	455	589
1	Rochford 2W,2F	39638	14772	348	328	20	187	93	94	—
2	Prittlewell 2F,H	8453	70709	1295	1239	56	683	351	332	—
3	Great Wakering	15030	8363	238	234	4	66	37	29	—
196.—Maldon.		89887	25607	563	534	29	315	160	155	169
1	Southminster	35208	8085	167	160	7	85	45	40	—
2	Maldon W,H	27557	9551	206	189	17	122	65	57	—
3	Tollesbury F	27122	7971	190	185	5	108	50	58	—
197.—Tendring.		84076	53447	1122	1081	41	579	286	293	326
1	Clacton F4H,L	13062	11168	217	208	9	118	60	58	—
2	Thorpe W,2H	23196	9063	185	171	14	134	59	75	—
3	Harwich 2F	1541	13623	311	306	5	119	60	59	—
4	Manningtree L	17077	8716	184	180	4	89	43	46	—
5	Ardleigh	29200	10877	225	216	9	119	64	55	—
198.—Colchester.		11333	43463	948	912	36	551	289	262	326
1	Colchester South East H ..	5931	24587	604	591	13	239	120	119	—
2	Colchester North West W,F,H,L.	5402	18876	344	321	23	312	169	143	—
199.—Lexden.		71049	22062	435	422	13	242	129	113	142
1	Wivenhoe	22665	8055	158	154	4	86	41	42	—
2	Stanway W	24964	7050	152	143	9	74	43	31	—
3	Fordham	23420	6957	125	125	—	82	42	40	—
200.—Halstead.		39359	16597	314	299	15	185	93	92	116
1	Halstead W,F,H	18847	10969	189	185	4	138	75	63	—
2	Hedingham F	20512	5628	125	114	11	47	18	29	—
201.—Braintree.		68285	28111	509	495	14	363	190	173	207
1	Finchingfield	16724	3167	65	62	3	40	26	14	—
2	Bocking W,H	11714	4813	76	75	1	94	52	42	—
3	Coggeshall	14309	5793	90	89	1	65	34	31	—
4	Witham W	14835	6051	111	109	2	69	33	36	—
5	Braintree F	10703	8287	167	160	7	95	45	50	—
202.—Dunmow.		73503	16087	374	335	39	204	114	90	104
1	Dunmow W,F,H	40410	9236	211	199	12	122	74	48	—
2	Thaxted H	33093	6851	163	136	27	82	40	42	—

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
15.—ESSEX—continued.												
No.	203.—Saffron Walden.			64676	16619	333	316	17	210	130	80	122
1	Newport			19000	4020	86	84	2	41	28	13	—
2	Saffron Walden W,F,H ..			24280	9510	166	155	11	135	79	56	—
3	Radwinter			21396	3089	81	77	4	34	23	11	—
16.—SUFFOLK.												
204.—Risbridge.				53926	15911	344	324	20	222	122	100	109
1	Haverhill W,F			18586	8659	191	176	15	138	75	63	—
2	Wickhambrook			18813	3287	70	70	—	33	19	14	—
3	Clare F			16527	3965	83	78	5	51	28	23	—
205.—Sudbury.				80521	26107	498	470	28	338	176	162	170
1	Bulmer			26500	4676	91	87	4	61	29	32	—
2	Bures 2H			24398	5226	90	83	7	65	26	39	—
3	Sudbury W,F,H			4604	8367	160	147	13	131	75	56	—
4	Melford			25019	7838	157	153	4	81	46	35	—
206.—Cosford.				52890	15009	323	296	27	183	80	103	92
1	Lavenham			27116	7142	176	169	7	88	38	50	—
2	Hadleigh W,H			25774	7867	147	127	20	95	42	53	—
207.—Bury St. Edmunds.				86945	31224	688	648	40	377	189	188	220
1	Rougham			25954	4521	95	91	4	51	22	29	—
2	Bury St. Edmunds 2W,F,2H			2947	16785	373	349	24	233	118	115	—
3	Ixworth			24228	4900	117	109	8	48	22	26	—
4	Fornham			33816	5018	103	99	4	45	27	18	—
208.—Mildenhall.				64870	8312	181	175	6	92	49	43	57
1	Mildenhall W,H			64870	8312	181	175	6	92	49	43	—
209.—Stow.				56811	19472	408	380	28	226	114	112	131
1	Walsham le Willows ..			19179	4759	104	93	11	60	27	33	—
2	Rattlesden W			20840	5562	118	106	12	79	49	30	—
3	Stowmarket F			16792	9151	186	181	5	87	38	49	—
210.—Hartismere.				107352	23894	575	535	40	309	162	147	170
1	Mendlesham W			32047	7853	175	156	19	107	58	49	—
2	Botesdale			22463	5633	126	118	8	59	33	26	—
3	Stradbroke			25606	5267	125	119	6	64	33	31	—
4	Dennington			27236	5141	149	142	7	79	38	41	—
211.—Bosmere.				58881	14070	324	297	27	217	104	113	93
1	Coddensham W,F			31067	6831	169	154	15	114	53	61	—
2	Needham Market W ..			27814	7239	155	143	12	103	51	52	—
212.—Samford.				45347	13869	224	215	9	164	86	78	94
1	Capel St. Mary* W,H ..			45347	13869	224	215	9	164	86	78	—

* 212: 1.—On 1st April, 1910, Capel St. Mary (1) and Holbrook (2) sub-districts were united and called Capel St. Mary (1). The births and deaths are shown as if the change had taken place at the beginning of the year.

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	16.—SUFFOLK—cont.									
	213.—Ipswich.	8112	73939	1788	1680	108	1078	536	542	535
1	Ipswich Western	4386	32456	777	732	45	379	170	209	—
2	Ipswich Eastern 2w,F,H,L	3726	41483	1011	948	63	699	366	333	—
	214.—Woodbridge.	78386	29603	561	535	26	379	198	181	150
1	Carlford	25989	6194	129	123	6	48	27	21	—
2	Colneis 2H	26550	13057	236	225	11	127	62	65	—
3	Woodbridge and Wilford F,L	25847	10352	196	187	9	204	109	95	—
	215.—Plomesgate.	75369	19481	397	367	30	246	111	135	141
1	Framlingham	19405	5265	94	91	3	57	29	28	—
2	Orford W,H	34077	6548	139	126	13	87	38	49	—
3	Aldeburgh	21887	7668	164	150	14	102	44	58	—
	216.—Blything.	94154	27464	577	542	35	293	147	146	178
1	Leiston	50335	13526	270	254	16	122	56	66	—
2	Southwold W,2H	43819	13938	307	288	19	171	91	80	—
	217.—Wangford.	35569	15318	376	354	22	197	88	109	107
1	Bungay	17103	5456	125	119	6	56	23	33	—
2	Beccles 2W,F,H	18466	9862	251	235	16	141	65	76	—
	218.—Mutford.	31498	49075	1360	1315	45	549	259	290	382
1	Oulton Broad W,2F.. ..	15719	11524	337	320	17	142	63	79	—
2	Lowestoft F,2H	2112	33780	930	904	26	365	173	192	—
3	Belton	13667	3771	93	91	2	42	23	19	—
	17.—NORFOLK.									
	219.—Yarmouth.	3554	55188	1366	1290	76	783	423	365	446
1	Yarmouth Southern 2H,L..	480	15300	419	394	25	216	122	94	—
2	Yarmouth Northern W,F,H	917	21907	507	472	35	357	200	157	—
3	Gorleston F,H	2157	17981	440	424	16	215	101	114	—
	220.—Flegg.	29035	10551	300	291	9	125	59	66	59
1	East Flegg	13264	5441	163	161	2	67	30	37	—
2	West Flegg W	15771	5110	137	130	7	59	29	29	—
	221.—Smallburgh.	66883	17678	350	327	23	207	110	97	94
1	Ludham	16438	3105	59	55	4	37	17	20	—
2	Smallburgh W	17204	3873	76	65	11	55	38	17	—
3	Stalham	17407	4021	85	81	4	49	26	23	—
4	North Walsham	15834	6679	130	126	4	66	29	37	—
	222.—Erpingham.	64157	24587	529	497	32	267	135	132	145
1	Cromer F,3H	29295	12169	253	241	12	121	52	69	—
2	Sheringham W,H	34862	12418	276	256	20	146	83	63	—
	223.—Aylsham.	69341	17346	373	340	33	193	102	91	118
1	Eynsford	41002	7926	177	165	12	77	43	34	—
2	Buxton W	28339	9420	196	175	21	116	59	57	—
	224.—St. Faith's.	48933	10807	224	213	11	175	87	88	65
1	St. Faith's W,F,L	48933	10807	224	213	11	175	87	88	—

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS		MARRIAGES.	
						Total.	Legitimate.	Illegitimate.	Total.	Males.		Females.
17.—NORFOLK—cont.												
No.	225.—Norwich.			7896	121493	2884	2738	146	1617	771	846	985
1	East Wymer W			2980	59579	1507	1436	71	626	304	322	—
2	West Wymer W,2F,3H,L ..			4916	61914	1377	1302	75	991	467	524	—
226.—Forehoe.				38528	11383	282	253	29	120	58	62	80
1	Costessey			15702	3446	82	78	4	29	15	14	—
2	Wymondham W,F			22826	7937	200	175	25	91	43	48	—
227.—Henstead.				42380	10285	214	200	14	96	55	41	80
1	Humbleyard W			22454	5385	127	116	11	55	34	21	—
2	Henstead			19926	4900	87	84	3	41	21	20	—
228.—Blofield.				45785	12159	235	216	19	247	121	126	81
1	Blofield W,L			19959	7247	127	116	11	195	91	104	—
2	South Walsham			25826	4912	108	100	8	52	30	22	—
229.—Loddon.				60273	12550	267	248	19	153	65	88	85
1	Aldeby H			28844	6470	120	115	5	61	22	39	—
2	Loddon W			31429	6080	147	133	14	92	43	49	—
230.—Depwade.				83416	23703	500	464	36	300	140	160	172
1	Harleston W			30817	8507	174	159	15	127	61	66	—
2	Diss H			20170	7628	169	160	9	79	34	45	—
3	Stratton			32429	7568	157	145	12	94	45	49	—
231.—Wayland.				68774	14427	270	252	18	172	94	78	85
1	Attleborough W			33213	8881	149	138	11	116	66	50	—
2	Watton H			35561	5546	121	114	7	56	28	28	—
232.—Mitford.				107684	24430	559	513	46	316	147	169	141
1	Shipdham			11579	2194	50	43	7	32	10	22	—
2	Mattishall			17003	3421	74	64	10	44	16	28	—
3	Bawdeswell			14330	2511	59	55	4	27	15	12	—
4	East Dereham W			18922	8240	171	155	16	119	61	58	—
5	Litcham			26969	4122	101	96	5	40	19	21	—
6	North Elmham			18881	3942	104	100	4	54	26	28	—
233.—Walsingham.				82666	19813	405	376	29	263	137	126	138
1	Fakenham			29061	7660	154	143	11	77	41	36	—
2	Walsingham W			31439	6627	133	120	13	101	47	54	—
3	Wells			22166	5526	118	113	5	85	49	36	—
234.—Docking.				88450	19452	387	354	33	205	101	104	122
1	Burnham.. ..			40909	6849	141	132	9	79	45	34	—
2	Snettisham W,F,H			47541	12603	246	222	24	126	56	70	—
235.—Freebridge Lynn.				75075	12107	270	255	15	143	76	67	94
1	Hillington			26313	4131	92	86	6	47	23	24	—
2	Gayton W			33062	5374	101	94	7	60	34	26	—
3	Castle Rising			15700	2602	77	75	2	36	19	17	—

IV.—EASTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
17.—NORFOLK—cont.										
236.—King's Lynn.		4705	21140	512	470	42	271	131	140	136
No.	North King's Lynn	635	12088	293	269	24	130	59	71	—
1	South King's Lynn W,2F,H	4070	9052	219	201	18	141	72	69	—
2										
237.—Downham.		82933	18024	402	377	25	207	107	100	133
1	Wiggenshall	32114	6049	134	126	8	70	39	31	—
2	Downham W	28145	8022	191	181	10	87	44	43	—
3	Fincham	22674	3953	77	70	7	50	24	26	—
238.—Swaffham.		82148	10805	210	194	16	145	77	68	9
1	Swaffham W,F,H	82148	10805	210	194	16	145	77	68	—
239.—Thetford.		138729	20702	458	426	32	278	154	124	145
1	Methwold W	68470	8235	203	186	17	123	69	54	—
2	Thetford W,H	70259	12467	255	240	15	155	85	70	—

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910.

18.—WILTSHIRE.									
240.—Swindon.	53986	65912	1625	1555	70	672	339	333	445
1 Highworth W,F	24251	9746	301	275	26	125	65	60	—
2 Swindon F,2H	29735	56166	1324	1280	44	547	274	273	—
241.—Cricklade.	46734	11004	260	243	17	133	69	64	77
1 Wootton Bassett F	22427	5174	129	125	4	61	27	34	—
2 Cricklade W	24307	5830	131	118	13	72	42	30	—
242.—Malmesbury.	58534	12018	238	224	14	144	82	62	83
1 Malmesbury Eastern H ..	32582	5263	113	110	3	53	34	19	—
2 Malmesbury Western W,F,H	25952	6755	125	114	11	91	48	43	—
243.—Chippenham.	58966	23576	517	496	21	288	138	150	163
1 Castle Combe	20537	3861	76	72	4	48	27	21	—
2 Corsham	14985	7664	163	159	4	89	42	47	—
3 Chippenham W,F,H	11150	9548	212	199	13	122	57	65	—
4 Christian Malford	12294	2503	66	66	—	29	12	17	—
244.—Calne.	29324	8139	192	187	5	90	41	49	41
1 Calne W,F	29324	8139	192	187	5	90	41	49	—
245.—Marlborough.	44393	8897	153	149	4	106	62	44	59
1 Marlborough W,2F,H.. ..	44393	8897	153	149	4	106	62	44	—
246.—Devizes.	62761	19600	429	405	24	347	164	183	118
1 Devizes W,F,H,L	30132	13529	304	282	22	279	131	148	—
2 Lavington	32629	6071	125	123	2	68	33	35	—
247.—Melksham.	16394	19903	419	404	15	215	103	112	169
1 Melksham W,H	12759	7127	153	150	3	67	36	31	—
2 Trowbridge F,H	3635	12776	266	254	12	148	67	81	—

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
18.—WILTSHIRE— continued.										
No.	248.—Bradford on Avon.	18674	9814	216	203	13	124	60	64	58
1	Bradford on Avon W,H ..	18674	9814	216	203	13	124	60	64	—
249.—Westbury.										
1	Bradley	12810	3313	67	67	—	43	22	21	72
2	Westbury W,H	18723	6730	145	142	3	82	33	49	—
250.—Warminster.										
1	Warminster W,F,H	19124	7470	139	133	6	104	50	54	70
2	Longbridge Deverill	11295	1342	21	19	2	22	12	10	—
3	Heytesbury	28041	2637	45	45	—	33	14	19	—
251.—Pewsey.										
1	Netheravon W	39963	6399	147	136	11	85	42	43	83
2	Collingbourne F,H	35255	6905	177	169	8	74	40	34	—
252.—Amesbury.										
1	Orcheston	18651	1960	42	42	—	17	5	12	51
2	Amesbury W,H	28176	6996	182	178	4	61	42	19	—
3	Winterbourne F	16627	2202	60	57	3	13	7	6	—
253.—Salisbury.										
1	Alderbury	27279	4118	63	66	2	34	17	17	251
2	Downton	29711	6060	134	129	5	52	30	22	—
3	Salisbury W,H,L	1720	21217	415	388	27	278	138	140	—
254.—Wilton.										
1	Wilton W	24090	6414	140	137	3	64	29	35	74
2	Bishopstone	32115	3789	84	81	3	40	20	20	—
255.—Tisbury.										
1	Donhead	20016	3031	54	54	—	29	11	18	60
2	Tisbury W	11594	2995	82	79	3	34	18	16	—
3	Hindon	11951	1777	32	30	2	20	13	7	—
256.—Mere.										
1	Mere W.. ..	32309	5173	94	92	2	57	28	29	31
		32309	5173	94	92	2	57	28	29	—
19.—DORSETSHIRE.										
257.—Shaftesbury.										
1	Shaftesbury W,H	8272	4063	65	57	8	61	33	28	97
2	Fontmell.. ..	15215	2204	36	36	—	23	18	5	—
3	Gillingham	19601	6516	144	140	4	83	47	36	—
258.—Sturminster.										
1	Sturminster W	39342	8504	145	138	7	96	54	42	64
		39342	8504	145	138	7	96	54	42	—
259.—Blandford.										
1	Milton Abbas H	29082	4185	71	70	1	53	32	21	91
2	Blandford W,F,H	32876	8062	161	153	8	109	46	63	—

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	19.—DORSETSHIRE— <i>continued.</i>									
	260.—Wimborne.	81533	18677	411	393	18	214	118	96	122
1	Cranborne	42801	6128	152	148	4	59	31	28	—
2	Wimborne W,H	38732	12549	259	245	14	155	87	68	—
	261.—Poole.	25326	45191	1050	995	55	493	242	251	308
1	Canford 2F,H.. ..	13222	16874	441	423	18	184	94	90	—
2	Poole W,F,H	4287	25407	536	499	37	277	130	147	—
3	Lytchett	7817	2910	73	73	—	32	18	14	—
	262.—Wareham.	92492	17258	336	316	20	214	108	106	115
1	Swanage H	12760	6327	117	109	8	69	31	38	—
2	Corfe Castle	11843	1878	41	40	1	19	8	11	—
3	Wareham W,F	37177	5555	110	103	7	98	52	46	—
4	Bere Regis	30712	3498	68	64	4	28	17	11	—
	263.—Weymouth.	33223	47736	842	817	25	503	248	255	310
1	Upway 2F	18092	4682	102	96	6	58	23	35	—
2	Weymouth W,F,3H	2471	24655	488	471	17	325	152	173	—
3	Portland H	2905	17013	227	225	2	106	63	43	—
4	Abbotsbury	9755	1386	25	25	—	14	10	4	—
	264.—Dorchester.*	117473	24371	457	436	21	360	189	171	158
1	Dorchester† W,F,H	9106	10546	207	195	12	142	74	68	—
2	Puddletown	24168	3355	64	62	2	35	15	20	—
3	Maiden Newton† L	37458	5555	97	94	3	125	64	61	—
4	Cerne W	46741	4915	89	85	4	58	36	22	—
	265.—Sherborne.	38411	11872	238	231	7	141	75	66	86
1	Yetminster	21052	3489	66	64	2	34	21	13	—
2	Sherborne W,H	17359	8383	172	167	5	107	54	53	—
	266.—Beaminster.	58693	9213	197	190	7	116	54	62	50
1	Evershot	17458	2046	42	41	1	20	8	12	—
2	Netherbury W	29139	4400	94	90	4	59	30	29	—
3	Beaminster	12096	2767	61	59	2	37	16	21	—
	267.—Bridport.	32836	12650	201	194	7	185	90	95	101
1	Burton Bradstock F	16122	3352	59	57	2	53	26	27	—
2	Bridport W,H	672	5919	94	90	4	97	44	53	—
3	Whitchurch Canonieorum F	16042	3379	48	47	1	35	20	15	—
	20.—DEVONSHIRE.									
	268.—Axminster.	54550	16809	325	312	13	213	96	117	111
1	Lyme† H	4821	3605	52	49	3	44	22	22	—
2	Axminster† W,F,H	30189	6800	146	139	7	98	41	57	—
3	Colyton†	19540	6404	127	124	3	71	33	38	—
	269.—Honiton.	87757	22100	376	363	13	267	123	144	112
1	Honiton W,H	55181	8972	167	158	9	109	53	56	—
2	Ottery St. Mary 2H	32576	13128	209	205	4	158	70	88	—

* 264.—The District of DORCHESTER comprises the two Poor Law Unions of Dorchester (Dorchester, Puddletown, and Maiden Newton sub-districts) and Cerne (Cerne sub-district).
† 264: 1, 3.—On 1st February, 1910, the boundary between these sub-districts was altered, *see* page 492
The area transferred contained no population at the Census of 1901.
† 268: 1, 2, 3.—On 1st April, 1910, the boundary between Axminster (2) and Colyton (4) sub-districts was altered, *see* page 492, and on 1st September, 1910, Axminster (2) and Chardstock (3) sub-districts were united and called Axminster (2). The births and deaths are shown as if both these changes had taken place at the beginning of the year.

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.	
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.		
20.—DEVONSHIRE— continued.												
No.	270.—St. Thomas.			125465	62968	1162	1127	35	883	409	474	376
1	Exmouth 3H			17702	17097	247	243	4	198	82	116	—
2	Woodbury			13942	2966	52	51	1	41	21	20	—
3	Topsham			4916	3663	71	69	2	46	24	22	—
4	Heavitree 2F,2L			31602	17040	364	353	11	215	91	124	—
5	St. Thomas W			36883	16445	355	339	16	217	113	104	—
6	Kenton 2L			20420	5757	73	72	1	166	78	88	—
271.—Exeter.				1890	37276	746	695	51	577	271	306	360
1	Exeter W,3H			1890	37276	746	695	51	577	271	306	—
272.—Newton Abbot.				117270	87806	1466	1401	65	1183	544	639	599
1	Teignmouth F,2H			11432	15091	224	212	12	192	100	92	—
2	Chudleigh			19056	5962	108	104	4	68	38	30	—
3	Moreton Hampstead 2H			22899	2661	51	50	1	32	17	15	—
4	Ashburton H			32322	5010	98	95	3	60	28	32	—
5	Newton Abbot 2W,F,H			21068	18393	417	390	27	286	140	146	—
6	Torquay 2F,9H			10493	40689	568	550	18	545	221	324	—
273.—Totnes.				96504	45052	896	861	35	567	278	289	325
1	Paignton F,H			10101	12307	219	207	12	156	72	84	—
2	Brixham F,H			8164	8531	195	190	5	89	44	45	—
3	Dartmouth F,H			4976	8364	185	179	6	110	59	51	—
4	Totnes W,H			12218	5657	113	106	7	69	35	34	—
5	Buckfastleigh			20323	3861	72	70	2	47	26	21	—
6	Ugborough H,L			25043	4098	71	70	1	76	32	44	—
7	Harberton			15679	2234	41	39	2	20	10	10	—
274.—Kingsbridge.				73045	16722	326	307	19	192	106	86	94
1	Blackawton			13058	2097	38	35	3	30	16	14	—
2	Stokenham			16072	2837	58	53	5	23	12	11	—
3	West Alvington W			15077	4984	100	93	7	65	37	28	—
4	Kingsbridge H			12657	4084	78	77	1	43	24	19	—
5	Modbury			16181	2720	52	49	3	31	17	14	—
275.—Plympton St. Mary.				74064	23167	460	447	13	291	134	157	154
1	Yealmpton			31453	10590	197	191	6	135	60	75	—
2	Plympton W,2H			42611	12577	263	256	7	156	74	82	—
276.—Plymouth.				2374	112042	2557	2442	115	1737	862	875	956
1	Plymouth North 2W,4H			961	34298	647	616	31	654	321	333	—
2	Plymouth South East W,F			840	32081	799	758	41	380	185	195	—
3	Plymouth South West 2F,H			573	45663	1111	1068	43	703	356	347	—
277.—East Stonehouse.				193	13754	395	378	17	245	152	93	119
1	East Stonehouse W,H			193	13754	395	378	17	245	152	93	—
278.—Devonport.				3152	81694	2002	1955	47	1005	522	483	648
1	St. Aubyn 2H			373	22514	601	587	14	331	190	141	—
2	Stoke W,2F			2270	33895	837	814	23	403	188	215	—
3	Tamar H			509	25285	564	554	10	271	144	127	—
279.—Tavistock.				159008	25501	462	435	27	321	157	164	161
1	Calstock			11991	6684	148	143	5	82	40	42	—
2	Tavistock W,H			93909	14081	228	209	19	180	87	93	—
3	Lifton			53108	4736	86	83	3	59	30	29	—

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
20.—DEVONSHIRE— <i>continued.</i>											
No.	280.—Okehampton.		133321	16776	317	306	11	243	121	122	112
1	Bratton Clovelly <i>H</i>		22630	1586	26	26	—	29	19	10	—
2	Hatherleigh		26697	2789	62	59	3	42	19	23	—
3	Okehampton <i>W</i>		28153	5336	105	101	4	83	42	41	—
4	Chagford <i>H</i>		20136	2691	40	39	1	30	10	20	—
5	Tawton		35705	4374	84	81	3	59	31	28	—
281.—Crediton.			94457	14559	308	294	14	177	79	98	89
1	Morchard Bishop		28994	3107	70	67	3	34	17	17	—
2	Bow		20522	2291	47	45	2	29	10	19	—
3	Crediton <i>W</i>		17108	5478	110	104	6	78	33	45	—
4	Cheriton Fitzpaine		27833	3683	81	78	3	36	19	17	—
282.—Tiverton.			110846	26903	529	498	31	339	165	174	170
1	Silvertown		15207	2520	50	46	4	25	9	16	—
2	Cullompton		37229	9454	182	175	7	102	56	46	—
3	Tiverton <i>W,F,H</i>		17679	10205	188	172	16	159	75	84	—
4	Bampton.. ..		40731	4724	109	95	4	53	25	28	—
283.—South Molton.			123342	13650	261	250	11	134	68	66	102
1	Witheridge		73194	5646	99	91	8	42	20	22	—
2	South Molton <i>W,2H</i>		50148	8004	162	159	3	92	48	44	—
284.—Barnstaple.			144832	43421	783	760	23	558	269	289	303
1	Barnstaple <i>W,F,H</i>		1577	12233	241	226	15	207	96	111	—
2	Lynton <i>H</i>		35085	3319	62	62	—	30	14	16	—
3	Combe Martin		27959	3916	63	62	1	47	24	23	—
4	Ilfracombe <i>2F,H</i>		44782	17627	288	283	5	209	98	111	—
5	Bishops Tawton		35429	6326	129	127	2	65	37	28	—
285.—Torrington.			83395	12011	266	244	22	162	66	96	96
1	High Bickington		18115	1889	48	47	1	26	11	15	—
2	Winkleigh		32999	3666	74	68	6	52	17	35	—
3	Shebbear.. ..		18084	2171	39	34	5	30	15	15	—
4	Great Torrington <i>W,H</i>		14197	4285	105	95	10	54	23	31	—
286.—Bideford.			62479	20923	462	439	23	266	133	133	154
1	Bideford <i>W,F,H</i>		5501	9524	197	185	12	127	68	59	—
2	Northam		4560	5837	134	130	4	67	32	35	—
3	Parkham		16894	2082	40	38	2	27	14	13	—
4	Hartland		29655	3012	79	75	4	36	13	23	—
5	Putford		5869	468	12	11	1	9	6	3	—
287.—Holsworthy.			85523	8847	203	193	10	105	48	57	65
1	Milton Damerel		23736	2211	46	44	2	25	11	14	—
2	Holsworthy <i>W</i>		20534	3095	87	82	5	36	18	18	—
3	Black Torrington		16022	1544	34	33	1	22	9	13	—
4	Ashwater		8710	679	14	13	1	5	1	4	—
5	Clawton		16521	1318	22	21	1	17	9	8	—
21.—CORNWALL.											
288.—Stratton.			55277	7903	146	136	10	91	51	40	55
1	Kilkhampton		16403	1428	28	27	1	16	10	6	—
2	Stratton <i>W,H</i>		13483	4360	76	70	6	56	30	26	—
3	Week St. Mary		25391	2115	42	39	3	19	11	8	—

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS		MARRIAGES.	
						Total.	Legitimate.	Illegitimate.	Total.	Males.		Females.
21.—CORNWALL—cont.												
289.—Camelford.				52544	7385	181	176	5	101	55	46	61
No. 1	Boscastle	17659	2292	52	50	2	30	18	12	—
2	Camelford W	34885	5093	129	126	3	71	37	34	—
290.—Launceston.				104663	14051	248	231	17	193	97	96	109
1	Altarnun	22632	1638	23	22	1	19	9	10	—
2	North Petherwin	49534	4096	79	74	5	48	22	26	—
3	Launceston W,H	2182	4117	69	63	6	69	35	34	—
4	North Hill	30315	4200	77	72	5	57	31	26	—
291.—St. Germans.				42931	20687	443	428	15	244	127	117	120
1	Antony W	7693	9061	205	195	10	122	63	59	—
2	St. Germans	12585	2566	34	34	—	24	14	10	—
3	Saltash H	22653	9060	204	199	5	98	50	48	—
292.—Liskeard.				107843	24151	460	442	18	304	164	140	181
1	Callington	22885	5602	106	103	3	69	40	29	—
2	Liskeard W,H	50638	10182	191	179	12	137	77	60	—
3	Looe F	34320	8367	163	160	3	98	47	51	—
293.—Bodmin.				89137	19803	376	354	22	341	166	175	150
1	Lanlivery	18567	3954	75	75	—	46	24	22	—
2	St. Mabyn	28941	2599	56	54	2	25	13	12	—
3	Bodmin W,H,L	16517	7620	149	133	16	199	102	97	—
4	Egloshayle	25112	5630	96	92	4	71	27	44	—
294.—St. Columb.				78084	18157	338	324	14	212	103	109	135
1	Padstow	26551	5159	83	79	4	56	24	32	—
2	St. Columb W,F	31315	9842	185	178	7	114	57	57	—
3	Newlyn	20218	3156	70	67	3	42	22	20	—
295.—St. Austell.				58512	36072	796	756	40	473	241	232	279
1	Fowey H	8616	8125	168	162	6	103	50	53	—
2	St. Austell 2W	21935	17473	366	338	28	243	133	110	—
3	Mevagissey	13153	3647	70	67	3	40	17	23	—
4	Grampound	14808	6827	192	189	3	87	41	46	—
296.—Truro.				89375	31840	601	567	34	484	246	238	233
1	Probus	22023	3355	74	71	3	38	19	19	—
2	St. Just	16413	3268	44	43	1	45	24	21	—
3	St. Agnes F,3H	19336	6252	125	121	4	97	56	41	—
4	St. Clement W,F	11666	7158	138	120	18	116	59	57	—
5	Kenwyn H	10213	8395	151	147	7	140	67	73	—
6	Kea	9724	3412	66	65	1	48	21	27	—
297.—Falmouth.				25306	24237	478	456	22	339	157	182	189
1	Penryn	8211	6818	135	130	5	91	43	48	—
2	Falmouth W,F,3H	4380	14687	281	267	14	210	97	113	—
3	Constantine	12715	2732	62	59	3	38	17	21	—
298.—Helston.				73329	20130	408	390	18	318	153	165	156
1	Wendron	19083	6384	131	123	8	100	45	55	—
2	Helston W	10056	4139	80	75	5	77	31	46	—
3	St. Keverne	28098	4800	96	92	4	62	37	25	—
4	Breage	8596	2741	51	51	—	49	24	25	—
5	Crowan	7496	2066	50	49	1	30	16	14	—

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910 *cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
21.—CORNWALL—cont.												
299.—Redruth.				40442	48890	1194	1120	74	786	376	410	415
No.												
1	Gwennap			10991	7051	158	150	8	101	43	58	—
2	Redruth <i>H</i>			4006	10815	261	253	8	164	80	84	—
3	Illogan <i>W,F</i>			8490	8884	255	223	32	188	88	100	—
4	Camborne <i>F</i>			6932	15829	385	366	19	248	119	129	—
5	Phillack			10023	6311	135	128	7	85	46	39	—
300.—Penzance.				64845	49912	1036	994	42	729	363	366	334
1	Uny Lelant			12070	5419	110	104	6	81	40	41	—
2	St. Ives			9091	7855	156	153	3	117	56	61	—
3	Marazion			4764	2837	57	56	1	33	15	18	—
4	Penzance <i>W,F,2H</i>			13737	24527	480	457	23	365	182	183	—
5	St. Just in Penwith			13513	6663	176	171	5	103	57	46	—
6	St. Buryan			11670	2611	57	53	4	30	13	17	—
301.—Isles of Scilly.				4041	2097	34	34	—	15	5	10	9
1	Isles of Scilly <i>W</i>			4041	2097	34	34	—	15	5	10	—
22.—SOMERSET SHIRE.												
302.—Williton.				100673	17967	348	333	15	216	107	109	122
1	Minehead <i>F</i>			24382	5519	88	85	3	51	26	25	—
2	Dunster <i>H</i>			26268	3447	80	80	—	55	32	23	—
3	Williton <i>W</i>			16197	5200	100	92	8	61	27	34	—
4	Stogursey			15043	1627	29	26	3	22	11	11	—
5	Stogumber			18783	2174	51	50	1	27	11	16	—
303.—Dulverton.				78980	4837	81	75	6	41	16	25	28
1	Dulverton <i>W</i>			78980	4837	81	75	6	41	16	25	—
304.—Wellington.				61094	18370	365	356	9	231	102	129	132
1	Wiveliscombe			10807	2635	44	44	—	36	14	22	—
2	Milverton <i>H</i>			15361	3039	85	62	3	34	17	17	—
3	Wellington <i>W,H</i>			13954	9350	180	176	4	116	47	69	—
4	Culmstock			20972	3346	76	74	2	45	24	21	—
305.—Taunton.				73110	40397	797	756	41	531	241	290	269
1	Pitminster			23592	4124	62	60	2	41	21	20	—
2	North Curry			22283	6350	128	122	6	61	33	28	—
3	Taunton <i>W,F,H</i>			6927	24733	517	488	29	307	134	173	—
4	Bishop's Lydeard <i>L.</i>			20308	5190	90	86	4	122	53	69	—
306.—Bridgwater.				88446	35005	834	808	26	420	230	190	268
1	North Petherton			28947	6274	151	147	4	88	51	37	—
2	Bridgwater <i>W,F,H</i>			16633	20458	489	477	12	232	120	112	—
3	Huntspill			33590	6381	149	141	8	80	48	32	—
4	Middlezoy			9276	1892	45	43	2	20	11	9	—
307.—Langport.				59407	13347	275	263	12	166	71	95	95
1	Somerton <i>W,F</i>			34349	6624	136	128	8	98	43	55	—
2	Langport			25058	6723	139	135	4	68	28	40	—
308.—Chard.				57452	24363	554	536	18	305	154	151	184
1	Ilminster			19087	6530	135	134	1	92	41	51	—
2	Combe St. Nicholas			11782	1851	36	34	2	12	9	3	—
3	Chard <i>W</i>			10760	7911	203	193	10	93	47	46	—
4	Crewkerne <i>H</i>			15823	8071	180	175	5	108	57	51	—

V.—SOUTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.	
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.		
22.—SOMERSET-SHIRE—continued.													
309.—Yeovil.				55752	30217	645	617	28	354	158	196	254	
No.													
1	Coker F.. ..			17399	4757	90	84	6	52	23	29	—	
2	South Petherton			4922	2606	47	46	1	35	14	21	—	
3	Martock			12916	5566	113	109	4	65	24	41	—	
4	Yeovil W,F,H.. ..			20515	17288	395	378	17	202	97	105	—	
310.—Wincanton.				64540	16441	346	330	16	214	104	110	80	
1	Castle Cary			20256	5233	116	112	4	66	33	33	—	
2	Milborne Port H			19990	5368	98	94	4	61	29	32	—	
3	Wincanton W,H			24294	5840	132	124	8	87	42	45	—	
311.—Frome.				52752	22073	435	421	14	237	114	123	162	
1	Nunney			16552	2284	49	48	1	18	7	11	—	
2	Frome W,F,H			8581	11953	199	190	9	152	78	74	—	
3	Road			11576	2554	64	60	4	18	7	11	—	
4	Kilmersdon			16043	5282	123	123	—	49	22	27	—	
312.—Shepton Mallet.				50109	15196	322	315	7	204	104	100	94	
1	Shepton Mallet W,H			28009	11095	221	215	6	152	79	73	—	
2	Evercreech			22100	4101	101	100	1	52	25	27	—	
313.—Wells.				66599	23776	493	471	22	365	184	181	160	
1	Wells W,F,2H,L			35320	11707	239	226	13	213	103	110	—	
2	Glastonbury F,H			31279	12069	254	245	9	152	81	71	—	
314.—Axbridge.				97720	52597	927	897	30	638	286	352	348	
1	Axbridge W,2H			24358	6612	132	116	16	101	54	47	—	
2	Burnham			23946	10424	207	205	2	117	56	61	—	
3	Weston super Mare F,4H			21125	28595	465	457	8	330	139	191	—	
4	Blagdon			28291	6966	123	119	4	90	37	53	—	
315.—Clutton.				47899	29458	755	733	22	329	162	167	196	
1	Harptree W,H			18189	3994	96	84	12	60	27	33	—	
2	Chew Magna			13184	3742	84	80	4	50	21	29	—	
3	High Littleton H			6145	6647	176	175	1	68	31	37	—	
4	Midsomer Norton F			10381	15075	399	394	5	151	83	68	—	
316.—Bath.				30730	81595	1558	1482	76	1034	472	562	572	
1	Twerton			14451	17614	438	428	10	150	81	69	—	
2	Bathwick F,H			3459	7074	79	77	2	75	29	46	—	
3	Lyncombe 2W			1850	17498	374	336	38	252	106	146	—	
4	Walcot 6H			939	29027	495	474	21	452	201	251	—	
5	Batheaston			10031	10382	172	167	5	105	55	50	—	
317.—Keynsham.				33024	40041	872	849	23	473	246	227	231	
1	Bitton			7525	7253	162	156	6	72	43	29	—	
2	Kingswood.. ..			4094	22647	485	473	12	277	138	139	—	
3	Keynsham W,w,F			21405	10141	225	220	5	124	65	59	—	
318.—Long Ashton.				51946	25640	470	454	16	277	117	160	148	
1	Long Ashton W			21939	7017	116	111	5	77	34	43	—	
2	Yatton F,2H			17744	10813	204	197	7	116	48	68	—	
3	St. George			12263	7810	150	146	4	84	35	49	—	

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.	
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.		
23.—GLOUCESTER-SHIRE.													
319.—Bristol.				17460	357059	8268	7966	302	4536	2229	2307	2672	
No.													
1	Clifton 2H			1269	42466	686	631	55	548	244	304	—	
2	Bristol Central 4H			719	38485	935	894	41	955	504	451	—	
3	Bedminster 3F			1952	61176	1624	1598	26	564	253	311	—	
4	Knowle			1108	20150	466	454	12	153	70	83	—	
5	St. George			1994	58478	1512	1491	21	534	265	269	—	
6	St. Phillip and St. Jacob			604	50215	1386	1363	23	476	236	240	—	
7	Stapleton 2W,2H,L.. ..			2573	26149	609	507	102	855	439	416	—	
8	Ashley 4H			2157	47378	805	788	17	346	166	180	—	
9	Westbury on Trym W,H			5084	12562	245	240	5	105	52	53	—	
320.—Chipping Sodbury.													
				69736	20954	424	410	14	248	131	117	109	
1	Winterbourne H			6452	4655	99	98	1	49	22	27	—	
2	Chipping Sodbury F			14657	4488	97	93	4	46	28	18	—	
3	Marshfield			16478	3225	50	49	1	41	23	18	—	
4	Hawkesbury			20870	3301	66	64	2	35	19	16	—	
5	Iron Acton W.. ..			11279	5285	112	106	6	77	39	38	—	
321.—Thornbury.													
				64241	19075	389	372	17	252	125	127	122	
1	Almondsbury H			27003	7297	135	131	4	89	41	48	—	
2	Thornbury W.. ..			17637	5224	110	100	10	80	46	34	—	
3	Berkeley F,H.. ..			19601	6554	144	141	3	83	38	45	—	
322.—Dursley.													
				26876	12233	266	254	12	144	66	78	81	
1	Wotton under Edge			10598	4642	103	96	7	55	26	29	—	
2	Dursley W,F			16278	7591	163	158	5	89	40	49	—	
323.—Westbury on Severn.													
				41507	22582	602	577	25	306	178	128	152	
1	Newnham W.. ..			26182	6350	129	123	6	100	58	42	—	
2	East Dean F			15325	16232	473	454	19	206	120	86	—	
324.—Newent.													
				40845	8157	165	152	13	108	55	53	52	
1	Newent W			18341	4033	94	90	4	68	32	36	—	
2	Redmarley			22504	4124	71	62	9	40	23	17	—	
325.—Gloucester.													
				32998	62644	1371	1313	58	994	535	459	473	
1	Barnwood 2F,H,2L			21473	9396	158	154	4	230	122	108	—	
2	Gloucester Northern 3W,F,2H.. ..			740	19260	425	400	25	426	247	179	—	
3	Gloucester Southern.. ..			10785	33988	788	759	29	338	166	172	—	
326.—Wheatenhurst.													
				24462	6093	120	118	2	92	43	49	54	
1	Haresfield			14568	2823	49	48	1	34	18	16	—	
2	Frampton W.. ..			9894	3270	71	70	1	58	25	33	—	
327.—Stroud.													
				39987	39872	743	720	23	516	256	260	294	
1	Stonehouse F			2949	5835	98	97	1	74	35	39	—	
2	Painswick 2H.. ..			8327	3110	47	43	4	45	18	27	—	
3	Bisley F			12025	5210	92	87	5	55	24	31	—	
4	Stroud W,H			2582	11476	231	222	9	185	108	77	—	
5	Rodborough			4242	6429	130	128	2	70	30	40	—	
6	Minchinhampton			4638	3702	65	64	1	37	18	19	—	
7	Horsley			5224	4110	80	79	1	50	23	27	—	
328.—Tetbury.													
				29685	6044	144	133	11	71	43	28	35	
1	Didmarton			9382	1130	18	17	1	9	8	1	—	
2	Tetbury W,H			20303	4914	126	116	10	62	35	27	—	

VI.—WEST MIDLAND DIVISION—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
23.—GLOUCESTER-SHIRE—<i>cont.</i>									
329.—Cirencester.	86277	20379	420	394	26	221	109	112	132
1 Cotswold	29143	3322	68	66	2	23	11	12	—
2 Cirencester W,2F,H ..	30628	12151	272	249	23	139	67	72	—
3 Fairford 2H	26506	4906	80	79	1	59	31	28	—
330.—Northleach.	70018	8056	170	162	8	107	54	53	55
1 Bibury W,2F	31230	4147	86	81	5	59	30	29	—
2 Chedworth	38788	3909	84	81	3	48	24	24	—
331.—Stow on the Wold.	44537	8415	156	148	8	104	54	50	57
1 Bourton on the Water H ..	23365	3964	71	67	4	43	21	22	—
2 Stow on the Wold W ..	21172	4451	85	81	4	61	33	28	—
332.—Winchcomb.	57089	9647	212	204	8	117	59	58	55
1 Guiting W,F,H	35605	5524	134	129	5	77	38	39	—
2 Cleve	21484	4123	78	75	3	40	21	19	—
333.—Cheltenham.	26526	58693	1076	1016	60	738	330	408	387
1 Charlton Kings H	21800	9749	168	164	4	99	53	46	—
2 Cheltenham W,F,3H ..	4726	48944	908	852	56	639	277	362	—
334.—Tewkesbury.	40917	12678	285	266	19	159	73	86	77
1 Tewkesbury W,2F,H ..	40917	12678	285	266	19	159	73	86	—
24.—HEREFORD-SHIRE.									
335.—Ledbury.	50997	13907	313	296	17	170	91	79	98
1 Ledbury W,H	25789	9906	210	196	14	126	67	59	—
2 Yarkhill	25208	4001	103	100	3	44	24	20	—
336.—Ross.	63229	16376	353	332	21	206	117	89	101
1 Sollershope	20439	3141	63	59	4	30	20	10	—
2 Ross W,H	23348	10563	228	213	15	140	85	55	—
3 St. Weonards	19442	2672	62	60	2	36	12	24	—
337.—Hereford.*	146267	43290	911	857	54	620	311	309	301
1 Dewchurch	27133	4200	70	65	5	44	21	23	—
2 Fownhope	16886	4081	105	101	4	39	20	19	—
3 Burghill F,L	21650	5316	99	95	4	89	45	44	—
4 Hereford City W,F,2H ..	5031	22568	487	457	30	343	173	170	—
5 Madley	19966	2378	55	51	4	30	17	13	—
6 Kentchurch W	27158	2863	58	52	6	52	27	25	—
7 Clodock	28443	1884	37	36	1	23	8	15	—
338.—Weobley.	49727	6699	144	135	9	97	46	51	27
1 Weobley W	29493	3873	80	75	5	61	29	32	—
2 Dilwyn	20234	2826	64	60	4	36	17	19	—
339.—Bromyard.	61260	9634	207	184	23	125	71	54	64
1 Bishops Frome†	28054	4033	96	88	8	51	30	21	—
2 Bromyard† W,F,H	33206	5601	111	96	15	74	41	33	—
340.—Leominster.	66408	13236	287	256	31	177	93	84	80
1 Leominster W,H	13844	6023	129	113	16	91	51	40	—
2 Bodenham	24752	3360	70	63	7	34	15	19	—
3 Kingsland	27812	3853	88	80	8	52	27	25	—

* 337.—The District of HEREFORD comprises the two Poor Law Unions of Hereford (Dewchurch, Fownhope, Burghill, and Hereford City sub-districts) and Dore (Madley, Kentchurch, and Clodock sub-districts).
† 339 : 1, 2.—On 1st October, 1910, Bromyard (1) sub-district was abolished and its constituent parts divided between Bishops Frome (1) and Brockhampton re-named Bromyard (2) sub-districts, *see* page 493. The births and deaths are shown as if the change had taken place at the beginning of the year.

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
24.—HEREFORD-SHIRE—cont.										
341.—Kington.		101342	9946	208	190	18	144	79	65	52
No. 1	Brilley	15976	1648	33	33	—	21	14	7	—
2	Radnor*	47897	2571	59	53	6	43	22	21	—
3	Kington* W,H	37469	5727	116	104	12	80	43	37	—
25.—SHROPSHIRE.										
342.—Ludlow.		85695	17428	383	355	28	215	124	91	115
1	Leintwardine	16427	1846	35	34	1	20	14	6	—
2	Ludlow W,F,H	14694	7542	167	146	21	114	67	47	—
3	Cainham	13308	2846	57	53	1	31	13	18	—
4	Munslow	23590	2638	63	60	3	26	18	8	—
5	Diddlebury	17676	2556	61	59	2	24	12	12	—
343.—Clun.		86553	8266	163	146	17	124	70	54	45
1	Clun H	34468	3230	68	60	8	50	32	18	—
2	Bishops Castle W ..	17118	2348	48	43	5	38	19	19	—
3	Norbury	20934	1103	19	19	—	16	9	7	—
4	Lydbury	14033	1585	28	24	4	20	10	10	—
344.—Church Stretton.		46084	6252	121	111	10	73	45	28	37
1	Church Stretton W.. ..	46084	6252	121	111	10	73	45	28	—
345.—Cleobury Mortimer.		57652	9169	223	213	10	103	57	46	47
1	Cleobury Mortimer W ..	31056	5459	129	121	8	77	41	36	—
2	Stottesden	26596	3710	94	92	2	26	16	10	—
346.—Bridgnorth.		71954	14762	332	318	14	191	95	96	105
1	Chetton	40289	4449	106	103	3	32	13	19	—
2	Bridgnorth W,F,H ..	3561	6056	124	115	9	113	59	54	—
3	Worfield	28104	4257	102	100	2	46	23	23	—
347.—Shifnal.		46945	12015	259	245	14	147	81	66	65
1	Albrighton	22864	3779	69	66	3	28	15	13	—
2	Shifnal W,H	24081	8236	190	179	11	119	66	53	—
348.—Madeley.		28468	23416	591	550	41	302	164	138	157
1	Dawley	3630	7878	214	198	16	75	34	41	—
2	Madeley W	7785	8859	219	206	13	140	86	54	—
3	Broseley F,2H	17053	6679	158	146	12	87	44	43	—
349.—Atcham.		130653	51249	1127	1047	80	852	423	429	337
1	Condover W	62418	10424	235	207	28	154	92	62	—
2	St. Mary W,F,H	13825	24156	540	521	19	376	181	195	—
3	St. Chad H,L	5814	8854	175	161	14	225	100	125	—
4	Westbury	48596	7815	177	158	19	97	50	47	—
350.—Oswestry.		83196	29337	661	616	45	423	226	197	190
1	Knockin	19996	3667	80	76	4	44	25	19	—
2	Llansilin	16170	1278	25	23	2	5	2	3	—
3	Oswestry W,H	28106	16143	372	343	29	276	153	123	—
4	St. Martin's H.. .. .	18924	8249	184	174	10	98	46	52	—

* 341: 2, 3.—On 1st June, 1910, the boundary between these sub-districts was altered, *see* page 493. The births and deaths are shown as if the change had taken place at the beginning of the year.

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
25.—SHROPSHIRE— <i>continued.</i>											
351.—Ellesmere.			79409	15079	321	303	18	184	93	91	93
No.											
1	Overton	H	12281	2539	50	47	3	35	17	18	—
2	Hanmer	14807	2229	49	49	—	24	10	14	—
3	Ellesmere	W,H	30474	6487	145	132	13	93	50	43	—
4	Baschurch	H	21847	3824	77	75	2	32	16	16	—
352.—Wem.			52451	10646	250	235	15	134	77	57	77
1	Wem	W	39862	8549	215	202	13	111	59	52	—
2	Prees	F	12589	2097	35	33	2	23	18	5	—
353.—Whitchurch.			40553	12743	283	263	20	171	99	72	75
1	Whitchurch	W,H	23839	8901	198	187	11	120	72	48	—
2	Malpas	16714	3842	85	76	9	51	27	24	—
354.—Market Drayton.			65046	14627	341	316	25	155	71	84	82
1	Market Drayton*	W,F,H ..	65046	14627	341	316	25	155	71	84	—
355.—Wellington.			35788	27427	684	645	39	298	152	146	165
1	Ercall Magna	H	18903	2887	69	68	1	24	8	16	—
2	Wellington†	W	15269	16024	367	340	27	184	95	89	—
3	Wombridge†	1616	8516	248	237	11	90	49	41	—
356.—Newport.			48218	13638	280	259	21	183	104	79	106
1	Newport	W,F	23705	9466	202	186	16	137	76	61	—
2	Gnosall	24513	4172	78	73	5	46	28	18	—
26.—STAFFORDSHIRE.											
357.—Stafford.			57897	35164	785	750	35	565	285	280	253
1	Stafford	W,2F,2H,2L ..	57897	35164	785	750	35	565	285	280	—
358.—Stone.			68419	20080	470	450	20	262	140	122	129
1	Stone	W,H	35392	14589	351	338	13	204	105	99	—
2	Eccleshall	2F	33027	5491	119	112	7	58	35	23	—
359.—Newcastle under Lyme.			29403	41697	1152	1093	59	520	270	250	299
1	Whitmore	6748	1121	13	13	—	12	5	7	—
2	Newcastle under Lyme	W,F	11230	24469	659	621	38	322	161	161	—
3	Audley	11425	16107	480	459	21	186	104	82	—
360.—Wolstanton.			13885	110786	3613	3462	151	1686	857	829	913
1	Wolstanton	F	5422	27341	819	777	42	325	154	171	—
2	Tunstall	2W	5394	39292	1322	1277	45	634	341	293	—
3	Burslem	W,F,H	3069	44153	1472	1408	64	727	362	365	—
361.—Stoke upon Trent.			10782	170361	5401	5123	278	2899	1438	1461	1346
1	Hanley	1957	66264	2077	1978	99	1001	484	517	—
2	Stoke upon Trent	2W,H ..	1882	36211	1091	1024	67	809	433	376	—
3	Fenton†	1726	25631	840	803	37	353	164	189	—
4	Longton	H	1947	37481	1242	1168	74	605	294	311	—
5	Stoke Rural†	F	3270	4774	151	150	1	131	63	68	—
362.—Leek.			77593	47379	1304	1243	61	656	343	313	332
1	Norton	2F	11169	15996	528	503	25	200	108	92	—
2	Biddulph	F	5671	7425	255	247	8	79	47	32	—
3	Leek	W,F,H	19303	19153	420	401	19	308	156	152	—
4	Leek Frith	13473	1533	32	29	3	22	10	12	—
5	Longnor	27977	3272	69	63	6	47	22	25	—

* 354: 1.—On 1st June, 1910, Moreton Say (1) and Market Drayton (2) sub-districts were united and called Market Drayton (1). The births and deaths are shown as if the change had taken place at the beginning of the year.

† 355: 2, 3.—On 1st November, 1910, the boundary between these sub-districts was altered, *see* page 493. The births and deaths are shown as if the change had taken place at the beginning of the year.

† 361: 3, 5.—On 1st May, 1910, the boundary between these sub-districts was altered, *see* page 493. The births and deaths are shown as if the change had taken place at the beginning of the year.

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	26.—STAFFORD-SHIRE—<i>cont.</i>									
	363.—Cheadle.	54169	26706	692	660	32	433	243	190	227
1	Alton	10249	3614	83	78	5	38	19	19	—
2	Ipstones <i>L</i>	19523	6830	145	139	6	199	110	89	—
3	Dilhorne	12694	8141	239	232	7	93	51	42	—
4	Cheadle <i>W,F</i>	11703	8121	225	211	14	103	63	40	—
	364.—Uttoxeter.	66151	16554	372	346	26	193	91	102	88
1	Uttoxeter <i>W</i>	28635	10503	258	242	16	118	59	59	—
2	Abbots Bromley	15567	2310	31	29	2	28	10	18	—
3	Sudbury	21949	3741	83	75	8	47	22	25	—
	365.—Burton upon Trent.	88215	92172	2338	2243	95	1197	637	560	721
1	Tutbury	26839	7793	195	186	9	77	42	35	—
2	Repton <i>F,L</i>	26239	7945	147	140	7	155	75	80	—
3	Gresley <i>F</i>	15899	23035	725	703	22	239	127	112	—
4	Burton upon Trent <i>2W,F,2H</i>	19238	53399	1271	1214	57	726	393	333	—
	366.—Tamworth.	44520	28887	814	792	22	313	154	159	218
1	Tamworth <i>W,F,H</i>	44520	28887	814	792	22	313	154	159	—
	367.—Lichfield.	76891	45626	1179	1130	49	634	341	293	300
1	Lichfield <i>W,2H,L</i>	36548	30770	818	778	40	425	245	180	—
2	Rugeley <i>F,3H</i>	40343	14856	361	352	9	209	96	113	—
	368.—Cannock.	68830	54622	1653	1607	46	669	353	316	390
1	Brewood	44276	11222	245	237	8	122	60	62	—
2	Cannock <i>W,2F,H</i>	24554	43400	1408	1370	38	547	293	254	—
	369.—Wolverhampton.*	55972	183082	4908	4717	191	2487	1346	1141	1396
1	Tettenhall	15414	9176	190	183	7	83	37	46	—
2	Kinver	16677	3392	74	72	2	31	15	16	—
3	Wombourne <i>W,F,H</i>	12733	7797	164	158	6	92	42	50	—
4	Wolverhampton Western <i>3H</i>	2044	57060	1322	1273	49	593	308	285	—
5	Wolverhampton Eastern <i>F,H</i>	1481	38273	1064	1025	39	702	391	311	—
6	Willenhall <i>2W,2F</i>	5756	41703	1264	1202	62	654	376	278	—
7	Bilston <i>2F</i>	1867	25681	830	804	26	332	177	155	—
	370.—Walsall.	22079	127651	3894	3755	139	1681	853	828	955
1	Darlaston <i>F</i>	2361	17492	574	563	11	263	131	132	—
2	Bloxwich† <i>2F</i>	4786	23190	3320	3192	128	1418	722	696	—
3	Walsall† <i>W,H</i>	3505	63266							
4	Aldridge†	11427	23703							
	371.—West Bromwich.	19424	199714	5398	5211	187	2386	1250	1136	1365
1	Handsworth <i>2F,L</i>	7751	71021	1475	1446	29	599	301	298	—
2	Oldbury	3527	32240	1044	1009	35	405	208	197	—
3	West Bromwich South West <i>H</i>	1543	36612	1106	1072	34	445	233	212	—
4	West Bromwich North East <i>W,w,F</i>	4316	31733	933	870	63	588	325	263	—
5	Wednesbury <i>F</i>	2287	28108	840	814	26	349	183	166	—
	372.—Dudley.	17205	159237	4816	4662	154	2187	1130	1057	1205
1	Rowley Regis <i>F</i>	3828	37000	1132	1107	25	461	235	226	—
2	Tipton <i>F</i>	2171	31763	1005	982	23	384	194	190	—
3	Sedgley <i>2W</i>	7591	39379	1202	1145	57	609	320	289	—
4	Dudley <i>W,F,H</i>	3615	51104	1477	1428	49	733	381	352	—

* 369.—The District of WOLVERHAMPTON comprises the two Poor Law Unions of Seisdon (Tettenhall, Kinver, and Wombourne sub-districts) and Wolverhampton (Wolverhampton Western, Wolverhampton Eastern, Willenhall, and Bilston sub-districts).

† 370 : 2, 3, 4.—On 1st December, 1910, the boundary between these sub-districts was altered, *see* page 493. The births and deaths for the altered sub-districts cannot be shown separately.

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS	AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
27.—WORCESTER-SHIRE.									
373.—Stourbridge.	16018	98386	2672	2572	100	1339	707	632	745
1 Halesowen 2F	5278	25765	768	756	12	337	177	160	—
2 Stourbridge H	3369	32155	774	738	36	379	198	181	—
3 Kingswinford W,2F..	7373	40466	1130	1078	52	623	332	291	—
374.—Kidderminster.	37231	40576	842	808	34	570	277	293	332
1 Chaddesley Corbett ..	10583	2229	50	48	2	26	14	12	—
2 Wolverley	6497	2600	51	49	2	24	12	12	—
3 Kidderminster W,F,H	8380	27926	579	557	22	425	204	221	—
4 Lower Mitton	981	3003	69	67	2	30	13	17	—
5 Bewdley	10790	4818	93	87	6	65	34	31	—
375.—Tenbury.	36624	7053	143	136	7	70	31	39	43
1 Tenbury W,H	36624	7053	143	136	7	70	31	39	—
376.—Martley.	55822	11856	254	248	6	144	73	71	73
1 Martley W	30499	6019	135	132	3	82	43	39	—
2 Leigh F,H	25323	5837	119	116	3	62	30	32	—
377.—Worcester.	8231	49446	1102	1031	71	753	373	380	378
1 Worcester 2W,F,3H..	8231	49446	1102	1031	71	753	373	380	—
378.—Upton on Severn.	54178	29620	474	436	38	397	196	201	164
1 Malvern H,L	14556	19596	270	249	21	282	132	150	—
2 Upton on Severn W,2F	27272	6620	133	119	14	90	50	40	—
3 Kempsey	12350	3404	71	68	3	25	14	11	—
379.—Evesham.	47679	20675	514	495	19	242	132	110	150
1 Evesham W,F,H	18853	12307	313	302	11	161	97	64	—
2 Broadway	28826	8368	201	193	8	81	35	46	—
380.—Persnore.	53123	13111	278	261	17	159	82	77	89
1 Eckington F	20458	4061	92	87	5	41	19	22	—
2 Persnore W,F,H	32665	9050	186	174	12	118	63	55	—
381.—Droitwich.	54201	18422	374	353	21	240	118	122	102
1 Ombersley F	27168	9641	198	190	8	109	56	53	—
2 Droitwich W,H	27033	8781	176	163	13	131	62	69	—
382.—Bromsgrove.	50396	40082	915	893	22	532	280	252	267
1 Bromsgrove W,F,3H,L	17002	19232	440	425	15	314	164	150	—
2 Belbroughton H	15847	5876	113	111	2	60	31	29	—
3 Tardebigg H	17547	14974	362	357	5	153	85	7	—
383.—Kings Norton.	29758	233156	5354	5198	156	2323	1188	1135	1697
1 Kings Norton 3W,w,F,H,L	22456	81163	1798	1718	80	865	442	423	—
2 Balsall Heath	455	39888	959	942	17	364	168	196	—
3 Edgbaston	4918	41424	630	613	17	373	185	188	—
4 Smethwick F	1929	70681	1967	1925	42	721	393	328	—

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	28.—WARWICK-SHIRE.									
	384.—Birmingham.	2996	225485	7068	6811	257	4491	2489	2002	2207
1	Lady Wood <i>H</i>	1051	65782	1861	1829	32	816	422	394	—
2	All Saints <i>2W,F,L</i>	570	46107	1532	1398	134	1389	785	604	—
3	St. George <i>3H</i>	658	58377	2093	2032	61	1326	729	597	—
4	St. Martin <i>6H</i>	717	55219	1582	1552	30	960	553	407	—
	385.—Aston.	31290	349399	9530	9311	219	4272	2205	2067	2727
1	Deritend*	701	55776	1704	1667	37	772	390	382	—
2	Bordesley <i>H</i>	1323	62876	1543	1530	13	565	289	276	—
3	Duddeston*	889	59896	2027	1973	54	764	389	375	—
4	Aston Manor	960	75042	1998	1966	32	824	423	401	—
5	Erdington <i>2W,2F,H,L</i> ..	10203	74536	1832	1755	77	1140	611	529	—
6	Sutton Coldfield <i>H</i>	17214	21273	426	420	6	207	103	104	—
	386.—Meriden.	48091	12674	250	243	7	148	78	70	62
1	Coleshill <i>W,F</i>	21156	5815	107	105	2	67	30	37	—
2	Meriden <i>W</i>	26935	6859	143	138	5	81	48	33	—
	387.—Atherstone.	28939	20536	618	596	22	231	119	112	158
1	Atherstone <i>W,F</i>	28939	20536	618	596	22	231	119	112	—
	388.—Nuneaton.	27722	41426	1331	1296	35	430	228	202	312
1	Nuneaton <i>W,2F,H</i>	27722	41426	1331	1296	35	430	228	202	—
	389.—Foleshill.	19068	23009	687	674	13	284	156	128	144
1	Foleshill <i>W,F</i>	19068	23009	687	674	13	284	156	128	—
	390.—Coventry.	6030	106959	2692	2635	57	1158	589	569	886
1	St. John <i>W,F</i>	3068	37093	823	793	30	432	231	201	—
2	Holy Trinity <i>F,H</i>	2962	69866	1869	1842	27	726	358	368	—
	391.—Rugby.	80799	41457	904	874	30	427	209	218	280
1	Rugby <i>W,H</i>	18366	29570	653	632	21	271	137	134	—
2	Crick	24417	4474	108	105	3	60	27	33	—
3	Dunchurch <i>F</i>	38016	7413	143	137	6	96	45	51	—
	392.—Solihull.	49397	77933	1754	1696	58	770	379	391	491
1	Solihull <i>W,2F,3H</i>	21192	69664	1600	1545	55	678	339	339	—
2	Knowle <i>L</i>	11774	4195	84	82	2	50	20	30	—
3	Tanworth	16431	4074	70	69	1	42	20	22	—
	393.—Warwick.	68300	56765	1003	954	49	883	392	491	378
1	Warwick† <i>W,F,H,L</i>	25604	17679	362	341	21	344	160	184	—
2	Leamington <i>2H</i>	13470	28926	452	433	19	433	187	246	—
3	Kenilworth† <i>H</i>	29226	10160	189	180	9	106	45	61	—
	394.—Stratford on Avon.	77194	21659	413	400	13	254	132	122	152
1	Wellesbourne	27726	5747	123	121	2	48	28	20	—
2	Stratford on Avon <i>W,2F,2H</i>	29126	11870	217	208	9	165	83	82	—
3	Wootton Wawen	20342	4042	73	71	2	41	21	20	—
	395.—Alcester.	55457	21974	463	438	25	284	142	142	175
1	Feckenham†	27946	14660	305	293	12	188	97	89	—
2	Alcester† <i>W,2F</i>	27511	7314	158	145	13	98	45	53	—

* 385: 1, 3.—On 1st August, 1910, the boundary between these sub-districts was altered, *see* page 493. The births and deaths are included in the figures for the sub-district in which they were registered.

† 393: 1, 3.—On 1st April, 1910, the boundary between these sub-districts was altered, *see* page 493. The births and deaths are shown as if the change had taken place at the beginning of the year.

‡ 395: 1, 2.—On 1st April, 1910, the boundary between these sub-districts was altered, *see* page 493. The births and deaths are shown as if the change had taken place at the beginning of the year.

VI.—WEST MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
28.—WARWICK-SHIRE—<i>cont.</i>									
396.—Shipston on Stour.	78289	14933	305	295	10	219	110	109	76
1 Blockley	28378	5864	118	116	2	76	36	40	—
2 Shipston on Stour <i>W,2F,2H</i>	17477	4868	116	111	5	92	49	43	—
3 Halford	32434	4201	71	68	3	51	25	26	—
397.—Southam.	52797	9987	247	236	11	134	63	71	66
1 Southam <i>W,F..</i> .. .	52797	9987	247	236	11	134	63	71	—

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910.

29.—LEICESTER-SHIRE.									
398.—Lutterworth.	57066	11491	252	242	10	139	67	72	70
1 Lutterworth <i>W,H</i> .. .	57066	11491	252	242	10	139	67	72	—
399.—Market Harborough.	71292	20902	425	408	17	226	109	117	146
1 Market Harborough <i>W,2F,H</i>	71292	20902	425	408	17	226	109	117	—
400.—Billesdon.	52482	6913	171	122	49	333	183	150	53
1 Billesdon <i>W,w</i> .. .	52482	6913	171	122	49	333	183	150	—
401.—Blaby.	33486	27767	598	582	16	307	145	162	193
1 Wigston <i>w,F</i> .. .	11203	15681	341	333	8	125	61	64	—
2 Enderby <i>W,L</i> .. .	22283	12086	257	249	8	182	84	98	—
402.—Hinckley.	22581	26665	628	604	24	328	153	172	224
1 Burbage	9141	5327	118	115	3	57	25	32	—
2 Hinckley <i>W,H</i> .. .	7671	14065	339	325	14	189	91	98	—
3 Earl Shilton <i>F</i> .. .	5769	7273	171	164	7	82	40	42	—
403.—Market Bosworth.	53418	20459	591	563	28	224	122	102	139
1 Market Bosworth <i>W</i> ..	32861	6300	179	167	12	81	51	30	—
2 Ibstock <i>F</i> .. .	20557	14159	412	396	16	143	71	72	—
404.—Ashby de la Zouch.	55447	50456	1504	1460	44	595	300	286	380
1 Measham <i>F</i> .. .	10662	4671	143	138	5	61	32	29	—
2 Hartshorn <i>F</i> .. .	19677	13907	399	389	10	135	76	59	—
3 Ashby de la Zouch <i>W,H</i> ..	8303	6147	161	151	10	90	44	46	—
4 Whitwick <i>2F</i> .. .	16805	25431	801	782	19	309	157	152	—
405.—Loughborough.	45819	36835	811	772	39	426	226	200	244
1 Loughborough <i>W,F,H</i> ..	19975	31651	710	677	33	371	200	171	—
2 Leake	25844	5184	101	95	6	55	26	29	—
406.—Barrow upon Soar.	50451	27950	622	602	20	345	184	161	176
1 Barrow upon Soar .. .	13299	7118	192	189	3	75	40	35	—
2 Quorndon <i>3H</i> .. .	10350	6584	119	117	2	70	37	33	—
3 Rothley <i>W,F</i> .. .	13294	7337	161	151	10	132	71	61	—
4 Syston <i>F</i> .. .	13508	6911	150	145	5	68	36	32	—
407.—Leicester.	8582	227242	5327	5130	197	2600	1335	1265	1941
1 North West Leicester* <i>2H</i>	2367	75933	5327	5130	197	2600	1335	1265	—
2 North East Leicester* <i>2W,L</i>	1851	62528							—
3 South Leicester* <i>H</i> .. .	4364	88781							—

* 407: 1, 2, 3.—On 1st April, 1910, the boundary between these sub-districts was altered, *see* page 494. The births and deaths for the altered sub-districts cannot be shown separately.

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
29.—LEICESTER-SHIRE—<i>cont.</i>									
408.—Melton Mowbray.	99514	24435	594	567	27	293	148	145	15
1 Melton Mowbray W,F ..	45484	16115	399	379	20	193	95	98	—
2 Waltham	54060	8320	195	188	7	100	53	47	—
30.—RUTLAND-SHIRE.									
409.—Oakham.	58001	11035	231	216	15	117	54	63	67
1 Oakham W,H	58001	11035	231	216	15	117	54	63	—
410.—Uppingham.	50699	10133	169	164	5	126	52	74	52
1 Uppingham W	19851	5391	75	73	2	58	22	36	—
2 Great Easton	14208	2243	45	44	1	33	14	19	—
3 Barrowden	16640	2500	49	47	2	35	16	19	—
31.—LINCOLNSHIRE.									
411.—Stamford.	55690	18201	407	386	21	205	111	94	128
1 Stamford W,H	23484	13622	304	285	19	153	82	71	—
2 Barnack	32206	4579	103	101	2	52	29	23	—
412.—Bourne.	92266	17735	455	416	39	256	126	130	151
1 Corby	21011	2825	75	71	4	32	17	15	—
2 Aslackby	26241	3989	112	107	5	51	27	24	—
3 Bourne W	34526	7326	188	164	24	126	64	62	—
4 Deeping	10488	3595	80	74	6	47	18	29	—
413.—Spalding.	82145	23497	574	541	33	322	142	180	170
1 Pinchbeck	14460	2836	68	62	6	28	18	10	—
2 Donington	9983	2378	57	55	2	36	16	20	—
3 Gosberton	12418	2983	66	66	—	37	15	22	—
4 Spalding W,F,H ..	12699	10818	261	240	21	175	75	100	—
5 Moulton	17552	3043	80	77	3	37	15	22	—
6 Deeping St. Nicholas ..	15033	1439	42	41	1	9	3	6	—
414.—Holbeach.	85650	18942	465	439	26	227	115	112	138
1 Gedney Hill	13125	2030	50	50	—	24	13	11	—
2 Long Sutton	37972	9259	232	225	7	79	33	46	—
3 Holbeach W	34553	7653	183	164	19	124	69	55	—
415.—Boston.	109312	40723	1096	1029	67	593	305	288	328
1 Kirton*	51544	10167	304	294	10	120	54	66	—
2 Benington*	51212	8638	233	222	11	90	40	50	—
3 Boston* W,F,H	6556	21918	559	513	46	383	211	172	—
416.—Sleaford.	137809	24912	577	533	44	382	203	179	179
1 Billingham	80790	11331	266	251	15	153	84	69	—
2 Sleaford W,F,L	57019	13581	311	282	29	229	119	110	—
417.—Grantham.	105239	35150	822	778	44	445	233	212	282
1 Grantham South	76234	10618	235	223	12	125	59	66	—
2 Grantham North W,F,H ..	29005	24532	587	555	32	320	174	146	—
418.—Lincoln.	159760	85603	1965	1855	110	1204	653	551	656
1 Lincoln South West	74837	13516	294	274	20	153	81	72	—
2 Lincoln Home 2W,2F,H,2L	26838	65127	1517	1430	87	961	521	440	—
3 Lincoln North East W ..	58085	6960	154	151	3	90	51	39	—

* 415: 1, 2, 3.—On 1st February, 1910, the boundary between these sub-districts was altered, *see* page 494. The births and deaths are shown as if the change had taken place at the beginning of the year.

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
31.—LINCOLNSHIRE —continued.										
419.—Horncastle.		117448	18486	411	392	19	236	126	110	145
No.										
1	Wragby	32674	3359	81	80	1	31	11	20	—
2	Horncastle W,F	29801	7075	164	153	11	128	71	57	—
3	Tattershall H	54973	8052	166	159	7	77	44	33	—
420.—Spilsby.		131271	27183	573	530	43	344	181	163	201
1	Stickney	18796	2651	72	69	3	29	16	13	—
2	Wainfleet	26160	4673	102	93	9	61	28	33	—
3	Spilsby W,H	25254	5471	123	111	12	68	33	35	—
4	Burgh F,3H	24492	7391	139	131	8	98	56	42	—
5	Alford	36569	6997	137	126	11	88	48	40	—
421.—Louth.		160544	29400	621	584	37	400	202	198	218
1	Withern H	27454	4289	92	89	3	49	27	22	—
2	Louth W,F,H	39757	13293	271	248	23	214	113	101	—
3	Binbrook	28405	3287	70	65	5	31	15	16	—
4	Saltfleet	35081	4242	89	88	1	54	24	30	—
5	Tetney	29847	4286	99	94	5	52	23	29	—
422.—Grimsby.		47254	106711	2977	2825	152	1411	746	665	801
1	Great Grimsby W,2F,H ..	47254	106711	2977	2825	152	1411	746	665	—
423.—Caistor.		121084	15443	355	340	15	203	100	103	114
1	Caistor W	63476	7482	162	151	11	104	52	52	—
2	Market Rasen F,H	57608	7961	193	189	4	99	48	51	—
424.—Glanford Brigg.		151682	56206	1650	1570	80	677	361	316	399
1	Brigg W	52000	13165	339	317	22	181	93	88	—
2	Winterton H	53325	27261	910	871	39	283	150	133	—
3	Barton F	46357	15780	401	382	19	213	118	95	—
425.—Gainsborough.		111449	39351	988	950	38	483	235	248	290
1	Scotter	32304	4019	80	79	1	42	21	21	—
2	Misterton* F	31208	8291	197	188	9	102	45	57	—
3	Gainsborough* W,2F ..	4296	21714	589	569	20	277	146	131	—
4	Marton H	43641	5327	122	114	8	62	23	39	—
32.—NOTTINGHAM-SHIRE.										
426.—East Retford.		92777	27106	632	601	31	341	182	159	171
1	Gringley H	19354	3084	69	64	5	44	19	25	—
2	Clarbrough W,F	24312	6701	141	128	13	92	60	32	—
3	East Retford F,H	23684	12820	323	313	10	142	73	69	—
4	Tuxford	25427	4501	99	96	3	63	30	33	—
427.—Worksop.		79946	56609	1837	1765	72	669	362	307	389
1	Worksop 2W,F,H	20727	20491	611	567	44	278	154	124	—
2	Carlton F	20446	3264	66	60	6	25	11	14	—
3	Anston	17442	13138	479	472	7	132	80	52	—
4	Carburton	21331	19716	681	666	15	234	117	117	—
428.—Mansfield.		57805	125274	4266	4039	177	1648	874	774	920
1	Warsop H	12008	15473	612	601	11	204	109	95	—
2	Shirebrook† F	13941	19112	740	713	27	270	143	127	—
3	Blackwell F	7296	20207	644	617	27	235	122	113	—
4	Sutton in Ashfield† ..	10446	32468	1046	996	50	440	226	214	—
5	Mansfield 2W,2F,2H ..	7068	36897	1183	1126	57	482	266	216	—
6	Blidworth	7046	1117	41	36	5	17	8	9	—

* 425: 2, 3.—On 1st February, 1910, the boundary between these sub-districts was altered, *see* page 491. The births and deaths are shown as if the change had taken place at the beginning of the year.

† 428: 2, 4.—On 1st October, 1910, the boundary between these sub-districts was altered, and Pleasley (2) sub-district was re-named Shirebrook, *see* page 494. The births and deaths are shown as if the change had taken place at the beginning of the year.

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.	
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.		
32.—NOTTINGHAM-SHIRE—cont.													
429.—Basford.				90315	180589	5248	5049	199	2038	1012	1026	1415	
No.													
1	Greasley			25945	50752	1590	1529	61	623	325	298	—	
2	Ilkeston F,H			8823	49019	1622	1567	55	612	316	296	—	
3	Beeston			5865	12286	326	315	11	127	63	64	—	
4	Hucknall Torkard F			10014	17424	532	515	17	203	95	108	—	
5	Arnold			15885	14398	347	321	26	160	67	93	—	
6	Carlton			8791	31055	694	670	24	252	124	128	—	
7	Wilford			14992	5655	137	132	5	61	22	39	—	
430.—Nottingham.				10935	259942	6617	6166	451	4005	2071	1934	2229	
1	Nottingham South West 3H			2743	38192	919	877	42	675	357	318	—	
2	Nottingham South East ..			994	38212	1047	972	75	453	227	226	—	
3	Nottingham North East H,2L			1373	66543	1706	1602	104	893	473	420	—	
4	Nottingham North West 2W,H			1284	61360	1460	1372	88	762	360	402	—	
5	Bulwell 2W,w,3F,H			4541	55635	1485	1343	142	1222	654	568	—	
431.—Southwell.				118468	19575	420	393	27	248	127	121	146	
1	Southwell W,F			53208	11279	236	220	16	137	72	65	—	
2	Kneesall			65260	8296	184	173	11	111	55	56	—	
432.—Newark.				96810	32715	754	701	53	469	236	233	232	
1	North Collingham			25260	4315	71	68	3	49	19	30	—	
2	Bassingham			17176	2143	50	45	5	21	11	10	—	
3	Newark W,H			6225	17502	422	389	33	276	149	127	—	
4	Balderton F,H			15891	4573	126	115	11	58	27	31	—	
5	Claypole			32258	4182	85	84	1	65	30	35	—	
433.—Bingham.				69231	14707	288	271	17	244	127	117	78	
1	Bingham W,L			69231	14707	288	271	17	244	127	117	—	
33.—DERBYSHIRE.													
434.—Shardlow.				71257	68338	1778	1725	53	707	348	359	486	
1	Castle Donington H.. .. .			14912	6058	119	115	4	72	38	34	—	
2	Melbourne*			13386	5402	122	118	4	49	18	31	—	
3	Shardlow* W.. .. .			11800	6191	117	109	8	90	49	41	—	
4	Stapleford			16043	38420	1090	1057	33	367	180	187	—	
5	Spondon F			15116	12267	330	326	4	129	63	66	—	
435.—Derby.				5640	124303	3181	3069	112	1574	833	741	999	
1	Osmaston			1823	13552	362	354	8	99	49	50	—	
2	Derby W,F,5H,L			3817	110751	2819	2715	104	1475	784	691	—	
436.—Belper.				66007	72620	1924	1867	57	823	419	404	550	
1	Duffield			19186	6560	123	118	5	60	29	31	—	
2	Horsley H			10705	8574	248	242	6	82	44	38	—	
3	Belper W			3183	11643	310	299	11	178	102	76	—	
4	Ripley F			13333	20329	553	542	11	213	114	99	—	
5	Alfreton			4626	19049	574	557	17	219	104	115	—	
6	Wirksworth H			14974	6465	116	109	7	71	26	45	—	
437.—Ashbourne.				97982	19516	456	427	29	255	129	126	146	
1	Ashbourne W,H			50881	12027	282	267	15	138	78	60	—	
2	Brassington F			47101	7489	174	160	14	117	51	66	—	

* 434: 2, 3.—On 1st February, 1910, the boundary between these sub-districts was altered, *see* page 494. The births and deaths are shown as if the change had taken place at the beginning of the year.

VII.—NORTH MIDLAND DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
33.—DERBYSHIRE— continued.											
No.	438.—Chesterfield.		93009	152602	4956	4742	214	2127	1160	967	1167
1	Ashover F		24020	27247	881	852	29	370	203	167	—
2	Chesterfield 2W,3F,H ..		24435	68129	2160	2038	122	986	551	435	—
3	Bolsover		11000	14834	586	572	14	183	91	92	—
4	Eckington F		18796	33480	1066	1027	39	466	257	209	—
5	Dronfield F		14758	8912	263	253	10	122	58	64	—
439.—Bakewell.			104618	36868	776	745	31	462	236	226	251
1	Bakewell W,F		55260	11781	260	254	6	146	78	68	—
2	Matlock 3H		19793	15895	307	291	16	197	88	109	—
3	Tideswell		29565	9192	209	200	9	119	70	49	—
440.—Chapel en le Frith.			83490	30696	640	607	33	369	183	186	193
1	Buxton F,2H		16119	16027	336	319	17	186	85	101	—
2	Chapel en le Frith W,F,H ..		67371	14669	304	288	16	183	98	85	—
441.—Glossop.			20943	25698	518	505	13	321	158	163	200
1	Glossop W,F,2H		20943	25698	518	505	13	321	158	163	—
442.—Hayfield.			17952	17127	376	366	10	222	104	118	110
1	Hayfield W		17952	17127	376	366	10	222	104	118	—

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910.

34.—CHESHIRE.									
443.—Stockport.	28466	180551	4105	3946	159	2574	1278	1296	1420
1 Hazel Grove	8502	16118	320	308	12	166	70	96	—
2 Hyde <i>F</i>	1565	24059	529	503	26	366	176	190	—
3 Bredbury	4893	9592	210	208	2	119	59	60	—
4 Stockport First <i>2W,F</i> ..	2527	55122	1292	1232	60	943	480	463	—
5 Stockport Second <i>H</i> ..	1160	27888	727	698	29	467	234	233	—
6 Stockport Third <i>F</i> ..	1801	25683	672	650	22	284	139	145	—
7 Heaton Norris <i>H</i>	1620	11240	154	152	2	94	54	40	—
8 Cheadle <i>H,L</i>	6398	10849	201	195	6	135	66	69	—
444.—Macclesfield.	85889	60801	1166	1102	64	866	406	460	465
1 Prestbury	13667	5276	106	101	5	69	32	37	—
2 Bollington	8308	6577	129	124	5	64	29	35	—
3 Rainow	15598	3941	59	58	1	29	10	19	—
4 Macclesfield* <i>W,2F,H,L</i> ..	3214	34804	687	638	49	616	290	326	—
5 Gawsworth* <i>F</i>	30936	4274	82	80	2	39	22	17	—
6 Alderley <i>H</i>	14166	5929	103	101	2	49	23	26	—
445.—Bucklow.	75421	93924	1982	1909	73	980	495	485	607
1 Wilmslow <i>w</i>	14253	12350	238	234	4	110	63	47	—
2 Altrincham <i>F,2H</i>	12850	37099	768	742	26	358	179	179	—
3 Sale <i>2F,H</i>	9214	26871	626	604	22	287	134	153	—
4 Lymm <i>F</i> *	16534	7862	154	148	6	75	31	44	—
5 Knutsford <i>W,H</i>	22570	9742	196	181	15	150	88	62	—
446.—Runcorn.	50414	45570	1111	1073	38	564	295	269	300
1 Budworth <i>W,2F</i>	24150	13793	272	259	13	156	84	72	—
2 Runcorn <i>F,H</i>	10439	22039	615	598	17	297	166	131	—
3 Frodsham <i>2H</i>	15825	9738	224	216	8	111	45	66	—
447.—Northwich.	62567	57104	1436	1363	73	705	375	330	434
1 Weaverham	18130	11011	253	239	14	126	70	56	—
2 Northwich <i>W,3F,H</i> ..	12150	24345	613	579	34	339	179	160	—
3 Over <i>F,H</i>	18255	13778	368	352	16	164	84	80	—
4 Middlewich	14032	7970	202	193	9	76	42	34	—

* 444: 4, 5.—On 1st December, 1910, Sutton (5) sub-district was abolished and its constituent parts were divided between Macclesfield (4) and Gawsworth (5) sub-districts, *see* page 491. The births and deaths are shown as if the change had taken place at the beginning of the year.

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	34.—CHESHIRE—<i>cont.</i>									
	448.—Congleton.	50570	34040	845	799	46	440	213	227	243
1	Church Hulme	14910	3066	64	62	2	28	13	15	—
2	Congleton W,F,H	13368	13783	357	336	21	196	91	105	—
3	Sandbach W,F	22292	17191	424	401	23	216	109	107	—
	449.—Nantwich.	101354	77778	1867	1768	99	962	491	471	602
1	Crewe F,2H	33340	57374	1418	1356	62	674	336	338	—
2	Nantwich W,F	25411	11931	275	250	25	198	106	92	—
3	Bunbury	19766	3821	71	68	3	41	24	17	—
4	Wrenbury	22837	4652	103	94	9	49	25	24	—
	450.—Chester.*	101782	73319	1765	1681	84	1129	583	546	603
1	Tattenhall	63069	15791	363	353	10	172	93	79	—
2	Chester Castle† W	12773	26515	643	619	24	301	155	146	—
3	Chester Cathedral† W,2F,H,L	25940	31013	759	709	50	656	335	321	—
	451.—Wirral.	45573	61805	1526	1487	39	623	314	309	314
1	Neston W,2H	15380	11129	250	244	6	115	53	62	—
2	Eastham	8854	14144	457	452	5	121	69	52	—
3	Bebington W,3F,H	6675	16096	433	415	18	199	93	103	—
4	Woodchurch F,3H	14664	20436	386	376	10	188	96	92	—
	452.—Birkenhead.	9240	210518	5474	5286	188	2904	1492	1412	1315
1	Birkenhead F,3H	1279	65291	2062	2000	62	1033	549	484	—
2	Tranmere W	4612	66713	1688	1603	85	1018	521	497	—
3	Wallasey F,4H	3349	78514	1724	1683	41	853	422	431	—
	35.—LANCASHIRE.									
	453.—Liverpool.	1866	128687	4807	4543	259	3738	2123	1615	1683
1	Scotland	520	46585	1896	1867	29	872	459	413	—
2	Exchange 3H	539	37385	1065	1046	19	667	385	282	—
3	Abercromby W,7H	807	44717	1846	1635	211	2199	1279	920	—
	454.—Toxteth Park.	2376	136150	3745	3616	129	2291	1168	1123	823
1	Toxteth Park North West F,2H.	238	21994	780	760	20	555	309	246	—
2	Toxteth Park South West w,F.	376	35759	1211	1191	20	497	240	257	—
3	Toxteth Park Central H ..	444	43898	1104	1081	23	532	250	282	—
4	Toxteth Park East W,H ..	1318	34499	650	584	66	707	369	338	—
	455.—West Derby.	37267	613386	18076	17528	548	9393	4758	4635	4220
1	Crosby H	4777	39517	912	884	28	388	190	198	—
2	Litherland	8362	21010	682	669	13	213	116	97	—
3	Fazakerley 2W,F	9442	8771	186	183	3	239	114	125	—
4	Walton 3W	1944	75602	2231	2021	210	1752	876	876	—
5	Bootle F,H	1577	65974	1877	1832	45	838	412	426	—
6	Kirkdale 2w,H	928	67468	2123	2092	31	1080	582	498	—
7	North Everton w,F	305	54255	1915	1895	20	796	406	390	—
8	South Everton W,H	383	66640	2104	2047	57	1629	878	751	—
9	West Derby Western	675	85516	2635	2568	67	932	456	476	—
10	West Derby Eastern w,F ..	2937	63217	1584	1549	35	915	417	498	—
11	Wavertree W,2w,3H	5932	65386	1827	1788	39	611	311	300	—
	456.—Prescot.	53076	170947	5161	5012	149	2542	1372	1170	1221
1	Hale	8063	3412	69	67	2	31	18	13	—
2	Much Woolton W,H	2181	5422	119	116	3	66	26	40	—
3	Widnes F,H	10639	36328	1089	1063	26	451	244	207	—
4	Prescot W,F	16902	24815	623	579	44	590	334	256	—
5	St Helens F,2H } L ..	9414	97467	3165	3094	71	1363	728	635	—
6	Rainford F	5877	3503	96	93	3	41	22	19	—

* 450.—The District of CHESTER comprises the two Poor Law Unions of Tarvin (Tattenhall sub-district), and Chester (Chester Castle and Chester Cathedral sub-districts).

† 450 : 2, 3.—On 1st October, 1910, the boundary between these sub-districts was altered, *see* page 494. The area transferred contained no population at the Census of 1901.

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
35.—LANCASHIRE— continued.										
No.	457.—Ormskirk.	92770	117751	2385	2290	95	1522	732	790	778
1	Bickerstaffe	11217	3455	77	77	—	28	22	6	—
2	Ormskirk 2W,F,H	574	7409	213	190	23	168	83	85	—
3	Aughton w,F	8705	6459	126	123	3	68	38	30	—
4	Halsall	18868	4324	97	96	1	37	18	19	—
5	Formby F	14105	24439	430	412	18	244	111	133	—
6	North Meols 2F,7H	10443	53480	922	889	33	730	339	391	—
7	Tarleton	12327	3848	98	91	7	57	32	25	—
8	Lathom F	16531	14337	422	412	10	190	89	101	—
458.—Wigan.										
	48408	205982	6355	6119	236	3018	1600	1418	1582	
1	Standish	10729	12073	361	349	12	149	72	77	—
2	Aspull F	6428	13260	398	391	7	147	90	57	—
3	Wigan W,F,H	2188	65528	2017	1916	101	1131	604	527	—
4	Hindley 3F	6916	53037	1675	1628	47	753	411	342	—
5	Pemberton F	11300	35640	1052	1009	43	451	208	243	—
6	Billinge W	4596	4904	148	140	8	112	62	50	—
7	Ashton in Makerfield 2F ..	6251	21540	704	686	18	275	153	122	—
459.—Warrington.										
	27928	114036	3360	3260	100	1774	949	825	837	
1	Newton in Makerfield F,H,L	5516	28111	850	828	22	313	166	147	—
2	Winwick L	4822	5130	79	77	2	256	123	133	—
3	Sankey F	8683	5667	146	141	5	69	33	36	—
4	Warrington W,F,H ..	3057	72173	2226	2156	70	1112	614	498	—
5	Rixton W	5850	2950	59	58	1	24	13	11	—
460.—Leigh.										
	24367	95685	2672	2594	78	1401	712	689	798	
1	Lowton	5195	10692	331	319	12	140	78	62	—
2	Culcheth w,F	10885	18251	489	483	6	254	136	118	—
3	Leigh H	3532	32178	903	880	23	463	237	226	—
4	Atherton W,F	4755	34564	949	912	37	544	261	283	—
461.—Bolton.										
	46446	275996	6758	6495	263	3741	1924	1817	2204	
1	Farnworth W,F	5015	51128	1341	1258	83	928	518	410	—
2	South West Bolton 2F,H ..	4693	38382	959	937	22	600	310	290	—
3	Halliwell	4229	31623	682	659	23	307	150	157	—
4	Horwich F,H	8817	31332	826	804	22	363	192	171	—
5	Tonge H	3978	22101	496	486	10	259	105	154	—
6	Turton H	17335	12651	243	237	6	137	67	70	—
7	Little Bolton	728	43831	1126	1084	42	589	316	273	—
8	Great Bolton and Lever ..	1651	44948	1085	1030	55	558	266	292	—
462.—Bury.										
	35052	149358	3075	2948	127	2154	1086	1068	1275	
1	Ramsbottom* H	12108	22574	401	391	10	285	145	140	—
2	Elton 2F	3541	15714	354	346	8	192	99	93	—
3	North Bury W,2H	2478	26902	595	564	31	601	301	300	—
4	Heywood F	6068	28374	622	592	30	397	200	197	—
5	South Bury	1366	18328	342	327	15	216	109	107	—
6	Radcliffe H	3082	25693	521	498	23	319	164	155	—
7	Whitefield	6409	11773	240	230	10	144	68	76	—
463.—Barton upon Irwell.										
	24541	142635	3070	2973	97	1595	796	799	914	
1	Worsley w,F	8027	37442	817	799	18	404	186	218	—
2	Barton W,H	10836	49937	1153	1110	43	666	356	310	—
3	Stretford H	5678	55256	1100	1064	36	525	254	271	—
464.—Chorlton.										
	11711	392296	9872	9361	511	6037	3131	2906	3146	
1	Didsbury W	6001	58912	1218	1074	144	1396	757	639	—
2	Ardwick H	4198	184933	5059	4899	160	2095	1025	1070	—
3	Chorlton upon Medlock 4H	647	55428	1195	1076	119	1369	758	611	—
4	Hulme	865	93023	2400	2312	88	1177	591	586	—

* 462: 1.—On 1st April, 1910, Ramsbottom (1) and Tottington (2) sub-districts were united and called Ramsbottom (1). The births and deaths are shown as if the change had taken place at the beginning of the year.

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
35.—LANCASHIRE— continued.										
465.—Salford.		6068	241346	6821	6605	216	4037	2135	1902	1849
No. 1	Pendleton <i>W,H</i>	2647	64386	1722	1692	30	1495	823	672	—
2	Broughton <i>H</i>	1479	57834	1354	1322	32	610	290	320	—
3	Greengate <i>H</i>	699	47258	1556	1504	52	896	506	390	—
4	Regent Road <i>W,F</i>	1243	71868	2189	2087	102	1036	516	520	—
466.—Manchester.		1646	113789	3772	3684	88	1907	980	927	1010
1	Ancoats <i>w,H</i>	399	40222	1328	1301	27	784	421	363	—
2	Central <i>W,5H</i>	745	22720	789	762	27	431	191	240	—
3	St. George	502	50847	1655	1621	34	692	368	324	—
467.—Prestwich.		11808	241537	6416	6186	230	4198	2228	1970	1736
1	Cheetham <i>W,w,2H</i>	1654	57121	1441	1332	109	1410	852	558	—
2	Prestwich <i>F,L</i>	2448	17195	284	280	4	331	149	182	—
3	Blackley <i>W</i>	2750	30430	818	808	40	586	299	287	—
4	Failsworth	2371	38662	1005	981	24	416	221	195	—
5	Newton Heath <i>F</i>	1341	41117	1080	1061	19	706	350	356	—
6	Bradford <i>H</i>	1244	57012	1758	1724	34	749	357	392	—
468.—Ashton under Lyne.		38270	181724	4293	4112	181	2780	1402	1378	1497
1	Knott Lanes	2417	10105	267	261	6	161	88	73	—
2	Mossley <i>2F</i>	5490	23789	550	534	16	295	140	155	—
3	Ashton Town <i>W,F,H</i>	1345	45179	1093	1028	65	975	521	454	—
4	Audenshaw	3582	22623	537	522	15	284	134	150	—
5	Denton	2594	16880	378	363	15	187	98	89	—
6	Newton	1514	9385	202	195	7	129	67	62	—
7	Dukinfield	1407	19426	482	465	17	273	118	155	—
8	Stalybridge	3837	26803	620	590	30	385	189	196	—
9	Mottram	16084	7534	164	154	10	91	47	44	—
469.—Oldham.		17605	235610	5852	5614	238	3866	1912	1954	1897
1	Oldham East <i>H</i>	2536	49447	1221	1186	35	781	364	417	—
2	Oldham Central <i>W,F</i>	832	48020	1237	1137	100	1083	604	479	—
3	Oldham South <i>H</i>	1368	50028	1254	1217	37	800	381	419	—
4	Chadderton <i>F</i>	3082	28305	724	704	20	414	196	218	—
5	Middleton	4775	27983	678	661	17	340	164	176	—
6	Royton <i>W</i>	2147	17069	416	398	18	256	120	136	—
7	Crompton <i>W</i>	2865	14758	322	311	11	192	83	109	—
470.—Rochdale.		32529	129115	2710	2578	132	1943	927	1016	989
1	Milnrow	5194	8584	164	160	4	128	67	61	—
2	Castleton No. 1	896	22314	510	491	19	296	128	168	—
3	Castleton No. 2 <i>F</i>	2932	23590	467	455	12	292	126	166	—
4	Spotland and Norden	6780	19945	398	380	18	249	119	130	—
5	Wardleworth <i>H</i>	787	22114	520	485	35	330	166	164	—
6	Whitworth and Wardle <i>2W</i>	8104	20863	444	406	38	496	252	244	—
7	Littleborough <i>F</i>	7856	11705	207	201	6	152	69	83	—
471.—Haslingden.		27278	116594	2355	2273	82	1632	815	817	979
1	Rawtenstall <i>W,F</i>	9535	30516	625	599	26	474	246	228	—
2	Bacup	6120	22324	467	447	20	339	156	183	—
3	Haslingden <i>W,F</i>	8196	18723	335	329	6	252	132	120	—
4	Accrington <i>F,H</i>	3427	45031	928	898	30	587	281	285	—
472.—Burnley.		64899	222194	4968	4745	223	3241	1645	1596	1810
1	East Ward <i>W,2F,H</i>	18113	62851	1534	1437	97	1269	666	603	—
2	West Ward <i>F</i>	5437	51540	1314	1259	55	712	364	348	—
3	Padiham	14123	22257	481	465	16	313	160	153	—
4	Nelson <i>F</i>	4273	47745	829	801	28	475	223	252	—
5	Colne <i>F,H</i>	16695	36084	779	752	27	447	219	228	—
6	Pendle	6258	1717	31	31	—	25	13	12	—

VIII.—NORTH WESTERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*cont.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.				AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.	
						Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.		
35.—LANCASHIRE— continued.													
473.—Clitheroe.				117951	24199	500	483	17	283	145	143	164	
No													
1	Gisburn			28345	2722	51	48	3	13	8	10	—	
2	Slaiddburn			45488	1279	32	30	2	11	6	5	—	
3	Chipping			19804	2692	55	52	3	31	19	12	—	
4	Clitheroe W			16881	15011	313	304	9	194	94	100	—	
5	Whalley			7433	2495	49	49	—	34	18	16	—	
474.—Blackburn.				45853	235581	5028	4845	183	3332	1647	1685	2003	
1	Billington w			5965	3402	48	47	1	39	17	22	—	
2	Harwood			6912	30129	628	609	19	320	151	169	—	
3	Mellor			9132	3088	55	54	1	37	15	22	—	
4	Blackburn Northern W ..			3021	47052	1005	970	35	542	276	266	—	
5	Blackburn South Western ..			1747	46958	1044	1013	31	570	261	309	—	
6	Blackburn South Eastern 2W,F,H.			2650	39054	899	837	62	969	501	468	—	
7	Oswaldtwistle			5414	22611	501	486	15	305	160	145	—	
8	Darwen F			11012	43290	848	829	19	550	266	284	—	
475.—Chorley.				51441	69799	1659	1617	42	858	451	407	511	
1	Brindle 2F			10659	6620	131	131	—	60	34	26	—	
2	Leyland			10250	13174	296	289	7	152	83	69	—	
3	Rivington F			9454	6983	152	147	5	74	42	32	—	
4	Chorley W,H			10915	36522	951	923	28	502	258	244	—	
5	Croston			13163	6500	129	127	2	70	34	36	—	
476.—Preston.				66959	161316	3736	3547	189	2572	1237	1335	1135	
1	Longton			13561	9904	237	230	7	98	46	52	—	
2	East Preston			1573	38081	903	845	58	567	278	289	—	
3	North Preston 2F,2H ..			1083	45402	1179	1134	45	767	367	400	—	
4	West Preston H			1315	33630	735	696	39	429	204	225	—	
5	Walton le Dale 2F			9731	13279	299	288	11	132	54	78	—	
6	Alston W			11485	6656	145	138	7	103	50	53	—	
7	Broughton W,F,H,L ..			28211	14364	238	216	22	476	238	238	—	
477.—Fylde.				56799	118263	2328	2197	131	1446	703	743	843	
1	Kirkham 2W,F			26530	10796	263	230	38	225	107	118	—	
2	Lytham 3H			8151	19623	295	279	16	211	104	107	—	
3	Blackpool F,2H			8758	63244	1101	1041	60	768	367	401	—	
4	Fleetwood F,H			13360	24600	664	647	17	242	125	117	—	
478.—Garstang.				60612	12409	277	256	21	144	72	72	87	
1	Stalmine			13155	4035	91	88	3	55	28	27	—	
2	St. Michael			16353	2810	66	61	5	29	14	15	—	
3	Garstang W			31104	5564	120	107	13	60	30	30	—	
479.—Lancaster.				63150	69124	1435	1373	57	1164	664	500	512	
1	Ellel			35397	4180	87	83	4	51	21	30	—	
2	Heaton 2F,H			8878	16130	271	252	19	218	121	97	—	
3	Lancaster W,F,H,2L ..			3506	41414	917	889	28	313	485	323	—	
4	Warton... .. .			15369	7400	160	154	6	82	37	45	—	
480.—Lunesdale.				76267	6883	146	137	9	85	49	36	33	
1	Caton			21218	2824	59	58	1	30	18	12	—	
2	Wray W,F			28955	1769	38	34	4	27	17	10	—	
3	Tunstall			10499	686	17	16	1	8	4	4	—	
4	Arkholme			15595	1604	32	29	3	20	10	10	—	
481.—Ulverston.				140573	39569	863	810	53	513	278	235	304	
1	Cartmel H			29875	6644	115	113	2	79	42	37	—	
2	Colton			24867	3097	65	61	4	30	16	14	—	
3	Ulverston W,F,H			8522	11330	266	243	23	163	100	63	—	
4	Dalton			16877	12675	311	291	20	170	87	83	—	
5	West Broughton			26864	2758	46	46	—	33	17	16	—	
6	Hawkshead			33568	3035	60	56	4	38	16	22	—	
482.—Barrow in Furness.				11023	63775	1611	1558	53	904	504	400	458	
1	Barrow in Furness 2W,3F,H			11023	63775	1611	1558	53	904	504	400	—	

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1910.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
36.—WEST RIDING.										
	483.—Sedbergh.	52674	3737	64	64	—	38	15	23	20
1	Sedbergh W	20711	2405	35	35	—	25	13	12	—
2	Garsdale	11068	390	10	10	—	4	—	4	—
3	Dent	20895	942	19	19	—	9	2	7	—
	484.—Settle.	152007	14902	318	310	8	167	75	92	91
1	Bentham F	59582	6351	132	127	5	76	32	44	—
2	Settle W	35783	5353	125	123	2	62	30	32	—
3	Long Preston	16303	2138	44	43	1	17	7	10	—
4	Kirkby Malham	22335	740	10	10	—	9	4	5	—
5	Arncliffe	18004	320	7	7	—	3	2	1	—
	485.—Skipton.	159261	52248	1054	994	60	627	337	290	388
1	Kettlewell	33147	680	10	10	—	8	5	3	—
2	Gargrave	17757	1803	28	28	—	15	8	7	—
3	Barnoldswick F	16574	17383	371	352	19	185	102	83	—
4	Kildwick	18162	11660	211	200	11	136	79	57	—
5	Skipton W,w,2F,H	25481	16066	331	305	26	233	117	116	—
6	Addingham	20785	2853	61	59	2	27	15	12	—
7	Grassington	27355	1803	42	40	2	23	11	12	—
	486.—Pateley Bridge.	75071	7753	161	154	7	110	56	54	56
1	Ramsgill H	31762	1364	20	20	—	15	6	9	—
2	Pateley Bridge W,F	11784	2690	56	51	5	51	25	26	—
3	Thorntwaite	14667	1379	38	38	—	14	11	3	—
4	Dacre Banks	16858	2320	47	45	2	30	14	16	—
	487.—Ripon.	68609	15765	355	336	19	200	98	102	123
1	Kirkby Malzeard	25817	2312	60	57	3	34	18	16	—
2	Ripon W,2F,H	25785	11273	245	230	15	148	72	76	—
3	Dishforth	17007	2180	50	49	1	18	8	10	—
	488.—Great Ouseburn.	45969	10667	243	231	12	113	54	59	65
1	Boroughbridge	14150	2740	56	53	3	25	14	11	—
2	Whixley W	19889	3105	79	75	4	40	19	21	—
3	Poppleton 2F	11930	4822	108	103	5	48	21	27	—
	489.—Knaresborough.	41248	47164	927	871	56	560	266	294	301
1	Knaresborough 2W,F	18838	8388	194	173	21	120	66	54	—
2	Harrogate 6H	22410	38776	733	698	35	440	200	240	—
	490.—Wetherby.	65802	16210	326	307	19	199	109	90	94
1	Wetherby W,F	65802	16210	326	307	19	199	109	90	—
	491.—Wharfedale.	71043	61733	1102	1064	38	838	412	426	418
1	Horsforth 4H	12159	14013	270	263	7	152	72	80	—
2	Fewston W	25363	3167	71	62	9	67	44	23	—
3	Otley F,2L	11547	16916	273	267	6	352	178	174	—
4	Ilkley F,4H	11642	8583	146	140	6	70	36	34	—
5	Yeadon F	10332	19054	342	332	10	197	82	115	—
	492.—Keighley.	36805	79162	1494	1428	66	1051	505	546	678
1	Bingley F,2H	12773	17971	322	303	19	227	113	114	—
2	Keighley W,H	15472	51767	1035	991	44	705	328	377	—
3	Haworth	8560	9424	137	134	3	119	64	55	—
	493.—Todmorden.	40355	41399	733	703	30	552	275	277	280
1	Hebden Bridge	27585	15944	250	242	8	187	94	93	—
2	Todmorden 2W,2F	12770	25455	483	461	22	365	181	184	—

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued*.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	36.—WEST RIDING									
	—continued.									
	494.—Saddleworth.	18485	17657	376	364	12	223	102	121	143
1	Springhead	1555	5052	131	129	2	69	30	39	—
2	Saddleworth W,F	16930	12605	245	235	10	154	72	82	—
	495.—Huddersfield.	71611	188437	3731	3618	113	2741	1402	1339	1442
1	Slaithwaite	11805	11328	194	189	5	136	68	68	—
2	Honley W,2F,H	11521	14730	223	220	3	220	108	112	—
3	Holmfirth	11093	8653	190	187	3	98	45	53	—
4	Newmill	6221	5553	122	122	—	76	36	40	—
5	Kirkburton 2F,L	8801	14485	308	298	10	283	151	132	—
6	Almondbury 2F	3980	24734	510	502	8	349	179	170	—
7	Kirkheaton	5588	6450	152	148	4	84	50	34	—
8	Huddersfield 2H	4055	51265	1022	975	47	811	419	392	—
9	Lockwood 2W	3824	31826	633	609	24	444	231	213	—
10	Golcar	4723	19413	377	368	9	240	115	125	—
	496.—Halifax.	52719	188997	3381	3239	142	2573	1307	1266	1609
1	Brighouse F	9857	32615	616	600	16	378	177	201	—
2	Elland F	5767	20029	321	311	10	257	126	131	—
3	Ripponden	13240	5498	96	95	1	56	25	31	—
4	Sowerby F	7077	20840	354	343	11	238	131	107	—
5	Halifax, South 2W,F,H ..	2932	68843	1206	1133	73	1152	598	554	—
6	Halifax, North 3F	13846	41172	788	757	31	492	250	242	—
	497.—North Bierley.	30495	132877	2483	2397	86	1765	851	914	928
1	Cleckheaton 2F	3137	14190	278	270	8	187	96	91	—
2	Drighlington	3794	11491	236	229	7	156	64	92	—
3	North Bierley F	4255	22130	383	372	11	287	131	156	—
4	Thornton 2W,F	6249	13378	184	171	13	246	127	119	—
5	Wilsden	2638	2958	53	51	2	32	17	15	—
6	Shipley F,H	2182	27710	532	518	14	373	166	207	—
7	Idle	2914	17999	361	349	12	196	103	93	—
8	Calverley F	2927	8994	181	176	5	113	63	50	—
9	Pudsey	2399	14027	275	261	14	175	84	91	—
	498.—Bradford.	10802	235467	4508	4241	267	3464	1805	1659	2128
1	Bowling	2236	61927	1241	1181	60	697	355	342	—
2	Bradford Central F,2H ..	1326	56297	1219	1153	66	926	479	447	—
3	Manningham 3H	5207	61295	1050	1004	46	721	371	350	—
4	Horton 2W	2033	55948	998	903	95	1120	600	520	—
	499.—Bramley.	7607	81067	1755	1706	49	1063	544	519	521
1	Bramley	2510	19730	390	381	9	210	105	105	—
2	Gildersome	992	2981	87	87	—	37	18	19	—
3	Wortley 2W,H	4105	58356	1278	1238	40	816	421	395	—
	500.—Leeds.	13960	263673	6419	6041	378	4328	2243	2085	2257
1	South-East Leeds	853	39311	1120	1076	44	655	323	332	—
2	North Leeds* 3W,H	3201	55315	5299	4965	334	3673	1920	1753	—
3	West Leeds* 3H	1749	80214							
4	Kirkstall*	3604	48303							
5	North-East Leeds* W,2F..	4553	40530							
	501.—Hunslet.	12121	86861	2267	2194	73	1161	596	565	610
1	Hunslet	2221	70506	1844	1787	57	905	446	459	—
2	Templenewsam	3407	3374	76	75	1	26	12	14	—
3	Rothwell 2W,F	6493	12981	347	332	15	230	138	92	—
	502.—Holbeck.	2577	39779	1063	1011	52	551	277	274	282
1	Holbeck W	2577	39779	1063	1011	52	551	277	274	—
	503.—Dewsbury.	25562	174742	3674	3532	142	2463	1228	1235	1494
1	Morley F	2895	22098	490	473	17	262	143	119	—
2	Batley H	2039	31435	700	665	35	429	208	221	—
3	Gomersal F	3258	13421	284	278	6	194	89	105	—
4	Liversedge	2832	23677	493	480	13	261	138	123	—
5	Mirfield F,H	3766	18089	337	330	7	222	98	124	—
6	Dewsbury W,H	1470	27784	565	523	42	584	310	274	—
7	Soothill F	2459	12852	258	256	2	179	84	95	—
8	Ossett 2F	3236	14081	304	292	12	191	97	94	—
9	Thornhill F	3607	11305	243	235	8	141	61	80	—

* 500 : 2, 3, 4, 5.—On 1st April, 1910, the boundary between these sub-districts was altered, and Chapeltown (5) sub-district was re-named North East Leeds, see pages 494 and 495. The births and deaths for the altered sub-districts cannot be shown separately.

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
36.—WEST RIDING <i>—continued.</i>									
504.—Wakefield.	41734	125855	3429	3326	103	1948	1026	922	959
1 Bretton	10176	6411	181	178	3	76	41	35	—
2 Sandal <i>W,F</i>	8962	15890	444	429	15	189	96	93	—
3 Horbury <i>F</i>	2287	7664	191	185	6	95	45	50	—
4 Wakefield <i>2W,F,H,L</i>	2441	43593	999	960	39	915	491	424	—
5 Ardsley <i>F</i>	6541	13832	369	359	10	186	101	85	—
6 Stanley <i>F,L</i>	5169	14935	466	454	12	201	109	92	—
7 Normanton	6158	23530	779	761	18	286	143	143	—
505.—Pontefract.	54103	85238	2886	2771	115	1165	637	528	664
1 Knottingley	18142	13588	453	437	16	182	100	82	—
2 Whitley	17004	2394	52	52	—	21	9	12	—
3 Pontefract <i>W,3F,H</i>	12736	31561	1085	1028	57	465	266	199	—
4 Castleford <i>2F</i>	6221	37695	1296	1254	42	497	262	235	—
506.—Hemsworth.	34750	40118	1499	1426	73	561	298	263	237
1 Hemsworth Eastern <i>F</i>	19412	17998	653	630	23	230	119	111	—
2 Hemsworth Western <i>W,F</i>	15338	22120	846	796	50	331	179	152	—
507.—Barnsley.	34858	141957	4880	4652	228	2194	1178	1016	1102
1 Darton	11316	22469	869	839	30	352	181	171	—
2 Barnsley <i>W,2F,H</i>	9223	68461	2193	2065	128	1091	594	497	—
3 Darfield	8818	37799	1385	1327	58	542	291	251	—
4 Worsborough	5501	13228	433	421	12	209	112	97	—
508.—Wortley.*	91330	57160	1500	1441	59	900	498	402	401
1 Cawthorne	8974	4698	147	140	7	58	36	22	—
2 High Hoyland	4870	4163	72	70	2	47	23	24	—
3 Penistone <i>W,2F</i>	21265	8401	218	208	10	108	50	58	—
4 Wortley	8082	3373	96	93	3	34	20	14	—
5 Ecclesfield <i>W,F,L</i>	9368	22409	612	584	28	491	281	210	—
6 Bradfield <i>F</i>	38771	14116	355	346	9	162	88	74	—
509.—Ecclesall Bierlow.	23139	205633	4859	4670	189	2370	1216	1154	1298
1 Ecclesall North	654	35833	1041	1003	38	380	191	189	—
2 Ecclesall West Central <i>W,w,2F,4H.</i>	7588	48950	1022	980	42	588	305	283	—
3 Dore	5455	2620	51	49	2	14	4	10	—
4 Norton	5189	20564	465	453	12	179	88	91	—
5 Ecclesall South <i>W</i>	3613	44806	1079	1018	61	635	344	291	—
6 Sharrow	275	26269	584	568	16	276	142	134	—
7 Broomhall	365	26591	617	599	18	298	142	156	—
510.—Sheffield.	12827	267138	8357	8000	357	4242	2307	1935	2460
1 South Sheffield <i>W,2H</i>	332	24417	921	890	31	548	299	249	—
2 North Sheffield <i>F,H</i>	282	35021	1075	1005	70	711	398	313	—
3 Sheffield Park <i>W</i>	2507	26391	784	755	29	377	184	193	—
4 Hillsborough	988	17972	438	431	7	156	76	80	—
5 West Brightside <i>3W</i>	2089	46229	1303	1202	101	1041	596	445	—
6 East Brightside <i>H</i>	1593	40016	1292	1247	45	485	262	223	—
7 Attercliffe	1394	61705	2046	1992	54	749	395	354	—
8 Handsworth	3642	15387	498	478	20	175	97	78	—
511.—Rotherham.	50161	141455	4479	4308	171	1954	1025	929	1003
1 Aston <i>F</i>	7468	8133	278	275	3	129	61	68	—
2 South East Rotherham <i>W,F,2H.</i>	11248	44029	1258	1203	52	733	403	330	—
3 North West Rotherham	3923	31987	1041	1004	37	379	198	181	—
4 Rawmarsh <i>2F</i>	4963	20326	665	637	28	257	121	136	—
5 Wath <i>2F</i>	9012	28834	971	934	37	357	186	171	—
6 Maltby	13547	8146	266	252	14	99	56	43	—

* 508.—The District of WORTLEY comprises the two Poor Law Unions of Penistone (Cawthorne, High Hoyland and Penistone sub-districts) and Wortley (Wortley, Ecclesfield, and Bradfield sub-districts).

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
36.—WEST RIDING —continued.										
512.—Doncaster.		112734	121523	3693	3520	173	1605	850	755	835
No. 1	Tickhill <i>W,H</i>	20953	16155	458	434	24	228	134	94	—
2	Barmbrough <i>F,2H</i>	29633	46616	1748	1671	77	670	339	331	—
3	Doncaster* <i>F,H</i>	3216	36889	884	836	48	489	265	224	—
4	Campsall	26828	16699	482	467	15	158	77	81	—
5	Bawtry*	32104	5164	121	112	9	60	35	25	—
513.—Thorne.		69556	17450	463	443	20	257	142	115	140
1	Epworth	17846	3746	84	81	3	48	21	27	—
2	Thorne <i>W</i>	38419	8782	243	230	13	141	88	53	—
3	Crowle	13291	4922	136	132	4	68	33	35	—
514.—Goole.		41902	29853	903	859	44	429	213	216	231
1	Swinefleet	18226	3521	118	113	5	51	25	26	—
2	Goole <i>W,3F,H</i>	10123	21753	660	627	33	310	155	155	—
3	Snaith <i>W</i>	13553	4579	125	119	6	68	33	35	—
515.—Selby.		56360	18249	480	456	24	217	108	109	115
1	Carlton	13039	2261	73	68	5	30	15	15	—
2	Selby <i>W,F,2H</i>	25217	12711	332	314	18	142	72	70	—
3	Riccall	18104	3277	75	74	1	45	21	24	—
516.—Tadcaster.		72827	33054	913	883	30	421	231	190	205
1	Aberford <i>F</i>	29860	22355	654	636	18	259	144	115	—
2	Tadcaster <i>W</i>	29945	6831	162	154	8	98	53	45	—
3	Sherburn <i>F</i>	13022	3868	97	93	4	64	34	30	—
37.—EAST RIDING (with York).										
517.—York.		80100	98729	2305	2182	123	1344	708	636	712
1	Skelton <i>2F,L</i>	13238	4621	73	73	—	127	68	59	—
2	York East <i>W,3H,2L</i>	2088	53499	1310	1228	82	772	402	370	—
3	York West	1642	28798	678	650	28	292	149	143	—
4	Bishopthorpe	6411	2091	44	40	4	32	15	17	—
5	Escrick <i>L</i>	23128	4469	84	81	3	69	43	26	—
6	Dunnington	19275	3256	65	60	5	32	20	12	—
7	Flaxton	14318	1995	51	50	1	20	11	9	—
518.—Pocklington.		110638	13833	296	262	34	174	90	84	102
1	East Stamford Bridge ..	35045	3477	68	56	12	34	20	14	—
2	Pocklington <i>W</i>	42496	5973	140	126	14	87	44	43	—
3	Market Weighton	33097	4383	88	80	8	53	26	27	—
519.—Howden.		75067	12636	276	256	20	162	86	76	96
1	Holme	11522	1685	30	27	3	16	8	8	—
2	Bubwith	17714	1584	32	27	5	19	10	9	—
3	Howden <i>W,F</i>	24223	5405	132	125	7	69	40	29	—
4	Wallingfen	21608	3962	82	77	5	58	28	30	—
520.—Beverley.		80132	25284	579	536	43	334	173	161	183
1	South Cave	20287	3764	82	77	5	34	13	21	—
2	Beverley <i>W,H,L</i>	25612	17688	406	370	36	261	138	123	—
3	Lockington	22660	2551	59	59	—	27	15	12	—
4	Leven	11573	1281	32	30	2	12	7	5	—
521.—Sculcoates.		39145	217632	6279	6040	239	2924	1538	1386	1584
1	Southcoates <i>F</i>	5065	28959	935	910	25	351	180	171	—
2	Cottingham <i>L</i>	9111	5905	140	136	4	152	80	72	—
3	Ferriby	7566	1961	31	30	1	24	12	12	—
4	Hessle <i>W</i>	6713	51775	1632	1573	59	549	271	278	—
5	Hedon	5325	2376	51	48	3	37	19	18	—
6	Drypool <i>F</i>	2724	42403	1286	1254	32	590	331	259	—
7	East Sculcoates <i>W</i>	794	30719	978	915	63	635	355	280	—
8	West Sculcoates <i>H</i>	1847	53534	1226	1174	52	586	290	296	—

* 512: 3, 5.—On 17th October, 1910, the boundary between these sub-districts was altered, *see* page 495. The births and deaths are shown as if the change had taken place at the beginning of the year.

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
37.—EAST RIDING —continued.										
522.—Hull.		1121	79418	2098	1972	126	1600	898	702	790
No. 1	Humber <i>H</i>	399	25071	599	559	40	624	373	251	—
2	Myton <i>W,H</i>	722	54347	1499	1413	86	976	525	451	—
523.—Patrington.		62281	9513	225	218	7	122	62	60	51
1	Patrington <i>W,H</i>	62281	9513	225	218	7	122	62	60	—
524.—Skirlaugh.		66848	10186	226	209	17	113	47	66	57
1	Humbleton	11062	1136	21	21	—	13	4	9	—
2	Skirlaugh* <i>W</i>	29459	3505	83	75	8	37	15	22	—
3	Hornsea	13516	4285	100	94	6	51	23	28	—
4	Brandesburton	12811	1257	22	19	3	12	5	7	—
525.—Driffield.		111421	17788	424	360	64	269	150	119	117
1	Foston	17575	2204	56	53	3	26	15	11	—
2	Driffield <i>W,H</i>	22776	8680	193	157	36	139	79	60	—
3	Bainton	33415	3430	80	70	10	53	32	21	—
4	Langtoft	37655	3474	95	80	15	51	24	27	—
526.—Bridlington.		66418	22077	434	396	38	308	156	152	159
1	Skipsea	17106	1605	29	27	2	18	8	10	—
2	Bridlington <i>W,F,3H</i>	18672	16872	303	284	24	250	131	119	—
3	Hunmanby	30640	3600	97	85	12	40	17	23	—
38.—NORTH RIDING.										
527.—Scarborough.		88216	50646	999	903	96	720	356	364	400
1	Filey	14622	4920	116	107	9	57	31	26	—
2	Scarborough <i>W,F,3H</i>	20147	40123	777	701	76	603	291	312	—
3	Hutton Bushell	40159	4104	71	65	6	43	23	20	—
4	Sherburn.. ..	13288	1499	35	30	5	17	11	6	—
528.—Malton.		116956	20318	472	427	45	239	116	123	139
1	Rillington	37096	3421	70	63	7	30	14	16	—
2	Westow	24026	2394	61	57	4	22	12	10	—
3	Malton <i>W,H</i>	19393	10559	266	238	28	138	64	74	—
4	Hovingham	13142	1616	36	32	4	20	10	10	—
5	Bulmer	22399	2828	39	37	2	29	16	13	—
529.—Easingwold.		74362	10214	220	203	17	133	74	59	63
1	Stillington	22218	2281	48	42	6	35	17	18	—
2	Easingwold <i>W,H</i>	38051	6404	141	132	9	81	49	32	—
3	Coxwold	14093	1529	31	29	2	17	8	9	—
530.—Thirsk.		71650	12793	306	278	28	164	82	82	72
1	Topcliffe	24568	2945	77	73	4	36	18	18	—
2	Thirsk <i>W,H</i>	26504	8249	204	181	23	109	51	58	—
3	Sutton	20578	1599	25	24	1	19	13	6	—
531.—Helmsley.†		113815	10024	224	207	17	129	61	68	61
1	Helmsley <i>W</i>	67704	5154	113	106	7	61	29	32	—
2	Kirkby Moorside <i>W</i>	46111	4870	111	101	10	68	32	36	—
532.—Pickering.		95930	10132	226	212	14	146	69	77	83
1	Lastingham	25206	1877	57	54	3	21	11	10	—
2	Pickering <i>W</i>	32952	5650	105	99	6	77	34	43	—
3	Allerston	27627	2187	55	52	3	40	18	22	—
4	Lockton	10145	418	9	7	2	8	6	—	—

* 524: 2.—On 1st January, 1910, Skirlaugh (2) and Aldbrough (3) sub-districts were united and called Skirlaugh (2).

† 531.—The District of HELMSLEY comprises the two Poor Law Unions of Helmsley (Helmsley sub-district) and Kirkby Moorside (Kirkby Moorside sub-district).

IX.—YORKSHIRE.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued.*

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	38.—NORTH RIDING <i>—continued.</i>									
	533.—Whitby.	90833	22131	506	480	26	310	154	156	188
1	Egton	49031	4077	84	81	3	53	27	26	—
2	Whitby W,F,H	22283	13933	330	313	17	204	100	104	—
3	Lythe	19539	4121	92	86	6	53	27	26	—
	534.—Guisborough.	79365	52827	1594	1526	68	664	335	329	371
1	Loftus F,2H	18277	14492	489	467	22	180	97	83	—
2	Skelton H	7445	10435	347	334	13	126	50	76	—
3	Marske 2F,3H	15380	18668	490	477	13	226	115	111	—
4	Guisborough W,F,H	12825	7641	228	212	16	111	62	49	—
5	Danby	25438	1591	40	36	4	21	11	10	—
	535.—Middlesbrough.	22254	167555	5520	5326	194	2880	1591	1289	1280
1	Ormesby* F,2H,L	9907	42824	1440	1401	39	716	392	324	—
2	Middlesbrough East* 2W..	1521	35317	3446	3310	136	1852	1023	829	—
3	Middlesbrough West* 2W,F,H	1164	69470							
4	Thornaby* H	9862	19944	634	615	19	312	176	136	—
	536.—Stokesley.	79695	12114	302	286	16	163	89	74	74
1	Stokesley W	60291	9807	252	239	13	134	71	63	—
2	Hutton	19404	2307	50	47	3	29	18	11	—
	537.—Northallerton.	67153	12551	308	281	27	153	78	75	78
1	Appleton Wiske	21998	2146	43	43	—	21	10	11	—
2	Northallerton W,2F,H	45155	10405	265	238	27	132	68	64	—
	538.—Bedale.	52229	8772	170	163	7	85	44	41	56
1	Bedale W,F	27324	5387	111	107	4	52	28	24	—
2	Masham	24905	3385	59	56	3	33	16	17	—
	539.—Leyburn.	88853	7824	146	141	5	96	37	59	55
1	Middleham	50080	3736	67	66	1	39	13	26	—
2	Leyburn W	38773	4088	79	75	4	57	24	33	—
	540.—Aysgarth.	81033	4262	95	91	4	60	31	29	19
1	Askrigg W,H	29940	2286	45	43	2	32	17	15	—
2	Hawes	51093	1976	50	48	2	28	14	14	—
	541.—Reeth.	74538	2396	51	41	10	32	20	12	17
1	Muker	38191	930	15	10	5	13	10	3	—
2	Reeth W	36347	1466	36	31	5	19	10	9	—
	542.—Richmond.	81122	12016	258	245	13	149	68	81	85
1	Richmond W,F,H	32236	6312	128	122	6	87	36	51	—
2	Catterick H	20731	2784	67	66	1	43	25	18	—
3	Newsham	16164	1081	23	19	4	10	4	6	—
4	Aldbrough	11991	1839	40	38	2	9	3	6	—

X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910.

	39.—DURHAM.									
	543.—Darlington.	65704	68783	1774	1684	90	874	453	421	550
1	Hurworth H	35367	6937	164	153	11	85	48	37	—
2	Darlington W,2F,H	7120	58081	1515	1440	75	750	384	366	—
3	Aycliffe	23217	3765	95	91	4	39	21	18	—
	544.—Stockton.	37474	69685	1966	1885	81	1044	563	481	533
1	Stockton 2W,3F,H	37474	69685	1966	1885	81	1044	563	481	—
	545.—Hartlepool.	22509	87905	2573	2460	113	1346	723	623	704
1	Hartlepool W,F,2H	22509	87905	2573	2460	113	1346	723	623	—

* 535: 1, 2, 3, 4.—On 1st October, 1910, Middlesbrough (1) sub-district was abolished and its constituent parts divided between Ormesby (1), Thornaby (4) and two new sub-districts, Middlesbrough East (2) and Middlesbrough West (3), see page 495. As regards Ormesby (1) and Thornaby (4) sub-districts, the births and deaths are shown as if the change had taken place at the beginning of the year, but for Middlesbrough East and Middlesbrough West sub-districts they cannot be shown separately.

X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—continued.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
39.—DURHAM—cont.									
546.—Sedgefield.	45243	35401	1165	1128	37	628	354	274	182
1 Sedgefield W,F,2L	34147	10538	290	278	12	310	182	128	—
2 Cornforth	11096	24863	875	850	25	318	172	146	—
547.—Auckland.	64445	106352	3455	3319	136	1471	763	708	861
1 Bishop Auckland W,5F,H	25637	76284	2478	2373	105	1078	558	520	—
2 Hamsterley	38808	30068	977	946	31	393	205	188	—
548.—Teesdale.	178139	21367	500	473	27	290	148	142	111
1 Staindrop	27225	7639	209	201	8	93	48	45	—
2 Barnard Castle W,2F ..	60839	8357	190	178	12	124	69	55	—
3 Middleton F	90075	5371	101	94	7	73	31	42	—
549.—Weardale.	98357	15849	350	336	14	189	86	103	114
1 St. John	36094	3042	56	50	6	51	25	26	—
2 Stanhope W,H	37884	5205	97	94	3	58	30	28	—
3 Wolsingham H	24379	7602	197	192	5	80	31	49	—
550.—Lanchester.	67467	106887	3547	3422	125	1369	719	650	808
1 Tanfield F	10048	43501	1587	1547	40	522	255	267	—
2 Consett F,H	25568	33437	1005	967	38	460	254	206	—
3 Lanchester W,F,H	31851	29949	955	908	47	387	210	177	—
551.—Durham.	44252	82623	2662	2576	86	1252	669	583	748
1 Brandon* F	25389	45254	1544	1502	42	586	309	277	—
2 Durham* W,2F,2H	18863	37369	1118	1074	44	666	360	306	—
552.—Easington.	38119	75799	2679	2599	80	1058	570	488	541
1 Wingate F	19811	35177	1315	1282	33	471	252	219	—
2 Dawdon W,2F,H	18308	40622	1364	1317	47	587	318	269	—
553.—Houghton le Spring.	16360	50963	1858	1800	58	710	380	330	438
1 Houghton le Spring W,2F	9949	30216	1090	1053	37	451	242	209	—
2 Hetton le Hole F	6411	20747	768	747	21	259	138	121	—
554.—Chester le Street.	34620	78595	2825	2746	79	1137	624	513	585
1 Chester le Street W,F ..	17345	43175	1582	1534	48	639	342	297	—
2 Harraton H	17275	35420	1243	1212	31	498	282	216	—
555.—Sunderland.	11193	193958	6002	5768	234	3213	1693	1520	1527
1 Sunderland West W,3H ..	1724	62967	1722	1639	83	1325	744	581	—
2 Sunderland East	897	53885	1725	1654	71	836	425	411	—
3 Sunderland North H	736	34310	1137	1094	43	447	216	231	—
4 Southwick	4098	21905	718	697	21	268	134	134	—
5 Ryhope 2F,L	3738	20891	700	684	16	337	174	163	—
556.—South Shields.	16496	178630	5414	5212	202	2656	1384	1272	1434
1 South Shields† 2W,3F,H ..	9871	118101	3599	3449	150	1796	918	878	—
2 Jarrow† 3F,2H	6625	60529	1815	1763	52	860	466	394	—
557.—Gateshead.	26213	204379	6638	6402	236	2895	1474	1421	1506
1 Heworth 2F	2811	27298	966	925	41	365	168	197	—
2 Gateshead W,F,H	3005	114650	3567	3447	120	1743	893	850	—
3 Whickham	5914	18332	552	532	20	207	120	87	—
4 Winlaton 2F	14483	44099	1553	1498	55	580	293	287	—

* 551: 1, 2.—On 1st December, 1910, the boundary between these sub-districts was altered, St. Oswald (1) sub-district was re-named Brandon (1) and St. Nicholas (2) sub-district was re-named Durham (2), see page 495. The births and deaths are shown as if the change had taken place at the beginning of the year.
† 556: 1, 2.—On 1st February, 1910, the boundary between these sub-districts was altered, see page 496. The births and deaths are shown as if the change had taken place at the beginning of the year.

X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
40.—NORTHUMBER- LAND.										
558.—Newcastle upon Tyne.		7304	250889	7017	6675	342	3992	2123	1869	2025
No. 1	Benwell	1739	28121	909	878	31	308	154	154	—
2	St. Andrew <i>F,5H</i>	2350	37890	717	688	29	1091	617	474	—
3	Elswick <i>W,H</i>	784	58359	1476	1369	107	987	528	459	—
4	St. Nicholas	359	31198	928	875	53	446	224	222	—
5	All Saints <i>2H</i>	283	24671	943	902	41	382	193	189	—
6	Byker	1789	70650	2044	1963	81	778	407	371	—
559.—Tynemouth.		38834	208367	6290	6090	200	2921	1589	1332	1417
1	Wallsend <i>2F</i>	2598	40737	1274	1249	25	452	237	215	—
2	Tynemouth <i>W,2F,H</i>	4372	58822	1788	1707	81	1033	574	459	—
3	Longbenton <i>2F,H</i>	8969	34352	1101	1065	36	493	264	229	—
4	Whitley <i>F,H</i>	9898	30026	746	725	21	357	196	161	—
5	Blyth <i>F,H</i>	3552	28548	919	897	22	397	216	181	—
6	Cramlington <i>F</i>	9445	15882	462	447	15	189	102	87	—
560.—Castle Ward.		91100	44568	1188	1149	39	547	329	218	307
1	Ponteland <i>W,w,3H</i>	43528	6958	166	153	13	97	62	35	—
2	Gosforth <i>F,L</i>	6263	16657	374	366	8	240	148	92	—
3	Newburn <i>2F,H</i>	7439	17906	568	553	15	182	98	84	—
4	Stamfordham	33870	3047	80	77	3	28	21	7	—
561.—Hexham.		205847	38519	926	857	69	489	243	246	210
1	Bywell <i>F</i>	50527	15204	411	384	27	174	90	84	—
2	Hexham <i>W,2F,H</i>	52956	13025	280	253	27	172	79	93	—
3	Allendale	51833	4910	122	113	9	89	51	38	—
4	Chollerton <i>H</i>	50531	5380	113	107	6	54	23	31	—
562.—Haltwhistle.		96323	8545	214	196	18	133	74	59	55
1	Haltwhistle <i>W</i>	96323	8545	214	196	18	133	74	59	—
563.—Bellingham.		246580	5750	134	120	14	83	46	37	34
1	Bellingham <i>W</i>	182809	3460	86	78	8	51	30	21	—
2	Kirkwhelpington	63771	2290	48	42	6	32	16	16	—
564.—Morpeth.		97580	78050	2343	2260	83	1167	618	549	563
1	Morpeth <i>W,F,H,L</i>	46072	11371	290	266	24	254	137	117	—
2	Bedlington <i>2F</i>	10138	25597	767	743	24	371	187	184	—
3	Ashington <i>3F</i>	41370	41082	1286	1251	35	542	294	248	—
565.—Alnwick.		99044	24083	572	535	37	302	148	154	140
1	Warkworth	30503	11764	291	275	16	134	69	65	—
2	Alnwick <i>W,2F,H</i>	16985	7761	206	190	16	116	56	60	—
3	Embleton	51556	4558	75	70	5	52	23	29	—
566.—Belford.		39619	5006	107	91	16	67	32	35	35
1	Belford <i>W</i>	39619	5006	107	91	16	67	32	35	—
567.—Berwick.		53468	18905	457	422	35	298	143	155	129
1	Berwick upon Tweed <i>2W,2F,2H</i>	10089	13529	332	305	27	229	111	118	—
2	Norhamshire and Islandshire	43379	5376	125	117	8	69	32	37	—
568.—Glendale.		147942	8579	175	163	12	128	56	72	59
1	Ford	60946	4048	84	79	5	56	22	34	—
2	Wooler <i>W</i>	86996	4531	91	84	7	72	34	38	—
569.—Rothbury.		167874	5753	98	88	10	81	42	39	29
1	Rothbury <i>W,F,H</i>	85627	4530	77	68	9	60	27	33	—
2	Elsdon	82247	1223	21	20	1	21	15	6	—

X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—continued.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
41.—CUMBERLAND.										
No.	570.—Alston.	36971	3075	54	47	7	47	26	21	23
1	Alston W,H	36971	3075	54	47	7	47	26	21	—
571.—Penrith.										
1	Penrith W,F,H	51175	12167	256	237	19	160	83	77	—
2	Greystoke H	71613	4119	105	96	9	47	22	25	—
3	Kirkoswald	65503	5236	106	103	3	58	32	26	—
572.—Brampton.										
1	Hayton	26180	1947	38	35	3	27	10	17	—
2	Brampton W	22941	4051	72	70	2	59	27	32	—
3	Walton	48576	1984	34	33	1	23	7	16	—
573.—Longtown.										
1	Longtown W	88475	6167	124	109	15	106	50	56	44
574.—Carlisle.										
1	Wetheral.. ..	13346	3585	71	68	3	36	22	14	—
2	St. Cuthbert 2W,L	10229	23843	609	572	37	414	212	202	—
3	St. Mary F,2H	1426	26720	613	589	24	402	219	183	—
4	Stanwix	15319	5780	116	107	9	60	35	25	—
5	Burgh F	9504	1211	22	20	2	14	6	8	—
6	Dalston	19426	3029	72	70	2	36	21	15	—
575.—Wigton.										
1	Wigton W	44313	8097	167	150	17	131	67	64	—
2	Abbey Holme F,H	43574	11213	277	261	16	152	82	70	—
3	Caldbeck	50733	3593	85	76	9	47	17	30	—
576.—Cockermouth.										
1	Keswick 2F,H	69408	7365	129	127	2	99	43	56	—
2	Cockermouth W,H	61209	10626	264	227	37	192	103	89	—
3	Workington 2F,H	20077	30684	893	850	43	428	215	213	—
4	Maryport W,2F,H	19661	19636	565	539	26	300	160	140	—
577.—Whitehaven.										
1	Harrington	43727	16099	483	458	25	238	128	110	—
2	Whitehaven W,2F,H	5324	21488	681	643	38	564	350	214	—
3	Egremont	42032	20438	530	504	26	271	134	137	—
578.—Bootle.										
1	Muncaster	44763	2071	41	40	1	27	12	15	—
2	Bootle W,F,H.. ..	47581	11506	283	269	14	177	104	73	—
42.—WESTMORLAND.										
579.—East Ward.										
1	Appleby W,F.. ..	80963	5726	129	123	6	72	36	36	—
2	Kirkby Stephen W	63153	4504	93	86	7	63	32	31	—
3	Orton	40914	2657	62	59	3	31	11	20	—

X.—NORTHERN DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
42.—WESTMORLAND—<i>continued</i>.									
580.—West Ward.	121951	7439	164	149	15	101	59	42	36
1 Morland W	63059	3652	75	67	8	52	33	19	—
2 Lowther	58892	3787	89	82	7	49	26	23	—
581.—Kendal.	198349	43249	797	754	43	527	254	273	313
1 Ambleside W,2F	74262	13919	247	236	11	143	68	75	—
2 Kendal W,F,H	3887	14618	309	296	13	228	118	110	—
3 Kirkby Lonsdale W,F,H ..	67133	5171	77	74	3	49	19	30	—
4 Milnthorpe W,H	53067	9541	164	148	16	107	49	58	—

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910.

43.—MONMOUTH-SHIRE.									
582.—Chepstow.	68375	19929	463	439	24	256	142	114	129
1 Chepstow 2W,F	43821	10924	250	232	18	133	68	65	—
2 Lydney F,H	24554	9005	213	207	6	123	74	49	—
583.—Monmouth.	96997	29379	737	699	38	386	211	175	174
1 West Dean	8590	6795	211	205	6	74	33	41	—
2 Coleford	15828	9370	253	241	12	122	68	54	—
3 Monmouth W,F,H	25783	7708	157	140	17	125	76	49	—
4 Trelleck	46796	5506	116	113	3	65	34	31	—
584.—Abergavenny.	62183	28678	758	734	24	494	267	227	202
1 Llanarth	11116	1393	45	44	1	21	13	8	—
2 Llanvihangel	21215	1500	40	39	1	18	8	10	—
3 Abergavenny W,F,H,L ..	22939	12812	278	265	13	249	139	110	—
4 Blaenavon H	6913	12973	395	386	9	206	107	99	—
585.—Bedwellty.	27224	122319	4466	4356	110	1814	994	820	794
1 Aberystruth 2F	10981	51671	1908	1879	29	707	403	304	—
2 Tredegar 2W,2F,3H ..	12949	57022	2054	1989	65	933	503	430	—
3 Rock Bedwellty F,H ..	3294	13626	504	488	16	174	88	86	—
586.—Pontypool.	50854	61884	1866	1825	41	690	377	313	468
1 Llanhilleth	2009	9660	350	343	7	119	72	47	—
2 Pontypool F,H	14125	32599	985	962	23	353	188	165	—
3 Llangibby W	16238	15869	460	451	9	184	102	82	—
4 Usk	18482	3756	71	69	2	34	15	19	—
587.—Newport.	89960	152541	4446	4355	91	1868	1024	844	1139
1 Caerleon L	30173	6895	135	130	5	99	57	42	—
2 Newport* W,F,H	5596	83981	2445	2383	62	1103	614	489	—
3 Rogerstone* 2F,H	26460	23824	656	649	7	242	131	111	—
4 Llantarnam	8878	8183	243	241	2	72	34	38	—
5 Mynyddislwyn F	18853	29658	967	952	15	352	188	164	—

* 587 : 2, 3.—On 1st February, 1910, the boundary between these sub-districts was altered, *see* page 496. The area transferred contained no population at the Census of 1911.

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
44.—GLAMORGAN-SHIRE.									
588.—Cardiff.	77659	264743	6841	6606	235	3319	1796	1523	2077
1 Llandaff <i>W,F,L</i>	29527	26607	656	642	14	323	181	142	—
2 East Cardiff	481	59615	1519	1490	29	587	304	283	—
3 Central Cardiff <i>F,2H</i>	3832	57506	1455	1417	38	890	499	391	—
4 West Cardiff <i>2W,F</i>	2060	65159	1858	1732	126	988	538	450	—
5 Penarth <i>F</i>	4568	15826	344	336	8	140	64	76	—
6 St. Nicholas <i>2F,2H</i>	37191	40030	1009	989	20	391	210	181	—
589.—Pontypridd.	75387	288605	10434	10175	259	3947	2171	1776	2105
1 Eglwysilan <i>2F,H</i>	18953	49775	1774	1743	31	642	356	286	—
2 Llanwonno <i>F,H</i>	14531	67105	2380	2321	59	890	472	418	—
3 Llantrisant <i>2W,2F</i>	22463	50935	1891	1820	71	779	433	346	—
4 Ystradfyodwg <i>W,2F,2H</i>	19440	120790	4389	4291	98	1636	910	726	—
590.—Merthyr Tydfil.	75218	174170	5761	5586	175	2697	1428	1269	1169
1 Gelligaer <i>F</i>	16772	35521	1320	1294	26	484	265	219	—
2 Lower Merthyr Tydfil <i>F</i>	10181	38649	1222	1186	36	452	228	224	—
3 Upper Merthyr Tydfil <i>W,H</i>	14131	46207	1483	1410	73	954	512	442	—
4 Aberdare <i>W,F,H</i>	34134	53793	1736	1696	40	807	423	384	—
591.—Bridgend.	110571	94620	3043	2947	96	1298	697	601	657
1 Maesteg <i>2F</i>	11463	27075	1044	1016	28	345	183	162	—
2 Ogmores <i>2F</i>	20233	29740	1010	995	15	379	205	174	—
3 Cowbridge	39871	9080	234	227	7	102	60	42	—
4 Bridgend <i>2W,F,2H,L</i>	39004	28725	755	709	46	472	249	223	—
592.—Neath.	107166	100942	3171	3111	60	1368	726	642	765
1 Margam <i>F,H</i>	24026	32058	970	952	18	376	203	173	—
2 Neath <i>W,3F</i>	43350	40865	1264	1239	25	601	308	293	—
3 Glyncorwg <i>F</i>	13927	8689	331	322	9	125	69	56	—
4 Cadoxton <i>W</i>	25863	19330	606	598	8	266	146	120	—
593.—Pontardawe.	57168	41979	1366	1325	41	567	295	272	304
1 Pontardawe <i>W,2F</i>	34969	31507	1029	1003	26	417	217	200	—
2 Ystradgynlais	22199	10472	337	322	15	150	78	72	—
594.—Swansea.	32261	151043	4306	4189	117	2287	1237	1050	1274
1 Llandilo Talybont <i>W</i>	17658	23305	715	697	18	339	176	163	—
2 Llangafelach	5987	39739	1146	1121	25	543	271	272	—
3 Swansea <i>W,F,3H</i>	3373	80582	2243	2174	69	1313	733	580	—
4 Llansamlet	5243	7417	202	197	5	92	57	35	—
595.—Gower.	41110	14716	350	334	16	180	78	102	97
1 Gower Eastern	16561	12152	299	286	13	150	66	84	—
2 Gower Western <i>W</i>	24549	2564	51	48	3	30	12	18	—
45.—CARMARTHEN-SHIRE.									
596.—Llanelly.	60053	74020	2103	2049	54	1024	549	475	523
1 Loughor* <i>F</i>	3796	6869	236	229	7	90	43	47	—
2 Llanelly Rural*	15727	11681	327	319	8	135	82	53	—
3 Llanelly Urban* <i>W,F,H</i>	2069	32077	799	778	21	457	238	219	—
4 Pembrey	19006	12183	354	343	11	178	95	83	—
5 Llannon*	19455	11210	387	380	7	164	91	73	—

* 596: 1, 2, 3, 5.—On 1st September, 1910, the boundary between these sub-districts was altered, Llanelly (2) sub-district was re-named Llanelly Urban (3), and a new sub-district, Llanelly Rural (2), was created, *see* page 496. The births and deaths are shown as if the change had taken place at the beginning of the year.

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued*.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
			Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
45.—CARMARTHEN-SHIRE—continued.									
597.—Llandovery.	133419	9354	185	177	8	151	69	82	52
1 Llanddausant	15230	485	9	9	—	7	3	5	—
2 Llangadock	18632	1589	28	28	—	28	15	13	—
3 Llansadwrn	12008	1190	26	26	—	22	8	14	—
4 Llandingat W.. ..	20191	3070	74	71	3	47	21	26	—
5 Llanfairarybryn	22990	871	11	11	—	11	8	3	—
6 Cilycwm	18191	715	12	11	1	12	3	9	—
7 Conwil Caio	26177	1434	25	21	4	24	12	12	—
598.—Llandilofawr.	106557	33275	1018	987	31	466	231	235	235
1 Talley	17448	1145	18	18	—	20	9	11	—
2 Llanfynydd	11375	802	17	16	1	8	3	5	—
3 Llangathen	18598	2016	37	33	4	33	18	15	—
4 Llandilo W	23320	5055	97	93	4	71	34	37	—
5 Quarter Bach	12344	5212	167	166	1	55	28	27	—
6 Llandebie	23472	19045	682	661	21	279	139	140	—
599.—Carmarthen.	165197	34428	786	743	43	629	299	330	274
1 Llangendeirne	47079	10775	302	287	15	159	76	83	—
2 St. Clears	35502	5422	117	109	8	102	44	58	—
3 Carmarthen W,H,L.. ..	16250	11944	232	216	16	256	132	124	—
4 Conwil	66366	6287	135	131	4	112	47	65	—
46.—PEMBROKE-SHIRE.									
600.—Narberth.	124351	17322	389	357	32	265	120	145	117
1 Llanboidy	50803	5498	120	112	8	75	31	44	—
2 Narberth	39644	6381	137	129	8	120	63	57	—
3 Begelly W	33904	5443	132	116	16	70	26	44	—
601.—Pembroke.	63151	30988	735	698	37	426	213	213	210
1 Tenby F,2H	28270	9553	230	215	15	131	62	69	—
2 Pembroke W,F,3H	26359	16568	392	375	17	220	108	112	—
3 Roose	8522	4867	113	108	5	75	43	32	—
602.—Haverfordwest.	169917	36559	993	935	58	591	297	294	262
1 Milford F	32615	12038	400	382	18	172	84	88	—
2 Haverfordwest W,H	40366	9643	191	177	14	206	104	102	—
3 St. David's	45676	5398	138	122	16	88	44	44	—
4 Fishguard	51260	9480	264	254	10	125	65	60	—
47.—CARDIGAN-SHIRE.									
603.—Cardigan.	86858	14733	295	282	13	243	105	138	89
1 Newport	37862	4063	74	69	5	65	25	40	—
2 Cardigan W	48996	10670	221	213	8	178	80	98	—
604.—Newcastle in Emllyn.	114786	17805	337	311	26	324	154	170	98
1 Penbryn	25184	3957	77	71	6	78	36	42	—
2 Clydey	20704	2422	48	45	3	39	20	19	—
3 Cennarth W	27436	5440	119	109	10	98	51	47	—
4 Llandyssil	41462	5986	93	86	7	109	47	62	—

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—continued.

No.	REGISTRATION DISTRICTS AND SUB-DISTRICTS.	AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
	47.—CARDIGAN-SHIRE.—cont.									
	605.—Lampeter.	75045	8967	173	162	11	163	74	89	48
1	Llanybyther <i>H</i>	25468	2264	49	46	3	39	18	21	—
2	Pencarreg	21481	2086	40	38	2	48	20	28	—
3	Lampeter <i>W</i>	14828	3006	51	49	2	44	24	20	—
4	Llanwenog	13268	1611	33	29	4	32	12	20	—
	606.—Aberayron.	65711	10262	184	174	10	195	89	106	65
1	Llandysilio	34116	4853	75	69	6	90	36	54	—
2	Llansantffraid <i>W</i>	31595	5409	109	105	4	105	53	52	—
	607.—Aberystwith.	131466	21484	367	350	17	350	171	179	104
1	Llanrhystyd	22374	2422	41	39	2	39	22	17	—
2	Aberystwith <i>W,H</i>	15368	11511	174	167	7	176	82	94	—
3	Geneurglynn	29312	3445	76	71	5	57	29	28	—
4	Rheidol	64412	4106	76	73	3	78	38	40	—
	608.—Tregaron.	121546	7517	133	117	16	143	75	68	38
1	Gwnnws	32176	2173	44	40	4	36	18	18	—
2	Llangeitho	22015	2413	33	28	5	43	24	19	—
3	Tregaron <i>W</i>	67355	2931	56	49	7	64	33	31	—
	48.—BRECKNOCK-SHIRE.									
	609.—Builth.	138119	9482	190	180	10	140	76	64	77
1	Llanwrtyd	36471	1339	19	19	—	26	14	12	—
2	Trefis	41063	1813	39	38	1	31	15	16	—
3	Colwyn	28003	2323	39	36	3	17	11	6	—
4	Builth <i>W,H</i>	32582	4007	93	87	6	66	36	30	—
	610.—Brecknock.	192400	15063	345	330	15	218	114	104	96
1	Defynnock	81564	3467	80	76	4	48	21	27	—
2	Brecknock <i>W,F,H</i>	55815	8009	192	183	9	108	59	49	—
3	Pencelly	27213	1264	31	30	1	20	10	10	—
4	Llangorse	27808	2323	42	41	1	42	24	18	—
	611.—Crickhowell.	53636	22319	671	649	22	299	166	133	169
1	Cwmdû	9930	840	22	22	—	6	3	3	—
2	Beaufort <i>F</i>	6042	7008	239	234	5	93	52	41	—
3	Llanelly	5983	11050	338	324	14	153	84	69	—
4	Crickhowell <i>W</i>	31681	3421	72	69	3	47	27	20	—
	612.—Hay.	88925	9516	192	185	7	190	98	92	44
1	Talgarth <i>L</i>	38276	4117	87	84	3	105	66	39	—
2	Hay <i>W</i>	50649	5399	105	101	4	85	32	53	—
	49.—RADNORSHIRE.									
	613.—Knighton.	126161	9846	225	209	16	138	85	53	57
1	Presteigne <i>2F</i>	14545	1809	32	30	2	24	15	9	—
2	Knighton <i>W</i>	55225	5369	129	120	9	81	49	32	—
3	Llanbister	56391	2668	64	59	5	33	21	12	—
	614.—Rhayader.	112502	7658	170	156	14	105	55	50	48
1	Rhayader	79263	2979	69	62	7	39	19	20	—
2	Nantmel <i>W,H</i>	33239	4679	101	94	7	66	36	30	—

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—*continued.*

REGISTRATION DISTRICTS AND SUB-DISTRICTS.			AREA in Acres.	POPULATION, 1911 (Un-revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.
					Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.	
50.—MONTGOMERY-SHIRE.											
615.—Machynlleth.			130920	10853	180	170	10	146	69	77	65
No. 1	Machynlleth	W,H	14973	2411	36	33	3	28	12	16	—
2	Towyn	42176	4777	71	68	3	64	29	35	—
3	Darowen	73771	3665	73	69	4	54	28	26	—
616.—Newtown.			176155	20295	492	462	30	273	135	138	104
1	Llanidloes	68222	5882	139	136	3	85	33	52	—
2	Llanwnnog	W	46435	4058	107	97	10	60	32	28	—
3	Kerry	26761	2086	47	46	1	25	11	14	—
4	Newtown	F,H	7302	6068	134	123	11	75	38	37	—
5	Tregynon	27435	2201	65	60	5	28	21	7	—
617.—Forden.			89737	14371	321	296	25	190	98	92	88
1	Montgomery*	33202	4515	114	106	8	60	26	34	—
2	Chirbury	W,F	32952	3997	101	88	13	57	33	24	—
3	Welshpool*	H	23583	5859	106	102	4	73	39	34	—
618.—Llanfyllin.			195187	16683	379	340	39	235	116	119	72
1	Llanfair	72811	4391	101	85	16	61	29	32	—
2	Llansantffraid	W	55645	8405	180	165	15	112	57	55	—
3	Llanrhaiadr	66731	3887	98	90	8	62	30	32	—
51.—FLINTSHIRE.											
619.—Holywell.			73269	42825	1144	1089	55	670	356	314	298
1	Whitford	19314	7730	187	178	9	115	58	57	—
2	Holywell	W,H	15267	9809	232	214	18	188	113	75	—
3	Flint	17715	14219	427	415	12	232	124	108	—
4	Mold	H.. .. .	20973	11067	298	282	16	135	61	74	—
620.—Hawarden.			33609	26912	777	755	22	312	167	145	176
1	Hawarden	W,F	33609	26912	777	755	22	312	167	145	—
52.—DENBIGHSHIRE.											
621.—Wrexham.			60170	79062	2194	2093	101	1250	658	592	553
1	Holt	21243	5852	133	126	7	59	33	26	—
2	Ruabon	H	15504	23929	709	688	21	448	231	217	—
3	Wrexham	W,F,H	23423	49281	1352	1279	73	743	394	349	—
622.—Ruthin.			99083	12204	231	217	14	183	89	94	71
1	Llanarmon	19216	1838	27	27	—	24	12	12	—
2	Ruthin	W,H	18775	4257	77	73	4	74	36	38	—
3	Llanelidan	23327	2372	53	47	6	33	16	17	—
4	Llanrhaiadr	27610	2411	55	53	2	29	16	13	—
5	Llandyrnog	10155	1326	19	17	2	23	9	14	—
623.—St. Asaph.			99243	33226	645	607	38	577	289	288	207
1	St. Asaph	W,H	29665	18284	350	324	26	275	130	145	—
2	Abergele	F,H	29994	5572	115	111	4	81	45	36	—
3	Denbigh	H,L	39584	9370	180	172	8	221	114	107	—
624.—Llanrwst.			119813	12327	245	227	18	198	110	88	86
1	Llanrwst	W	41687	6486	145	133	12	111	61	50	—
2	Bettws y Coed	36355	3220	53	51	2	56	33	23	—
3	Ysbytty	41771	2621	47	43	4	31	16	15	—

* 617: 1, 3.—On 1st April, 1910, the boundary between these sub-districts was altered, *see* page 496. The births and deaths are shown as if the change had taken place at the beginning of the year.

XI.—WELSH DIVISION.—BIRTHS, DEATHS, AND MARRIAGES, 1910—continued.

REGISTRATION DISTRICTS AND SUB-DISTRICTS.		AREA in Acres.	POPULATION, 1911 (Un- revised).	BIRTHS (exclusive of Still-born).			DEATHS			MARRIAGES.	
				Total.	Legitimate.	Illegitimate.	Total.	Males.	Females.		
53.—MERIONETH-SHIRE.											
625.—Corwen.		127140	16430	366	340	26	262	144	118	89	
No. 1	Corwen W	77664	7375	156	137	19	134	71	63	—	
2	Llangollen H	49476	9055	210	203	7	128	73	55	—	
626.—Bala.		98721	5609	99	86	13	97	45	52	34	
1	Bala W	98721	5609	99	86	13	97	45	52	—	
627.—Dolgelly.		152180	12998	213	197	16	212	95	117	73	
1	Talyllyn	71318	4306	63	56	7	70	31	39	—	
2	Barmouth W	80862	8692	150	141	9	142	64	78	—	
628.—Festiniog.		145994	25255	554	514	40	401	207	194	131	
1	Deudraeth W	36615	5420	128	118	10	89	39	50	—	
2	Festiniog H	55623	12055	255	234	21	206	103	103	—	
3	Tremadoc	53756	7780	171	162	9	106	65	41	—	
54.—CARNARVON-SHIRE.											
629.—Pwllheli.		93017	22006	446	403	43	348	174	174	95	
1	Criccieth	30869	6807	127	118	9	97	53	44	—	
2	Pwllheli W	21010	7145	154	139	15	138	62	76	—	
3	Aberdaron	22053	3371	71	60	11	49	26	23	—	
4	Nevin	19085	4683	94	86	8	64	33	31	—	
630.—Carnarvon.		88201	40345	836	792	44	637	335	302	259	
1	Llandwrog	33462	12846	283	266	17	192	105	87	—	
2	Llanrug H	26301	13250	259	247	12	203	107	96	—	
3	Carnarvon W,2F,H ..	12894	11258	228	217	11	194	98	96	—	
4	Llanidan	15544	2991	66	62	4	48	25	23	—	
631.—Bangor.		91276	38171	772	724	48	632	323	309	247	
1	Beaumaris	40669	12584	262	247	15	186	94	92	—	
2	Bangor W,2F,H	6528	13467	256	240	16	227	109	118	—	
3	Llanfairfechan H,L ..	11762	3373	73	66	7	53	36	17	—	
4	Llanllechid H	32317	8747	181	171	10	166	84	82	—	
632.—Conway.		50248	41254	735	702	33	517	258	259	243	
1	Conway 2W,3H	29076	11409	193	185	8	165	80	85	—	
2	Llandudno F,2H	5269	13054	242	233	9	162	83	79	—	
3	Colwyn Bay 2F,H	15903	16791	300	284	16	190	95	95	—	
55.—ANGLESEY.											
633.—Anglesey.		60873	13832	281	250	31	227	95	132	72	
1	Llangefni	22125	5038	91	83	8	72	35	37	—	
2	Amlwch	16970	4839	96	87	9	83	31	52	—	
3	Llanfechell W	21778	3955	94	80	14	72	29	43	—	
634.—Holyhead.		59544	21536	459	425	34	359	184	175	139	
1	Bryngwran	25352	5129	118	103	15	100	54	46	—	
2	Llanddeusant W	25558	4318	84	70	14	76	36	40	—	
3	Holyhead H	8634	12089	257	252	5	183	94	89	—	

MARRIAGES ; MODE OF SOLEMNIZATION ; SEASON ;

REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.*	AREA in Statute Acres.†	Enumerated POPULATION, 1911 (Unrevised).	TOTAL MARRIAGES.	MARRIAGES.													
				According to the Rites of the Established Church.							Not according to the Rites of the Established Church.						
				Special Licence.	Licence.	Banns.	Superintendent Re- gistrar's Certificate.	Not stated.	TOTAL.	TOTAL.	In Registered Buildings.			Register Office.	Quakers.	Jews.	
											Roman Catholics.	Other Christian Deno- minations.	Before Authorized Person.				
ENGLAND AND WALES ...	37337630	36075269	267721	30	7250	155930	1546	189	164945	102776	11312	23100	11766	54678	109	1811	
I.—LONDON	74,816	4,522,961	39149	21	1113	23082	3	3	24222	14927	1614	1304	494	10195	12	1308	
1. LONDON	74,816	4,522,961	39149	21	1113	23082	3	3	24222	14927	1614	1304	494	10195	12	1308	
II.—SOUTH EASTERN DIV.	3,993,763	3,825,654	25346	4	667	16554	24	19	17268	8078	450	1735	443	5434	5	11	
2. SURREY	463,553	919,977	5681	1	155	3711	1	5	3873	1808	117	341	62	1284	3	1	
3. KENT	968,975	1,019,870	6864	1	154	4514	8	2	4679	2185	110	404	202	1467	—	2	
4. SUSSEX	938,630	666,876	4189	1	133	2864	2	4	3004	1185	65	335	43	740	—	2	
5. HAMPSHIRE	1,048,916	915,503	6573	1	180	4003	13	4	4201	2372	139	549	91	1587	1	5	
6. BERKSHIRE	573,689	303,428	2039	—	45	1462	—	4	1511	528	19	106	45	356	1	1	
III.—SOUTH MIDLAND DIV.	3,247,303	2,648,985	17563	—	389	11758	11	32	12190	5373	266	1241	529	3324	10	3	
7. MIDDLESEX	178,607	1,144,758	7370	—	163	4618	5	—	4786	2584	173	403	144	1858	3	3	
8. HERTFORDSHIRE ..	446,424	286,938	1781	—	37	1274	1	5	1317	464	15	159	33	255	2	—	
9. BUCKINGHAMSHIRE ..	407,046	193,951	1172	—	18	868	1	5	892	280	9	111	41	119	—	—	
10. OXFORDSHIRE	491,421	198,499	1411	—	46	1004	—	6	1056	355	26	88	21	218	2	—	
11. NORTHAMPTONSHIRE ..	642,402	363,892	2576	—	62	1666	3	4	1735	841	24	185	190	441	1	—	
12. HUNTINGDONSHIRE ..	207,572	48,105	343	—	4	265	—	5	274	69	2	32	7	28	—	—	
13. BEDFORDSHIRE	307,338	197,660	1348	—	25	922	1	5	953	395	7	139	55	192	2	—	
14. CAMBRIDGESHIRE ..	566,493	215,122	1562	—	34	1141	—	2	1177	385	10	124	33	213	—	—	
IV.—EASTERN DIVISION ..	3,126,362	2,200,844	14986	—	271	10291	4	29	10595	4391	250	1041	429	2655	5	11	
15. ESSEX	904,386	1,329,466	8858	—	135	5968	1	12	6116	2742	213	559	263	1696	1	10	
16. SUFFOLK	930,631	382,748	2629	—	56	1883	2	12	1953	676	12	238	41	385	—	—	
17. NORFOLK	1,291,345	488 630	3499	—	80	2440	1	5	2526	973	25	244	125	574	4	1	
V.—SOUTH WESTERN DIV.	5,023,620	2,018,509	14282	1	568	8139	24	22	8754	5528	159	2112	591	2660	4	2	
18. WILTSHIRE	809,216	279,391	1905	—	47	1216	1	3	1267	638	22	272	48	296	—	—	
19. DORSETSHIRE	624,375	220,502	1502	—	41	1019	4	2	1066	436	17	171	29	219	—	—	
20. DEVONSHIRE	1,633,467	701,981	5106	1	219	2711	6	6	2943	2163	78	570	177	1334	2	2	
21. CORNWALL	886,329	325,315	2426	—	143	1049	1	1	1194	1232	15	636	189	392	—	—	
22. SOMERSETSHIRE	1,070,233	491,320	3343	—	118	2144	12	10	2284	1059	27	463	148	419	2	—	
VI.—WEST MIDLAND DIV.	4,052,121	3,998,020	29517	—	536	20009	50	26	20621	8896	763	1882	972	5221	21	37	
23. GLOUCESTERSHIRE ..	713,161	672,581	4807	—	115	2902	2	6	3025	1782	52	441	164	1112	6	7	
24. HEREFORDSHIRE ..	539,230	113,088	723	—	42	484	2	2	530	193	13	55	8	117	—	—	
25. SHROPSHIRE	958,665	266,054	1696	—	69	1091	7	7	1174	522	18	178	27	299	—	—	
26. STAFFORDSHIRE	771,435	1,359,718	10137	—	161	7065	23	1	7250	2887	357	652	405	1466	1	6	
27. WORCESTERSHIRE ..	443,261	562,383	4040	—	69	2820	5	2	2896	1144	99	178	157	709	1	—	
28. WARWICKSHIRE.. ..	626,369	1,024,196	8114	—	80	5647	11	8	5746	2368	224	378	211	1518	13	24	

* See note * on page 144.

† These areas are derived from those published in the Preliminary Census Report for 1911. They do not include space occupied by foreshore or tidal water of rivers and creeks.

CIVIL CONDITION ; AGE ; SIGNATURE BY MARK IN REGISTER.

MARRIAGES.												Signed the Marriage Register with Marks.				REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.
Registered in the Quarter ended the last day of				Contracted between†				Of		Of Persons not of Full Age.		Men.	Women.	Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.	Men.	Women.			Both signed.	One signed.	
56432	61036	76545	73708	236801	8500	14353	8067	22420	16587	10115	35573	2879	3271	721	4708	ENGLAND AND WALES.
8246	8381	11805	10717	34401	1507	2117	1124	3241	2631	1151	4218	370	519	128	633	I.—LONDON.
8246	8381	11805	10717	34401	1507	2117	1124	3241	2631	1151	4218	370	519	128	633	1. LONDON.
5200	5776	7030	7340	22496	824	1357	669	2026	1493	529	2627	213	144	37	283	II.—SOUTH EASTERN
1103	1305	1764	1509	5093	159	291	138	429	297	95	529	43	23	7	57	2. SURREY.
1396	1557	1781	2130	6092	243	346	183	529	426	139	772	60	51	14	83	3. KENT.
886	977	1180	1146	3693	112	278	106	384	218	106	395	38	20	5	48	4. SUSSEX.
1389	1471	1776	1937	5804	247	335	187	522	434	133	742	44	32	6	64	5. HAMPSHIRE.
426	466	529	618	1814	63	107	55	162	118	56	189	28	13	5	31	6. BERKSHIRE.
3453	3879	5369	4862	15792	427	931	413	1344	840	583	1838	166	120	30	226	III.—SOUTH MIDLAND.
1392	1640	2469	1869	6614	198	391	167	558	365	185	678	44	51	7	81	7. MIDDLESEX.
360	391	525	505	1603	37	101	40	141	77	73	186	20	10	3	24	8. HERTFORDSHIRE.
250	260	349	313	1075	24	51	22	73	46	38	115	17	7	2	20	9. BUCKINGHAMSH.
294	318	406	393	1269	33	75	34	109	67	47	153	20	8	6	16	10. OXFORDSHIRE.
520	558	758	740	2320	69	115	72	187	141	110	279	26	25	5	41	11. NORTHAMPTONSH.
64	74	91	114	314	3	17	9	26	12	9	55	7	4	2	7	12. HUNTINGDONSH.
264	324	389	371	1216	26	76	30	106	56	57	172	13	6	1	17	13. BEDFORDSHIRE.
309	314	382	557	1381	37	105	39	144	76	64	200	19	9	4	20	14. CAMBRIDGESH.
2979	3112	4135	4760	13399	443	727	417	1144	860	448	1769	180	144	32	260	IV.—EASTERN.
1722	1921	2644	2571	7919	287	408	244	652	531	242	1031	82	83	15	135	15. ESSEX.
551	492	612	974	2328	71	146	84	230	155	89	312	44	22	7	52	16. SUFFOLK.
706	699	879	1215	3152	85	173	89	262	174	117	426	54	39	10	73	17. NORFOLK
3205	3439	3668	3970	12636	394	863	389	1252	783	388	1456	175	127	37	228	V.—SOUTH WESTERN
390	455	487	573	1695	47	103	60	163	107	46	191	20	20	5	30	18. WILTSHIRE.
303	350	392	457	1343	29	96	34	130	63	40	151	20	10	7	16	19. DORSETSHIRE.
1196	1236	1274	1400	4503	157	315	131	446	288	127	534	51	35	9	68	20. DEVONSHIRE.
568	569	585	704	2139	65	150	72	222	137	86	301	36	30	9	48	21. CORNWALL.
748	829	930	836	2956	96	199	92	291	188	89	279	48	32	7	66	22. SOMERSETSHIRE.
6161	6566	8288	8592	26200	886	1503	928	2431	1814	1202	3997	409	415	99	626	VI.—WEST MIDLAND.
953	1056	1407	1391	4207	128	329	143	472	271	113	410	60	28	6	76	23. GLOUCESTERSH.
156	201	193	173	625	27	49	22	71	49	9	63	20	11	5	21	24. HEREFORDSHIRE.
375	432	424	465	1530	45	79	42	121	87	38	173	23	17	3	34	25. SHROPSHIRE.
2132	2206	2808	2991	9052	313	432	340	772	653	524	1698	139	160	35	229	26. STAFFORDSHIRE.
835	883	1155	1167	3615	114	211	100	311	214	146	459	48	49	11	75	27. WORCESTERSHIRE
1710	1788	2301	2315	7171	259	403	281	684	540	372	1194	119	150	39	191	28. WARWICKSHIRE.

† Divorced men and women who marry are classified in the Marriage Tables as bachelors and spinsters.

MARRIAGES ; MODE OF SOLEMNIZATION ; SEASON ;

REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.	AREA in Statute Acres.	Enumerated POPULATION, 1911. (Unrevised.)	TOTAL MARRIAGES.	MARRIAGES.												
				According to the Rites of the Established Church.						Not according to the Rites of the Established Church.						
				Special Licence.	Licence.	Banns.	Superintendent Registrar's Certificate.	Not stated.	TOTAL.	TOTAL.	In Registered Buildings.			Register Office.	Quakers.	Jews.
											Roman Catholics.	Before Registrar.	Other Christian Denominations. Before Authorized Person.			
VII.—NORTH MIDLAND DIV.	3,504,656	2,324,111	17725	—	452	11154	32	25	11663	6062	250	1468	1098	3240	—	6
29. LEICESTERSHIRE ..	550,168	481,115	3724	—	62	2282	7	7	2358	1366	61	319	238	746	—	2
30. RUTLANDSHIRE ..	108,700	21,168	119	—	9	82	1	—	92	27	2	14	—	11	—	—
31. LINCOLNSHIRE ..	1,668,603	557,543	4200	—	118	2787	3	9	2917	1283	39	319	324	599	—	2
32. NOTTINGHAMSHIRE ..	616,287	716,517	5580	—	143	3432	5	5	3585	1995	60	393	288	1253	—	1
33. DERBYSHIRE ..	560,898	547,768	4102	—	120	2571	16	4	2711	1391	88	423	248	631	—	1
VIII.—NORTH WEST'RN DIV.	1,910,815	5,721,149	43604	—	1441	23220	757	9	25427	18177	4351	4282	3387	5904	13	240
34. CHESHIRE ..	611,276	895,410	6303	—	256	3626	27	—	3909	2394	368	592	490	938	—	6
35. LANCASHIRE ..	1,299,539	4,825,739	37301	—	1185	19594	730	9	21518	15783	3983	3690	2897	4966	13	234
IX.—YORKSHIRE DIVISION	3,721,339	3,969,151	30470	2	631	18698	196	4	19531	10939	1323	2482	2327	4640	23	144
36. WEST RIDING ..	1,751,064	3,044,980	23578	—	384	14560	190	2	15136	8442	927	1932	1982	3458	16	127
37. EAST RIDING (with YORK)	693,171	507,096	3851	1	112	2407	3	—	2523	1328	169	207	247	689	3	13
38. NORTH RIDING ..	1,277,104	417,075	3041	1	135	1731	3	2	1872	1169	227	343	98	493	4	4
X.—NORTHERN DIVISION	3,536,522	2,403,545	18017	—	627	8439	335	6	9407	8610	1355	1548	938	4733	16	20
39. DURHAM ..	766,591	1,377,176	10642	—	275	4881	251	2	5409	5233	854	813	648	2901	8	9
40. NORTHUMBERLAND ..	1,291,515	697,014	5003	—	166	2261	28	1	2156	2547	355	506	162	1509	4	11
41. CUMBERLAND ..	973,086	265,789	1926	—	159	1002	52	3	1216	710	140	161	120	288	1	—
42. WESTMORLAND ..	505,330	63,575	446	—	27	295	4	—	326	120	6	68	8	35	3	—
XI.—WELSH DIVISION	5,146,313	2,442,340	17062	2	555	4586	110	14	5267	11795	531	4005	558	6672	—	29
43. MONMOUTHSHIRE ..	395,593	414,730	2906	1	78	1099	10	1	1189	1717	94	674	52	891	—	6
44. GLAMORGANSHIRE ..	576,540	1,130,818	8448	—	216	2076	34	3	2329	6119	356	1426	314	4000	—	23
45. CARMARTHENSHIRE ..	465,226	151,077	1084	—	34	189	9	2	234	850	4	278	66	502	—	—
46. PEMBROKESHIRE ..	357,419	84,869	539	—	43	177	10	—	230	359	13	136	36	174	—	—
47. CARDIGANSHIRE ..	595,412	80,768	442	—	31	60	11	—	102	340	—	143	21	176	—	—
48. BRECKNOCKSHIRE ..	473,080	56,380	386	—	26	112	2	1	141	245	11	175	1	58	—	—
49. RADNORSHIRE ..	238,663	17,504	105	—	9	47	—	—	56	49	—	32	7	10	—	—
50. MONTGOMERYSHIRE ..	591,999	62,202	329	—	10	107	4	4	125	204	—	127	6	71	—	—
51. FLINTSHIRE ..	106,878	69,737	474	—	20	201	5	—	226	248	12	161	12	63	—	—
52. DENBIGHSHIRE ..	378,309	136,819	917	—	21	273	8	3	305	612	20	280	9	303	—	—
53. MERIONETHSHIRE ..	524,035	60,292	327	—	12	43	2	—	57	270	1	163	14	92	—	—
54. CARNARVONSHIRE ..	322,742	141,776	844	1	47	175	15	—	238	606	8	296	19	283	—	—
55. ANGLESEY ..	120,417	35,368	211	—	8	27	—	—	35	176	12	114	1	49	—	—

VIL CONDITION; AGE; SIGNATURE BY MARK IN REGISTER—*continued.*

MARRIAGES.												Signed the Marriage Register with Marks				REGISTRATION DIVISIONS AND REGISTRATION COUNTIES.
Registered in the Quarter ended the last day of				Contracted between*				Of		Of Persons not of Full Age.		Men.	Women.	Cases in which		
March.	June.	September.	December.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Widowers.	Widows.							
										Men.	Women.			Both signed.	One signed.	
872	4212	4809	4832	15765	508	911	541	1452	1049	959	2994	170	197	39	289	VII.—NORTH MIDLAND.
806	794	1118	1006	3325	98	177	124	301	222	193	496	26	41	10	47	29. LEICESTERSHIRE.
28	22	34	35	104	5	8	2	10	7	4	12	2	1	—	3	30. RUTLANDSHIRE.
872	1146	1066	1116	3767	121	204	108	312	229	172	656	36	34	4	62	31. LINCOLNSHIRE.
239	1286	1506	1549	4930	159	295	196	491	355	374	1125	65	67	16	100	32. NOTTINGHAMSH.
927	964	1085	1126	3639	125	227	111	338	236	216	705	41	54	9	77	33. DERBYSHIRE.
324	10323	13219	10738	38226	1390	2482	1506	3988	2896	1855	5328	422	618	133	774	VIII.—N. WESTERN.
319	1454	1965	1565	5619	160	350	174	524	334	204	694	39	46	6	73	34. CHESHIRE.
3005	8869	11254	9173	32607	1230	2132	1332	3464	2562	1651	4634	383	572	127	701	35. LANCASHIRE.
432	7019	8665	8354	26823	977	1662	1008	2670	1985	1494	5078	308	444	86	580	IX.—YORKSHIRE.
5033	5345	6810	6390	20721	719	1307	831	2138	1550	1185	3928	239	358	73	451	36. WEST RIDING.
797	890	1026	1138	3409	144	201	97	298	241	167	640	26	39	5	55	37. EAST RIDING (with YORK).
602	784	829	826	2693	114	154	80	234	194	142	510	43	47	8	74	38. NORTH RIDING.
8895	4490	4889	4743	16057	545	878	537	1415	1082	877	3553	199	255	54	346	X.—NORTHERN.
2293	2567	2959	2823	9456	331	508	347	855	678	584	2362	117	176	31	231	39. DURHAM.
1053	1320	1318	1312	4463	163	241	136	377	299	198	852	54	54	15	78	40. NORTHUMBERLD.
465	476	491	494	1742	44	96	44	140	88	81	294	24	20	6	32	41. CUMBERLAND.
84	127	121	114	396	7	33	10	43	17	14	45	4	5	2	5	42. WESTMORLAND.
3665	3839	4668	4890	15006	599	922	535	1457	1134	629	2715	267	288	46	463	XI.—WELSH.
658	609	821	815	2555	98	155	98	253	196	139	607	56	54	9	92	43. MONMOUTHSHIRE.
1813	1870	2399	2366	7452	350	380	266	646	616	365	1580	121	125	17	212	44. GLAMORGANSH.
233	239	279	333	962	28	70	24	94	52	41	165	11	17	1	26	45. CARMARTHENSH.
127	128	114	220	522	7	42	18	60	25	16	66	12	14	5	16	46. PEMBROKESHIRE.
80	83	112	162	405	7	23	7	30	14	14	19	3	9	—	12	47. CARDIGANSHIRE.
68	98	102	118	334	12	24	16	40	28	4	26	11	11	4	14	48. BRECKNOCKSHIRE.
21	37	21	26	90	7	7	1	8	8	2	10	1	—	—	1	49. RADNORSHIRE.
69	106	84	70	288	10	22	9	31	19	2	16	8	6	1	12	50. MONTGOMERYSH.
123	98	123	130	416	13	26	19	45	32	10	47	9	10	2	15	51. FLINTSHIRE.
189	212	280	236	808	32	50	27	77	59	17	97	16	19	2	31	52. DENBIGHSHIRE.
59	94	71	103	270	13	32	12	44	25	1	26	3	4	—	7	53. MERIONETHSHIRE.
181	207	203	253	718	20	77	29	106	49	9	39	11	12	3	17	54. CARNARVONSH.
44	53	56	58	186	2	14	9	23	11	9	17	5	7	2	8	55. ANGLESEY.

* See note † on page 207.

ENGLAND AND WALES.—AGES and CONDITIONS of

—	MINORS.								FULL				
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	25—	30—	35—	40—
Men	—	—	2	65	632	2658	6742	16	87420	94515	36205	15328	7818
Bachelors	—	—	2	65	632	2658	6741	16	87246	93268	33528	11859	4476
Widowers	—	—	—	—	—	—	1	—	174	1247	2737	3469	3342
Bachelors who married:—													
Spinsters	—	—	2	65	629	2654	6727	14	86512	91236	31545	10298	3487
Widows	—	—	—	—	3	4	14	2	734	2032	1983	1561	989
Widowers who married:—													
Spinsters	—	—	—	—	—	—	1	—	169	1141	2323	2692	2242
Widows	—	—	—	—	—	—	—	—	5	106	414	777	1100

ENGLAND AND WALES.—AGES and CONDITIONS of

—	MINORS.								FULL				
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	25—	30—	35—	40—
Women	—	18	137	997	5247	11363	17773	38	103476	75162	26022	11343	5816
Spinsters	—	18	137	997	5247	11359	17760	38	103118	73471	23123	8131	3213
Widows	—	—	—	—	—	4	13	—	358	1691	2899	3212	2603
Spinsters who married:—													
Bachelors	—	18	135	982	5185	11237	17509	37	101058	70422	20245	5874	1707
Widowers	—	—	2	15	62	122	251	1	2060	3049	2878	2257	1506
Widows who married:—													
Bachelors	—	—	—	—	—	3	13	—	327	1408	2112	1966	1223
Widowers	—	—	—	—	—	1	—	—	31	283	787	1246	1380

the 267,721 MEN who MARRIED in the Year 1910.

AGE.										TOTALS.			—
45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wds.	Age not stated.	Minors.	Full Age.	All Ages.	
5177	3566	2412	1519	874	447	143	33	6	2078	10115	257606	267721	Men.
1957	833	335	121	64	37	15	3	—	1445	10114	235187	245301	Bachelors.
3220	2733	2077	1398	810	410	128	35	6	633	1	22419	22420	Widowers.
1401	558	197	78	40	23	10	—	—	1325	10091	226710	236801	Bachelors who married :— Spinsters.
556	275	138	43	24	14	5	3	—	120	23	8477	8500	Widows.
1902	1331	988	606	359	149	60	14	3	373	1	14352	14353	Widowers who married :— Spinsters.
1318	1402	1089	792	451	261	68	21	3	260	—	8067	8067	Widows.

the 267,721 WOMEN who MARRIED in the Year 1910.

AGE.										TOTALS.			—
45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wds.	Age not stated.	Minors.	Full Age.	All Ages.	
3787	2085	1146	564	330	116	22	3	1	2275	35573	232148	267721	Women.
1604	654	267	91	58	21	2	1	1	1843	35556	215598	251154	Spinsters.
2183	1431	879	473	272	95	20	2	—	432	17	16550	16567	Widows.
637	171	64	28	23	9	2	—	—	1458	35103	201698	236801	Spinsters who married :— Bachelors.
967	483	203	63	35	12	—	1	1	385	453	13900	14353	Widowers.
708	340	131	57	35	12	4	2	—	159	16	8484	8500	Widows who married :— Bachelors.
1475	1091	748	416	237	83	16	—	—	273	1	8066	8067	Widowers.

ENGLAND AND WALES.—AGES of the 267,721 MEN and of the 267,721 WOMEN who intermarried in 1910.

[illegible]

The table read *vertically* shows the number of *Wives* at each age, with the ages of their Husbands at marriage :—Thus ; Of 17,773 *Wives* at the age of 20 and under 21 years, *seven* married Husbands aged 17 and under 18 years, *seventy-six* married Husbands aged 18 and under 19 years, *four hundred and twenty-one* married Husbands aged 19 and under 20 years, &c.

Read, *horizontally* the Table shows the number of *Husbands* at each age, with the ages of their *Wives* at marriage:—Thus: Of 6,742 Husbands aged 20 and under 21 years, *one* married a Wife aged 15 and under 16 years, *eleven* married Wives aged 16 and under 17 years, *one hundred and sixty-five* married Wives aged 17 and under 18 years, &c. 20 years, &c.

SPINSTERS UNDER AGE.										SPINSTERS OF FULL AGE.										Total Bachelors.
15—	16—	17—	18—	19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and up- wds.	Not stated.		
BACHELORS UNDER AGE.	15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	16—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
	17—	—	7	15	14	7	4	2	—	—	—	—	—	—	—	—	—	—	65	
	18—	3	12	90	221	76	100	13	1	—	—	—	—	—	—	—	—	1	629	
	19—	2	15	108	618	421	534	61	10	1	—	—	—	—	—	—	—	1	2654	
20—	1	11	165	742	1855	2043	204	14	2	2	—	—	—	—	—	—	1	6727		
Not stated	—	—	—	—	—	13	—	—	—	—	—	—	—	—	—	—	—	1	14	
BACHELORS OF FULL AGE.	21—	6	62	427	2706	10706	52242	12646	1162	132	21	—	1	1	—	—	—	27	86512	
	25—	4	19	139	710	3584	37184	40005	6822	810	90	22	6	—	—	—	—	60	91236	
	30—	1	3	26	124	679	7092	13247	8046	1682	244	44	4	—	1	—	—	60	31545	
	35—	—	3	9	31	134	1415	3242	2905	1928	433	97	9	—	1	—	—	24	10298	
	40—	—	—	2	9	26	313	791	870	857	507	136	29	2	3	1	—	16	3487	
	45—	1	—	—	3	7	83	202	291	320	255	177	35	9	—	—	—	14	1401	
	50—	—	1	—	—	2	26	65	88	109	105	90	49	17	5	—	—	—	558	
	55—	—	—	—	—	1	7	16	21	21	33	47	24	14	8	—	1	3	197	
	60—	—	—	—	—	—	—	3	9	7	12	13	8	13	6	3	1	2	78	
	65—	—	—	—	—	—	—	2	1	2	4	7	5	5	2	2	10	—	40	
70—	—	—	—	—	—	1	1	—	2	2	2	2	—	1	2	8	—	23		
75 and upwards. (Not stated)	—	—	—	—	—	—	—	1	1	—	—	1	1	1	—	1	4	—	10	
Total Spinsters	18	135	982	5185	11237	17509	101058	70422	20245	5874	1707	637	171	64	28	23	11	1458	236801	
																			236801	236801

For the method of reading this table, see explanatory note on page 212.

SPINSTERS UNDER AGE.													SPINSTERS OF FULL AGE.										Total Widowers.
15—	16—	17—	18—	19—	20—	Not stated.		21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and up-wds.	Not stated.				
WIDOWERS UNDER AGE.	18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
	20—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1			
	Not stated																						
WIDOWERS OF FULL AGE.	21—	—	4	8	17	17	—	89	27	6	1	—	—	—	—	—	—	—	—	169			
	25—	—	2	18	38	73	—	468	381	129	27	4	—	—	—	—	—	—	1	1141			
	30—	—	1	11	31	70	—	638	749	564	207	38	6	1	—	—	—	3	2323				
	35—	—	1	7	14	38	—	426	832	703	483	151	23	4	3	—	—	5	2692				
	40—	—	—	8	9	34	—	215	477	593	492	312	80	15	1	—	—	6	2242				
	45—	—	—	3	5	8	—	123	301	437	433	320	218	39	7	—	—	8	1902				
	50—	—	—	2	4	7	—	44	138	216	290	279	226	100	17	1	1	5	1331				
	55—	—	—	2	2	1	—	28	78	124	173	195	192	120	60	6	1	5	988				
	60—	—	—	1	2	1	—	10	30	61	95	110	112	105	52	23	1	5	606				
	65—	—	—	—	2	—	—	9	23	29	30	58	74	60	35	21	14	2	359				
	70—	—	—	1	—	1	—	8	4	7	13	26	25	24	18	6	9	7	149				
	75—	—	—	—	—	—	—	—	4	5	7	7	5	12	7	5	5	3	60				
	80—	—	—	—	1	—	—	—	—	—	1	1	1	3	1	1	1	3	1	14			
	85 and upwards. Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	3			
																				373			
																				14353			
Total Spinsters																				14353			

For the method of reading this table, see explanatory note on page 212.

MARRIAGES IN LONDON,
1910.

LONDON.—AGES and CONDITIONS of the 39,149

	MINORS.								FULL				
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	25—	30—	35—	40—
Men	—	—	2	10	82	272	782	3	11599	13846	5691	2556	1378
Bachelors	—	—	2	10	82	272	782	3	11586	13721	5348	2072	932
Widowers	—	—	—	—	—	—	—	—	13	126	343	484	446
Bachelors who married:—													
Spinsters	—	—	2	10	82	272	782	2	11486	13393	4995	1806	720
Widows	—	—	—	—	—	—	—	1	100	328	353	266	212
Widowers who married:—													
Spinsters	—	—	—	—	—	—	—	—	12	110	298	375	318
Widows	—	—	—	—	—	—	—	—	1	15	45	109	128

LONDON.—AGES and CONDITIONS of the 39,149

	MINORS.								FULL				
	14—	15—	16—	17—	18—	19—	20—	Age not stated.	21—	25—	30—	35—	40—
Women	—	4	23	122	547	1342	2176	4	15228	11235	3998	1805	968
Spinsters	—	4	23	122	547	1342	2174	4	15173	10964	3521	1271	546
Widows	—	—	—	—	—	—	2	—	55	271	477	534	422
Spinsters who married:—													
Bachelors	—	4	23	121	539	1334	2137	4	14882	10466	3099	944	345
Widowers	—	—	—	1	8	8	37	—	291	498	422	327	201
Widows who married:—													
Bachelors	—	—	—	—	—	—	2	—	49	230	363	347	234
Widowers	—	—	—	—	—	—	—	—	6	41	114	187	188

MEN who MARRIED in the Year 1910.

AGE										TOTALS.			—
45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wds.	Age not stated.	Minors.	Full Age.	All Ages.	
996	619	425	243	140	69	19	6	2	409	1151	37998	39149	Men.
455	180	90	30	18	7	2	—	—	316	1151	34757	35908	Bachelors.
541	439	335	213	122	62	17	6	2	93	—	3241	3241	Widowers.
339	129	61	22	9	6	1	—	—	284	1150	33251	34401	Bachelors who married :— Spinsters.
116	51	29	8	9	1	1	—	—	32	1	1506	1507	Widows.
337	231	171	101	58	26	13	3	1	63	—	2117	2117	Widowers who married :— Spinsters.
204	208	164	112	64	36	4	3	1	30	—	1124	1124	Widows.

WOMEN who MARRIED in the Year 1910.

AGE.										TOTALS.			—
45—	50—	55—	60—	65—	70—	75—	80—	85 and up-wds.	Age not stated.	Minors.	Full Age.	All Ages.	
619	317	155	76	50	21	3	—	1	456	4218	34931	39149	Women.
260	109	45	21	7	8	—	—	1	376	4216	32302	36518	Spinsters.
359	208	110	55	43	13	3	—	—	79	2	2629	2631	Widows.
116	41	14	9	3	5	—	—	—	315	4162	30239	34401	Spinsters who married :— Bachelors.
144	68	31	12	4	3	—	—	1	61	54	2063	2117	Widowers.
134	61	14	13	9	2	1	—	—	48	2	1505	1507	Widows who married :— Bachelors.
225	147	96	42	34	11	2	—	—	31	—	1124	1124	Widowers.

LONDON.—AGES of the 39,149 MEN and of the 39,149 WOMEN who intermarried in 1910.

WIVES UNDER AGE.										WIVES OF FULL AGE.										Total Husbands.			
15—	16—	17—	18—	19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and up- wds.	Not stated.				
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
16—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	
17—	—	1	2	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	—	
18—	1	2	14	28	12	12	12	1	—	—	—	—	—	—	—	—	—	—	—	—	82	—	
19—	—	2	13	64	104	39	49	—	1	—	—	—	—	—	—	—	—	—	—	—	272	—	
20—	—	3	14	75	201	248	220	19	2	—	—	—	—	—	—	—	—	—	—	—	782	—	
Not stated.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	3	Not stated.	
21—	1	5	49	253	700	1259	7399	1708	173	27	11	1	1	—	—	—	—	1	11	11599	21—	11599	
25—	2	4	22	86	241	465	5669	6053	1078	175	30	4	6	—	—	—	—	—	11	13846	25—	13846	
30—	—	1	5	18	58	102	1319	2247	1432	370	92	30	5	—	—	—	—	—	12	5691	30—	5691	
35—	—	2	3	14	14	28	369	751	659	488	173	39	6	2	—	—	—	—	8	2556	35—	2556	
40—	—	—	—	5	3	12	106	252	309	330	245	77	30	1	2	—	—	—	6	1378	40—	1378	
45—	—	—	—	—	3	5	53	121	193	201	177	170	48	15	3	1	—	—	6	996	45—	996	
50—	—	1	—	1	1	1	17	46	86	109	118	128	83	16	7	3	—	—	2	619	50—	619	
55—	—	—	—	—	—	—	8	22	32	54	72	96	66	45	17	9	1	—	3	425	55—	425	
60—	—	—	—	1	1	—	3	6	20	31	28	47	43	29	24	8	1	—	1	243	60—	243	
65—	—	—	—	—	—	—	—	6	8	12	14	19	15	30	16	16	4	—	—	140	65—	140	
70—	—	—	—	—	—	—	2	—	2	4	5	6	12	12	4	9	12	1	—	69	70—	69	
75—	—	—	—	—	—	—	—	1	2	2	1	2	—	3	3	3	2	—	—	19	75—	19	
80—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	1	1	1	6	80—	6	
85 and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	2	85 and upwards.	2	
Not stated.	—	—	—	—	—	—	3	—	—	—	2	—	—	—	—	—	—	—	392	409	Not stated.	409	
Total Wives ..																				39149	Husbands.	39149	Wives.

For the method of reading this table, see explanatory note on page 212.

LONDON.—AGES of 34,401 of the BACHELORS and of 34,401 of the SPINSTERS who intermarried in 1910.

SPINSTERS UNDER AGE.										SPINSTERS OF FULL AGE.										Total Bachelors.	BACHELORS OF FULL AGE.										Total Spinsters	
15—	16—	17—	18—	19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and up-wds.	Not stated.	Totals.													
15—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—												
16—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—												
17—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	—												
18—	1	2	14	28	12	12	12	1	—	—	—	—	—	—	—	—	—	—	82	—												
19—	—	2	13	64	104	39	49	—	1	—	—	—	—	—	—	—	—	—	272	—												
20—	—	3	14	75	201	248	220	19	2	—	—	—	—	—	—	—	—	—	782	—												
Not stated	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	2	Not stated.												
21—	1	5	48	252	700	1258	7371	1669	148	19	6	—	—	—	—	—	—	9	11486	—												
25—	2	4	22	84	238	454	5594	5894	954	118	17	—	3	—	—	—	—	9	13393	—												
30—	—	1	5	17	56	90	1224	2082	1219	237	45	8	2	—	—	—	—	9	4995	—												
35—	—	2	3	13	14	20	297	580	491	285	80	15	2	—	—	—	—	4	1806	—												
40—	—	—	—	4	1	6	71	149	174	179	99	22	8	1	1	—	—	5	720	—												
45—	—	—	—	—	2	4	29	48	72	74	59	38	10	1	—	—	—	2	339	—												
50—	—	1	—	—	1	1	11	15	28	22	25	16	8	1	—	—	—	—	129	—												
55—	—	—	—	—	—	—	3	8	9	6	9	11	6	4	3	—	1	1	61	—												
60—	—	—	—	—	1	—	—	—	1	3	3	4	1	4	4	1	—	—	22	—												
65—	—	—	—	—	—	—	—	—	—	—	2	2	1	2	—	2	—	—	9	—												
70—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	—	3	—	6	—												
75 and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	75 and upwards.												
Not stated	—	—	—	—	—	3	1	1	—	—	—	—	—	—	—	—	—	275	284	Not stated.												
																				34401	315	5										

For the method of reading this table, see explanatory note on page 212.

LONDON.—AGES of 1,507 of the BACHELORS and of 1,507 of the WIDOWS who intermarried in 1910.

WIDOWS UNDER AGE.				WIDOWS OF FULL AGE.										Total Bachelors.						
19—	20—	Not stated.		21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and upwds.	Not stated.	Total Bachelors.				
BACHELORS UNDER AGE.	18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	Not stated		—	—	—	—	—	—	—	—	—	—	—	—	1	1				
			—	—	—	—	—	—	—	—	—	—	—	—	—	—				
BACHELORS OF FULL AGE.	21—	—	—	21	38	23	8	5	1	1	—	—	—	1	2	100				
	25—	—	2	20	114	116	55	13	4	2	—	—	—	—	2	328				
	30—	—	—	7	50	126	101	44	20	3	—	—	—	—	2	353				
	35—	—	—	—	16	55	108	62	17	2	2	—	—	—	4	266				
	40—	—	—	1	9	29	49	77	34	12	—	—	—	—	1	212				
	45—	—	—	—	2	11	19	25	33	16	4	2	1	—	3	116				
	50—	—	—	—	1	3	5	7	14	14	2	3	2	—	—	51				
	55—	—	—	—	—	—	2	1	7	8	3	5	2	—	1	29				
	60—	—	—	—	—	—	—	—	2	2	1	1	1	1	—	8				
	65—	—	—	—	—	—	—	—	2	1	2	2	1	1	—	9				
	70—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1				
	75—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1				
	80—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
	85 and upwards. Not stated		—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
			—	—	—	—	—	—	—	—	—	—	—	—	32	32	32			
Total Widows				—	2	—	49	230	363	347	234	134	61	14	13	9	3	48	1507	1507

For the method of reading this table, see explanatory note on page 212.

SPINSTERS UNDER AGE.										SPINSTERS OF FULL AGE.										Total Widowers.	WIDOWERS OF FULL AGE.
15—	16—	17—	18—	19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70 and up-wds.	Not stated.			
18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	18—		
19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	19—		
20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	20—		
Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	Not stated		
21—	—	—	1	1	—	1	6	1	2	—	—	—	—	—	—	—	—	12	21—		
25—	—	—	—	2	3	9	52	37	6	1	—	—	—	—	—	—	—	110	25—		
30—	—	—	—	1	2	12	87	104	67	21	2	1	—	—	—	—	1	298	30—		
35—	—	—	—	1	—	8	71	142	87	51	12	3	—	—	—	—	—	375	35—		
40—	—	—	—	1	2	6	34	91	80	58	35	8	3	—	—	—	—	318	40—		
45—	—	—	—	—	1	1	24	66	88	71	42	36	5	2	—	—	1	337	45—		
50—	—	—	—	1	—	—	6	29	44	58	33	36	21	1	—	—	2	231	50—		
55—	—	—	—	—	—	—	5	14	19	32	41	34	16	8	1	—	1	171	55—		
60—	—	—	—	1	—	—	3	6	16	18	19	15	14	5	4	—	—	101	60—		
65—	—	—	—	—	—	—	—	6	8	11	10	8	3	7	4	1	—	58	65—		
70—	—	—	—	—	—	—	2	—	2	2	5	1	5	5	2	1	1	26	70—		
75—	—	—	—	—	—	—	—	1	2	2	1	2	—	2	1	1	1	13	75—		
80—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	1	3	80—		
85 and upwards.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	85 and upwards.		
Not stated	—	—	—	—	—	—	1	1	1	2	1	—	—	1	—	—	56	63	Not stated		
Total Spinsters							291	498	422	327	201	144	68	31	12	4	4	61	2117	Widowers.	
																			2117	Spinsters.	

For the method of reading this table, see explanatory note on page 212.

LONDON.—AGES of 1,124 of the WIDOWERS and of 1,124 of the WIDOWS who intermarried in 1910.

WIDOWS UNDER AGE.			WIDOWS OF FULL AGE.												Total Widowers.	
19—	20—	Not stated.	21—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75 and upwards.		Not stated.
WIDOWERS UNDER AGE.	18—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	19—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	20—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Not stated	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
WIDOWERS OF FULL AGE.	21—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1
	25—	—	—	3	8	2	1	—	1	—	—	—	—	—	—	15
	30—	—	—	1	11	20	11	1	—	—	—	—	—	—	—	45
	35—	—	—	1	13	26	44	4	2	—	—	—	—	—	—	109
	40—	—	—	—	3	26	44	13	7	—	1	—	—	—	—	128
	45—	—	—	—	5	22	37	63	17	8	1	—	—	—	—	204
	50—	—	—	—	1	11	24	53	40	12	4	1	—	—	—	208
	55—	—	—	—	—	4	14	21	36	30	8	7	—	—	—	164
	60—	—	—	—	—	3	10	6	26	19	15	6	—	1	—	112
	65—	—	—	—	—	—	1	2	10	19	10	12	3	—	—	64
	70—	—	—	—	—	—	1	—	7	6	1	7	8	—	—	36
	75—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	4
	80—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	3
	85 and upwards. Not stated	—	—	—	—	—	—	1	—	1	—	—	—	—	—	1
Total Widows			—	—	—	6	41	188	225	147	96	42	34	11	2	31
			—	—	—	—	—	—	—	—	—	—	—	—	—	—

For the method of reading this table, see explanatory note on page 212.

DEATHS IN WORKHOUSES, HOSPITALS, LUNATIC ASYLUMS, AND IDIOT ASYLUMS, 1910.

The following table shows the numbers of deaths (persons, males, and females) registered during 1910 in Workhouses, Hospitals, Lunatic Asylums and Idiot Asylums in England and Wales. The table includes 3,122 institutions; of these 900 are Workhouses, Workhouse Infirmaries, or Workhouse Schools; 2,084 are Hospitals or similar institutions; and 138 are Lunatic Asylums. The Lunatic Asylums comprise County and Borough Asylums, Lunatic Hospitals, and Idiot Asylums. In these 3,122 institutions 99,194 deaths were registered during the year, or 20·53 per cent. of the total deaths in England and Wales, against 19·27 and 20·02 per cent. in the two preceding years; 52,699 deaths occurred in Workhouses, 36,231 in Hospitals, and 10,246 in Lunatic Asylums. The proportion to total deaths was 10·91 per cent. in Workhouses, 7·50 in Hospitals, and 2·12 in Lunatic Asylums. The proportion of deaths recorded in Workhouses, which had been 10·38 and 10·82 per cent. in 1908 and 1909 respectively, was 10·91 per cent. in 1910.

Information relating to the deaths recorded in many Private Lunatic Asylums, and in a few other institutions, will be found in the notes to the table.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910.

REGISTRATION DIVISIONS AND COUNTIES.		TOTAL NUMBER OF INSTITUTIONS.	TOTAL DEATHS IN ALL INSTITUTIONS.	WORKHOUSES.				HOSPITALS.				LUNATIC ASYLUMS			
				In- stitutions.	DEATHS.			In- stitutions.	DEATHS.			Number of In- stitutions.	DEATHS.		
					Persons.	Males.	Females.		Persons.	Males.	Females.		Persons.	Males.	Females.
	ENGLAND AND WALES	3122	99194	900	52699	31078	21621	2084	36231	20849	15382	138	10264	5421	4843
No.	I.—LONDON.	236	25927	89	14381	7960	6421	140	11058	6211	4847	7	488	257	231
1	LONDON	236	25927	89	14381	7960	6421	140	11058	6211	4847	7	488	257	231
	II.—SOUTH EASTERN.	575	10543	128	4853	2924	1929	416	3286	1871	1415	31	2104	1251	1153
2	SURREY	111	3137	24	1193	713	480	74	682	352	330	13	1262	679	583
3	KENT	184	2715	35	1301	792	509	142	806	488	318	7	608	304	304
4	SUSSEX	118	1613	26	851	496	355	89	551	290	261	3	211	99	112
5	HAMPSHIRE ..	119	2356	29	1197	735	462	85	945	580	365	5	214	115	99
6	BERKSHIRE ..	43	722	14	311	188	123	26	302	161	141	3	109	54	55
	III.—SOUTH MIDLAND.	271	5319	85	2695	1535	1160	174	1555	904	651	12	1069	544	525
7	MIDDLESEX ..	83	2338	20	1292	695	597	61	619	334	285	2	427	198	229
8	HERTFORDSHIRE	45	774	14	301	175	126	28	186	111	75	3	287	165	122
9	BUCKINGHAMSH.	24	264	8	147	91	56	15	57	34	23	1	60	36	24
10	OXFORDSHIRE ..	35	436	10	181	96	85	23	190	107	83	2	65	29	36
11	NORTHAMPTONS.	34	655	15	324	204	120	17	225	144	81	2	106	45	61
12	HUNTINGDONSH.	6	84	3	60	35	25	3	24	16	8	—	—	—	—
13	BEDFORDSHIRE ..	24	342	6	166	103	63	17	106	64	42	1	70	43	27
14	CAMBRIDGESH. ..	20	426	9	224	136	88	10	148	94	54	1	54	28	26
	IV.—EASTERN.	208	4938	77	2970	1737	1233	117	1165	678	487	14	803	443	360
15	ESSEX	103	3145	36	2015	1189	826	59	620	356	264	8	510	294	216
16	SUFFOLK	49	759	18	407	232	175	29	231	139	92	2	121	64	57
17	NORFOLK	56	1034	23	548	316	232	29	314	183	131	4	172	85	87
	V.—SOUTH WESTERN.	293	3439	86	1636	900	736	196	1192	694	498	11	611	297	314
18	WILTSHIRE	47	518	17	268	161	107	28	138	67	71	2	112	50	62
19	DORSETSHIRE ..	38	377	12	184	101	83	25	112	60	52	1	81	40	41
20	DEVONSHIRE ..	102	1325	23	574	323	251	74	570	344	226	5	181	86	95
21	CORNWALL	40	379	15	199	97	102	24	92	59	33	1	88	49	39
22	SOMERSETSHIRE	66	840	19	411	218	193	45	280	164	116	2	149	72	77
	VI.—WEST MIDLAND.	346	10084	101	4924	2968	1956	227	3932	2292	1640	18	1228	633	595
23	GLOUCESTERSH... ..	76	2027	20	840	468	372	53	943	565	378	3	244	131	113
24	HEREFORDSHIRE	19	244	8	142	100	42	10	71	44	27	1	31	19	12
25	SHROPSHIRE ..	40	541	16	261	187	74	23	168	92	76	1	112	45	67
26	STAFFORDSHIRE	91	2876	25	1440	877	563	60	1032	590	442	6	404	232	182
27	WORCESTERSH. ..	51	1051	15	594	353	241	33	267	164	103	3	190	97	93
28	WARWICKSHIRE	69	3345	17	1647	983	664	48	1451	837	614	4	247	119	128

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

REGISTRATION DIVISIONS AND COUNTIES.		TOTAL NUMBER OF INSTITUTIONS.	TOTAL DEATHS IN ALL INSTITUTIONS.	WORKHOUSES.				HOSPITALS.				LUNATIC ASYLUMS.			
				Number of In- stitutions.	DEATHS.			Number of In- stitutions.	DEATHS.			Number of In- stitutions.	DEATHS.		
					Persons.	Males.	Females.		Persons.	Males.	Females.		Persons.	Males.	Females.
N.	VII.—NORTH MIDLAND.	184	3990	56	2091	1283	808	119	1483	887	596	9	416	241	175
29	LEICESTERSHIRE	40	879	14	402	238	164	24	353	200	153	2	124	74	50
30	RUTLANDSHIRE ..	3	13	2	10	5	5	1	3	3	—	—	—	—	—
31	LINCOLNSHIRE ..	52	803	17	470	311	159	32	205	119	86	3	128	73	55
32	NOTTINGHAMSH.	46	1378	13	786	464	322	30	450	286	164	3	142	83	59
33	DERBYSHIRE ..	43	917	10	423	265	158	32	472	279	193	1	22	11	11
	VIII.—NORTH WESTERN.	311	18118	78	10777	6315	4462	223	6137	3441	2696	10	1204	641	563
34	CHESHIRE	78	1993	15	1119	634	485	60	664	351	313	3	210	101	109
35	LANCASHIRE ..	233	16125	63	9658	5631	3977	163	5473	3090	2383	7	994	540	454
	IX.—YORKSHIRE.	292	9176	87	4412	2816	1626	193	3700	2153	1547	12	1034	553	481
36	WEST RIDING ..	202	7044	56	3461	2179	1282	141	2874	1636	1238	5	709	365	344
37	EAST RIDING (with York).	35	1446	11	641	412	232	18	529	326	203	6	273	154	119
38	NORTH RIDING ..	55	686	20	337	225	112	34	297	191	106	1	52	34	18
	X.—NORTHERN.	202	4437	49	2172	1416	756	147	1790	108	701	6	475	275	200
39	DURHAM	83	2292	17	1360	882	478	63	728	440	288	3	204	122	82
40	NORTHUMBERLD.	66	1611	14	590	386	204	50	828	503	325	2	193	118	75
41	CUMBERLAND ..	38	453	11	184	117	67	26	191	121	70	1	78	35	43
42	WESTMORLAND ..	15	81	7	38	31	7	8	43	25	18	—	—	—	—
	XI.—WELSH.	204	3223	64	1758	1224	534	132	933	629	304	8	532	286	246
43	MONMOUTHSH. ..	35	637	8	342	257	85	25	186	134	52	2	109	64	45
44	GLAMORGANSH. ..	63	1680	16	909	637	272	45	553	361	192	2	218	111	107
45	CARMARTHENSH.	9	146	4	61	42	19	4	31	23	8	1	54	31	23
46	PEMBROKESHIRE	12	63	3	45	26	19	9	18	14	4	—	—	—	—
47	CARDIGANSHIRE	8	51	6	43	23	20	2	8	3	5	—	—	—	—
48	BRECKNOCKSH. ..	9	95	4	33	20	13	4	15	10	5	1	47	31	16
49	RADNORSHIRE ..	5	19	2	14	11	3	3	5	3	2	—	—	—	—
50	MONTGOMERYSH.	9	37	4	30	23	7	5	7	6	1	—	—	—	—
51	FLINTSHIRE ..	5	51	2	39	31	8	3	12	8	4	—	—	—	—
52	DENBIGHSHIRE ..	16	289	4	126	85	41	11	60	39	21	1	103	48	55
53	MERIONETHSH. ..	6	36	4	30	21	9	2	6	4	2	—	—	—	—
54	CARNARVONSH. ..	24	101	5	70	42	28	18	30	22	8	1	1	1	—
55	ANGLESEY	3	18	2	16	6	10	1	2	2	—	—	—	—	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.				
			Persons.	Males.	Females.		
I.—LONDON.							
1.—London.							
1.—PADDINGTON..	1. Paddington North ..	Home of Compassion of Jesus (Home for Dying), Warrington Crescent	11	6	5		
	2. Paddington Central ..	{ WORKHOUSE	104	44	60		
		{ Infirmary	273	135	138		
		Children's Hospital	104	63	41		
		London Lock Hospital (Female Branch)	8	3	5		
		St. Mary's Hospital	309	193	116		
2.—KENSINGTON..	1. Kensington South* ..	{ WORKHOUSE	3	3	—		
		{ Infirmary	512	257	255		
		Kensington General Hospital (late Queen's Jubilee Hospital)	3	2	1		
		Kensington Dispensary and Children's Hospital..	5	3	2		
		Consumption Hospital (part of)	39	20	19		
	2. Kensington Central*..	WORKHOUSE (Mary Place)	—	—	—		
	3. Kensington North*† ..	St. Luke's House (Home for Dying)	125	60	65		
		WORKHOUSE Infirmary, Marylebone (Rackham St.)	435	242	193		
		3.—FULHAM ..	1. North Hammersmith	WORKHOUSE (Hammersmith)	2	—	2
WORKHOUSE Infirmary (Hammersmith)	335			179	156		
WORKHOUSE, Children's Receiving Home (Hammersmith)	—			—	—		
WORKHOUSE, Children's Receiving Home (Paddington)	—			—	—		
St. John's Hospital for Skin Diseases	1			1	—		
2. South Hammersmith‡	WORKHOUSE, Kensington and Chelsea Dist. Sch.		—	—	—		
	West London Hospital		285	168	117		
3. North West Fulham..	St. Cyprian's Home for Incurables		—	—	—		
	{ WORKHOUSE (Fulham)		27	18	9		
4. North East Fulham§	{ Infirmary (do.)		389	217	172		
	Western Fever Hospital (Met. Asy. Bd.)	93	48	45			
	5. South Fulham ..	WORKHOUSE School (Elm House)	—	—	—		
4.—CHELSEA ..	1. Chelsea North ..	{ WORKHOUSE (Chelsea)	11	2	9		
		{ Infirmary (do.)	216	128	88		
		{ WORKHOUSE (St. George, Hanover Square)	4	3	1		
		{ Infirmary (do.)	332	211	121		
		Cancer Hospital	109	41	68		
		Hospital for Women	19	—	19		
		Consumption Hospital (part of)	48	36	12		
		2. Chelsea South ..	WORKHOUSE, Casual Ward	—	—	—	
	3. Chelsea South ..	Victoria Hospital (Children)	140	79	61		
		Cheyne Hospital (Children)	3	2	1		
		5.—ST. GEORGE, HANOVER SQUARE	2. Belgrave	WORKHOUSE, Wallis's Yard	4	2	2
			3. St. Margaret and St. John.	St. George's Hospital	363	221	142
				Station Hospital, Rochester Row	—	—	—
Queen Alexandra Military Hospital, Millbank ..	28			28	—		
Grosvenor Hospital for Women and Children ..	7			—	7		
Gordon Hospital for Fistula	2			2	—		
Westminster Hospital	239			139	100		
6.—WESTMINSTER	1. St. James and St. Anne	Infants' Hospital, Vincent Square	62	40	22		
		WORKHOUSE	20	6	14		
		Hospital for Diseases of the Throat	14	9	5		
		Home Hospital	—	—	—		
		Hospital for Women	7	—	7		
		London Lock Hospital (Male Branch)	4	4	—		
		Hospital for Diseases of the Heart	15	3	12		
		Royal Ear Hospital	7	3	4		
	7.—ST. MARYLEBONE	1. All Souls.. .. .	Middlesex Hospital	413	207	206	
			All Saints' Home for Incurables	—	—	—	
St. Elizabeth's Home			3	—	3		
London Throat Hospital			4	2	2		
Royal National Orthopædic Hospital.. .. .			4	4	—		
West End Hospital for Paralysis			4	1	3		
2. St. Mary		St. Marylebone Home for Incurables.. .. .	—	—	—		
		{ WORKHOUSE	46	28	18		
		{ WORKHOUSE, Casual Wards (Houseless Poor Wards)	—	—	—		

NOTE.—Whenever two or more institutions are situated in the same enclosure they are bracketed together in this table, and are indicated in the Table on pp. 146–205 by a single letter.

* The sub-districts of Kensington district were altered on 1st May, 1910. The institution deaths are shown as if the change had taken place at the beginning of the year.

† 2: 3.—In St. Joseph's House, 25 deaths occurred during the year.

‡ 3: 2.—In Nazareth House, 26 deaths occurred during the year.

§ 3: 4.—In Otto House, a private Lunatic Asylum, 1 death occurred during the year

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
1.—London—continued.					
7.—ST. MARYLEBONE—cont.	2. St. Mary—cont.	Queen Charlotte's Lying-in Hospital..	53	29	24
		Home for Consumptive Females ..	—	—	—
		Western Ophthalmic Hospital ..	1	—	1
		Samaritan Free Hospital ..	18	—	18
		Hospital for Invalid Gentlewomen* ..	3	—	3
8.—HAMPSTEAD ..	1. Hampstead ..	Hospital for Epilepsy and Paralysis ..	3	1	2
		Hospital of St. John and St. Elizabeth ..	35	11	24
		WORKHOUSE ..	111	55	56
		North Western Fever Hospital (Met. Asy. Bd.) ..	72	34	38
		St. Peter's Home, Kilburn ..	16	—	16
9.—ST. PANCRAS ..	1. West St. Pancras ..	Hampstead General Hospital ..	124	63	61
		Mount Vernon Consumption Hospital ..	21	20	1
		Home of Peace for the Dying (Friedenheim) ..	105	42	63
		Tudor House Convalescent Home ..	—	—	—
		Hospital and Home for Incurable Children (Northcourt) ..	12	7	5
10.—ISLINGTON ..	1. Tufnell ..	London Temperance Hospital ..	127	68	59
		St. Saviour's Hospital ..	2	—	2
		WORKHOUSE Infirmary(Central London Sick Asy.)	152	110	42
		North London or University College Hospital ..	334	199	135
		Home Hospital ..	12	6	6
11.—HACKNEY ..	1. Stoke Newington† ..	Medical and Surgical Home, Fitzroy Square ..	1	1	—
		London Skin Hospital ..	1	1	—
		British Hospital for Skin Diseases ..	—	—	—
		Metropolitan Ear, Nose, and Throat Hospital ..	—	—	—
		Medical and Surgical Home, Endsleigh Gardens ..	4	2	2
12.—ST. GILES ..	1. St. Giles and Bloomsbury.	Royal Free Hospital ..	202	127	75
		Central London Ophthalmic Hospital ..	1	1	—
		Central London Throat and Ear Hospital ..	11	5	6
		St. Luke's Hostel, Fitzroy Square ..	2	2	—
		WORKHOUSE, Casual Wards ..	—	—	—
13.—STRAND ..	1. Strand ..	WORKHOUSE Infirmary ..	847	459	388
		WORKHOUSE, Cornwallis Road ..	9	6	3
		WORKHOUSE, St. John's Road..	145	89	56
		WORKHOUSE Infirmary (Holborn Union) ..	401	245	156
		Great Northern Central Hospital ..	179	95	84
14.—ST. GILES ..	1. St. Giles and Bloomsbury.	WORKHOUSE Schools ..	1	1	—
		WORKHOUSE Receiving Homes ..	—	—	—
		WORKHOUSE (Shoreditch) ..	—	—	—
		Winifred House Convalescent Home ..	—	—	—
		London Fever Hospital ..	7	4	3
15.—HACKNEY ..	1. Stoke Newington† ..	Mildmay Memorial Cottage Hospital ..	26	14	12
		Home for Confirmed Invalids, Aubert Park and Highbury Terrace ..	15	—	15
		Invalid Asylum ..	—	—	—
		WORKHOUSE and Infirmary (City of London) ..	86	60	26
		WORKH.SCHOOL (Shoreditch), Lower Clapton Rd.	—	—	—
16.—HACKNEY ..	2. North Hackney.†	Eastern Fever Hospital (Met. Asy. Bd.) ..	80	43	37
		Metropolitan Hospital ..	180	92	88
		German Hospital ..	114	68	46
		Salvation Army Maternity Hospital ..	16	10	6
		WORKHOUSE ..	7	2	5
17.—HACKNEY ..	3. Central Hackney§	Infirmary ..	714	376	338
		WORKHOUSE, Cottage Homes (Branch School) ..	—	—	—
		WORKHOUSE (West Ham) ..	—	—	—
		St. Joseph's Hospice for the Dying (including 3, Cambridge Lodge Villas) ..	52	25	27
		WORKHOUSE ..	37	22	15
18.—ST. GILES ..	1. St. Giles and Bloomsbury.	WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
19.—ST. GILES ..	1. St. Giles and Bloomsbury.	British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
20.—ST. GILES ..	1. St. Giles and Bloomsbury.	French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
21.—HACKNEY ..	2. North Hackney.†	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
22.—HACKNEY ..	3. Central Hackney§	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
23.—HACKNEY ..	4. South West Hackney	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
24.—HACKNEY ..	5. South East Hackney	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
25.—HACKNEY ..	6. South East Hackney	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
26.—HACKNEY ..	7. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
27.—HACKNEY ..	8. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
28.—HACKNEY ..	9. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
29.—HACKNEY ..	10. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
30.—HACKNEY ..	11. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
31.—HACKNEY ..	12. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
32.—HACKNEY ..	13. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
33.—HACKNEY ..	14. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
34.—HACKNEY ..	15. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
35.—HACKNEY ..	16. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
36.—HACKNEY ..	17. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
37.—HACKNEY ..	18. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
38.—HACKNEY ..	19. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
39.—HACKNEY ..	20. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
40.—HACKNEY ..	21. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
41.—HACKNEY ..	22. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
42.—HACKNEY ..	23. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
43.—HACKNEY ..	24. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
44.—HACKNEY ..	25. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
45.—HACKNEY ..	26. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
46.—HACKNEY ..	27. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
47.—HACKNEY ..	28. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
48.—HACKNEY ..	29. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
49.—HACKNEY ..	30. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
50.—HACKNEY ..	31. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
51.—HACKNEY ..	32. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
52.—HACKNEY ..	33. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
53.—HACKNEY ..	34. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
54.—HACKNEY ..	35. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
55.—HACKNEY ..	36. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
56.—HACKNEY ..	37. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
57.—HACKNEY ..	38. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
58.—HACKNEY ..	39. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
59.—HACKNEY ..	40. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
60.—HACKNEY ..	41. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
61.—HACKNEY ..	42. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
62.—HACKNEY ..	43. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
63.—HACKNEY ..	44. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
64.—HACKNEY ..	45. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
65.—HACKNEY ..	46. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
66.—HACKNEY ..	47. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
67.—HACKNEY ..	48. Islington South East	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17	9
		WORKHOUSE ..	37	22	15
68.—HACKNEY ..	49. Highbury ..	WORKHOUSE ..	37	22	15
		WORKHOUSE, Casual Ward ..	—	—	—
		British Lying-in Hospital..	19	7	12
		French Hospital ..	26	17</	

* The Hospital for Invalid Gentlewomen was formerly called the Ladies' Hospital, and was situated in All Souls sub-district (7:1).

† 11:1.—In Northumberland House, a private Lunatic Asylum, 6 deaths, and in St. Ann's House, 14 deaths occurred during the year.

‡ 11:2.—In Brooke House, a private Lunatic Asylum, 5 deaths occurred during the year.

§ 11:3.—In the Salvation Army Rescue Home, Lanark House, no death occurred during the year.

|| 11:5.—In the Salvation Army Rescue Home, 27-29, Devonshire Road, 2 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.				
			Persons.	Males.	Females.		
1.—London—continued.							
14.—HOLBORN ..	1. Holborn	WORKHOUSE, Casual Wards	—	—	—		
		London Homœopathic Hospital	39	17	22		
		Hospital for Sick Children	370	202	168		
	2. Clerkenwell	National Hospital for Paralysis	64	41	23		
		Alexandra Hospital for Hip Disease (Children)	10	5	5		
		Italian Hospital	36	26	10		
		St. Paul's Hospital for Genito-urinary Diseases	—	—	—		
		St. Barnabas' Home for Incurables	11	1	10		
		St. Mark's Hospital (Fistula)	8	6	2		
		City of London Lying-in Hospital	40	20	20		
		Royal London Ophthalmic Hospital	2	1	1		
		St. Luke's Lunatic Hospital.. ..	9	1	8		
		15.—LONDON CITY	1. St. Botolph	City Police Hospital	—	—	—
			2. St. Sepulchre and All-hallows.	WORKHOUSE	4	2	2
St. Bartholomew's Hospital	623			378	245		
16.—SHOREDITCH	1. Shoreditch South ..	Billingsgate Mission Hospital	—	—	—		
		Convent Hospital (Children)	3	1	2		
		Home of the Good Shepherd, Harman Street, (Medical Home for Wasting Babies)	28	18	10		
	2. Shoreditch North West.	Babies' Home, Brunswick Place (Wasting Babies)	23	6	17		
		WORKHOUSE	2	—	2		
		Infirmary	528	285	243		
		WORKHOUSE (Holborn)	241	121	120		
		Royal Hospital for Diseases of the Chest	54	43	11		
		17.—BETHNAL GREEN	1. Bethnal Green North East.	WORKHOUSE	44	30	14
			2. Bethnal Green South West.	WORKHOUSE Infirmary	547	319	228
City of London Hospital (Diseases of the Chest)	52			38	14		
Queen's Hospital for Children	396	201		195			
Bethnal House Lunatic Asylum	30	11		19			
18.—WHITECHAPEL	2. Whitechapel	Mildmay Mission Hospital	33	17	16		
		WORKHOUSE Infirmary	295	190	105		
	19.—ST. GEORGE IN THE EAST	1. St. George and St. John	London Hospital	1364	769	595	
WORKHOUSE			1	1	—		
Infirmary			279	137	142		
20.—STEPNEY ..	1. Shadwell and Ratcliff	WORKHOUSE, Casual Ward	—	—	—		
		WORKHOUSE (Receiving Home for Children; Stepney, Shoreditch, and Paddington)	1	—	1		
		East London Children's Hospital	448	249	199		
21.—MILE END OLD TOWN	2. Limehouse	WORKHOUSE, Casual Wards	—	—	—		
		East End Mothers' Home.. ..	16	10	6		
		WORKHOUSE	2	—	2		
22.—POPLAR ..	1. Mile End Old Town South Western.	Infirmary (Bancroft Road)	350	175	175		
		WORKHOUSE (Whitechapel), South Grove	37	28	9		
		WORKHOUSE (Stepney)	70	44	26		
	2. Bromley	WORKHOUSE Infirmary (Poplar & Stepney Sick Asy.)	769	447	322		
		Poplar Hospital	109	67	42		
23.—SOUTHWARK	3. Poplar	WORKHOUSE	56	38	18		
		WORKHOUSE Infirmary (Branch of Poplar and Stepney Sick Asylum)	13	1	12		
		WORKHOUSE	12	11	1		
	1. Christchurch and St. Saviour Southwark.	Hospital for Diseases of the Skin	—	—	—		
		Guy's Hospital	770	421	349		
WORKHOUSE		16	16	—			
Evelina Hospital (Children)		184	104	80			
24.—ST. OLAVE (BERMONDSEY).	3. St. George the Martyr West.	Royal South London Ophthalmic Hospital	1	—	1		
		Bethlem Royal Lunatic Hospital	21	15	6		
		WORKHOUSE	92	25	67		
	5. Newington South ..	WORKHOUSE Children's Receiving Homes.. ..	7	3	4		
		WORKHOUSE	17	9	8		
25.—ST. OLAVE (BERMONDSEY).	1. St. Olave	WORKHOUSE Sch.(St. Olave Union Children's Home)	—	—	—		
		WORKHOUSE	1	1	—		
		WORKHOUSE Infirmary	542	328	214		
	2. Bermondsey	WORKHOUSE, Casual Wards	—	—	—		
3. Rotherhithe		South Wharf Shelters (Met. Asy. Bd.)	—	—	—		

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
1.—London—continued.						
25.—LAMBETH ..	1. Waterloo	Royal Waterloo Hospital (Women and Children)	103	47	56	
		General Lying-in Hospital	32	16	16	
	2. Lambeth Church	St. Thomas's Hospital and Home	649	381	268	
		3. Kennington*	{ WORKHOUSE, Renfrew Road	121	48	73
	4. Stockwell	{ Infirmary, Brook Street	648	345	303	
		WORKHOUSE, Princes Road	1	—	1	
	5. Brixton	Clapham Maternity Hospital	11	3	8	
		6. Norwood†	South Western Fever Hospital (Met. Asy. Bd.)	92	58	34
	26.—WANDSWORTH	1. East Battersea... ..	Hospital for Children (Belgrave Hospital)	61	33	28
			3. South West Battersea	WORKHOUSE, Home for Aged Poor (Elder Road)	2	1
4. Clapham†		WORKHOUSE Schools	—	—	—	
		5. Streatham§	WORKHOUSE, Children's Infirmary	11	5	6
6. Springfield		British Home for Incurables	6	1	5	
		7. Southfields	Battersea General Hospital	10	3	7
8. Putney.			WORKHOUSE (Branch: Wandsworth), St. James' Rd.	—	—	—
		27.—CAMBERWELL	2. Camberwell South	WORKHOUSE Infirmary (St. James')	—	—
WORKHOUSE Infirmary (Wandsworth)				689	368	321
3. Camberwell North			Bolingbroke Hospital	62	34	28
	6. Peckham South		The Hostel of God	59	23	36
7. Southfields			Nightingale Nursing Home	7	7	—
	8. Putney.		WORKHOUSE (St. Pancras), St. Anne's Home	94	46	48
28.—GREENWICH..			1. Deptford North	WORKHOUSE (Wandsworth and Clapham), Tooting Home	54	29
	4. Greenwich West			Grove Fever Hospital (Met. Asy. Bd.)	259	148
	5. Greenwich East		Tooting Bee Imbecile Asylum (Met. Asy. Bd.)	5	2	3
			6. Peckham South	Middlesex County Lunatic Asylum (part of)	—	—
	7. Southfields	WORKHOUSE (Intermediate School: Wandsworth and Clapham)		30	7	23
		8. Putney.	WORKHOUSE (Wandsworth and Clapham)	74	40	34
	29.—LEWISHAM ..		1. Eltham	Middlesex County Lunatic Asylum (part of)	12	4
		2. Lee		Royal Hospital for Incurables	158	84
			3. Lewisham**	WORKHOUSE	765	468
		4. Sydenham		WORKHOUSE (Southwark Infirmary)	2	2
5. Greenwich East			WORKHOUSE, Cottage Home (St. Olave Union)	647	349	298
		6. Peckham South	WORKHOUSE Infirmary	54	24	30
7. Southfields			Camberwell House Lunatic Asylum	36	16	20
		8. Putney.	Peckham House Lunatic Asylum	5	3	2
30.—WOOLWICH ..			1. Charlton... ..	WORKHOUSE, Gordon Road	—	—
		2. Woolwich		WORKHOUSE (Camberwell Union Children's Homes)	122	59
	3. Plumstead West		South Eastern Fever Hospital (Met. Asy. Bd.)¶	43	27	16
		4. Plumstead East	Miller Memorial Hospital.. .. .	143	72	71
	5. Greenwich East		{ WORKHOUSE	426	253	173
		6. Peckham South	{ Infirmary	—	—	—
	7. Southfields		WORKHOUSE School	124	111	13
		8. Putney.	"Dreadnought" Seamen's Hospital	11	9	2
	31.—LAMBETH ..		1. Waterloo	Cottage Hospital	6	2
		2. Lambeth Church		WORKHOUSE, Grove Park (Greenwich)	21	12
3. Kennington*			St. John's Hospital	28	7	21
		4. Stockwell	{ WORKHOUSE	324	180	144
5. Brixton			{ Infirmary	—	—	—
		6. Norwood†	WORKHOUSE (Receiving Home for Children)	61	27	34
7. Stockwell			WORKHOUSE (St. Olave)	17	7	10
		8. Brixton	Park Fever Hospital (Met. Asy. Bd.)††	2	2	—
9. Brixton			Park Children's Hospital (Met. Asy. Bd.)††	15	10	5
		32.—LAMBETH ..	1. Waterloo	Home for Sick Children	59	30
2. Lambeth Church	Brook Fever Hospital (Met. Asy. Bd.)			15	15	—
	3. Kennington*		Herbert Hospital (Military)	15	5	10
4. Stockwell			Cottage Hospital (Kidbrooke)	8	6	2
	5. Brixton		Garrison Female Hospital	7	7	—
6. Norwood†			Royal Arsenal Infirmary	14	9	5
	7. Stockwell		Cottage Hospital	1	1	—
8. Brixton			Auxiliary Hospital	3	2	1
	9. Brixton		Home for Mothers and Babies	—	—	—
33.—LAMBETH ..			1. Waterloo	WORKHOUSE (Furze Lodge)	—	—
	2. Lambeth Church	Crole-Wyndham Convalescent Home		4	1	3
		3. Kennington*	WORKHOUSE	263	145	118
	4. Stockwell		{ WORKHOUSE	—	—	—
		5. Brixton	{ Infirmary	—	—	—
	6. Norwood†		WORKHOUSE Schools	—	—	—
		7. Stockwell		—	—	—
	8. Brixton			—	—	—
		9. Brixton		—	—	—

* 25: 3.—In St. Peter's House (Home for Aged Poor), 28 deaths occurred during the year.

† 25: 6.—In Fenstanton, a private Lunatic Asylum, 4 deaths occurred during the year.

‡ 26: 4.—In Clarence Lodge, a private Lunatic Asylum, 2 deaths occurred during the year.

§ 26: 5.—In Newlands House, a private Lunatic Asylum, 3 deaths occurred during the year.

|| 26: 8.—In the Priory, a private Lunatic Asylum, 2 deaths occurred during the year.

¶ Of the deaths in the South Eastern Fever Hospital shown above, 64 (viz.:—33 of males and 31 of females) were registered in the old sub-district of Deptford Central which was altered in boundary on 1st August, 1910, and re-named Deptford East.

** 29: 3.—In Flower House, a private Lunatic Asylum, 2 deaths occurred during the year.

†† The Park Fever Hospital (Met. Asy. Bd.) was transformed into a Children's Hospital during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
11.—SOUTH-EASTERN DIVISION.						
2.—Surrey.						
31.—EPSOM	1. Carshalton	WORKHOUSE, Belmont (Fulham)	24	24	—	
		Croydon R.D., Isolation Hospital	34	14	20	
		Small-pox Hosp. (Croydon C.B., Wimbledon M.B., Merton U.D., and Penge U.D.)	—	—	—	
		Carshalton Cottage Hospital	9	5	4	
		Sutton Cottage Hospital	14	9	5	
		St. Anthony's Hospital	4	—	4	
		Children's Infirmary (M.A.B.)*	82	31	51	
		London County Lunatic Asylum, Banstead	267	137	130	
		WORKHOUSE	87	52	35	
		WORKHOUSE (Kensington and Chelsea Dist. Schs.)	1	1	—	
	2. Epsom	Epsom and Ewell Cottage Hospital	10	6	4	
		Isolation Hospital (Epsom U.D.)	1	—	1	
		Isolation Hospital, Cuddington (Epsom R.D.; Sutton, Carshalton, and Leatherhead U. Dists.)	12	6	6	
		London County Lunatic Asylum, Manor	67	2	65	
		London County Lunatic Asylum, Horton	172	93	79	
		London County Lunatic Asylum, Long Grove	268	172	96	
		London County Lunatic Asylum, Epileptic Colony	10	10	—	
		3. Leatherhead	Cottage Hospital, Leatherhead	3	2	1
		Cottage Hospital, Cobham	4	2	2	
		Schiff Home of Recovery, Cobham	—	—	—	
32.—CHERTSEY	1. Walton	Metropolitan Convalescent Asylum	4	4	—	
		Cottage Hospital, Weybridge	6	3	3	
		Cottage Hospital, Walton	6	3	3	
	2. Chertsey	WORKHOUSE	54	35	19	
		Isolation Hospital (Chertsey R.D.)	3	2	1	
33.—GUILDFORD	1. Woking	Victoria Cottage Hospital, Woking	13	7	6	
		St. Peter's Home	11	—	11	
		Small-pox Hospital (Guildford, Godalming, and Woking Joint Hospital Dist.)	—	—	—	
		County Lunatic Asylum, Brookwood	73	34	39	
		Alexandra Hosp. for Hip Disease (Branch)	—	—	—	
	4. Guildford	WORKHOUSE	106	64	42	
		Royal Surrey County Hospital	80	42	38	
	5. Godalming	Isolation Hospital (Guildford M.B. and R.D., Godalming M.B., and Woking U.D.)	—	—	—	
		Meath Home for Epileptic Women and Children	—	—	—	
		Isolation Hospital (Frimley U.D.)	—	—	—	
		Conval. Home (Beh. of Brompton Consump. Hosp.)	2	2	—	
		Frimley District Cottage Hospital	3	1	2	
	2. Aldershot	Military Hospital for Infectious Diseases	1	1	—	
		Aldershot Cottage Hospital	4	2	2	
		Isolation Hospital (Aldershot U.D.)	—	—	—	
		Louise Margaret Hospital (Military)	33	15	18	
		Cambridge Hospital (Military)	28	28	—	
3. Farnham		WORKHOUSE	101	68	33	
		Cottage Hospital	6	3	3	
		Convalescent Home, Hale	2	—	2	
		Crooksbury Sanatorium for Consumption	—	—	—	
		Isolation Hospital (Farnham U.D. & R.D.)	4	3	1	
4. Frensham	Whitmead Sanatorium (Tuberculosis)	1	1	—		
	WORKHOUSE	18	13	5		
	Cottage Hospital, Haslemere	4	—	4		
	Bethlem Convalescent Hospital for the Insane (Branch of Bethlem Royal Hospital)	—	—	—		
	Cranley Village Hospital	3	1	2		
36.—DORKING	1. Capel	Capel Village Hospital	1	1	—	
		Ockley Sanatorium (Phthisis)	—	—	—	
		WORKHOUSE	24	13	11	
	2. Dorking	Cottage Hospital	9	5	4	
		Isolation Hospital (Dorking U.D. and R.D.)	5	3	2	
37.—REIGATE	1. Betchworth	Surrey County Lunatic Asylum, Netherne	61	36	25	
		WORKHOUSE	42	25	17	
		Reigate and Redhill Hospital	15	7	8	
		Mrs. Kitto's Convalescent Home	—	—	—	
		Brabazon Home	—	—	—	
	3. Horley	Earlswood Idiot Asylum	14	8	6	
		Horley Cottage Hospital	3	2	1	
		Infectious Diseases Hospital (Reigate R.D.)	—	—	—	
		Isolation Hospital (Reigate M.B.)	2	2	—	
		Caterham Cottage Hospital	4	1	3	
38.—GODSTONE	1. Godstone	Charing Cross Hospital Convalescent Home	2	2	—	
		Caxton Convalescent Home, Limpsfield	—	—	—	
		Conval. Home for Women & Children, Limpsfield	—	—	—	
		Homes for Epileptic Children, Lingfield	1	1	—	
		WORKHOUSE	40	29	11	
		Isolation Hospital (Godstone R.D.)	2	—	2	
		Caterham Cottage Hospital	4	1	3	

* 31: 1.—The Children's Infirmary is now called Queen Mary's Hospital for Children.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
2.—Surrey—continued.					
38.—GODSTONE— cont.	1. Godstone—cont.	Convalescent Home, Oxted	—	—	—
		Caterham Imbecile Asylum (Met. Asy. Bd.)	157	79	78
		Borough of Croydon Mental Hospital	41	24	17
39.—CROYDON ..	1. Coulsdon	London County Lunatic Asylum, Cane Hill	130	83	47
	2. South Croydon	WORKHOUSE Schools (Bermondsey)	—	—	—
		Purley Cottage Hospital	3	1	2
		Children's Convalescent Home	1	1	—
	3. West Croydon	WORKHOUSE	5	2	3
		WORKHOUSE Infirmary	345	195	150
		WORKHOUSE, Cottage Homes	—	—	—
		Borough Hospital (Infectious Diseases)	26	15	11
		General Hospital	75	45	30
		Eye, Ear and Throat Hospital*	—	—	—
	4. North Croydon	Cottage Hospital, Upper Norwood	18	9	9
	5. Penge	WORKHOUSE (North Surrey District Schools)	1	1	—
	6. Mitcham	WORKHOUSE (Holborn Union)	34	29	5
		WORKHOUSE Industrial Schools (Holborn Union)	2	1	1
40.—KINGSTON ..	1. Wimbledon	Atkinson Morley Convalescent Hospital	4	2	2
		Wimbledon Cottage Hospital	11	4	7
		Wimbledon Isolation Hospital	1	—	1
		South Wimbledon and District Cottage Hospital	15	7	8
	2. Kingston	WORKHOUSE	—	—	—
		WORKHOUSE Infirmary, Kingston Hill	225	123	102
		WORKHOUSE (New Malden)	—	—	—
		WORKHOUSE, Cottage Homes (New Malden)	—	—	—
		Kingston Victoria Hospital	16	13	3
	3. Surbiton	Surbiton Cottage Hospital	4	1	3
		Isolation Hospital (Five Urb. Dists. & R.D.)	12	8	4
	4. Esher	Thames Ditton Cottage Hospital	4	1	3
		East and West Molesey Cottage Hospital	5	1	4
	5. Hampton	Teddington and Hampton Wick Cottage Hospital	18	6	12
		Isolation Hospital (Hampton U.D.)	2	—	2
41.—RICHMOND ..	1. Richmond	Normansfield Idiot Asylum	2	1	1
		WORKHOUSE	84	38	46
		WORKHOUSE, Cottage Homes	—	—	—
		Royal Hospital	33	19	14
	2. Mortlake	WORKHOUSE, Cottage Homes	—	—	—
		Isolation Hospital (Barnes U.D.)	3	2	1
3.—Kent.					
42.—BROMLEY ..	1. Bromley	Bromley and Beckenham Joint Hospital (Inf. Dis.)	11	7	4
		Bromley Cottage Hospital	22	10	12
		Phillips' Memorial Hospital	4	2	2
		Lady Margaret Hospital	7	5	2
		St. Mary's Home for Invalid Children	—	—	—
	2. Beckenham	Cottage Hospital	15	8	7
	3. Orpington	WORKHOUSE	138	82	56
	4. Chislehurst	Small-pox Hosp. (Bromley & Beckenham Hos. Bd.)	—	—	—
		WORKHOUSE (Greenwich Union Children's Homes)†	—	—	—
		Sidcup Cottage Hospital	10	5	5
		Cray Valley Cottage Hospital	5	3	2
43.—DARTFORD ..	1. Bexley	Cottage Hospital, Bexley	7	4	3
		Isolation Hospital (Bexley U.D.)	2	1	1
	2. Erith†	Sanatorium, Belvedere (Erith U.D.)	3	1	2
		Cottage Hospital, Erith	8	3	5
	3. Dartford	WORKHOUSE	141	94	47
		Joyce Green Hospital (Met. Asy. Bd.)	—	—	—
		Long Reach Hospital (Met. Asy. Bd.)	—	—	—
		Gore Farm Hospital (Met. Asy. Bd.)§	6	3	3
		Bow Arrow Hosp. (Infect. Dis., Dartford U.D. & R.D.)	7	3	4
		Livingstone Cottage Hospital, Dartford	16	8	8
		City of London Lunatic Asylum, Stone	44	24	20
		London County Lunatic Asylum, Dartford Heath	140	74	66
		Darenth Imbecile Asylum (Met. Asy. Bd.)	63	37	26
	4. Farningham	Hospital Convalescent Home, Parkwood	1	1	—
		Kettlewell Conval. Home (St. Bartholomew's Hosp.)	2	2	—
		White Oak Ophthalmia School (Met. Asy. Bd.) 	2	1	1
44.—GRAVESEND..	1. Gravesend	WORKHOUSE	50	32	18
		WORKHOUSE, Children's Home	—	—	—
		Gravesend Hospital (Bath Street)	43	21	22
		Military Hospital	1	1	—
45.—STROOD ..	1. Northfleet	Sanatorium for Small-pox, (Gravesend M.B.)	—	—	—
		Sanatorium (Infectious diseases other than Small-pox; Gravesend M.B.)	—	—	—
		Isolation Hospital (Strood R.D.)	2	1	1
		Small-pox Hospital (Northfleet U.D.)	—	—	—
		Port of London Hospital	1	1	—

* Closed in 1911.

† Transferred from Bexley sub-district (43:1) by a change in boundary on 1st December 1910; no death was registered in this institution during the year.

‡ 43: 2.—In the Royal Alfred Institution for Aged Seamen, 6 deaths occurred during the year.

§ Now called Southern Convalescent Hospital.

|| Classed as a hospital in the Summary on p. 226.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
3.—Kent—continued.					
45.—STROOD—cont.	2. Strood	WORKHOUSE	47	30	17
		WORKHOUSE, Cottage Homes	—	—	—
46.—HOO ..	1. Hoo	WORKHOUSE	6	4	2
		Isolation Hospital (Hoo R.D.)	2	1	1
47.—MEDWAY ..	1. Rochester and Chatham.	WORKHOUSE	167	93	74
		St. Bartholomew's Hospital	86	54	32
		Fort Pitt Hospital (including Auxiliary Hospital)	3	—	—
		St. William's Hosp. (Rochester and Chatham M.B.'s)	7	5	2
		Small Pox Hosp. (Rochester and Chatham M.B.'s)	—	—	—
		Port Sanitary Hospital Ship "Elk"	—	—	—
	2. Gillingham	Infectious Diseases Hospital (Gillingham M.B.) ..	4	1	3
		Military Families Hospital (Lying-in)	6	2	4
		Alexandra Hosp. for Small Pox (Gillingham M.B.)	—	—	—
		Royal Naval Hospital (General and Infectious) ..	31	31	—
48.—MALLING ..	1. Aylesford*	WORKHOUSE	31	19	12
		Isolation Hospital (Malling R.D.)	5	3	2
		Zymotic Military Hospital	—	—	—
49.—SEVENOAKS ..	2. Wrotham	Isolation Hospital (Wrotham U.D.)	—	—	—
	1. Shoreham	Isolation Hospital (Sevenoaks R.D.)	1	1	—
	2. Sevenoaks	WORKHOUSE	47	27	20
		Holmesdale Cottage Hospital	4	2	2
		Hospital for Hip Diseases	—	—	—
		Sevenoaks Urban District Fever Hospital	—	—	—
50.—TONBRIDGE ..	3. Penshurst	Isolation Hospital (Joint Parish Councils)	1	1	—
	1. Tunbridge Wells ..	General Hospital	65	33	32
		Homœopathic Hospital	6	1	5
		Eye and Ear Hospital	—	—	—
		Isolation Hospital (Southborough U.D.)	1	1	—
	2. Tonbridge†	WORKHOUSE	70	44	26
		Infectious Diseases Hospital (Tonbridge U.D.) ..	1	—	1
		Cottage Hospital	—	—	—
	3. Brenchley	Infectious Diseases Hospital (Tonbridge R.D.) ..	—	—	—
		Small Pox Hospital (Joint Board)	—	—	—
51.—MAIDSTONE ..	2. Loose	WORKHOUSE	65	43	22
		WORKHOUSE Schools	—	—	—
		Infectious Diseases Hospital (Maidstone R.D.) ..	1	1	—
		Convalescent Home, Otham	—	—	—
	3. Maidstone	Sanatorium (Public Fever Hosp.; Maidstone M.B.)	1	1	—
		West Kent General Hospital	48	32	16
		Kent Ophthalmic Hospital	—	—	—
		County Lunatic Asylum, Barming Heath	211	91	120
52.—HOLLINGBOURN	1. Hollingbourn	WORKHOUSE	14	7	7
		Hospital for Infectious Dis. (Hollingbourn Union)	—	—	—
53.—CRANBROOK	1. Cranbrook	WORKHOUSE	29	13	16
		Passmore Edwards Conval. Home (Met. Free Hosp.)	—	—	—
		Isolation Hospital (Cranbrook R.D.)	—	—	—
		Sanatorium, Benenden (Consumption)	5	5	—
	2. Hawkhurst‡	Village Hospital	—	—	—
54.—TENTERDEN..	1. Tenterden	WORKHOUSE	10	7	3
55.—WEST ASHFORD	1. Calehill	WORKHOUSE	17	9	8
		Sanatorium (West Ashford R.D.)	—	—	—
		Observation Hospital (West Ashford R.D.)	—	—	—
	2. Ashford	Cottage Hospital	11	7	4
		Isolation Hospital (Ashford U.D.)	—	—	—
56.—EAST ASHFORD	1. Brabourne	WORKHOUSE	14	10	4
		Infectious Diseases Hospital (East Ashford R.D.)	—	—	—
57.—BRIDGE ..	1. Chartham	County Lunatic Asylum	136	69	67
	2. Barham	WORKHOUSE	19	11	8
		Sanatorium (Bridge R.D.)	—	—	—
58.—CANTERBURY	1. Canterbury	WORKHOUSE	35	19	16
		Kent and Canterbury Hospital	55	33	22
		Military Hospital	1	1	—
		City of Canterbury Sanatorium	2	1	1
		Decker Hut Small-pox Hosp. (City of Canterbury)	—	—	—
		Borough Lunatic Asylum	14	9	5
59.—BLEAN.. ..	2. Herne	WORKHOUSE	26	15	11
		Small-pox Hospital (Herne Bay, U.D.)	—	—	—
		St. Anne's Convalescent Home (Met. Asy. Bd.) ..	3	2	1
		Cottage Hospital	—	—	—
		West End Isolation Hospital (Blean R.D.)	2	1	1
		Isolation Hospital (Herne Bay U.D.)	—	—	—
		Railway Servants' Convalescent Home, Beltinge..	2	2	—
		Passmore Edwards Convalescent Home	1	1	—
		Baldwin Brown Convalescent Home	—	—	—
		Burnet Convalescent Home	—	—	—
	3. Whitstable	Small-pox Hospital (Whitstable U.D.)	—	—	—
		London Hospital Convalescent Home	—	—	—

* 48 : 1.—In West Malling Place, a private Lunatic Asylum, 1 death occurred during the year.

† 50 : 2.—In Redlands, a private Lunatic Asylum, 1 death occurred during the year.

‡ 53 : 2.—In Dr. Barnardo's Home, Babies' Castle, 2 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
3.—Kent—continued.					
60.—FAVERSHAM..	2. Faversham	WORKHOUSE	33	19	14
		Faversham Cottage Hosp. & Provident Dispensary	4	4	—
		Kennaway's Hospital (Faversham M.B.)	3	2	1
	3. Teynham	{ Small-pox Hospital (Faversham R.D.)	—	—	—
		{ Infectious Diseases Hospital (Faversham R.D.) ..	1	—	1
61.—MILTON ..	1. Milton	Isolation Hospital (Faversham M.B.)	—	—	—
		WORKHOUSE	32	23	9
		Sittingbourne and Milton Joint Hosp.(Keycol Hosp.)	4	1	3
62.—SHEPPEY ..	1. Minster	Sittingbourne and Milton Small-pox Hospital ..	—	—	—
		WORKHOUSE	28	16	12
		Military and Garrison Hospital	—	—	—
		Royal Naval Sick Quarters	1	1	—
		Small Pox Hospital (Sheppey R.D.)	—	—	—
63.—THANET ..	1. Minster	Small Pox Hospital (Queenborough M.B.)	—	—	—
		WORKHOUSE	99	52	47
	2 Margate	St. Nicholas Hospital for Children	—	—	—
		WORKHOUSE (West Ham Conval.Home), Dane Hill	10	8	2
		Royal Sea Bathing Hospital	13	7	6
		Cottage Hospital	15	7	8
		Apsley House Convalescent Home	3	3	—
		Convalescent Home, Harold Road	—	—	—
		Conval. Home for R.C. Childn., Grosvenor Place ..	7	3	4
		St. Michael's Conval. Home, Westgate-on-Sea ..	1	—	1
		East Cliff Convalescent Home (Met. Asy. Bd.) ..	2	2	—
		3. Broadstairs	—	—	—
	4. Ramsgate	WORKHOUSE (N.Surrey Dis.) Wainwright Con.Ho.	—	—	—
		Thanet Isolation Hospital (Joint Hospital Board)	15	6	9
		Victoria Convalescent Home (Branch of Victoria	—	—	—
		Hospital for Children, Chelsea)	—	—	—
		Metropolitan Convalescent Institution, St. Peter's	2	2	—
		Whittuck Convalescent Home	—	—	—
		Yarrow Convalescent Home	2	2	—
		Small-pox Hospital (I. of Thanet Jnt. Hosp. Bd.)	1	1	—
		WORKHOUSE, Cottage Homes	—	—	—
		General Hospital and Seamen's Infirmary	20	15	5
		Club Union Convalescent Home, St. Lawrence ..	1	1	—
		St. Catherine's Hospital	51	33	18
		St. Martin's Hospital (Incurables)	—	—	—
		St. Luke's Lunatic Hospital, Nether Court (Con-	—	—	—
		valescent Branch)	—	—	—
64.—EASTRY ..	1. Sandwich	WORKHOUSE	37	25	12
		Cottage Hospital	—	—	—
	4. Deal	Sanatorium (Eastry R.D.)	—	—	—
		Victoria Cottage Hospital	14	5	9
65.—DOVER ..	2. Dover	Isolation Hospital (Deal M.B. & Walmer U.D.) ..	—	—	—
		WORKHOUSE	90	61	29
		Royal Victoria Hospital	31	22	9
		Cottage Hospital (Infect. Dis.; Dover M.B.) ..	6	4	2
		Western Heights Hospital (Military)	5	5	—
66.—ELHAM ..	1. Folkestone	Friendly Societies, Convalescent Home	—	—	—
		WORKHOUSE (Elham Union Cottage Homes) ..	—	—	—
		St. Andrew's Convalescent Home	1	—	1
		Military Hospital, Shorncliffe Camp	8	8	—
		Helena Hospital, Shorncliffe Camp	12	6	6
		Borough of Folkestone Sanatorium	—	—	—
		Small-pox Hospital (Folkestone M.B.)	—	—	—
		Victoria Hospital	34	21	13
		Farleigh House Home (Consumption)	6	4	2
		Ontario House Convalescent Home	1	—	1
		Grosvenor House Home (Consumption)	3	3	—
		Lymington House Convalescent Home	—	—	—
		Sandgate House Convalescent Home	1	1	—
		Cambridge House Sanatorium (Consumption) ..	5	1	4
		Durnford House Sanatorium (Consumption) ..	1	—	1
		Weare Bay House Convalescent Home	—	—	—
		George Sturge Convalescent Home	1	—	1
	2. Elham	WORKHOUSE	41	26	15
		Sanatorium (Elham R.D.)	—	—	—
	3. Hythe	Isolation Hospital, Newington (Cheriton U.D.) ..	—	—	—
		Isolation Hospital, West Hythe (Sandgate U.D.)..	—	—	—
		Eversley Convalescent Home	—	—	—
67.—ROMNEY MARSH	1. New Romney	WORKHOUSE	5	3	2
		WORKHOUSE, Cottage Home	—	—	—
		Isolation Hospital (Romney Marsh R.D.)	1	1	—
		Convalescent Home, Littlestone	—	—	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
4.—Sussex.					
63.—RYE	1. Rye	WORKHOUSE	17	9	8
		Isolation Hospital (Rye M.B. & R.D.)	1	—	1
		Small-pox Hospital (Hastings C.B.)	—	—	—
64.—HASTINGS ..	1. Ore	WORKHOUSE	104	56	48
		WORKHOUSE, Cottage Home	—	—	—
		Hastings Borough Sanatorium	4	1	3
		Fairlight Sanatorium (Consumption)	3	3	—
		Hastings, St. Leonards, and East Sussex Hospital ..	65	37	28
		Children's Convalescent Home	—	—	—
		Buchanan Hospital	4	2	2
		Eversfield Hospital for Consumption	3	2	1
		Convalescent Home (Chelsea Hospital for Women)	1	—	1
		Herts Convalescent Home	2	1	1
		Railway Convalescent Home	—	—	—
		Alexandra Home for Chronic Invalids	1	—	1
		Beau Site Convalescent Home	1	1	—
		Tilbury House Convalescent Home	—	—	—
		All Saints' Convalescent Home	—	—	—
		Catherine House: Hastings and St. Leonards Home	1	—	1
		Metropolitan Convalescent Institution	1	1	—
70.—BATTLE ..	1. Bexhill*	Isolation Hospital (Bexhill M.B.)	2	—	2
		WORKHOUSE	21	15	6
71.—EASTBOURNE	1. Westham	Infect. Dis. Hospital (Small-pox; Eastbourne M.B.)	—	—	—
		Infectious Diseases Hospital (Eastbourne R.D.) ..	—	—	—
		WORKHOUSE	69	41	28
		Homœopathic Convalescent Home	—	—	—
		All Saints Convalescent Hospital, Eastbourne ..	2	2	—
		Borough Sanatorium	4	2	2
		Military Station Hospital	—	—	—
		Princess Alice Hospital	47	29	18
		Leaf Homœopathic Cottage Hospital	3	1	2
		Medical and Surgical Home	—	—	—
72.—HAILSHAM ..	2. Hellingly	Seaside Convalescent Hospital	1	—	1
		Isolation Hospital (Seaford U.D.)	—	—	—
		WORKHOUSE	15	10	5
73.—TICEHURST ..	1. Ticehurst†	Victoria Isolation Hospital (Hailsham R.D.) ..	—	—	—
		East Sussex County Lunatic Asylum	84	34	50
		WORKHOUSE	17	10	7
74.—UCKFIELD ..	2. Wadhurst	Isolation Hospital (Ticehurst R.D.)	—	—	—
		Tunbridge Wells Borough Sanatorium	—	—	—
		Crowborough Nursing Home	1	—	1
75.—EAST GRINSTEAD	1. Rotherfield	WORKHOUSE	20	12	8
		Cottage Hospital	—	—	—
		WORKHOUSE	17	13	4
76.—CUCKFIELD ..	2. East Grinstead	Queen Victoria Cottage Hospital	3	—	3
		Sanatorium (East Grinstead U.D. & R.D.)	—	—	—
		WORKHOUSE	32	24	8
77.—LEWES ..	1. Cuckfield	Eliot Cottage Hospital (Hayward's Heath)	5	4	1
		Infectious Diseases Hosp. (Cuckfield R.D.)	—	—	—
		Nayworth Cottage Convalescent Home	—	—	—
78.—NEWHAVEN..	2. Hurstpierpoint ..	"Sunshine Home" Convalescent Home	1	—	1
		WORKHOUSE (Lewes)	32	17	15
		Convalescent Home	—	—	—
79.—BRIGHTON ..	1. Chailey‡	Newick Cottage Hospital	—	—	—
		Isolation Hospital (Chailey R.D.)	—	—	—
		Sedgebrook Small-pox Hospital (E. Sussex Ad. Co.)	—	—	—
80.—STEYNING ..	2. Lewes	Brighton Borough Lunatic Asylum	45	21	24
		WORKHOUSE School (Lewes)	—	—	—
		Victoria Hospital (Lewes Infirmary)	12	7	5
79.—BRIGHTON ..	1. Newhaven	Hospital for Infectious Diseases (Lewes M.B.) ..	1	—	1
		WORKHOUSE (Newhaven)	17	12	5
		WORKHOUSE (Downlands Convalescent Home) § ..	—	—	—
79.—BRIGHTON ..	2. West Brighton ..	WORKHOUSE (Brighton Industrial School)	—	—	—
		Surrey Convalescent Home, Seaford	—	—	—
		Isolation Hospital (Newhaven U.D.)	3	2	1
79.—BRIGHTON ..	1. East Brighton ..	WORKHOUSE	237	129	108
		French Convalescent Home	3	1	2
		Female Convalescent Home	—	—	—
80.—STEYNING ..	2. West Brighton ..	Sussex County Hospital	183	101	82
		Royal Alexandra Hospital for Children	48	24	24
		Throat and Ear Hospital	2	2	—
80.—STEYNING ..	1. Preston	Brighton and Hove Hospital for Women (Lying-in)	14	3	11
		Sussex Eye Hospital	—	—	—
		Sanatorium (Brighton C.B.)	17	10	7
80.—STEYNING ..	2. Hove 	Brighton, Hove, and Preston Dispensary	14	5	9
		St. Bernard's Invalid Home	—	—	—

* 70 : 1.—In Nazareth House, 4 deaths occurred during the year.

† 73 : 1.—In Ticehurst House, a private Lunatic Asylum, 4 deaths occurred during the year.

‡ 77 : 1.—In St. George's Retreat, a private Lunatic Asylum, 3 deaths occurred during the year.

§ Closed during the year.

|| 80 : 2.—In St. Joseph's Home (Home for Aged Poor) 14 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.				
			Persons.	Males.	Females.		
4.—Sussex—continued.							
80.—STEYNING— cont.	2. Hove—cont.	Charlotte Convalescent Home, Aldrington.. ..	—	—	—		
		Jewish Convalescent Home, Hove	—	—	—		
	3. Shoreham	Convalescent Police Seaside Home	1	1	—		
		WORKHOUSE	104	45	59		
		WORKHOUSE, Cottage Homes	—	—	—		
81.—HORSHAM ..	2. North Horsham ..	Hangleton Hosp. for Infec. Diseases (Hove M.B.)..	3	1	2		
		WORKHOUSE	35	24	11		
	3. West Horsham ..	Horsham Cottage Hospital	4	1	3		
		Crawley and Horsham Cottage Hospital	1	—	1		
		Rudgwick Sanatorium for Consumption	2	2	—		
82.—PETWORTH ..	1. Petworth Northern ..	WORKHOUSE	4	3	1		
	2. Petworth Southern ..	WORKHOUSE	7	6	1		
83.—THAKEHAM ..	2. Washington	Cottage Hospital	2	1	1		
		Flathurst Cottages : Isol. Hosp. (Petworth R.D.)..	—	—	—		
84.—EAST PRESTON	1. Worthing	WORKHOUSE	12	8	4		
		Worthing Hospital	24	13	11		
		Swandean Hospital (Inf. Dis.; Worthing M.B.) ..	3	2	1		
		St. Mary's Convalescent Home	1	—	1		
		Banting Memorial Convalescent Home	—	—	—		
	2. Littlehampton ..	Home of the Holy Rood (Incurables).. ..	4	—	4		
		Friends' Convalescent Home, Worthing	1	—	1		
		WORKHOUSE	37	20	17		
		Rustington Convalescent Home	3	3	—		
		Millfield Convalescent Home (M.A.B.)	1	—	1		
	3. Arundel	Littlehampton and District Cottage Hospital ..	6	3	3		
		Isolation Hospital, Wick (Littlehampton U.D.) ..	1	—	1		
		Emergency Hospital (Accidents, &c.).. ..	2	2	—		
		2. Bognor	Isolation Hospital, New Town (Bognor U.D.) ..	1	—	1	
			Merchant Taylors' Convalescent Home	—	—	—	
Princess Mary Convalescent Home	1		—	1			
Victoria Convalescent Home for Surrey Women..	—		—	—			
Scott Memorial Convalescent Home	2		2	—			
85.—WESTHAMP- NETT	4. Boxgrove	Cambridge House Conv. Home for Surrey Childn.	—	—	—		
		Isolation Hospital (Westhampnett Union)	1	—	1		
		86.—CHICHESTER..	1. Chichester	WORKHOUSE	30	22	8
				General Infirmary and Dispensary	30	16	14
				City of Chichester Isolation Hospital.. ..	1	1	—
West Sussex County Lunatic Asylum (Graylingwell Mental Hospital)	82			44	38		
WORKHOUSE	9			8	1		
87.—MIDHURST ..	1. Midhurst	Edward VII. Sanatorium for Consumption	3	1	2		
		WORKHOUSE	15	12	3		
88.—WESTBOURNE	1. Westbourne	Isolation Hospital (Westbourne R.D.)	—	—	—		
		WORKHOUSE	—	—	—		
5.—Hampshire.							
89.—HAVANT ..	1. Havant*	WORKHOUSE	7	5	2		
		Cottage Hospital, Emsworth	4	3	1		
90.—PORTSMOUTH	2. Kingston and East Southsea.	Havant District Hospital (Infectious Diseases: Havant U.D. and R.D., and Warblington U.D.)..	5	2	3		
		WORKHOUSE	—	—	—		
		WORKHOUSE Infirmary	425	249	176		
		WORKHOUSE, Children's Homes	—	—	—		
		Milton Hospital (Infec. Dis.; Portsmouth C.B.) ..	75	33	42		
	3. Portsea and Landport	The Locks Hospital (Small-pox : Portsmouth C.B.)	—	—	—		
		R. M. A. Infirmary	1	1	—		
		Home for Convalescent Children	—	—	—		
		Medical and Surgical Home	1	1	—		
		Portsmouth Borough Lunatic Asylum	91	53	38		
	4. Portsmouth and Mid- Southsea.†	Royal Portsmouth, Portsea, and Gosport Hospital	106	101	65		
		Military Families Hospital, Mill Dam	11	4	7		
		Eye and Ear Infirmary	3	1	2		
		Home of Comfort for Sick and Dying	8	1	7		
		Soldiers' and Sailors' Nursing Home	—	—	—		
91.—ALVERSTOKE	1. Alverstoke	St. Hellier's Nursing Home	6	2	4		
		Home Hospital	2	1	1		
		Nursing Home, Cottage Grove (Portsmouth Maternity Committee)	—	—	—		
		WORKHOUSE, (House of Industry)	31	18	13		
		Naval Hospital, Haslar	62	62	—		
92.—FAREHAM ..	1. Fareham	Isolation Hosp., Elson (Gosport & Alverstoke U.D.)	9	4	5		
		WORKHOUSE	28	20	8		
		Military Hospital, Hilsea.. ..	—	—	—		
		Alexandra Hospital (Military), Portsdown Hill ..	8	8	—		
		Isolation Hospital (Fareham R.D.)	2	—	2		
93.—FAREHAM ..	1. Fareham	County Lunatic Asylum	102	50	52		
		WORKHOUSE	—	—	—		

* 89 : 1.—In St. Andrew's Home (Home for Deserted Mothers and Children) 2 deaths occurred during the year.
† 90 : 4.—In Nazareth House, 8 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT,	SUB-DISTRICT.	NAME OF INSTITUTION	DEATHS.		
			Persons.	Males.	Females.
5.—Hampshire—continued.					
93.—ISLE OF WIGHT	1. Cowes	Osborne House (Convalescent Home: Officers of Army and Navy)	—	—	—
		Port Sanitary Hospital Ship	—	—	—
		East Cowes Hospital (Frank James Memorial Hospital)	5	3	2
	2. Newport	<i>Criminal Lunatic Asylum, Parkhurst</i>	—	—	—
		WORKHOUSE	56	40	16
		Military Hospital, Parkhurst	1	1	—
	3. Ryde	<i>Isle of Wight Lunatic Asylum</i>	21	12	9
		Royal Isle of Wight County Hospital	30	15	15
	4. Brading	Borough Hospital (Infectious Diseases)	—	—	—
		Isolation Hospital, Scotchells (Sandown U.D. and Shanklin U.D.)	—	—	—
		Scio House Children's Surgical Hospital	4	1	3
	5. Godshill	Arthur Webster Memorial Hospital, Shanklin	2	2	—
		Royal National Consumption Hospital (Ventnor)	6	5	1
		St. Catherine's Home (Consumption)	4	2	2
		Convalescent Home (Royal Hants County Hospital)	—	—	—
94.—LYMINGTON ..	1. Lymington	Undercliffe Isolation Hospital (Joint Committee)	1	1	—
		WORKHOUSE	10	8	2
	2. Milford	Temporary Isolation Hospital (Lymington M.B.)	—	—	—
		Lymington Cottage Convalescent Home	—	—	—
95.—CHRISTCHURCH	1. Christchurch	Milford Cottage Hospital	—	—	—
		WORKHOUSE	72	36	36
		WORKHOUSE, Cottage Homes	—	—	—
		Home Sanatorium (Consumption)	5	5	—
	2. Bournemouth	Isolation Hospital (Christchurch R.D.)	1	1	—
		Royal National Sanatorium for Consumption	4	4	—
		Herbert Convalescent Home	—	—	—
		Firs Home (Consumption)	9	3	6
		Royal Victoria Hospital	50	24	26
		St. Joseph's Convalescent Home	1	—	1
		Royal Boscombe and West Hants Hospital	46	27	19
		Invalids' Cottage Home	—	—	—
		Hahnemann Home	—	—	—
		Sanitary Hospital (Bournemouth C.B.)	11	4	7
		Glenbank Conval. Home (Sunday School Union)	—	—	—
		Home of Good Hope (Nursing Home)	5	2	3
		Victoria Nursing Home	4	2	2
96.—RINGWOOD ..	1. Ringwood	WORKHOUSE	9	4	5
		Linford Sanatorium (Consumption)	3	3	—
97.—FORDING-BRIDGE	1. Fordingbridge	WORKHOUSE	7	5	2
		Cottage Hospital (Nursing Home)	2	1	1
98.—NEW FOREST	1. Lyndhurst	Fenwick Cottage Hospital	1	1	—
	3. Eling	WORKHOUSE	16	14	2
99.—SOUTHAMPTON	1. Southampton Eastern	WORKHOUSE	51	25	26
		Royal South Hants and Southampton Hospital	171	105	66
	2. Southampton Western	WORKHOUSE Infirmary	222	145	77
		Shirley Children's Hospital	4	2	2
		Isolation Hospital (Southampton C.B.)	24	13	11
		Eye and Ear Hospital	—	—	—
		Grosvenor House Nursing Home	13	8	5
		Hospital Ship, "City of Adelaide"	—	—	—
100.—SOUTH STONEHAM	1. St. Mary Extra	Royal Victoria Hospital, Netley (including Female Hospital)	14	13	1
		<i>Military Lunatic Hospital, Netley</i>	—	—	—
	2. South Stoneham	WORKHOUSE	41	27	14
101.—ROMSEY ..	1. Romsey	Hospital for Infectious Dis. (South Stoneham R.D.)	—	—	—
		WORKHOUSE	14	9	5
102.—STOCKBRIDGE	2. Stockbridge	Romsey Nursing Home and Cottage Hospital	5	3	2
		WORKHOUSE	4	1	3
103.—WINCHESTER	1. Micheldever	WORKHOUSE	4	—	—
	2. Winchester	Diamond Jubilee Hospital (Infectious Diseases: Winchester R.D.)	—	—	—
		WORKHOUSE (Winchester)	44	29	15
		Royal Hants. County Hospital	75	44	31
	4. Hursley	Victoria Hospital (Inf. Dis.: City of Winchester)	2	1	1
104.—DROXFORD ..	3. Hambledon	WORKHOUSE (Hursley)	5	4	1
		WORKHOUSE	12	8	4
105.—CATHERINGTON.	1. Horndean	Shedfield Cottage Hospital	—	—	—
		WORKHOUSE	2	2	—
		Infectious Diseases Hospital (Catherington R.D.)	—	—	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
5.—Hampshire—continued.					
106.—PETERSFIELD	1. Petersfield	WORKHOUSE	17	11	6
		Cottage Hospital	9	6	3
		Isolation Hospital (Petersfield U.D. and R.D.)	—	—	—
107.—ALRESFORD	2. Alresford	WORKHOUSE	8	7	1
108.—ALTON ..	1. Alton*	WORKHOUSE	29	20	9
		Isolation Hospital (Alton U.D.)	—	—	—
		Isolation Hospital, Faringdon (Alton R.D.)	—	—	—
109.—HARTLEY WINTNEY	1. Odiham	Cottage Hospital	3	1	2
		Lord Mayor Treloar Cripples Hospital and College	—	—	—
		WORKHOUSE (District Schools)	—	—	—
	2. Farnborough	Fleet Cottage Hospital	3	2	1
		Odiham Cottage Hospital	1	1	—
		Connaught Hospital	21	21	—
	3. Hartley Wintney	Cottage Hospital, Yateley	—	—	—
WORKHOUSE		25	14	11	
110.—BASINGSTOKE	1. Basingstoke	Moorcote Sanatorium, Eversley (Consumption)	—	—	—
		WORKHOUSE	31	15	16
		Cottage Hospital	12	8	4
111.—WHITCHURCH	1. Whitchurch	Basingstoke Borough Infectious Diseases Hospital	1	—	1
		WORKHOUSE	3	1	2
		Isolation Hospital (Whitchurch R.D.)	1	1	—
112.—ANDOVER ..	2. Amport	Military Hospital (South Tedworth)	12	12	—
		WORKHOUSE	17	12	5
	3. Andover	Cottage Hospital	15	8	7
Isolation Hospital (Pest House ; Andover M.B.)		—	—	—	
113.—KINGSCLERE	2. Kingsclere	WORKHOUSE	11	6	5
		Isolation Hospital (Kingsclere Union)	1	—	1
6.—Berkshire.					
114.—NEWBURY ..	1. Newbury	WORKHOUSE	21	12	9
		Newbury District Hospital (General Diseases)	15	9	6
		Isolation Hospital (Newbury M.B.)	4	2	2
	3. Thatcham	St. Andrew's Home	—	—	—
115.—HUNGERFORD	2. Hungerford	Children's Cottage Hospital	1	1	—
		WORKHOUSE	17	11	6
116.—FARINGDON	2. Faringdon	WORKHOUSE	12	7	5
		Cottage Hospital	2	2	—
117.—ABINGDON ..	2. Abingdon	WORKHOUSE	16	7	9
		Cottage Hospital	4	2	2
		Isolation Hospital (Abingdon M.B. and R.D.)	2	2	—
118.—WANTAGE ..	1. Wantage	WORKHOUSE	13	7	6
		Cottage Hospital	5	5	—
119.—WALLING- FORD	1. Cholsey	WORKHOUSE, Cottage Homes	—	—	—
		County Lunatic Asylum	71	32	39
	2. Wallingford	WORKHOUSE	31	21	10
		Cottage Hospital	2	2	—
120.—BRADFIELD..	1. Bucklebury	Isolation Hospital (Wallingford M.B. and R.D., and Crowmarsh R.D.)	1	1	—
		WORKHOUSE	15	9	6
		Park Hospital (Inf. Dis. ; Reading C.B.)	6	2	4
		Box Grove Cottage Sanatorium (Phthisis)	—	—	—
121.—READING ..	1. St. Mary	WORKHOUSE	74	43	31
		St. Helena Nursing Home	3	—	3
	2. St. Giles	Royal Berkshire Hospital	158	81	77
		Borough of Reading Sanatorium (Small-pox)	—	—	—
122.—WOKINGHAM	1. Wokingham	WORKHOUSE	14	7	7
		London Open-Air Sanatorium, Pinewood (Phthisis)	8	7	1
123.—MAIDEN- HEAD	1. Maidenhead	WORKHOUSE	33	21	12
		Cottage Hospital	10	5	5
		Infectious Diseases Hospital (Maidenhead M.B.)	6	3	3
124.—EASTHAMP- STEAD	1. Bracknell	WORKHOUSE	12	9	3
		Ascot Priory Convalescent Home	4	—	4
	2. Sandhurst	Criminal Lunatic Asylum, Broadmoor	19	15	4
		—	—	—	—
125.—WINDSOR ..	1. Egham	WORKHOUSE, Cottage Home	—	—	—
		Egham Cottage Hospital, Englefield Green	8	3	5
		Royal Victoria Cottage Nursing Home	10	5	5
		Holloway Sanatorium	19	7	12
		WORKHOUSE	53	34	19
	2. Windsor	St. Andrew's Convalescent Hospital	6	3	3
		Station Hospital	—	—	—
		Borough of New Windsor Sanatorium	—	—	—
		Prince Christian Victor Nursing Home	3	2	1
		King Edward VII. Hospital	44	4	0

* 108 : 1.—In Westbrooke House, a private Lunatic Asylum, no death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.				
			Persons.	Males.	Females.		
III.—SOUTH MIDLAND DIVISION.							
7.—Middlesex.							
126.—STAINES ..	1. Sunbury*	WORKHOUSE (West London District School) ..	5	2	3		
	2. Staines	WORKHOUSE Cottage Hospital	35 3	27 3	8 —		
127.—UXBRIDGE ..	1. Hillingdon†	WORKHOUSE Cottage Hospital Hospital for Inf. Diseases (Uxbridge Joint Hosp. Board)	47 4 2	27 1 —	20 3 2		
	2. Uxbridge	Consumption Hospital (Branch of Mount Vernon Hospital, Hampstead)	2	1	1		
	3. Hayes‡	WORKHOUSE (Marylebone School) Cottage Hospital Small-pox Hospital (Uxbridge Joint Hosp. Board)	— 1 —	— 1 —	— — —		
		Sanatorium (Southall Norwood U.D.)	2	—	2		
		London County Lunatic Asylum, Hanwell	176	95	81		
	128.—BRENTFORD	1. Isleworth§	WORKHOUSE WORKHOUSE Infirmary WORKHOUSE School Hounslow Hospital Mogden Isolation Hospital (Richmond M.B. and Heston & Isleworth U.D.) Military Isolation Hospital, Hounslow Heath Small-pox Hospital (Richmond M.B. and Heston & Isleworth U.D.), Dockwell Spring Grove House (Pulmonary Phthisis).. ..	14 310 — 16 4 — — 1	5 178 — 9 1 — — —	9 132 — 7 3 — — 1	
		2. Twickenham	St. John's Hospital Isolation Hospital (Twickenham U.D.) Nightingale Nursing Home	12 1 1	2 1 —	10 — 1	
3. Hanwell		WORKHOUSE (Central London District School) St. Joseph's Convalescent Home Hanwell Cottage Hospital 	3 — 1	1 — 2	2 — 1		
4. Brentford		Cottage Hospital, Brentford Cottage Hospital, Ealing Brentford Isolation Hospital Ealing Isolation Hospital Isolation Hospital (Chiswick U.D.) St. Joseph's Hos. for Incurable Women and Childn.	6 12 2 2 5 5	2 8 1 1 3 —	4 4 1 1 2 5		
5. Chiswick¶							
6. Acton		Acton Cottage Hospital Acton Isolation Hospital	25 5	12 1	13 4		
129.—WILLESDEN		1. Willesden	WORKHOUSE and Infirmary (Willesden) Willesden Cottage Hospital St. Monica's Home Isolation Hospital (Willesden U.D.)	189 15 9 17	88 8 7 9	101 7 2 8	
		130 —HENDON ..	1. Harrow	Cottage Hospital Isolation Hospital (Harrow on the Hill U.D.) St. Mary of Nazareth Home for Incurables (The Priory) Cottage Hospital Small-pox Hospital (Willesden U.D.) Infectious Diseases Hospital (Hendon R.D.)	10 1 1 5 — —	8 — — 3 — —	2 1 1 2 — —
			2. Edgware				
			3. Hendon	WORKHOUSE (Hendon) WORKHOUSE Schools WORKH. Infirmary (Central London Sick Asylum)	52 — 59	31 — 31	21 — 28
			Infectious Diseases Hospital (Hendon U.D.)	2	2	—	
31.—BARNET ..			1. South Mimms	Cottage Hospital Small-pox and Vaccination Hospital Isolation Hospital (Barnet U.D.) Convalescent Home (British Lying-in Hospital).. ..	3 — — —	1 — — —	2 — — —
		2. Barnet	WORKHOUSE Isolation Hospital (Barnet U.D. & R.D., and East Barnet Valley U.D.) Victoria Cottage Hospital.. .. . Children's Home Hospital	55 1 9 —	37 1 7 —	18 — 2 —	
		3. Finchley.. ..	Woodside Home for Incurable and Infirm Women Conv. Home of National Hosp. for Pars. and Epily. Isolation Fever Hospital (Finchley U.D.)	8 3 —	— 2 —	8 1 —	
			Finchley Cottage Hospital London County Lunatic Asylum, Colney Hatch	15 251	10 103	5 148	

* 126 : 1.—In Halliford House, a private Lunatic Asylum, 1 death occurred during the year.
† 127 : 1.—In Moorcroft House (and Laurel Lodge), a private Lunatic Asylum, 5 deaths occurred during the year.
‡ 127 : 3.—In Hayes Park and Mead House, two private Lunatic Asylums, 2 deaths occurred during the year.
§ 128 : 1.—In Wyke House, a private Lunatic Asylum, 1 death occurred during the year.
¶ Transferred by a change in boundary on 1st August, 1910, from Acton sub-district to the new sub-district of Hanwell. The deaths are shown as if the change had taken place at the beginning of the year.
¶ 128 : 5.—In Chiswick House, a private Lunatic Asylum, 4 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
7.—Middlesex—continued.					
132.—EDMONTON..	1. Hornsey	Conval. Hospital for Children (Cromwell House)	1	1	—
		Hornsey Cottage Hospital	14	9	5
		Isolation Hos. (Hornsey M.B., Finchley U.D., and Wood Green U.D.)	26	9	17
	2. Wood Green	WORKHOUSE (Shoreditch)	—	—	—
		Passmore Edwards Hospital	5	3	2
	3. West Tottenham ..	North Eastern Fever Hospital (Met. Asy. Bd.)	105	55	50
	4. East Tottenham ..	Prince of Wales General Hosp. (Tottenham Hosp.)	190	119	71
		Home and Hospital for Jewish Incurables	9	4	5
	5. Edmonton	WORKHOUSE	432	226	206
		WORKHOUSE Infirmary* }			
		WORKHOUSE (Strand)	46	21	25
		WORKHOUSE (Strand Union Industrial Sch.)	—	—	—
		Northern Fever Hospital (Met. Asy. Bd.)	4	3	1
		Temp. Isolation Hos. (Small-pox ; Edmonton U.D.)	—	—	—
	6. Enfield	Isolation Hospital (Southgate U.D.)	6	—	6
		WORKHOUSE	44	20	24
		WORKHOUSE, Cottage Homes	—	—	—
		WORKHOUSE (Chase Farm Schools)	1	1	—
		Cottage Hospital	20	11	9
		Enfield and Edmonton Joint Isolation Hospital	22	11	11
7. Waltham Abbey ..	Isolation Hospital (Waltham Holy Cross, Chingford, and Buckhurst Hill U.D's.)	2	1	1	
	8. Cheshunt	Cottage Hospital	3	2	1
Isolation Hospital (Cheshunt U.D.)		1	1	—	
8.—Hertfordshire.					
133.—WARE ..	3. Ware	WORKHOUSE	16	8	8
134.—BISHOP STORTFORD	1. Stortford	WORKHOUSE	38	24	14
		Isolation Hosp., Gt. Hallingbury (Bishop Stort. U.D.)	1	1	—
		Isolation Hospital (Sawbridgeworth U.D. Hadham R.D. and Stansted R.D.)	—	—	—
		Bishop Stortford Hospital	15	10	5
135.—ROYSTON ..	1. Buntingford	Children's Home, Much Hadham (Convalescent)	1	—	1
		WORKHOUSE (Buntingford)	11	6	5
		Isolation Hospital (Buntingford R.D.)	—	—	—
		Cottage Hospital	5	4	1
136.—HITCHIN ..	2. Hitchin	WORKHOUSE (Royston)	11	5	6
		Isolation Hospital (Royston U.D. and Ashwell and Melbourn R.D's.)	—	—	—
		WORKHOUSE	28	20	8
		North Herts and South Beds Hospital	20	11	9
137.—HERTFORD ..	2. Hertford	St. Luke's Home of Rest	1	—	1
		German Hospital Convalescent Home	1	—	1
		Small-pox Hospital (Hertford and Ware Jt. Bd.)	—	—	—
		WORKHOUSE	18	11	7
138.—HATFIELD ..	2. Hertford	Hertford County Hospital	51	19	12
		Hertford and Ware Joint Fever Hospital	8	4	4
		WORKHOUSE (Hatfield)	11	4	7
		Chantry House Sanatorium (Consumption)	1	1	—
139.—ST. ALBANS ..	2. Welwyn	WORKHOUSE (Welwyn)	4	2	2
		Isolation Hospital (Welwyn R.D.)	—	—	—
		Memorial Cottage Hospital	5	3	2
		WORKHOUSE	50	27	23
140.—WATFORD ..	2. St. Albans	Hospital and Dispensary	24	11	13
		Sisters' Hospital (Infectious Diseases)	—	—	—
		Herts County Lunatic Asylum, Hill End	64	37	27
		Middlesex County Lunatic Asylum, Napsbury	101	66	35
141.—HEMEL HEMPSTEAD	1. Bushey	Cottage Hospital, Bushey Heath	7	3	4
		Convalescent Home, "Myholme," Bushey	—	—	—
		WORKHOUSE	66	41	25
		WORKHOUSE, Children's Homes	—	—	—
142.—BERKHAMPSTEAD	2. Watford	Watford District Hospital	20	12	8
		Isolation Hospital (Watford U.D. & R.D.)	3	3	—
		Holywell Hosp. (Small-pox ; Watford U.D. and R.D. and Rickmansworth U.D.)	—	—	—
		WORKHOUSE (St. Pancras Schools)	—	—	—
143.—TRING	4. Abbots Langley ..	Leavesden Imbecile Asylum (Met. Asy. Bd.)	122	62	80
		WORKHOUSE	33	20	13
		West Herts Hospital	31	19	12
		King's College Hospital Convalescent Home	—	—	—
144.—TRING	1. Hemel Hempstead ..	Isolation Hospital (Hemel Hempstead R.D.)	10	8	2
		WORKHOUSE	16	7	9
		Infect. Diseases Hospital (Berkhamstead R.D.)	2	2	—
		Infectious Diseases Hospital (Tring U.D.)	—	—	—

* Opened in August, 1910.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
9.—Buckinghamshire.					
143.—AMERSHAM..	2. Chesham	Cottage Hospital	6	4	2
		Fever Hospital (Chesham U.D.)	—	—	—
	3. Amersham	WORKHOUSE	31	22	9
	4. Chalfont	Cottage Hospital	—	—	—
144.—ETON	1. Eton	WORKHOUSE	31	20	11
		Bell Farm Hospital (Infectious Dis.; Eton U.D.) ..	—	—	—
		Cottage Hospital	2	1	1
		Convalescent Home for Children (Fairview) ..	—	—	—
145.—WYCOMBE ..	2. Burnham	Burnham Isolation Hospital (Eton R.D.) ..	1	—	1
	1. Wycombe	Cottage Hospital	12	3	9
	2. Marlow	Cottage Hospital	2	1	1
		Isolation Hospital, Clay Lane (Wycombe R.D.) ..	1	1	—
146.—AYLESBURY	4. Stokenchurch ..	Isolation Hosp., Booker (Chepping Wycombe M.B.)	—	—	—
		WORKHOUSE	36	21	15
	1. Haddenham	WORKHOUSE School	—	—	—
	2. Aylesbury	County Lunatic Asylum	60	36	24
147.—WINSLOW ..		WORKHOUSE	21	9	12
		Royal Buckinghamshire Hospital	30	22	8
		Isolation Hospital (Aylesbury U.D.)	—	—	—
		WORKHOUSE	7	5	2
148.—NEWPORT PAGNELL	2. Newport Pagnell ..	WORKHOUSE	13	8	5
149.—BUCKINGHAM	1. Buckingham	WORKHOUSE	8	6	2
		Nursing Home	3	2	1
		Isolation Hospital (Buckingham M.B.)	—	—	—
10.—Oxfordshire.					
150.—HENLEY	1. Henley	WORKHOUSE	20	8	12
		Smith Isolation Hospital (Henley R.D. and Hambleton R.D.)	—	—	—
		Consumption Sanatorium (Kingswood and Maitland Cottage)	1	1	—
	3. Watlington	Henley and Wallingford Joint Small-pox Hospital ..	—	—	—
151.—THAME	2. Thame	Watlington Cottage Hospital	2	1	1
		WORKHOUSE	14	7	7
		Small-pox Hospital (Thame U.D.)	—	—	—
		Small-pox Hospital (Thame and Long Crendon Rural Districts)	—	—	—
152.—HEADINGTON	1. Wheatley	White House Infectious Dis. Hosp. (Thame U.D.) ..	—	—	—
		Victoria Nursing Home (S. Oxon Benefit Nursing Association)	2	1	1
		Small-pox Hospital (City of Oxford)	—	—	—
	2. St. Clement	Small-pox Hospital (Headington R.D.)	—	—	—
153.—OXFORD		WORKHOUSE (Headington)	16	6	10
		WORKHOUSE (Oxford)	41	19	22
		WORKHOUSE (Cowley Poor Law School: Oxford and several Unions)	—	—	—
		Infectious Diseases Hospital (Headington R.D.) ..	—	—	—
154.—BICESTER ..		Radcliffe Infirmary	139	80	59
	1. Bletchington	National Hospital for Incurables (St. John's) ..	2	—	2
	2. Bicester	Oxford Eye Hospital	1	—	1
		Acland Nursing Home	12	5	7
155.—WOODSTOCK		Wingfield Convalescent Home	—	—	—
	2. Woodstock	Oxford County and City Lunatic Asylum, Littlemore ..	62	28	34
		Warneford Asylum (Lunatic Hospital)	3	1	2
		Corporation Hospital (Infectious Diseases) ..	4	2	2
156.—BICESTER ..		Isolation Hospital (Bicester R.D.)	—	—	—
	1. Bletchington	WORKHOUSE	17	12	5
	2. Bicester	Sanatorium (Bicester U.D. and R.D.)	1	—	1
157.—WOODSTOCK	2. Woodstock	WORKHOUSE	13	8	5
158.—WITNEY	3. Witney	WORKHOUSE	18	9	9
	4. Burford	Cottage Hospital	3	2	1
159.—CHIPPING NORTON	2. Chipping Norton ..	WORKHOUSE	12	10	2
160.—BANBURY ..	4. Banbury	WORKHOUSE	30	17	13
		Horton Infirmary	23	15	8
		Isolation Hospital, Grimsbury (Banbury M.B.) ..	—	—	—
		Isolation Hospital, Neithrop (Banbury M.B.) ..	—	—	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—cont nued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
11.—Northamptonshire.					
159.—BRACKLEY ..	1. Brackley	WORKHOUSE Cottage Hospital	6 4	4 3	2 1
160.—TOWCESTER	1. Towcester	WORKHOUSE	8	3	5
161.—POTTERSPURY	1. Potterspury	WORKHOUSE	5	2	3
162.—HARDING- STONE	2. Hardingstone	WORKHOUSE Infectious Diseases Hospital (Hardingstone R.D.) Small-pox Hospital (Hardingstone R.D.)	5 — —	1 — —	4 — —
163.—NORTHAMP- TON	1. St. Giles	WORKHOUSE WORKHOUSE, Scattered Homes General Hospital St. John's Hospital (Convalescent Home) St. Andrew's Lunatic Hospital County Lunatic Asylum	111 — 118 — 19 87	70 — 76 — 5 40	41 — 42 — 14 47
164.—DAVENTRY ..	3. Bugbrooke	2. Daventry WORKHOUSE WORKHOUSE, Cottage Home for Children Borough of Daventry Sanatorium	17 — — —	14 — — —	3 — — —
165.—BRIXWORTH	1. West Brixworth .. 2. East Brixworth ..	Northamptonshire Sanatorium (Consumption) .. WORKHOUSE Northampton Borough Hospital for Infectious Diseases (including Hospital for Consumption)	— 13 9	— 9 6	— 4 3
166.—WELLING- BOROUGH	1. Wellingborough ..	WORKHOUSE Epidemic Hospital (Wellingborough U.D.) .. Wellingborough Cottage Hospital WORKHOUSE, Cottage Homes	39 — 6 2	24 — 4 1	15 — 2 1
167.—KETTERING..	1. Burton Latimer .. 2. Kettering	WORKHOUSE Kettering Urban District Hospital (Infect. Dis.) .. Kettering and District General Hospital Small-pox Hospital (Kettering U.D.)	55 6 31 —	35 4 16 —	20 2 15 —
168.—THRAPSTON..	1. Thrapston	WORKHOUSE	18	10	8
169.—OUNDLE ..	1. Oundle	WORKHOUSE Isolation Hospital (Oundle R.D.)	12 —	10 —	2 —
170.—PETER- BOROUGH	2. Peterborough	WORKHOUSE Peterborough Infirmary Fever Sanatorium (City of Peterborough) .. Small-pox Hospital (City of Peterborough) ..	33 48 3 —	21 33 2 —	12 15 1 —
12.—Huntingdonshire.					
171.—HUNTINGDON	1. Ramsey	Isolation Hospital (Ramsey U.D.)	1	1	—
	4. Huntingdon	WORKHOUSE County Hospital Fever Hospital (Huntingdon M.B.)	19 22 1	13 14 1	6 8 —
172.—ST. IVES ..	4. St. Ives	WORKHOUSE	26	14	12
173.—ST. NEOTS ..	2. Kimbolton	WORKHOUSE	15	8	7
13.—Bedfordshire.					
174.—BEDFORD ..	4. Bedford and Kempston*	WORKHOUSE Isolation Hospital (Bedford R.D.) County Hospital Isolation Hospital (Bedford M.B.)	52 2 56 5	30 2 33 4	22 — 23 1
175.—BIGGLESWADE	1. Biggleswade	WORKHOUSE Isolation Hospital (Biggleswade R.D.) Small-pox Hospital (Joint Hospital Board) Beds, Herts, and Hunts Counties Lunatic Asylum ..	18 1 — 70	8 1 — 43	10 — — 27
176.—AMPTHILL ..	2. Ampthill	2. Stotfold WORKHOUSE Infectious Diseases Hosp. (Ampthill U.D. & R.D.) Small-pox Hospital (Ampthill U.D. & R.D.) .. Woburn Cottage Hospital Daneswood Sanatorium for Consumption	20 — — 4 — 20	14 — — 2 — 14	6 — — 2 — 6
177.—LEIGHTON BUZZARD	1. Leighton Buzzard ..	WORKHOUSE Infectious Diseases Hosp. (Leighton Buzzard U.D.) Small-pox Hospital, Billington (Leighton Buzzard and Linslade U.D.'s) Grove Infec. Dis. Hosp. (Linslade U.D. & Wing R.D.) Infectious Diseases Hospital, Kensworth Lane (Eaton Bray R.D.)	— — — — — —	— — — — — —	— — — — — —

* 174 : 4.—In Springfield House, a private Lunatic Asylum, 4 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

		DEATHS.			
DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	Persons.	Males.	Females.
13.—Bedfordshire—continued.					
178.—LUTON ..	1. Dunstable	Isolation Hospital (Dunstable M.B., Luton R.D., and Eaton Bray R.D.)	2	1	1
	2. Luton	WORKHOUSE	56	37	19
		WORKHOUSE, Children's Homes, Dunstable Road	—	—	—
		Bute Hospital	22	15	7
		Children's Convalescent Home, London Road ..	13	5	8
		Spittlesea Cottage Hosp. (Inf. Dis.; Luton M.B.) ..	1	1	—
14.—Cambridgeshire.					
179.—CAXTON ..	1. Caxton	WORKHOUSE	6	4	2
180.—CHESTERTON	1. Chesterton	WORKHOUSE	19	12	7
		Isolation Hospital, Histon (Chesterton R.D.) ..	—	—	—
	2. Cherry Hinton ..	Small-pox Hospital (Cambridge M.B.) ..	—	—	—
		County Lunatic Asylum	54	28	26
181.—CAMBRIDGE	1. St. Andrew the Less..	WORKHOUSE	30	23	7
		Borough Sanatorium	17	11	6
	2. St. Andrew the Great	Addenbrooke's Hospital	102	69	33
		Nursing Hostel	5	1	4
182.—LINTON ..	2. Linton	WORKHOUSE	9	6	3
183.—NEWMARKET	2. Newmarket	WORKHOUSE	43	26	17
		Infectious Diseases Hospital (Newmarket R.D.) ..	4	3	1
		Rous Memorial Hospital	3	3	—
184.—ELY	3. Ely	WORKHOUSE	28	20	8
185.—NORTH WITCHFORD	1. Chatteris	WORKHOUSE	23	13	10
	2. March	Infectious Diseases Hospital (March U.D.) ..	—	—	—
186.—WHITTLESEY	1. Whittlesey	WORKHOUSE	15	7	8
187.—WISBECH ..	2. Wisbech	WORKHOUSE	51	25	26
		North Cambridge Cottage Hospital	17	7	10
		Hospital for Infect. Dis. (Wisbech M.B. & R.D.) ..	—	—	—
IV.—EASTERN DIVISION.					
15.—Essex.					
188.—WEST HAM..	1. Stratford	WORKHOUSE	—	—	—
		WORKHOUSE Cottage Homes	—	—	—
		West Ham Hospital	74	50	24
	2. Forest Gate	WORKHOUSE (Parish of Poplar Borough) ..	23	23	—
		WORKHOUSE, Cottage Homes	—	—	—
	3. Plaistow	Plaistow Fever Hospital (West Ham C.B.) ..	76	33	43
		St. Mary's Hospital	51	27	24
		Medical Mission Hospital	18	6	12
		Lying-in Department (26 and 28 Howards Rd.):			
		Maternity Charity and District Nurses Home ..	12	6	6
	4. Canning Town ..	Seamen's Hospital (Branch)	42	42	—
	5. South East Ham*	WORKHOUSE, Cottage Homes	—	—	—
		East Ham Isolation Hospital	18	9	9
	6. North East Ham ..	WORKHOUSE (St. George-in-East Industrial Sch.)	—	—	—
		Passmore Edwards East Ham Accident Hospital	9	3	6
	7. Wanstead†	WORKHOUSE, Cottage Homes	—	—	—
		Wanstead Urban District Infectious Dis. Hospital	—	—	—
	8. South Leyton ..	WORKHOUSE	344	165	179
	9. North Leyton ..	WORKHOUSE Infirmary	940	559	381
			WORKHO. (Forest Ho., and Guardians' Cottages) ..	1	1
		WORKHOUSE (Bethnal Green School)	1	1	—
189.—EPPING ..		Leyton Isolation Hospital	26	12	14
		Children's and General Hospital	28	14	14
		Woodford Jubilee Hospital	5	4	1
		County Lunatic Asylum (Chestnuts Branch) ..	1	—	1
	1. Chigwell	Infectious Diseases Hospital (Walthamstow U.D.)	15	5	10
		Buckhurst Hill Village Hospital	1	1	—
		Medical Provident Home	8	3	5
		Mansfield Convalescent Home	—	—	—
	2. Epping	WORKHOUSE	41	24	17
		Infectious Diseases Hospital (Epping R.D.) ..	2	1	1
190.—ONGAR ..	2. Chipping Ongar ..	WORKHOUSE	24	19	5
		WORKHOUSE (Hackney Union School)	1	—	1

* 188: 5.—In St. Elizabeth's Home, a Maternity Home, 36 deaths occurred during the year.
† 188: 7.—In the Infant Orphan Asylum, Wanstead, no death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
15.—Essex—continued.					
191.—ROMFORD ..	1. Romford.. ..	WORKHOUSE	139	92	47
		Victoria Cottage Hospital	12	8	4
		Dagenham Isolation Hosp. (Romford U.D. & R.D.) ..	3	1	2
		Small-pox Hospital (West Ham C.B.)	—	—	—
	2. Ilford*	Isolation Hospital (Ilford U.D.).. ..	11	8	3
		London County Lunatic Asylum, Claybury	171	101	70
		West Ham Borough Lunatic Asylum	83	47	36
		Upney Infectious Dis. Hosp. (Barking Town U.D.) ..	4	1	3
	3. Barking Town.. ..	WORKHOUSE (Shoreditch Cottage Homes) ..	1	1	—
		County Lunatic Asylum (Harold Court Branch) ..	1	1	—
192.—ORSETT ..	1. Grays	WORKHOUSE School, Stifford (Stepney Union) ..	—	—	—
		WORKHOUSE Cottage Home, Grays (Whitechapel) ..	—	—	—
		Isolation Hospital (Orsett R.D.)	3	—	3
		Cottage Hospital	19	15	4
	2. Orsett	WORKHOUSE	53	32	21
		WORKHOUSE (Branch Hackney Union), Brentwood ..	12	10	2
193.—BILLERICAY	1. Brentwood	WORKHOUSE (Separate Infant School, Hackney Union), Brentwood	—	—	—
		WORKHOUSE (Parish of Poplar Borough), Laindon ..	—	—	—
		WORKHOUSE (Training School: Parish of Poplar Borough), Hutton.. ..	1	—	1
		Cottage Hospital	5	3	2
	2. Wickford	Military Hospital	—	—	—
		County Lunatic Asylum	243	140	103
		WORKHOUSE	34	21	13
		Infectious Diseases Hospital (Billericay R.D.) ..	1	1	—
		WORKHOUSE	50	29	21
		Chelmsford and Essex Hospital	12	5	7
194.—CHELMSFORD	1. Ingatestone	Isolation Hospital (Joint Hospital Board), Galleywood Road	—	—	—
		Isolation Hospital (Joint Hospital Board)	3	1	2
		WORKHOUSE	58	32	26
		WORKHOUSE, Cottage Homes	—	—	—
	2. Chelmsford	Hospital for Infectious Diseases, Eastwood (Shoeburyness U.D. and Rochford R.D.)	1	1	—
		Small-pox Hospital, Eastwood (Shoeburyness U.D. and Rochford R.D.)	—	—	—
	2. Prittlewell†	Southend Victoria Hospital	39	21	18
		Sanatorium (Southend on Sea M.B.)	4	2	2
		Small-pox Hospital (Southend on Sea M.B.) ..	—	—	—
		WORKHOUSE	43	26	17
195.—ROCHFORD ..	1. Rochford	Sanatorium (Tuberculosis)	—	—	—
		Heybridge Isolation Hospital (Maldon Joint Hospital Board)	3	1	2
		Isolation Hospital (Clacton U.D.)	2	—	2
		Cottage Hospital (Clacton on Sea)	7	5	2
	2. Thorpe.. ..	Essex Convalescent Home	—	—	—
		Middlesex Hospital Convalescent Home	—	—	—
		Reckett Conval. Home (Gt. Northern Cent. Hosp.) ..	—	—	—
		Crossley House (Branch of Eastern Counties Asylum for Idiots)	1	—	1
		WORKHOUSE	41	22	19
		Poplar Hospital Convalescent Home	—	—	—
196.—MALDON ..	1. Clacton	Sam Lewis Seaside Convalescent Home	1	1	—
		Hospital for Infectious Diseases (Harwich M.B.) ..	—	—	—
		Port Sanitary Hospital Ship	—	—	—
		County Lunatic Asylum (Brunswick House Branch) ..	—	—	—
	2. Harwich.. ..	Military Hospital	4	4	—
		WORKHOUSE	48	31	17
		Infectious Diseases Hospital (Colchester M.B.) ..	5	1	4
		Essex County Hospital	68	45	23
		Eastern Counties Asylum for Idiots†	10	5	5
		WORKHOUSE	28	17	11
197.—TENDRING ..	1. Halstead.. ..	WORKHOUSE	26	16	10
		Fever Hospital (Halstead U.D.)	—	—	—
		Cottage Hospital	1	1	—
		Isolation Hosp., Castle Hedingham (Halstead R.D.) ..	—	—	—
	2. Heddingham	WORKHOUSE	51	27	24
		Cottage Hospital	1	—	1
		WORKHOUSE, Cottage Home	—	—	—
		Joint Hosp. for Inf. Dis. (Braintree U.D. and R.D.) ..	3	2	1
		WORKHOUSE	35	24	11
		Cottage Hospital	2	1	1
198.—COLCHESTER	1. Dunmow	Isolation Hospital (Dunmow R.D.)	—	—	—
		Maternity Home, Great Easton	4	3	1
		WORKHOUSE	20	17	3
		Saffron Walden Hospital	16	9	7
	2. Thaxted	Isolation Hospital (Saffron Walden M.B. & R.D.)..	1	—	1
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
199.—LEXDEN ..	1. Halstead.. ..	WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
	2. Stanway.. ..	WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
200.—HALSTEAD ..	1. Halstead.. ..	WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
	2. Stanway.. ..	WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
201.—BRAINTREE	1. Halstead.. ..	WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
	2. Stanway.. ..	WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
202.—DUNMOW ..	1. Halstead.. ..	WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
	2. Stanway.. ..	WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
203.—SAFFRON WALDEN	1. Halstead.. ..	WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
	2. Stanway.. ..	WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—
		WORKHOUSE	—	—	—

* 191:2.—In Dr. Barnardo's Girls' Village Home (including Infirmary) 14 deaths occurred during the year.

† 195:2.—In Nazareth House 9 deaths occurred during the year.

‡ Now called Royal Eastern Counties Association.

§ 201:4.—In Witham Private Lunatic Asylum 2 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910 - continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
16.—Suffolk.					
204.—RISBRIDGE ..	1. Haverhill	WORKHOUSE	35	23	12
		Hospital for Infectious Diseases (Haverhill U.D.) ..	—	—	—
		Isolation Hospital (Clare and Bumpstead R.D.'s) ..	—	—	—
205.—SUDBURY ..	2. Bures	East Anglian Sanatorium (Consumption) ..	3	—	3
		Maltings Farm Sanatorium (Consump.: Branch of East Anglian Sanatorium)	3	1	2
		WORKHOUSE	27	15	12
206.—COSFORD ..	3. Sudbury	St. Leonard's Hospital	14	7	7
		Infectious Diseases Hospital (Sudbury M.B.) ..	—	—	—
		WORKHOUSE	10	7	3
207.—BURY ST. EDMUNDS	2. Hadleigh	Cottage Hospital	1	1	—
		WORKHOUSE (Bury St. Edmunds and Thingoe) ..	35	18	17
		WORKHOUSE, Cottage Homes	40	29	11
208.—MILDENHALL	2. Bury St. Edmunds ..	Suffolk General Hospital	1	1	—
		Sanitary Hospital (Bury St. Edmunds M.B.) ..	—	—	—
		Bury St. Edmunds and West Suffolk Sanatorium for Consumptives	17	7	10
209.—STOW ..	1. Mildenhall	WORKHOUSE	1	1	—
		Cottage Hospital	17	11	6
		Infectious Diseases Hospital (Stowmarket U.D.) ..	—	—	—
210.—HARTISMERE	2. Rattlesden	WORKHOUSE (Hartismere and Hoxne)	27	9	18
		3. Stowmarket	31	19	12
		WORKHOUSE	—	—	—
211.—BOSMERE ..	1. Coddenham	Infectious Dis. Hosp. (Bosmere and Claydon R.D.) ..	—	—	—
		WORKHOUSE, Cottage Home	19	9	10
		WORKHOUSE	6	6	—
212.—SAMFORD ..	2. Needham Market ..	Royal Naval Sick Quarters	101	61	40
		WORKHOUSE (Ipswich and Woodbridge)	88	51	37
		WORKH. School (St. John's Home : Several Unions) ..	9	6	3
213.—IPSWICH ..	2. Ipswich Eastern ..	East Suffolk and Ipswich Hospital	26	17	9
		Ipswich Borough Fever Hospital	2	1	1
		Ipswich Borough Lunatic Asylum	3	1	2
214.—WOODBIDGE	2. Colneis	Suffolk Convalescent Home, Walton	—	—	—
		"Croydon" Cottage Hospital, Felixstowe	95	47	48
		Infectious Diseases Hospital (Woodbridge U.D.) ..	22	13	9
215.—PLOMESGATE	3. Woodbridge & Wilford	County Lunatic Asylum	—	—	—
		WORKHOUSE	23	15	8
		The Hospital, Sudbourne	1	1	—
216.—BLYTHING ..	2. Southwold	Patrick Stead Hospital	4	4	—
		Cottage Hospital	10	6	4
		WORKHOUSE	—	—	—
217.—WANGFORD	2. Beccles	WORKHOUSE, Cottage Home	6	3	3
		Beccles Hospital	—	—	—
		Isolation Hospital (Beccles M.B.)	33	19	14
218.—MUTFORD ..	1. Oulton Broad	WORKHOUSE	1	—	1
		Isolation Hospital (Mutford and Lothingland R.D.) ..	—	—	—
		Small-pox Hospital (Mutford and Lothingland R.D.) ..	3	1	2
219.—YARMOUTH..	2. Lowestoft	Sanatorium (Lowestoft M.B.)	44	24	20
		Lowestoft Hospital	1	1	—
		Convalescent Home	17	11	6
17.—Norfolk.					
220.—FLEGG ..	1. Yarmouth Southern	Great Yarmouth Hospital	44	30	14
		Military Hospital	13	13	—
		Royal Naval Lunatic Hospital	106	68	38
221.—SMALLBURGH	2. Yarmouth Northern	WORKHOUSE	5	3	2
		Isolation Hospital (Great Yarmouth C.B.) ..	1	—	1
		Convalescent Home for Children	7	5	2
222.—ERPINGHAM	3. Gorleston	Cottage Hospital	—	—	—
		Isolation Hospital for Small-pox and Cholera (Great Yarmouth C.B.)	—	—	—
		WORKHOUSE	10	7	3
223.—FLEGG ..	2. West Flegg	WORKHOUSE	17	12	5
		Mundesley Sanatorium for Tuberculosis	2	2	—
		Cottage Hospital	—	—	—
224.—SMALLBURGH	2. Smallburgh	Fletcher Convalescent Home	—	—	—
		Isolation Hospital (Cromer U.D.)	—	—	—
		WORKHOUSE	17	11	6
225.—ERPINGHAM	1. Cromer	Kelling Sanatorium for Consumption	—	—	—
		2. Sheringham	—	—	—
		—	—	—	

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
17.—Norfolk—continued.					
223.—AYLSHAM ..	2. Buxton	WORKHOUSE	16	5	11
224.—ST. FAITH'S ..	1. St. Faith's	WORKHOUSE	15	10	5
		Small-pox Hospital (City of Norwich)	—	—	—
		Norwich City Lunatic Asylum	39	19	20
225.—NORWICH ..	1. East Wymer* 2. West Wymer†	WORKHOUSE, Children's Homes	—	—	—
		WORKHOUSE	152	89	63
		Norwich Iron Hospital (Small-pox)	—	—	—
		Norfolk and Norwich Eye Infirmary	—	—	—
		Norwich Isolation Hospital	26	12	14
		Norfolk and Norwich Hospital.. ..	164	91	73
		Jenny Lind Infirmary	21	17	4
		Bethel Lunatic Hospital	3	—	3
226.—FOREHOE ..	2. Wymondham	WORKHOUSE	9	5	4
		Isolation Hospital (Forehoe R.D.)	—	—	—
227.—HENSTEAD ..	1. Humbleyard	WORKHOUSE	10	7	3
228.—BLOFIELD ..	1. Blofield	WORKHOUSE	14	5	9
		County Lunatic Asylum	117	53	64
229.—LODDON ..	1. Aldeby 2. Loddon	All Hallows Hospital	6	2	4
		WORKHOUSE.. ..	10	3	7
230.—DEPWADE ..	1. Harleston 2. Diss	WORKHOUSE	23	12	11
		The Hospital, Diss	1	1	—
231.—WAYLAND ..	1. Attleborough 2. Watton	WORKHOUSE	18	11	7
		Victoria Cottage Hospital	1	—	1
232.—MITFORD ..	4. East Dereham.. ..	WORKHOUSE	26	13	13
233.—WALSINGHAM	2. Walsingham	WORKHOUSE	18	10	8
234.—DOCKING ..	2. Snettisham	WORKHOUSE	14	8	6
		Convalescent Home	—	—	—
		Isolation Hospital (New Hunstanton U.D.)	—	—	—
235.—FREEBRIDGE LYNN	2. Gayton	WORKHOUSE	15	9	6
236.—KING'S LYNN	2. South King's Lynn	WORKHOUSE	22	8	14
		West Norfolk and Lynn Hospital	31	17	14
		Fever Hospital (King's Lynn M.B.)	—	—	—
		Small-pox Hospital (King's Lynn M.B.)	—	—	—
237.—DOWNHAM ..	2. Downham	WORKHOUSE (Howdale Home)	7	3	4
238.—SWAFFHAM	1. Swaffham	WORKHOUSE	12	9	3
		Cottage Hospital	—	—	—
		Isolation Hospital (Swaffham U.D. and R.D.)	—	—	—
239.—THETFORD ..	1. Methwold 2. Thetford.. ..	WORKHOUSE, Children's Home	—	—	—
		WORKHOUSE	17	11	6
		Cottage Hospital	3	1	2
V.—SOUTH WESTERN DIVISION.					
18.—Wiltshire.					
240.—SWINDON ..	1. Highworth 2. Swindon	WORKHOUSE	49	30	19
		Overflow Isolation Hospital (Swindon M.B.)	—	—	—
		G.W.R. Medical Fund Accident Hospital	6	6	—
		Victoria Hospital	12	2	10
		Isolation Hospital (Swindon M.B.)	2	1	1
241.—CRICKLADE..	1. Wootton Bassett 2. Cricklade	Isolation Hospital (Cricklade & Wootton Bassett R.D.)	1	—	1
		WORKHOUSE	10	7	3
242.—MALMESBURY	1. Malmesbury Eastern 2. Malmesbury Western	Convalescent Home for Children	—	—	—
		WORKHOUSE	13	9	4
		Cottage Hospital	3	1	2
		Isolation Hospital (Malmesbury R.D.)	—	—	—

* 225 : 1.—In the Great Hospital (an Almshouse) 22 deaths occurred during the year.

† 225 : 2.—In Heigham Hall, a private Lunatic Asylum, 3 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
18.—Wiltshire—continued.						
243.—CHIPPENHAM	2. Corsham.*					
	3. Chippenham	WORKHOUSE	19	10	9	
		Cottage Hospital	13	7	6	
		Isolation Hospital (Chippenham M.B. and R.D.)..	2	1	1	
244.—CALNE ..	1. Calne	WORKHOUSE	8	6	2	
		Infectious Diseases Hospital (Calne M.B. & R.D.)..	—	—	—	
245.—MARLBOROUGH	1. Marlborough	WORKHOUSE	11	8	3	
		Savernake Cottage Hospital	6	4	2	
		Isolation Hospital (Marlborough M.B. & R.D.) ..	1	—	1	
		Small-pox Hospital (Marlborough M.B. and R.D.)	—	—	—	
246.—DEVIZES ..	1. Devizes	WORKHOUSE	34	19	15	
		Cottage Hospital	7	4	3	
		Urban District Hospital for Infectious Diseases ..	1	—	1	
		County Lunatic Asylum	106	49	57	
	2. Lavington.†	—	—	—		
247.—MELKSHAM..	1. Melksham	WORKHOUSE	16	13	3	
		Cottage Hospital	4	2	2	
	2. Trowbridge	Cottage Hospital	4	2	2	
		Fever Hospital (Trowbridge U.D.)	9	4	5	
248.—BRADFORD ON AVON	1. Bradford on Avon ..	WORKHOUSE	12	9	3	
		Winsley Sanatorium for Consumption	3	2	1	
249.—WESTBURY ..	2. Westbury	WORKHOUSE	8	3	5	
		Westbury Cottage Hospital	—	—	—	
250.—WARMINSTER	1. Warminster	WORKHOUSE	18	12	6	
		Cottage Hospital	12	4	8	
		Infectious Diseases Hospital (Warminster U.D.) ..	—	—	—	
251.—PEWSEY ..	1. Netheravon	WORKHOUSE	15	8	7	
		2. Collingbourne.. ..	Military Families' Hospital (Women and Children)	1	—	1
			Isolation Hospital (War Department)	—	—	—
252.—AMESBURY ..	2. Amesbury	WORKHOUSE	10	7	3	
		Station Hospital, Bulford Camp (including Military Families' Hospital and Female Lying-in Hosp.)	2	2	—	
	3. Winterbourne	Isolation Hospital (City of Salisbury)	—	—	—	
253.—SALISBURY ..	1. Alderbury.‡ 3. Salisbury	WORKHOUSE	29	12	17	
		General Infirmary	49	25	24	
		Fisherton House Lunatic Asylum.. .. .	6	1	5	
254.—WILTON ..	1. Wilton	WORKHOUSE	8	3	5	
255.—TISBURY ..	2. Tisbury	WORKHOUSE	8	5	3	
256.—MERE ..	1. Mere	WORKHOUSE	—	—	—	
19.—Dorsetshire.						
257.—SHAFTESBURY	1. Shaftesbury	WORKHOUSE	9	7	2	
		Westminster Cottage Hospital	2	1	1	
258.—STURMINSTER	1. Sturminster	WORKHOUSE	8	4	4	
259.—BLANDFORD	1. Milton Abbas 2. Blandford	Milton Abbas Cottage Hospital.. .. .	—	—	—	
		WORKHOUSE	15	9	6	
		Blandford Cottage Hospital	6	2	4	
260.—WIMBORNE..	2. Wimborne	Isolation Hospital (Blandford Forum M.B. and Blandford R.D.)	—	—	—	
		WORKHOUSE	17	13	4	
		Victoria Cottage Hospital.. .. .	3	1	2	
261.—POOLE ..	1. Canford	Infectious Diseases Hospital (Poole M.B. and R.D.)	11	5	6	
		Outdoor Sanatorium (Lung Diseases)	1	—	1	
		Temporary Isolation Hospital (Bournemouth C.B.)	—	—	—	
	2. Poole	WORKHOUSE	23	15	8	
		Cornelia Hospital	19	8	11	
262.—WAREHAM ..	1. Swanage 3. Wareham	Borough of Poole Infectious Diseases Hospital ..	—	—	—	
		Cottage Hospital	3	2	1	
		WORKHOUSE	10	4	6	
		Isolation Hospital (Wareham and Purbeck R.D.)	1	—	1	

* 243 : 2.—In Kingsdown House, a private Lunatic Asylum, 6 deaths occurred during the year.

† 246 : 2.—In Fiddington House, a private Lunatic Asylum, 1 death occurred during the year.

‡ 253 : 1.—In Laverstock House, a private Lunatic Asylum, 2 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
19.—Dorsetshire—continued.						
233.—WEYMOUTH	1. Upway	Borough Isolation Hospital (Weymouth and Melcombe Regis M.B.)	7	2	5	
		Isolation Hospital (Weymouth R.D.)	—	—	—	
	2. Weymouth	WORKHOUSE	43	20	23	
		Royal Hospital	6	3	3	
		County Eye Infirmary	—	—	—	
		Port Sanitary Hospital (Weymouth and Melcombe Regis M.B., &c.)	—	—	—	
		Princess Christian Hospital (formerly Sanatorium for Women and Children)	8	2	6	
	3. Portland.. ..	Royal Naval Hospital	8	8	—	
264.—DORCHESTER	1. Dorchester	WORKHOUSE (Dorchester)	17	9	8	
		County Hospital	22	17	5	
	3. Maiden Newton	Isolation Hospital (Dorchester M.B.)	—	—	—	
		County Lunatic Asylum	81	40	41	
265.—SHERBORNE	2. Sherborne	WORKHOUSE	3	1	2	
		Yeatman Hospital	20	9	11	
266.—BEAMINSTER	2. Netherbury	WORKHOUSE	11	6	5	
		WORKHOUSE	3	1	2	
267.—BRIDPORT ..	1. Burton Bradstock	Isolation Hospital, Bradpole (Bridport R.D.)	—	—	—	
		WORKHOUSE	16	9	7	
	2. Bridport	Thomas Cottage Hospital	3	2	1	
		Isolation Hospital (Bridport M.B.)	1	1	—	
20.—Devonshire.						
268.—AXMINSTER	1. Lyme	Cottage Hospital	3	2	1	
		WORKHOUSE	8	4	4	
	2. Axminster	Cottage Hospital	1	1	—	
		Temporary Isolation Hospital (Axminster R.D.)	—	—	—	
269.—HONITON ..	1. Honiton	WORKHOUSE	15	7	8	
		Honiton Nursing Home	1	1	—	
	2. Ottery St. Mary	Ottery St. Mary Cottage Hosp. (Paxford House)	1	1	—	
		Victoria Cottage Hospital, Sidmouth	—	—	—	
270.—ST. THOMAS..	1. Exmouth	Budleigh Salterton Cottage Hospital	1	1	—	
		Exmouth Cottage Hospital (Maud Hospital)	9	3	6	
		St. Luke's Convalescent Home	—	—	—	
	4. Heavitree	Exeter Sanatorium	17	12	5	
		Isolation Hospital (Heavitree U.D.)	—	—	—	
		Exeter Lunatic Asylum	19	12	7	
	5. St. Thomas	Wonford House Lunatic Hospital	9	5	4	
		WORKHOUSE	44	28	16	
	6. Kenton	County Lunatic Asylum	122	56	66	
		Western Counties Idiot Asylum	4	1	3	
271.—EXETER ..	1. Exeter	WORKHOUSE	44	26	18	
		Royal Devon and Exeter Hospital	98	48	50	
		West of England Eye Infirmary	1	1	—	
		Home Hospital	1	1	—	
272.—NEWTON ABBOT.	1. Teignmouth	Teignmouth Hospital	2	1	1	
		Dawlish Cottage Hospital	—	—	—	
	3. Moreton Hampstead	Isolation Hosp. (Teignmouth Port Sanitary Dist.)	—	—	—	
		Cottage Hospital	2	2	—	
	4. Ashburton	Convalescent Home	1	1	—	
		Ashburton and Buckfastleigh Cottage Hospital	1	1	—	
	5. Newton Abbot.. ..	WORKHOUSE	76	39	37	
		WORKHOUSE, Scattered Homes	—	—	—	
	6. Torquay	Newton Abbot Hospital & Dispensary	9	6	3	
		Hospital for Infectious Diseases (Newton Abbot U.D. and R.D.)	4	4	—	
			Torbay Hospital	29	15	14
			Erith House (Institution for Invalid Ladies)	—	—	—
			Western Hospital (Incipient Consumption)	—	—	—
			Mildmay Home for Consumption ("Smyrna")	4	—	4
			Sanatorium (Infectious Dis.; Torquay M.B.)	6	3	3
			Hospital for Children (Rosehill)	2	—	2
			St. Luke's Convalescent Home	1	1	—
			St. Raphael's Convalescent Home	2	—	2
			St. Barnabas Home (Incurables)	7	2	5
			Isolation Hospital (Torquay M.B.)	—	—	—
Oekenden Convalescent Home (Branch of Devon and Exeter Hospital)			—	—	—	

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
20.—Devonshire—continued.					
273.—TOTNES ..	1. Paignton.. ..	Cottage Hospital	6	3	3
		Isolation Hospital (Paignton U.D.)	—	—	—
	2. Brixham.. ..	Cottage Hospital	7	5	2
		Isolation Hospital (Brixham U.D.)	—	—	—
	3. Dartmouth . .	Cottage Hospital	5	4	1
		S.S. "Mayfly" Infectious Diseases Hospital (Totnes & Dartmouth Port Sanitary Authority)	—	—	—
274.—KINGSBRIDGE	4. Totnes .. .	WORKHOUSE	16	10	6
		Cottage Hospital	2	—	2
	6. Ugborough .. .	Devon and Cornwall Sanatorium (Consumption)	2	2	—
		Plymouth Borough Lunatic Asylum	27	12	15
275.—PLYMPTON ST. MARY	2. Plympton* .. .	WORKHOUSE	13	9	4
		Kingsbridge Cottage Hospital	3	3	—
276.—PLYMOUTH ..	1. Plymouth North† ..	WORKHOUSE	15	11	4
		House of Rest for Convalescents	—	—	—
277.—EAST STONEHOUSE	1. Plymouth North† ..	Convalescent Home, Tamerton Folliott	—	—	—
		WORKHOUSE	137	82	55
		WORKHOUSE, Scattered Homes	—	—	—
		South Devon and East Cornwall Hospital	101	61	40
		Royal Eye Infirmary	1	1	—
		Devon and Cornwall Ear and Throat Hospital	—	—	—
		Pearns Convalescent Home	—	—	—
		WORKHOUSE, Scattered Homes	—	—	—
		Borough Hospital (Infectious Diseases)	15	9	6
		Homœopathic Hospital	13	4	9
278.—DEVONPORT	1. St. Aubyn .. .	Hospital Ship "Pique" (Port Sanitary Authority)	—	—	—
		Hospital Ship "Maude" (Plymouth C.B.)	—	—	—
279.—TAVISTOCK ..	1. East Stonehouse ..	WORKHOUSE	22	14	8
		Royal Naval Hospital	49	49	—
		Hospital for Soldiers' Wives and Children	4	2	2
		Royal Albert Hospital and Eye Infirmary	64	38	26
		WORKHOUSE	64	32	32
		Devonport Borough Hospital (Infectious Diseases)	12	8	4
280.—OKEHAMPTON	3. Tamar .. .	Small-pox Hospital (Devonport C.B.)	—	—	—
		Military Hospital (Station Hospital)	12	12	—
281.—CREDITON ..	2. Tavistock .. .	WORKHOUSE	25	14	11
		Cottage Hospital	11	4	7
282.—TIVERTON ..	1. Bratton Clovelly ..	WORKHOUSE	9	3	6
		Dartmoor Sanatorium for Consumption	1	—	1
		WORKHOUSE	10	3	7
283.—SOUTH MOLTON	3. Tiverton .. .	WORKHOUSE	26	15	11
		Infirmary and Dispensary	13	5	8
		Isolation Hospital (Tiverton M.B. and R.D.)	—	—	—
284.—BARNSTAPLE	2. South Molton .. .	WORKHOUSE	9	6	3
		Cottage Hospital, South Molton	—	—	—
		Cottage Hospital, Chumleigh	1	—	1
285.—TORRINGTON	1. Barnstaple .. .	WORKHOUSE	22	10	12
		North Devon Infirmary	24	13	11
		Infectious Diseases Hospital (Barnstaple M.B.)	—	—	—
		Lynton Cottage Hospital	1	1	—
		Tyrrell Cottage Hospital	6	3	3
		Bickleighscombe Isolation Hos. (Ilfracombe U.D.)	—	—	—
286.—BIDEFORD ..	4. Great Torrington ..	Hospital Ship "Nymphen" (Port Sanitary Authority)	—	—	—
		WORKHOUSE	5	2	3
287.—HOLSWORTHY	1. Bideford .. .	Cottage Hospital	2	—	2
		WORKHOUSE	11	7	4
		The Hospital, Bideford	12	10	2
288.—BIDEFORD ..	2. Holsworthy .. .	Infectious Diseases Hospital (Bideford M.B.)	—	—	—
		WORKHOUSE	3	1	2

* 275 : 2.—In Plympton House, a private Lunatic Asylum, 5 deaths occurred during the year.
† 276 : 1.—In St. Joseph's House 13 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
21.—Cornwall.					
288.—STRATTON ..	2. Stratton	WORKHOUSE	8	4	4
		Cottage Hospital	3	3	—
289.—CAMELFORD	2. Camelford	WORKHOUSE	6	6	—
290.—LAUNCESTON	3. Launceston	WORKHOUSE	4	1	3
		Launceston Infirmary and Rowe Dispensary ..	1	1	—
291.—ST. GERMANS	1. Antony	WORKHOUSE	10	6	4
	3. Saltash	St. Barnabas Cottage Hospital	2	—	2
292.—LISKEARD ..	2. Liskeard	WORKHOUSE	12	8	4
		Cottage Hospital	3	3	—
	3. Looe	Cottage Hospital (Fowey Port Sanitary Authority)	—	—	—
293.—BODMIN ..	3. Bodmin	WORKHOUSE	13	6	7
		East Cornwall Hospital	4	4	—
		County Lunatic Asylum	88	49	39
294.—ST. COLUMB..	2. St. Columb	WORKHOUSE	7	3	4
		Infectious Diseases Hospital (Newquay U.D.) ..	—	—	—
295.—ST. AUSTELL	1. Fowey	Cottage Hospital	1	1	—
	2. St. Austell	WORKHOUSE	19	12	7
		WORKHOUSE, Scattered Homes	1	—	1
296.—TRURO ..	3. St. Agnes	Temporary Infect. Diseases Hospital (Truro R.D.)	—	—	—
		Epiphany Convalescent Home for Men	—	—	—
		Cornwall Conv. Home for Men, Perranzabuloe ..	—	—	—
		House of Rest for Women, Perranzabuloe	—	—	—
	4. St. Clement	WORKHOUSE	20	11	9
	5. Kenwyn	Infectious Diseases Hospital (City of Truro) ..	1	1	—
		Royal Cornwall Infirmary	26	15	11
297.—FALMOUTH ..	2. Falmouth	WORKHOUSE	9	1	8
		Sailors' Home and Infirmary	5	5	—
		Isolation Hospital (Port Sanitary Authority) ..	—	—	—
		Convalescent Home, Penjerrick	—	—	—
		Cottage Hospital	3	1	2
298.—HELSTON ..	2. Helston	WORKHOUSE	24	9	15
299.—REDRUTH ..	2. Redruth	{ West Cornwall Miners' Hospital	10	9	1
		{ West Cornwall Women's Hospital	13	—	13
	3. Illogan	WORKHOUSE	42	21	21
	4. Camborne	Isolation Hospital (Redruth R.D.)	—	—	—
		Infectious Diseases Hospital (Camborne U.D.) ..	—	—	—
300.—PENZANCE ..	4. Penzance	WORKHOUSE	24	9	15
		West Cornwall Infirmary and Dispensary	18	14	4
		Isolation Hospital, Alverton (Penzance M.B.) ..	1	1	—
		Edward Bolitho Convalescent Home	1	1	—
301.—ISLES OF SCILLY	1. Isles of Scilly	WORKHOUSE (St. Mary's Parish Poor House) ..	—	—	—
22.—Somersetshire.					
302.—WILLITON ..	1. Minehead	Isolation Hospital (Minehead and Williton (West) District Hospital Committee)	2	—	2
	2. Dunster	Village Hospital	2	1	1
	3. Williton	WORKHOUSE	8	4	4
303.—DULVERTON	1. Dulverton	WORKHOUSE	2	—	2
304.—WELLINGTON	2. Milverton	Cottage Hospital	—	—	—
	3. Wellington	WORKHOUSE	12	7	5
		Cottage Hospital	3	1	2
305.—TAUNTON ..	3. Taunton	WORKHOUSE	34	13	21
		Taunton and Somerset Hospital	54	31	23
		Sanitary Hospital (Taunton M.B. & R.D.)	1	1	—
	4. Bishop's Lydeard ..	County Lunatic Asylum, Cotford	70	33	37
306.—BRIDGWATER	2. Bridgwater	WORKHOUSE	25	15	10
		Bridgwater Hospital	26	20	6
		Infectious Diseases Hospital (Bridgwater M.B.) ..	1	1	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
22.—Somersetshire—continued.					
307.—LANGPORT ..	1. Somerton	WORKHOUSE .. Isolation Hospital, (Langport R.D.)	14 —	8 —	6 —
308.—CHARD ..	3. Chard 4. Crewkerne	WORKHOUSE Crewkerne Hospital.. ..	12 3	7 2	5 1
309.—YEOVIL ..	1. Coker 4. Yeovil	Isolation Hospital (Small-pox ; Yeovil M.B.) .. WORKHOUSE District Hospital Isolation Hospital (Yeovil M.B.)	— 20 6 —	— 14 4 —	— 6 2 —
310.—WINCANTON	2. Milborne Port .. 3. Wincanton	Merthyr Guest Hospital WORKHOUSE Wincanton Hospital	1 24 1	1 12 —	— 12 1
311.—FROME ..	2. Frome	WORKHOUSE Frome Victoria Hospital Infectious Diseases Hospital (Frome U.D.)	32 10 —	16 5 —	16 5 —
312.—SHEPTON MALLET	1. Shepton Mallet ..	WORKHOUSE Shepton Mallet District Hosp. (General Diseases) ..	17 8	9 6	8 2
313.—WELLS ..	1. Wells 2. Glastonbury	WORKHOUSE Mendip Hills Sanatorium (Tuberculosis), Hillgrove Sanitary Hospital (City of Wells) Cottage Hospital County Lunatic Asylum Sir George Bowles Hospital, Butleigh St. Saviour's Isolation Hospital (Glastonbury M.B. and Street U.D.)	24 — 3 2 79 1 —	14 — 1 — 39 1 —	10 — 2 2 40 — —
314.—AXBRIDGE ..	1. Axbridge 3. Weston super Mare ..	WORKHOUSE St. Michael's Home (Consumption) Engel Home (Consumption Branch of St. Michael's Home) Royal West of England Sanatorium Weston super Mare Hospital Infectious Diseases Hospital (Statutory Hospital &c. : Weston super Mare U.D.) Children's Convalescent Home Women's Conv. Home (Bristol Medical Mission)	33 4 — — 22 — — — —	23 2 — — 15 — — — —	10 2 — — 7 — — — —
315.—CLUTTON ..	1. Harptree 3. High Littleton.. 4. Midsomer Norton ..	WORKHOUSE Nordrach upon Mendip Sanatorium for Phthisis, &c. Paulton Memorial Cottage Hospital Isolation Hospital (Midsomer Norton U.D.)	12 1 3 —	7 — 2 —	5 1 1 —
316.—BATH	2. Bathwick 3. Lyncombe 4. Walcot 5. Batheaston.*	Statutory Hospital (Infect. Dis. ; City of Bath) .. Convalescent Home, Combe Down WORKHOUSE WORKHOUSE, Scattered Homes Royal United Hospital Royal Mineral Water Hospital Homœopathic Hospital Eye Infirmary Lansdown Grove Hospital Medical and Surgical Home	1 1 109 — 109 2 — — 3 3	1 1 53 — 60 1 — — 1 3	— — 56 — 49 1 — — 2 —
317.—KEYNSHAM..	3. Keynsham†	WORKHOUSE WORKHOUSE, Cottage Homes (Bristol) Isolation Hospital (Keynsham R.D.)	14 — 2	8 — 1	6 — 1
318.—LONG ASHTON	1. Long Ashton 2. Yatton	WORKHOUSE Clevedon Cottage Hospital Christchurch Convalescent Homes Isolation Hospital (Clevedon U.D.)	19 5 — —	8 2 — —	11 3 — —
VI.—WEST MIDLAND DIVISION.					
23.—Gloucestershire.					
319.—BRISTOL ..	1. Clifton 2. Bristol Central .. 3. Bedminster	Royal Hospital for Sick Children and Women .. Bristol Temporary Home (Maternity Cases) .. Bristol General Hospital Bristol Royal Infirmary Eye Hospital Hahnemann Hospital City Hospital, The Nover's (Infectious Diseases).. Isolation Hospital (Ham Green) Hospital Ship "Margarida" (Port Sanitary Auth.)	58 7 229 297 1 1 1 29 —	38 4 136 183 1 — 1 13 —	20 3 93 114 — 1 — 16 —

* 316 : 5.—In Bailbrook House, a private Lunatic Asylum, 1 death occurred during the year.
† 317 : 3.—In Brislington House, a private Lunatic Asylum, 4 deaths occurred during the year

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.				
			Persons.	Males.	Females.		
23.—Gloucestershire—continued.							
319.—BRISTOL—cont.	7. Stapleton	WORKHOUSE, Stapleton	204	119	85		
		WORKHOUSE, Eastville	329	170	159		
	8. Ashley	Castle Hill Nursing Home	3	—	3		
		Cossham Memorial Hospital	21	12	9		
		<i>Bristol City Lunatic Asylum</i>	102	53	49		
		Lock Hospital	—	—	—		
		Military Hospital	—	—	—		
		Orthopædic Hosp. and Home for Crippled Childn. ..	1	1	—		
	9. Westbury on Trym ..	Queen Victoria Jubilee Convalescent Home ..	—	—	—		
		WORKHOUSE	14	8	6		
	320.—CHIPPING SODBURY	1. Winterbourne	Avonmouth Cottage Hospital	—	—	—	
		2. Chipping Sodbury ..	Hambrook Village Hospital	—	—	—	
	321.—THORNBURY	5. Iron Acton*	Infectious Dis. Hospital (Chipping Sodbury R.D.) ..	—	—	—	
		1. Almondsbury	WORKHOUSE	13	9	4	
2. Thornbury			Memorial Institute Hospital	4	2	2	
3. Berkeley			WORKHOUSE	16	14	2	
322.—DURSLEY ..	2. Dursley	Cottage Hospital	—	—	—		
		Port Sanitary Hospital	—	—	—		
	323.—WESTBURY ON SEVERN	WORKHOUSE	17	12	5		
		Hospital for Infectious Diseases (Dursley Union) ..	—	—	—		
		1. Newnham	WORKHOUSE	17	10	7	
			2. East Dean	Inf. Dis. Hosp. (East Dean & United Parishes R.D.) ..	3	1	2
		324.—NEWENT ..	1. Newent	WORKHOUSE	13	10	3
			325.—GLOUCESTER	1. Barnwood	St. Lucy's Hospital for Children	10	6
		2. Gloucester Northern		City of Gloucester Isolation Hospital, Over ..	13	8	5
				City of Gloucester Small-pox Hospital	—	—	—
				<i>County Lunatic Asylum, Wotton and Barnwood</i> ..	136	75	61
				<i>Barnwood House Lunatic Hospital</i>	6	3	3
				WORKHOUSE	52	27	25
				WORKHOUSE (Ladybellegate Lodge)	—	—	—
WORKHOUSE (Somerset Lawn)	—	—		—			
St. Lucy's Home	1	—		1			
Royal Infirmary	104	73		31			
Port Sanitary Hospital	—	—	—				
326.—WHEATEN-HURST	2. Frampton	WORKHOUSE	9	3	6		
	327.—STROUD ..	1. Stonehouse	Isolation Hospital (Stroud Joint Hosp. Bd.) ..	12	4	8	
2. Painswick		Cotswold Sanatorium for Consumption	2	2	—		
3. Bisley		Alexandra Hospital (Convalescent Home of Alex- ..	—	—	—		
		andra Hospital for Hip Diseases)	—	—	—		
		4. Stroud	Small-pox Hospital (Stroud Joint Hospital Board) ..	—	—	—	
		WORKHOUSE	41	25	16		
328.—TETBURY ..	2. Tetbury	General Hospital	25	18	7		
		WORKHOUSE	3	2	1		
329.—CIRENCESTER	2. Cirencester	Cottage Hospital	2	1	1		
		WORKHOUSE	18	12	6		
	3. Fairford†	Cottage Hospital	5	3	2		
		Hosp. for Contagious Dis. (Cirencester U.D. & R.D.) ..	1	1	—		
		Small-pox Hospital (Cirencester U.D. & R.D.) ..	—	—	—		
		Cottage Hospital	3	2	1		
330.—NORTHLEACH	1. Bibury	Children's Hospital, Quenington (Convalescent ..	—	—	—		
		Home of Hospital for Sick Children, London) ..	1	—	1		
		WORKHOUSE	7	3	4		
		Isolation Hospital (Northleach R.D.)	—	—	—		
331.—STOW ON THE WOLD	1. Bourton on the Water ..	Small-pox Hospital (Northleach R.D.)	—	—	—		
		Cottage Hospital	3	3	—		
332.—WINCHCOMB	1. Guiting	WORKHOUSE	8	4	4		
		WORKHOUSE	16	9	7		
		Cottage Hospital	1	1	—		
333.—CHELTENHAM	1. Charlton Kings	Isolation Hospital (Winchcomb R.D.)	1	—	1		
		Phthisis Sanatorium, Salterley Grange (City of ..	—	—	—		
	2. Cheltenham	Birmingham)	—	—	—		
		WORKHOUSE	58	30	28		
		General Hospital and Dispensary	86	41	45		
		Home for Sick Children (Belmont House)	2	1	1		
334.—TEWKESBURY	1. Tewkesbury	Delancey Hosp. for Infect. Dis. (Cheltenham M.B.) ..	5	2	3		
		Eye, Ear, and Throat Free Hospital	1	1	—		
		WORKHOUSE	5	1	4		
		Rural Hospital (Tewkesbury General Hospital) ..	8	5	3		
		Isolation Hospital (Tewkesbury M.B.)	1	—	1		
		Isolation Hosp., Tredington (Tewkesbury R.D.) ..	1	1	—		

* 320 : 5.—In Northwoods, a private Lunatic Asylum, 7 deaths occurred during the year.

† 329 : 3.—In The Retreat, Fairford, a private Lunatic Asylum, 5 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
24.—Herefordshire.					
335.—LEDBURY ..	1. Ledbury.. ..	WORKHOUSE	16	9	7
		Cottage Hospital	5	4	1
336.—ROSS	2. Ross	WORKHOUSE	30	22	8
		Cottage Hospital	4	2	2
337.—HEREFORD..	3. Burghill.. ..	Isolation Hospital (Hereford R.D.)	1	1	—
		County and City Lunatic Asylum	31	19	12
	4. Hereford City ..	WORKHOUSE (Hereford)	45	32	13
		Herefordshire General Hospital	52	32	20
		Infectious Diseases Hospital (City of Hereford) ..	1	—	1
		Victoria Eye and Ear Infirmary	—	—	—
338.—WEOBLEY ..	6. Kentchurch ..	WORKHOUSE (Dore)	13	10	3
338.—WEOBLEY ..	1. Weobley.. ..	WORKHOUSE	8	5	3
339.—BROMYARD..	2. Bromyard ..	WORKHOUSE	13	8	5
		Isolation Hospital (Bromyard U.D. & R.D.) ..	—	—	—
340.—LEOMINSTER	1. Leominster ..	Cottage Hospital	—	—	—
340.—LEOMINSTER	1. Leominster ..	WORKHOUSE	9	7	2
		Cottage Hospital	3	2	1
341.—KINGTON ..	3. Kington	WORKHOUSE	8	7	1
		Victoria Cottage Hospital	5	3	2
25.—Shropshire.					
342.—LUDLOW ..	2. Ludlow	WORKHOUSE	11	16	1
		Cottage Hospital	4	3	1
		Infectious Diseases Hospital (Small-pox : Ludlow M.B. & R.D.).. ..	—	—	—
343.—CLUN . ..	1. Clun	St. Katharine's Cottage Hospital	2	1	1
	2. Bishops Castle ..	WORKHOUSE	5	3	2
344.—CHURCH STRETTON	1. Church Stretton*	WORKHOUSE	4	2	2
345.—CLEOBURY MORTIMER	1. Cleobury Mortimer ..	WORKHOUSE	6	5	1
346.—BRIDGNORTH	2. Bridgnorth ..	WORKHOUSE	16	13	3
		South Salop and Bridgnorth Infirm. and Dispensy. ..	8	5	3
		Borough Hospital (Infectious Diseases)	2	—	2
347.—SHIFNAL ..	2. Shifnal	WORKHOUSE	7	6	1
		Cottage Hospital	—	—	—
348.—MADELEY ..	2. Madeley	WORKHOUSE	23	18	5
		Lady Forester Hospital, Much Wenlock	4	3	1
		Lady Forester Hospital, Broseley	3	2	1
		Small-pox Hospital (Wenlock M.B.)	—	—	—
349.—ATCHAM ..	1. Condoover ..	WORKHOUSE	55	39	16
		St. Mary	1	1	—
	2. St. Mary	WORKHOUSE, Cottage Homes	113	62	51
		Salop Infirmary	2	—	2
		Isolation Hospital (Shrewsbury M.B.)	4	—	4
	3. St. Chad	Salop Eye, Ear, and Throat Hospital.. ..	112	45	67
		Salop and Montgomery Counties Lunatic Asylum ..			
350.—OSWESTRY ..	3. Oswestry	WORKHOUSE (House of Industry)	47	33	14
		Cottage Hospital	9	5	4
	4. St. Martin's ..	Cottage Hospital, Chirk	1	—	1
351.—ELLESMERE	1. Overton	Edmund Peel Memorial Nursing Home	1	—	1
	3. Ellesmere	WORKHOUSE	10	7	3
		Ellesmere Cottage Hospital	2	2	—
	4. Baschurch†	Salop Convalescent Home	1	1	—
352.—WEM	1. Wem	WORKHOUSE	11	7	4
		Small-pox Hospital (Several Unions).. ..	—	—	—
353.—WHITCHURCH	1. Whitchurch ..	WORKHOUSE	15	10	5
		Cottage Hospital	6	6	—
354.—MARKET DRAYTON	1. Market Drayton ..	WORKHOUSE	14	10	4
		Cottage Hospital	1	—	1
		Isolation Hosp. (Drayton and Blore Heath R.D's.)	4	2	2
355.—WELLINGTON	1. Ercall Magna ..	Convalescent Home (Co-operative Wholesale Soc.)	1	—	1
	2. Wellington	WORKHOUSE	24	16	8

* 344: 1.—In Grove House and Stretton House, two private Lunatic Asylums, 2 deaths occurred during the year.
† 351: 4.—In Boreatton Park, a private Lunatic Asylum, no death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
25.—Shropshire—continued.					
356.—NEWPORT ..	1. Newport	WORKHOUSE Infectious Diseases Hospital (Newport U.D. & R.D.)	12 —	7 —	5 —
26.—Staffordshire.					
357.—STAFFORD ..	1. Stafford	WORKHOUSE Staffordshire General Infirmary Isolation Hospital (Stafford M.B.), Tithe Barn Rd. Infectious Diseases Hospital (Stafford R.D.), King- ston Hill Sister Dora Convalescent Hospital County Lunatic Asylum Lunatic Hospital, Coton Hill	32 51 — — — 102 11	17 29 — — — 59 4	15 22 — — — 43 7
353.—STONE ..	1. Stone	WORKHOUSE St. Mary's Hospital (Convent Hospital) Isolation Hospital (Stone U.D. & R.D.) Small-pox Hospital (Stone U.D. & R.D.)	16 4 2 —	11 — 2 —	5 4 — —
359.—NEWCASTLE UNDER LYME	2. Newcastle under Lyme.	WORKHOUSE Infect. Diseases Hosp.(Newcastle under Lyme M.B.)	45 1	28 —	17 1
360.—WOLSTANTON	1. Wolstanton	Bradwell Sanatorium (Wolstanton United U.D., Kidsgrove U.D., and Smallthorne U.D.)	12	6	6
	2. Tunstall	WORKHOUSE WORKHOUSE, Cottage Homes WORKHOUSE, Cottage Homes Haywood Hospital Isolation Hospital (Stoke on Trent C.B.)	99 — — 33 43	62 — — 21 21	37 — — 12 22
361.—STOKE UPON TRENT	1. Hanley.* 2. Stoke upon Trent ..	WORKHOUSE WORKHOUSE, Cottage Homes North Staffordshire Infirmary Longton Cottage Hospital Infectious Diseases Hospital, Bucknall (Stoke on Trent C.B., and Stoke upon Trent R.D.)	225 — 182 23 63	130 — 108 12 28	95 — 74 11 35
362.—LEEK ..	1. Norton	Infectious Diseases Hospital (Leek R.D.) Joint Hosp., Bagnall (Sm.-pox; N.Staffs. Hos. Bd.)† Fever Hospital (Biddulph U.D.) WORKHOUSE Cottage Hospital Fever Hospital (Leek U.D.)	— 1 — 34 6 2	— 1 — 22 3 1	— — — 12 3 1
363.—CHEADLE ..	2. Ipstones 4. Cheadle	County Lunatic Asylum, Cheddleton WORKHOUSE Hospital for Infectious Diseases (Cheadle R.D.)	123 18 1	72 12 1	51 6 —
364.—UTTOXETER.. 365.—BURTON UPON TRENT	1. Uttoxeter 2. Repton 3. Gresley 4. Burton upon Trent ..	WORKHOUSE Isolation Hospital (Repton R.D.) Derby County Lunatic Asylum Small-pox Hospital (Swadlincote District U.D.).. WORKHOUSE WORKHOUSE, Cottage Homes Burton upon Trent Infirmary Barton under Needwood Cottage Hospital Borough Hospital (Infectious Diseases)	12 — 85 — 95 — 51 3 15	9 — 40 — 64 — 32 3 4	3 — 45 — 31 — 19 — 11
366.—TAMWORTH..	1. Tamworth	WORKHOUSE Cottage Hospital Isolation Hospital (Tamworth M.B. and R.D.)	37 15 8	25 9 3	12 6 5
367.—LICHFIELD ..	1. Lichfield 2. Rugeley	WORKHOUSE Hammerwich and District Cottage Hospital Lichfield Victoria Nursing Home County Lunatic Asylum, Burntwood Cottage Hospital, Yoxall District Hospital Cottage Hospital (Levett Convalescent Home) Isolation Hospital (City of Lichfield and R.D.)	53 5 4 83 — 2 — 6	32 5 3 47 — — — 3	21 — 1 36 — 2 — 3
368.—CANNOCK ..	2. Cannock	WORKHOUSE Hednesford Accident Home, Littleworth Isolation Hospital (Cannock R.D.) Small-pox Hospital (Cannock U.D.)	38 10 2 —	23 9 1 —	15 1 1 —
369.—WOLVER- HAMPTON	3. Wombourn 4. Wolverhampton Western. 5. Wolverhampton Eastern.	WORKHOUSE (Seisdon) Infectious Diseases Hospital (Seisdon R.D.) St. Catherine's Convalescent Home (Wolverhampton and Staffs. General Hospital) Hospital for Women Wolverhampton Eye Infirmary Victoria Nursing Institution Wolverhampton and Staffordshire General Hosp. Borough Hospital (Infectious Diseases)	6 2 — 12 1 5 261 4	4 1 — 1 — 1 167 2	2 1 — 11 1 4 94 2

* 361: 1.—In St. Augustine's Home, 9 deaths occurred during the year.

† 362: 1.—In the absence of small-pox cases this hospital is used for convalescent cases from the Joint Hospital, Bucknall (Infectious Diseases) in 361: 5. The death in 1910 was ascribed to scarlatina.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
26.—Staffordshire—continued.					
369.—WOLVERHAMPTON—cont.	6. Willenhall	WORKHOUSE, Cottage Home	—	—	—
		WORKHOUSE (Homes for the Poor)	225	143	82
		Isolation Hospital (Willenhall U.D.)	—	—	—
		Isolation Hospital (Heath Town U.D.)	—	—	—
370.—WALSALL ..	7. Bilston	Fever Hospital (Bilston U.D.)	1	—	1
		Small-pox Hosp. (S. Staffs. Jt. Small-pox Hosp. Bd.)	—	—	—
		Infectious Diseases Hospital (Darlaston U.D.)	1	1	—
		Small-pox Hospital (Walsall C.B.)	—	—	—
371.—WEST BROMWICH	1. Handsworth	Epidemic Hospital (Walsall C.B.)*	—	—	—
		WORKHOUSE	151	94	57
		Walsall and District Cottage Hospital	50	30	20
		Fever Hospital (Aston Union)	10	4	6
372.—DUDLEY ..	1. Rowley Regis	Small-pox Hospital (Aston Manor M.B.)	—	—	—
		Birmingham City Lunatic Asylum (Branch)	—	—	—
		West Bromwich District Hosp. (General Diseases)	60	35	25
		WORKHOUSE	219	127	92
373.—STOURBRIDGE	1. Halesowen	WORKHOUSE (W. Bromwich & Walsall Ind. Sch.)	—	—	—
		Infect. Diseases Hospital (West Bromwich Union)	13	6	7
		Isolation Hospital (Small-pox ; Wednesbury M.B.)	—	—	—
		Tividale Infectious Diseases Hospital (Rowley Regis U.D.)	1	1	—
374.—KIDDERMINSTER	3. Kidderminster	Infectious Diseases Hospital (Tipton U.D.)	1	—	1
		WORKHOUSE	135	74	61
		WORKHOUSE, Cottage Homes	—	—	—
		WORKHOUSE, Cottage Homes	—	—	—
375.—TENBURY ..	1. Tenbury	Guest Hospital	63	34	29
		Infectious Diseases Hospital (Dudley C.B.)	2	2	—
		Isolation Hospital (Malvern U.D.)	—	—	—
		Knightsbridge Sanatorium for Consumption	90	51	39
376.—MARTLEY ..	2. Leigh	WORKHOUSE	—	—	—
		WORKHOUSE, Cottage Homes	81	59	22
		Worcester General Infirmary	—	—	—
		Ophthalmic Hospital	5	3	2
377.—WORCESTER	1. Worcester	City Hospital (Infectious Diseases)	8	2	6
		City and County Nursing Institution	8	4	4
		Rural or Malvern Hospital	65	35	30
		County Lunatic Asylum	28	17	11
378.—UPTON ON SEVERN	2. Upton on Severn	WORKHOUSE	—	—	—
		Isolation Hospital (Upton upon Severn R.D.)	—	—	—
		Small-pox Hospital (Malvern U.D. and Upton upon Severn R.D.)	—	—	—
		WORKHOUSE	34	19	15
379.—EVESHAM ..	1. Evesham	Cottage Hospital	9	6	3
		Sanatorium (Evesham M.B. and R.D.)	—	—	—
		Small-pox Hospital (Joint Hosp. Com.)	—	—	—
		WORKHOUSE	8	5	3
380.—PERSHORE ..	2. Pershore	Cottage Hospital	3	1	2
		Scarlet Fever Hospital (Pershore R.D.)	—	—	—
		City of Worcester Small-pox Hospital	—	—	—
		WORKHOUSE	14	9	5
381.—DROITWICH	1. Droitwich	St. John's Hospital	—	—	—
		WORKHOUSE	34	22	12
		Blackwell Sanatorium (Convalescent Home)	3	1	2
		Cottage Hospital	9	6	3
382.—BROMSGROVE	1. Bromsgrove	Isolation Hosp. (Bromsgrove and Redditch U.D.'s.)	4	1	3
		Home for Consumptives, The Mount	1	1	—
		County Lunatic Asylum (Barnsley Hall)	68	31	37
		Foresters Convalescent Home	—	—	—
383.—BROMSGROVE	2. Belbroughton	Smallwood Hospital, Redditch	9	6	3
		WORKHOUSE	—	—	—
		Isolation Hospital (Upton upon Severn R.D.)	—	—	—
		Small-pox Hospital (Malvern U.D. and Upton upon Severn R.D.)	—	—	—
384.—EVESHAM ..	1. Evesham	WORKHOUSE	34	19	15
		Cottage Hospital	9	6	3
		Sanatorium (Evesham M.B. and R.D.)	—	—	—
		Small-pox Hospital (Joint Hosp. Com.)	—	—	—
385.—PERSHORE ..	2. Pershore	WORKHOUSE	8	5	3
		Cottage Hospital	3	1	2
		Scarlet Fever Hospital (Pershore R.D.)	—	—	—
		City of Worcester Small-pox Hospital	—	—	—
386.—DROITWICH	1. Droitwich	WORKHOUSE	14	9	5
		St. John's Hospital	—	—	—
		WORKHOUSE	34	22	12
		Blackwell Sanatorium (Convalescent Home)	3	1	2
387.—BROMSGROVE	1. Bromsgrove	Cottage Hospital	9	6	3
		Isolation Hosp. (Bromsgrove and Redditch U.D.'s.)	4	1	3
		Home for Consumptives, The Mount	1	1	—
		County Lunatic Asylum (Barnsley Hall)	68	31	37
388.—BROMSGROVE	2. Belbroughton	Foresters Convalescent Home	—	—	—
		Smallwood Hospital, Redditch	9	6	3
		WORKHOUSE	—	—	—
		Isolation Hospital (Upton upon Severn R.D.)	—	—	—
389.—EVESHAM ..	1. Evesham	Small-pox Hospital (Malvern U.D. and Upton upon Severn R.D.)	—	—	—
		WORKHOUSE	34	19	15
		Cottage Hospital	9	6	3
		Sanatorium (Evesham M.B. and R.D.)	—	—	—
390.—PERSHORE ..	2. Pershore	Small-pox Hospital (Joint Hosp. Com.)	—	—	—
		WORKHOUSE	8	5	3
		Cottage Hospital	3	1	2
		Scarlet Fever Hospital (Pershore R.D.)	—	—	—
391.—DROITWICH	1. Droitwich	City of Worcester Small-pox Hospital	—	—	—
		WORKHOUSE	14	9	5
		St. John's Hospital	—	—	—
		WORKHOUSE	34	22	12
392.—BROMSGROVE	1. Bromsgrove	Blackwell Sanatorium (Convalescent Home)	3	1	2
		Cottage Hospital	9	6	3
		Isolation Hosp. (Bromsgrove and Redditch U.D.'s.)	4	1	3
		Home for Consumptives, The Mount	1	1	—
393.—BROMSGROVE	2. Belbroughton	County Lunatic Asylum (Barnsley Hall)	68	31	37
		Foresters Convalescent Home	—	—	—
		Smallwood Hospital, Redditch	9	6	3
		WORKHOUSE	—	—	—
394.—EVESHAM ..	1. Evesham	Isolation Hospital (Upton upon Severn R.D.)	—	—	—
		Small-pox Hospital (Malvern U.D. and Upton upon Severn R.D.)	—	—	—
		WORKHOUSE	34	19	15
		Cottage Hospital	9	6	3
395.—PERSHORE ..	2. Pershore	Sanatorium (Evesham M.B. and R.D.)	—	—	—
		Small-pox Hospital (Joint Hosp. Com.)	—	—	—
		WORKHOUSE	8	5	3
		Cottage Hospital	3	1	2
396.—DROITWICH	1. Droitwich	Scarlet Fever Hospital (Pershore R.D.)	—	—	—
		City of Worcester Small-pox Hospital	—	—	—
		WORKHOUSE	14	9	5
		St. John's Hospital	—	—	—
397.—BROMSGROVE	1. Bromsgrove	WORKHOUSE	34	22	12
		Blackwell Sanatorium (Convalescent Home)	3	1	2
		Cottage Hospital	9	6	3
		Isolation Hosp. (Bromsgrove and Redditch U.D.'s.)	4	1	3
398.—BROMSGROVE	2. Belbroughton	Home for Consumptives, The Mount	1	1	—
		County Lunatic Asylum (Barnsley Hall)	68	31	37
		Foresters Convalescent Home	—	—	—
		Smallwood Hospital, Redditch	9	6	3

* Transferred from Walsall sub-district by a change in boundary on 1st December, 1910; no death was registered in this institution during the year.
† 373 : 3—In Ashwood House, a private Lunatic Asylum, 1 death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.				
			Persons.	Males.	Females.		
27.—Worcestershire—continued.							
383.—KINGS NORTON	1. Kings Norton	WORKHOUSE Infirmary (Monyhull Colony: Birmingham, Aston, and Kings Norton Unions)	2	—	2		
		WORKHOUSE	—	—	—		
		WORKHOUSE Infirmary	188	110	78		
		WORKHOUSE, Cottage Homes	—	—	—		
		Fever Hospital (Kings Norton & Northfield U.D.)	21	11	10		
		Convalescent Hosp. for Children (Moseley Hall)..	1	1	—		
		<i>Birm'ham City Lun. Asy., Rubery Hill and Hollymoor</i>	57	31	26		
	3. Edgbaston.*						
	4. Smethwick	Smethwick and Oldbury Joint Isolation Hospital	11	7	4		
28.—Warwickshire.							
384.—BIRMINGHAM	1. Lady Wood	Children's Hospital	152	90	62		
		2. All Saints	WORKHOUSE	55	21	34	
		WORKHOUSE Infirmary	723	455	268		
		City Hospital (Infectious Diseases)	46	24	22		
		<i>City Lunatic Asylum, Winson Green</i>	113	59	54		
	3. St. George	General Hospital	490	291	199		
		Hospital, 70, Newhall Street	18	10	8		
		Maternity Hosp. (Birmingham Lying-in Charity)	30	12	18		
	4. St. Martin	Queen's Hospital	300	193	107		
		Skin and Urinary Hospital	1	—	1		
		Homœopathic Hospital	10	5	5		
		Eye Hospital	1	1	—		
		Royal Orthopædic and Spinal Hospital	3	2	1		
		Ear and Throat Hospital	17	8	9		
		Phthisis Sanat., Yardley Road (City of Birm'ham)	—	—	—		
385.—ASTON	2. Bordesley	WORKHOUSE	480	284	196		
		WORKHOUSE, Cottage Homes	—	—	—		
	5. Erdington	Jaffray Hospital	6	5	1		
		Infectious Diseases Hospital (Aston Manor M.B. and Sutton Coldfield M.B.)	—	—	—		
		City Hospital (Infectious Diseases)	66	35	31		
		<i>Birm'ham City Lun. Asy. (Branch) "Glenthorne"</i> ..	—	—	—		
		Sutton Coldfield Cottage Hospital	3	3	—		
	386.—MERIDEN ..	1. Coleshill	WORKHOUSE (Marston Green Homes)	—	—	—	
			Joint Small-pox Hos. (Meriden and Solihull R.D.'s)†	1	1	—	
			2. Meriden	WORKHOUSE	9	6	3
		387.—ATHERSTONE	1. Atherstone	WORKHOUSE	12	6	6
				Isolation Hospital (Atherstone R.D.)	6	5	1
		383.—NUNEATON..	1. Nuneaton	WORKHOUSE	28	15	13
				Nuneaton General Hospital	20	14	6
				Isolation Hospital (Nuneaton M.B.)	1	1	—
			Small-pox Hospital (Joint Hospital Committee)..	—	—	—	
389.—FOLESHILL ..		1. Foleshill	WORKHOUSE	15	11	4	
			Infectious Diseases Hospital (Foleshill R.D.) ..	7	3	4	
390.—COVENTRY ..		1. St. John	WORKHOUSE	109	68	41	
			Pinley Isolation Hospital (City of Coventry) ..	—	—	—	
		2. Holy Trinity	Coventry and Warwick Hospital	91	54	37	
			City Hospital (Infectious Diseases)	15	5	10	
391.—RUGBY	1. Rugby	WORKHOUSE	27	10	17		
		Hospital of St. Cross	32	17	15		
392.—SOLIHULL ..	3. Dunchurch	Rugby Urban District Hospital (Infect. Diseases)..	—	—	—		
		1. Solihull	WORKHOUSE	56	35	21	
			Birmingham and Midland Hospital for Women ..	20	—	20	
		Taylor Home (Branch of Hospital for Women) ..	1	—	1		
		Infectious Dis. Hosp. (Solihull and Yardley R.D.'s)	6	2	4		
		Children's Convalescent Home	—	—	—		
		Isolation Hospital (Solihull and Meriden R.D.'s)..	—	—	—		
		<i>Midland Counties Idiot Asylum</i>	5	2	3		
	393.—WARWICK ..	1. Warwick	WORKHOUSE	57	28	29	
			Cottage Hospital	—	—	—	
			Heathcote Hosp. for Infect. Dis. (Warwick Union)	9	2	7	
			<i>County Lunatic Asylum</i>	129	58	71	
		2. Leamington	Warneford Hospital	59	36	23	
			Midland Counties Home for Incurables	13	6	7	
		3. Kenilworth	Kenilworth Convalescent Home	—	—	—	
394.—STRATFORD ON AVON	2. Stratford on Avon ..	WORKHOUSE	28	14	14		
		Joint Infect. Dis. Hosp. (Stratford on Avon M.B. & R.D.)	—	—	—		
		Belle Vue Small-pox H. (Stratford on Avon M.B. & R.D.)	—	—	—		
		Stratford on Avon Hospital	22	10	12		
		Nursing Home and Children's Hospital	—	—	—		
	3. Wootton Wawen.‡						
395.—ALCESTER ..	2. Alcester	WORKHOUSE	16	9	7		
		Sanatorium (Alcester Union)	—	—	—		
		Small-pox Hosp. (Alcester and Feckenham R.D.'s.)	—	—	—		

* 383: 3.—In St. Joseph's Home (Home for Aged Poor), 29 deaths occurred during the year.

† The death in 1910 was from scarlet fever.

‡ 394: 3.—In Glendossill and Hurst House, a private Lunatic Asylum, 2 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
23.—Warwickshire—continued.					
396.—SHIPSTON ON STOUR	2. Shipston on Stour ..	WORKHOUSE	25	17	8
		Ellen Badger Cottage Hospital, Shipston on Stour	4	2	2
		Moreton in the Marsh Cottage Hospital ..	1	—	1
		Isolation Hos.(Brailes R.D. & Shipston on Stour R.D.)	—	—	—
397.—SOUTHAM ..	1. Southam.. ..	Todenham Isolation Hosp.(Campden R.D.) ..	—	—	—
		WORKHOUSE	7	4	3
		Small-pox Hosp., Harbury (Warwick Jt. Hos. Bd.)	—	—	—
VII.—NORTH MIDLAND DIVISION.					
29.—Leicestershire.					
398.—LUTTERWORTH	1. Lutterworth	WORKHOUSE	13	11	2
		Cottage Hospital	—	—	—
399.—MARKET HARBOURGH	1. Market Harborough..	WORKHOUSE	7	4	3
		Small-pox Hospital (Leicestershire C.C.) ..	—	—	—
		Isolation Hospital (Market Harborough U.D.) ..	—	—	—
		Market Harborough and District Cottage Hospital	—	—	—
400.—BILLESDON..	1. Billesdon	WORKHOUSE	6	2	4
401.—BLABY ..	1. Wigston	WORKHOUSE Infirmary (Leicester)	257	147	110
		WORKHOUSE (Leicester Cottage Homes) ..	1	1	—
		Isolation Hosp.(Wigston Magna U.D. & Blaby R.D.)	2	—	2
		WORKHOUSE	14	5	9
402.—HINCKLEY ..	2. Hinckley	Leicester and Rutland Counties Lunatic Asylum	58	36	22
		WORKHOUSE	13	7	6
		Cottage Hospital	8	3	5
		Isolation Hospital (Hinckley U.D. and R.D.) ..	2	1	1
403.—MARKET BOSWORTH	1. Market Bosworth ..	WORKHOUSE	6	4	2
		Isolation Hospital (Market Bosworth R.D.) ..	—	—	—
		2. Ibstock	—	—	—
404.—ASHBY DE LA ZOUCH	1. Measham	Small-pox Hospital (Leicestershire C.C.) ..	1	1	—
		Moirs Infect. Diseases Hosp.(Ashby Woulds U.D.)	—	—	—
		WORKHOUSE	26	16	10
		Cottage Hospital	5	2	3
		Infect. Diseases Hospital (Ashby de la Zouch R.D.)	—	—	—
405.—LOUGHBOROUGH	1. Loughborough..	Isolation Hospital, Ibstock (Coalville U.D.) ..	—	—	—
		WORKHOUSE	24	14	10
		General Hospital	23	18	5
		Isolation Hospital (Loughborough M.B.) ..	3	1	2
406.—BARROW UPON SOAR	2. Quorndon	Cottage Hospital	—	—	—
		Charnwood Forest Adult Convalescent Home ..	—	—	—
		Charnwood Forest Children's Convalescent Home	—	—	—
		WORKHOUSE	15	11	4
407.—LEICESTER ..	3. Rothley	Hospital for Infect. Diseases (Leicester C.B.) ..	25	16	9
		Small-pox Hospital (Leicestershire C.C.) ..	—	—	—
		Cottage Hospital	1	—	1
		Leicester and Leicestershire Dispensary Maternity Hospital	29	15	14
		WORKHOUSE	8	5	3
408.—MELTON MOWBRAY	2. North East Leicester	WORKHOUSE Scattered Homes	—	—	—
		Leicester Borough Lunatic Asylum	66	38	28
		General Infirmary	252	142	110
		WORKHOUSE	12	11	1
		Hospital for Infect. Dis. (Melton Mowbray U.D. & R.D. & Belvoir R.D.)	2	1	1
30.—Rutlandshire.					
409.—OAKHAM ..	1. Oakham.. ..	WORKHOUSE	9	5	4
		Oakham and District Cottage Hospital	3	3	—
410.—UPPINGHAM	1. Uppingham	WORKHOUSE	1	—	1
31.—Lincolnshire.					
411.—STAMFORD ..	1. Stamford	WORKHOUSE	19	11	8
		Stamford and Rutland General Infirmary	10	5	5
412.—BOURNE ..	3. Bourne	WORKHOUSE	17	10	7
413.—SPALDING ..	4. Spalding	WORKHOUSE	32	16	16
		Johnson Hospital	5	2	3
		Isolation Hospital (Spalding U.D.)	—	—	—
414.—HOLBEACH ..	3. Holbeach	WORKHOUSE	24	17	7

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.				
			Persons.	Males.	Females.		
31.—Lincolnshire—continued.							
415.—BOSTON ..	3. Boston	WORKHOUSE	47	28	19		
		Boston Hospital	30	19	11		
		Fever Hospital, Skirbeck (Boston M.B. and R.D.) ..	1	—	—		
416.—SLEAFORD ..	2. Sleaford	WORKHOUSE	12	9	3		
		Small-pox Hospital (Sleaford U.D.)	—	—	—		
		County Lunatic Asylum (Kesteven)	29	11	18		
417.—GRANTHAM ..	2. Grantham North ..	WORKHOUSE	34	21	13		
		Grantham Hospital	18	10	8		
		Infectious Diseases Hospital (Grantham M.B.) ..	—	—	—		
418.—LINCOLN ..	2. Lincoln Home	WORKHOUSE	55	44	11		
		WORKHOUSE, Cottage Home	—	—	—		
		County Hospital	56	32	24		
		Sanatorium for Small-pox (City of Lincoln) ..	—	—	—		
		City Hospital (Infectious Dis., City of Lincoln)	9	3	6		
		County Lunatic Asylum (Lindsey and Holland) ..	94	61	33		
		Lincoln Lunatic Hospital (The Lawn)	5	1	4		
		WORKHOUSE, Cottage Home	—	—	—		
		419.—HORNCASTLE	2. Horncastle	WORKHOUSE	15	11	4
				Infectious Diseases Hospital (Horncastle U.D.) ..	—	—	—
Alexandra Bromo-Iodine Hospital	—			—	—		
420.—SPILSBY ..	3. Spilsby	WORKHOUSE	12	8	4		
		Grace Swan Cottage Hospital, Handleby	2	—	2		
		Isolation Hospital (Skegness U.D.)	—	—	—		
		Nottingham and Notts Convalescent Home	—	—	—		
421.—LOUTH ..	1. Withern	Derbyshire Miners Convalescent Home	—	—	—		
		Countess of Scarborough Convalescent Home ..	—	—	—		
		Mablethorpe Convalescent Home	—	—	—		
		WORKHOUSE	29	22	7		
422.—GRIMSBY ..	1. Great Grimsby	Hospital and Dispensary	4	4	—		
		Infectious Diseases Hospital (Louth M.B.) ..	1	—	1		
		WORKHOUSE (Grimsby)	108	75	33		
		Grimsby and District Hospital	48	27	21		
423.—CAISTOR ..	1. Caistor	Small-pox Hospital (Grimsby C.B.)	—	—	—		
		Corporation Fever Hospital (Grimsby C.B.) ..	17	13	4		
		WORKHOUSE	18	12	6		
		Cottage Hospital	2	2	—		
424.—GLANFORD BRIGG	1. Brigg	Isolation Hospital (Market Rasen U.D. and Caistor R.D.)	—	—	—		
		WORKHOUSE	24	13	11		
		Frodingham Cottage Hospital	2	2	—		
		Infectious Diseases Hosp. (Glanford Brigg R.D.) ..	—	—	—		
425.—GAINSBOROUGH	2. Misterton	Infectious Diseases Hospital (Misterton R.D.) ..	—	—	—		
		WORKHOUSE	24	14	10		
		Infectious Diseases Hospital (Gainsborough U.D.) ..	—	—	—		
		Infectious Diseases Hospital (Gainsborough R.D.) ..	—	—	—		
	4. Marton	Reynard Cottage Hospital	—	—	—		
		32.—Nottinghamshire.					
		426.—EAST RETFORD	1. Gringley	Convlt. Home for Children, Gringley on the Hill ..	—	—	—
WORKHOUSE	17			12	5		
Small-pox Hospital, Retford (East Retford M.B.) ..	—			—	—		
427.—WORKSOP ..	3. East Retford	Cottage Hospital	8	5	3		
		Fever Hospital (East Retford M.B.)	—	—	—		
		WORKHOUSE	1	1	—		
		WORKHOUSE Infirmary	53	30	23		
428.—MANSFIELD	1. Worksop	Victoria Hospital	6	6	—		
		Small-pox Hospital (Worksop U.D., Blyth and Cuckney R.D.)	—	—	—		
		Isolation Hospital (Worksop U.D., Blyth and Cuckney R.D.)	—	—	—		
		2. Carlton	2	2	—		
	1. Warsop	Mansfield Woodhouse District Hospital	4	2	2		
		Isolation (District) Hospital (N. Derbyshire Hosp. Committee)	4	3	1		
		Small-pox Hosp. (Skegby and Blackwell R.D.'s.) ..	—	—	—		
		WORKHOUSE	74	53	21		
	5. Mansfield	WORKHOUSE Cottage Homes	—	—	—		
		Infectious Diseases Hosp. (Mansfield M.B.) ..	—	—	—		
		Forest Isolation Hospital (Mansfield M.B.) ..	1	1	—		
		Accident Hospital	22	13	9		
429.—BASFORD ..	2. Ilkeston	Notts Sanatorium for Cons., Sherwood Forest ..	—	—	—		
		Cottage Hospital	4	2	2		
		Infectious Diseases Hospital (Ilkeston M.B.) ..	—	—	—		
	4 Hucknall Torkard ..	Temporary Small-pox Hospital (Joint Hospital Board)	—	—	—		

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.				
			Persons.	Males.	Females.		
32.—Nottinghamshire—continued.							
430.—NOTTINGHAM	1. Nottingham South West.	General Hospital	262	174	88		
		Hospital for Women	10	1	9		
	3. Nottingham North East.	Notts and Midland Eye Infirmary	—	—	—		
		Children's Hospital	37	28	9		
		Nottingham City Lunatic Asylum	77	48	29		
	4. Nottingham North West.	Nottingham Lunatic Hospital (The Coppice)	5	2	3		
		WORKHOUSE Cottage Homes	—	—	—		
		WORKHOUSE School (Training Institution)	4	2	2		
	5. Bulwell	Samaritan Hospital for Women	5	—	5		
		WORKHOUSE (Basford)	80	50	30		
		WORKHOUSE and Infirmary	512	286	226		
		WORKHOUSE, Cottage Homes	—	—	—		
		City of Nottingham Isolation Hospital	50	27	23		
		Basford Rural District Sanatorium	2	2	—		
431.—SOUTHWELL	1. Southwell	Convalescent Home (Nottingham General Hosp.)	—	—	—		
		Small-pox Hospital (City of Nottingham)	1	—	1		
		WORKHOUSE	12	9	3		
		Isolation Hospital (Newark M.B.)	1	1	—		
		432.—NEWARK ..	3. Newark	WORKHOUSE Infirmary	21	12	9
				Hospital and Dispensary	25	16	9
		4. Balderton	Isolation Hospital (Newark M.B.)	5	2	3	
			Cottage Hospital, Long Bennington	1	1	—	
		433.—BINGHAM ..	1. Bingham	WORKHOUSE	12	9	3
				County Lunatic Asylum	60	33	27
		33.—Derbyshire.					
		434.—SHARDLOW ..	1. Castle Donington	Nottingham and Notts Convalescent Home	—	—	—
				3. Shardlow	25	15	10
				5. Spondon	3	3	—
435.—DERBY ..	2. Derby	Draycott Isolation Hospital (Shardlow R.D.)	3	—	—		
		WORKHOUSE	104	61	43		
		Derbyshire Royal Infirmary	220	138	82		
		Hospital for Sick Children	42	22	20		
		Borough Isolation Hospital	15	5	10		
		Derbyshire Women's Hospital	3	—	3		
		Nightingale Home (Royal Derby Nursing Asso.)	15	6	9		
		Queen Victoria Memorial Home of Rest	24	6	18		
		Derby Borough Lunatic Asylum	22	11	11		
		Convalescent Home, Holbrook	—	—	—		
		436.—BELPER ..	2. Horsley	WORKHOUSE	59	34	25
				3. Belper	5	2	3
				4. Ripley	2	1	1
				6. Wirksworth	2	—	—
437.—ASHBOURNE	1. Ashbourne	Cottage Hospital	13	8	5		
		WORKHOUSE	4	3	1		
		Ashbourne Cottage Hospital	—	—	—		
438.—CHESTERFIELD	2. Brassington	Temporary Small-pox Hospital (Ashbourne U.D. and R.D., and Mayfield R.D.)	—	—	—		
		Isolation Hosp. (South District, Chesterfield Union)	3	2	1		
		WORKHOUSE	121	82	39		
		WORKHOUSE (Chesterfield Children's Homes)	—	—	—		
		Chesterfield and N. Derbyshire Hosp. and Disp.	83	63	20		
		Newbold Small-pox Hospital (Chesterfield Joint Hospital Committee)	—	—	—		
		Penmore Isolation Hospital (Chesterfield Joint Hospital Committee)	5	1	4		
		Spital Lane Small-pox Hospital (North Derbyshire Hospital Committee)	—	—	—		
		4. Eckington	1	—	1		
		5. Dronfield	2	1	1		
		439.—BAKEWELL ..	1. Bakewell	Isolation Hosp. (N. Derbyshire Hosp. Committee)	27	22	5
				WORKHOUSE	—	—	—
				Temporary Isolation Hospital (Bakewell U.D.)	—	—	—
				Smedley's Memorial Hospital	14	8	6
Whitworth Hospital	—			—	—		
440.—CHAPEL EN LE FRITH	2. Matlock	Derby and Derbyshire Convalescent Home	—	—	—		
		Devonshire Hospital	14	10	4		
		Sanatorium (Buxton U.D.)	2	—	2		
		Free Convalescent Home, Buxton	—	—	—		
		WORKHOUSE	29	21	8		
		High Peak Isol. Hos. (New Mills U.D. & Fairfield U.D.)	4	2	2		
441.—GLOSSOP ..	1. Glossop	General Hospital, Birchinlee	—	—	—		
		WORKHOUSE	33	15	18		
		Wood's Hospital	6	3	3		
		Gamesley Infectious Diseases Hospital (Glossop M.B. and Glossop Dale R.D.)	5	3	2		
442.—HAYFIELD ..	1. Hayfield	Partington's Convalescent Home	—	—	—		
		WORKHOUSE	12	7	5		

* 440: 1.—In Wye House, a private Lunatic Asylum, 6 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
VIII.—NORTH-WESTERN DIVISION.					
34.—Cheshire.					
443.—STOCKPORT..	2. Hyde	Infectious Diseases Hospital (Hyde M.B.)	11	6	5
	4. Stockport First ..	WORKHOUSE	34	13	21
		WORKHO. Infirm. (Stepping Hill Poor Law Hosp.)	314	180	134
		Corporation Hospital (Fever)	7	1	6
	5. Stockport Second ..	Stockport Infirmary	61	34	27
	6. Stockport Third ..	Whitehill Hosp. for Infect. Dis. (Stockport C.B.) ..	—	—	—
	7. Heaton Norris ..	Northern Counties Hospital for Incurables ..	11	7	4
	8. Cheadle	Barnes Convalescent Hospital	14	8	6
444.—MACCLESFIELD.		Manchester Royal Lunatic Hospital (including St. Anne's Hospital)	27	16	11
	4. Macclesfield	WORKHOUSE	66	32	34
		General Infirmary	47	20	27
		Macclesfield Borough Isolation Hospital	8	3	5
		Small-pox Hospital (Macclesfield M.B.)	—	—	—
		County Lunatic Asylum, Parkside	93	40	53
	5. Gawsworth	Greenway Small-pox Hospital (Macclesfield R.D.) ..	—	—	—
	6. Alderley.. ..	Convalescent Homes, Great Warford (Branch of Ancoats Hospital).. ..	—	—	—
445.—BUCKLOW ..	1. Wilmslow	WORKHOUSE, Styal Cottage Homes (Chorlton) ..	1	1	—
	2. Altrincham	Lloyd's Fever Hospital (Altrincham U.D.) ..	—	—	—
		Altrincham Hospital	29	11	18
		Consump. Hosp. (Beh. of Manch. Consump. Hosp.)	1	—	1
	3. Sale	Small-pox Hospital (Bucklow Joint Hosp. Board)	—	—	—
		Sanatorium (City of Manchester)	10	5	5
	4. Lymm	Ashton upon Mersey Nursing Institution	2	—	2
	5. Knutsford	Infectious Diseases Hospital (Lymm U.D.).. ..	1	—	1
446.—RUNCORN ..		WORKHOUSE	57	33	24
		David Lewis Manchester Epileptic Colony ..	6	3	3
	1. Budworth	WORKHOUSE	24	20	4
		Small-pox Hospital (Runcorn R.D.)	—	—	—
		Isolation Hospital (Runcorn R.D.)	1	—	1
	2. Runcorn	Infectious Diseases Hospital (Runcorn U.D.) ..	—	—	—
		Victoria Cottage Hospital	3	3	—
	3. Frodsham	San. for Consum. (Beh. of Livpl. Hosp. for Consum.)	2	1	1
447.—NORTHWICH		Crossley Sanatorium (Beh. of Manchester Consumption Hospital)	3	2	1
	2. Northwich	WORKHOUSE	28	18	10
		Winnington Hospital (Victoria Infirmary)	18	8	10
		Small-pox Hospital (Northwich U.D.)	—	—	—
		Small-pox Hospital, Marbury (Northwich R.D.)..	—	—	—
		Infect. Dis. Hosp., Leftwich (Northwich U.D. and R.D., Middlewich U.D., and Winsford U.D.) ..	2	—	2
	3. Over	Albert Infirmary	10	4	6
		Infectious Dis. Hosp. (Small-pox : Winsford U.D.)	—	—	—
448.—CONGLETON	2. Congleton	WORKHOUSE, Casual Ward	—	—	—
		Cottage Hospital	3	1	2
		West Heath Sanatorium (Infectious Diseases: Congleton and District Joint Hospital Board) ..	6	4	2
	3. Sandbach	WORKHOUSE	27	17	10
		Small-pox Hospital (Sanitary Areas in Congleton Union)	—	—	—
449.—NANTWICH..	1. Crewe	The Hospice (Accident Hospital, L. & N. W. Ry.)..	5	5	—
		Memorial Cottage Hospital	23	8	15
		Isolation Hospital (Crewe M.B.)	31	11	20
	2. Nantwich	WORKHOUSE	56	34	22
		Isolation Hospital (Nantwich U.D. and R.D.) ..	6	3	3
450.—CHESTER ..	2. Chester Castle..	WORKHOUSE (Tarvin Union)	6	4	2
	3. Chester Cathedral ..	WORKHOUSE (Chester Union)	117	68	49
		Isolation Hospital (City of Chester)	9	3	6
		Chester General Infirmary	95	60	35
		Small-pox Hospital (City of Chester)	—	—	—
451.—WIRRAL ..		County Lunatic Asylum	90	45	45
	1. Neston	WORKHOUSE Infirmary, Consumption Sanatorium (Liverpool, W. Derby, and Toxteth Park Unions)	—	—	—
		Liverpool Country Hospital for Children	1	—	1
		Parkgate Convl. Home (Chester Genl. Infirmary) ..	—	—	—
	3. Bebington	WORKHOUSE	46	28	18
		Liverpool Port Sanitary Hospital	4	2	2
		Wirral Joint Hospital (Infectious Diseases: Urban and Rural Dists. in Wirral Registration Dist.) ..	12	4	8
		Cottage Hospital, Port Sunlight	10	8	2
	Infectious Dis. Hosp., Bromborough Pool (Price's Candle Co., Ltd.)	1	—	1	

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

		DEATHS.				
DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	Persons.	Males.	Females.	
34.—Cheshire—continued.						
451.—WIRRAL— cont.	4. Woodchurch	Children's Convalescent Home	7	5	2	
		Greasby Hospital (Small-pox; Urban and Rural Districts in Wirral Registration District) ..	—	—	—	
		Queen Victoria Memorial Cottage Hospital ..	7	4	3	
		Pensley Convalescent Home for Children (Branch of Wirral Joint Hospital)	—	—	—	
452.—BIRKENHEAD	1. Birkenhead	Borough Hospital (General Hospital)	73	48	25	
		Maternity Hospital	4	2	2	
		Wirral Children's Hospital	44	26	18	
		Infect. Diseases Hosp. (Birkenhead C.B.)	15	8	7	
	2. Tranmere	WORKHOUSE	343	186	157	
		Victoria Central Hospital.. ..	45	24	21	
	3. Wallasey	Cottage Hospital, Wallasey	4	2	2	
		Convalescent Home	—	—	—	
		Mill Lane Fever Hospital (Wallasey M.B.).. ..	12	7	5	
		Railway Servants' Convalescent Home	—	—	—	
35.—Lancashire.						
453.—LIVERPOOL..	2. Exchange	St. Paul's Eye and Ear Hospital	2	1	1	
		Northern Hospital	175	116	59	
	3. Abercromby	Skin Hospital	—	—	—	
		WORKHOUSE	1012	630	382	
		Royal Infirmary	295	176	119	
		Children's Infirmary	300	192	108	
		Hospital for Consumption and Diseases of Chest..	8	6	2	
		Maternity Hospital	31	11	20	
		Eye and Ear Infirmary	4	3	1	
		Hahnemann Hospital	28	18	10	
		Cancer Hospital	—	—	—	
454.—TOXTETH PARK,	1. Toxteth Park North West.	City Hospital, Grafton Street (Infectious Diseases)	46	22	24	
		Royal Southern Hospital	179	128	51	
	2. Toxteth Park South West.	Samaritan Hospital for Women	5	—	5	
		WORKH.(Hosp.for Epilep.&c.,Livpl.Wk.),Dingle Mt.	1	—	1	
	3. Toxteth Park Central	City Hospital, Park Hill (Infectious Diseases) ..	40	21	19	
4. Toxteth Park East* ..	Home for Female Incurables	12	—	12		
455.—WEST DERBY	1. Crosby	WORKHOUSE	374	207	167	
		Turner Memorial Home of Rest for Males	11	11	—	
	3. Fazakerley	Park House Convalescent Institution	9	—	9	
		WORKHOUSE, Cottage Homes	4	1	3	
	4. Walton†	WORKHOUSE Infirmary (Deysbrook Hospital) ..	9	4	5	
		Liverpool City Infectious Diseases Hospital ..	155	77	78	
		WORKHOUSE	900	434	463	
		WORKHOUSE, Belmont Road	149	95	54	
	5. Bootle	WORKHOUSE (Elm House Home for Epileptics)..	—	—	—	
		Bootle Borough Hospital (Accident and General)	85	57	28	
	6. Kirkdale.. ..	Bootle Corporation Hospital (Infectious Diseases)	14	3	11	
		WORKHOUSE (Liverpool Branch, Aged Men) ..	1	1	—	
	7. North Everton ..	WORKHOUSE (Kirkdale Home, Liverpool Branch)	46	26	20	
		Stanley Hospital	150	91	59	
	8. South Everton‡ ..	WORKH. (Lvpl. Bch., Mitford Ho.; Infirm Women)	—	—	—	
		City Hospital North (Netherfield Hosp.; Inf. Dis.)	93	58	35	
	10. West Derby Eastern§	WORKHOUSE Infirmary (Mill Road Hospital) ..	786	462	324	
		Hospital for Women	19	—	19	
	456.—PRESCOT ..	2. Much Woolton ..	WORKHOUSE Infirmary (Liverpool)	189	104	85
			City Hospital East (Infectious Diseases)	78	32	46
		3. Widnes	WORKHOUSE (Lvpl. Cottage Homes for Children), Olive Mount	2	1	1
			WORKHOUSE (Casual Wards)	—	—	—
4. Prescott		WORKHOUSE Schools (Toxteth Park)	—	—	—	
		Accident Hospital	3	3	—	
5. St. Helens		Children's Rest (Home for Incurable Children) ..	1	—	1	
		Nazareth House Home for Incurables	1	—	1	
457.—ORMSKIRK ..		2. Ormskirk	WORKHOUSE (Knolle Park School)	—	—	—
			Liverpool Convalescent Institution	2	2	—
		6. Rainford	Accident Hospital	6	3	3
	Widnes Infectious Diseases Hospital		16	7	9	
	2. Ormskirk	WORKHOUSE	217	140	77	
		Sanatorium (Whiston R.D.)	5	3	2	
		County Lunatic Asylum (part of), Rainhill ..	103	66	37	
		St. Helens Hospital	77	50	27	
2. Ormskirk	Providence Hospital	74	40	34		
	Fever Hospital (St. Helens C.B.)	39	17	22		
	County Lunatic Asylum (part of), Rainhill ..	68	29	39		
	Infectious Diseases Hospital (Rainford U.D.) ..	—	—	—		
2. Ormskirk	2. Ormskirk	WORKHOUSE	78	51	27	
		WORKHOUSE Schools	—	—	—	
		Infectious Diseases Hospital (Ormskirk U.D.) ..	3	—	3	
		Cottage Hospital	2	2	—	

* 454 : 4.—In St. Augustine's Home, 19 deaths, and in the House of Providence (Rescue Home) 6 deaths occurred during the year. (See also Note to 455-11.)
† 455 : 4.—In St. Joseph's House, 30 deaths occurred during the year.
‡ 455 : 8.—In Our Lady's House for Homeless Babies, 1 death occurred during the year.
§ 455 : 10.—In Tue Brook Villa, a private Lunatic Asylum, 7 deaths occurred during the year.
|| 455 : 11.—In the House of Providence (Rescue Home; removed from 454 : 4) 1 death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
35.—Lancashire—continued.					
457.—ORMSKIRK —cont.	3. Aughton	WORKHOUSE (Convalescent Branch, Livpl. Wkho.)	2	2	—
		Isolation Hospital (West Lancashire R.D.) ..	1	1	—
	5. Formby*	Hospital for Infectious Dis. (Birkdale U.D.) ..	2	—	2
	6. North Meols	Convalescent Hospital	6	4	2
		Southport Infirmary and Local Dispensary ..	54	36	18
		Small-pox Hospital (Southport C.B.)	—	—	—
		Southport Borough Hospital (Infect. Dis.) ..	4	1	3
		Children's Sanatorium	—	—	—
		Convalescent Home (Provident Society)	2	2	—
		Bradstock Locket Home for Cripples.. ..	2	1	1
		Hydropathic Hospital	—	—	—
		Homœopathic Cottage Hospital	3	—	3
	8. Lathom	Infectious Diseases Hospital (Skelmersdale U.D.)	—	—	—
458.—WIGAN ..	2. Aspull	Small-pox Hospital (Horwich U.D.)	—	—	—
	3. Wigan	WORKHOUSE	113	78	35
		Royal Albert Edward Infirmary	125	76	49
		Wigan Borough Sanatorium	24	14	10
	4. Hindley	Isolation Hospital (Ince in Makerfield U.D.) ..	4	1	3
		Fever Hospital (Hindley U.D.)	4	2	2
		Sanatorium (Abram U.D.)	5	3	2
	5. Pemberton	Cottage Hospital for Infect. Dis. (Wigan C.B.) ..	—	—	—
	6. Billinge	WORKHOUSE Infirmary	49	30	19
7. Ashton in Makerfield	Hospital for Infect. Dis. (Ashton in Makerfield U.D.)	14	9	5	
	Small-pox Hospital (Ashton in Makerfield U.D.)..	—	—	—	
459.—WARRINGTON	1. Newton in Makerfield	Cottage Hospital	4	4	—
		Old Wint Hospital (Small-pox ; St. Helens C.B.) ..	—	—	—
		Haydock Lodge Lunatic Asylum	15	13	2
	2. Winwick	County Lunatic Asylum, Winwick Hall	219	100	119
	3. Sankey	Sanatorium (Small-pox ; Warrington C.B.) ..	—	—	—
	4. Warrington	WORKHOUSE	189	115	74
		Warrington Infirmary and Dispensary	78	49	29
		Infectious Diseases Hospital (Warrington C.B.)	17	8	9
	5. Rixton	WORKHOUSE (Padgate Industrial School)	—	—	—
460.—LEIGH ..	2. Culcheth	WORKHOUSE, Cottage Home (Salford Union) ..	—	—	—
		Small-pox Hospital (Leigh Joint Hospital Board)	—	—	—
	3. Leigh	Leigh Infirmary	40	21	19
	4. Atherton	WORKHOUSE	100	55	45
		Sanatorium (Leigh M.B.)	21	10	11
461.—BOLTON ..	1. Farnworth	WORKHOUSE	292	191	101
		Fever Hospital (Farnworth, Little Hulton, and Little Lever Urban Districts).. ..	7	5	2
	2. South West Bolton ..	Western Fever Hospital (Bolton C.B.)	14	9	5
		Eastern Fever Hospital (Bolton C.B.)	8	5	3
		Infirmary and Dispensary	127	79	48
	4. Horwich.. ..	Fall Birch Infectious Diseases Hospital (Horwich, Westhoughton, and Blackrod Urban Districts)..	14	9	5
		Cottage Hospital (Accident)	—	—	—
	5. Tonge	Bolton Conv. Home and Wilkinson Sanatorium for Consumption	—	—	—
	6. Turton	Blair Convalescent Hospital	—	—	—
462.—BURY.. ..	1. Ramsbottom	Memorial Cottage Hospital	8	5	3
	2. Elton	Florence Nightingale Hosp.(Infect. Dis.; Bury C.B. and Radcliffe U.D.)	31	18	13
		Small-pox Hosp.(Joint Hosp.Com.,incl. Bury C.B.)	—	—	—
	3. North Bury	WORKHOUSE	233	138	95
		Bury Infirmary†	27	14	13
		Robinson Kay Home and Hospital for Incurables	7	—	7
	4. Heywood	Infectious Diseases Hospital (Heywood M.B.) ..	—	—	—
	6. Radcliffe.. ..	Bealey Memorial Convalescent Hospital	1	—	1
	7. Whitefield.‡		—	—	—
463.—BARTON UPON IRWELL	1. Worsley	WORKHOUSE (Industrial Schools ; Manchester) ..	—	—	—
		Small-pox Hospital (Worsley U.D. and Swinton & Pendlebury U.D.)	—	—	—
	2. Barton§	WORKHOUSE	117	68	49
		Eccles and Patricroft Hospital	12	8	4
3. Stretford	Cottage Hospital, Urmston	4	2	2	
464.—CHORLTON ..	1. Didsbury	WORKHOUSE	962	531	431
	2. Ardwick	Sunnyside Home for Consumptives	17	15	2
	3. Chorlton upon Medlock.¶	Royal Eye Hospital.. ..	4	3	1
		Christie Hospital (Cancer)	29	14	15
		Royal Infirmary	622	384	238
		Manchester Ear Hospital¶	5	4	1

* 457 : 5.—In Shaftesbury House, a private Lunatic Asylum, 1 death occurred during the year.

† Formerly called Bury Dispensary and Hospital.

‡ 462 : 7.—In Overdale, a private Lunatic Asylum, no death occurred during the year.

§ 463 : 2.—In St. Joseph's Home for Destitute and Abandoned Children, 8 deaths occurred during the year.

¶ 464 : 3.—In the Home of the Little Sisters of the Poor, 25 deaths occurred during the year.

¶¶ The Manchester Ear Hospital was removed during the year from Manchester Central sub-district (466 : 2), which see also.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
35.—Lancashire—continued.					
465.—SALFORD ..	1. Pendleton	WORKHOUSE Infirmary (Hope Hospital)	568	341	227
		Children's Hospital	165	84	81
		Bethesda Home for Incurable Children	2	1	1
		Salford Royal Hospital	171	108	63
		WORKHOUSE	18	13	5
		Ladywell Sanatorium (Salford C.B.)	149	73	76
466.—MANCHESTER	1. Ancoats	WORKHOUSE (Chorlton and Manchester Casual			
		Ward and Test House)	2	2	—
		Ardwick and Ancoats Hospital.. ..	215	121	94
	2. Central	WORKHOUSE	1	—	1
		St. Mary's Hospital (Women and Children).. ..	124	33	91
		Lock Hospital.. ..	—	—	—
		St. John's Ear and Eye Hospital	1	—	1
		Hospital for Skin Diseases	5	2	3
		Manchester Ear Hospital*	1	1	—
467.—PRESTWICH..	1. Cheetham	WORKHOUSE (Manchester)	865	564	301
		WORKHOUSE (Prestwich)	3	3	—
		Northern Hospital	58	24	34
		Jewish Hospital	27	18	9
	2. Prestwich	Drinkwater Park Hosp. (Sm.-pox; Salford C.B., &c.)	—	—	—
		County Lunatic Asylum	215	100	115
		WORKHOUSE Infirmary (Booth Hall)	274	153	121
		Monsall Fever Hospital (City of Manchester) ..	180	87	93
		Clayton Vale Hosp. (Phthisis; City of Manchester)	19	6	13
468.—ASHTON UNDER LYNE	2. Mossley	Small-pox Hospital (Ashton under Lyne and			
		District Joint Hospital Board)	—	—	—
	3. Ashton Town ..	May Hills Small-pox Hospital (Mossley M.B.) ..	—	—	—
		WORKHOUSE	256	149	107
		District Infirmary	114	60	54
		Borough Hospital (Infectious Diseases)	—	—	—
469.—OLDHAM ..	1. Oldham East ..	Strinesdale Sanatorium (Consump. ; Oldham C.B.)	2	—	2
		WORKHOUSE	420	261	159
	2. Oldham Central ..	Westhulme Hospital (Infect. Dis. ; Oldham C.B.) ..	20	8	12
		Infirmary	120	70	50
	3. Oldham South ..	Cinder Hill Small-pox Hospital (Chadderton U.D.)	—	—	—
		WORKHOUSE (Fir Bank Scattered Homes).. ..	—	—	—
		WORKHOUSE (Scattered Homes)	—	—	—
470.—ROCHDALE..	3. Castleton No. 2 ..	Marland Hospital (Infectious Diseases ; Rochdale			
		C.B. and Middleton M.B.)	16	7	9
	5. Wardleworth	Infirmary and Dispensary	74	37	37
		WORKHOUSE	227	125	102
	6. Whitworth and Wardle	WORKHOUSE, Cottage Homes	1	1	—
		Isolation Hospital (Littleborough, Milnrow, and			
		Wardle U.D's.)	1	1	—
471.—HASLINGDEN	1. Rawtenstall	WORKHOUSE (pt. of)	102	61	41
		Small-pox Hospital (Rawtenstall M.B.)	—	—	—
	3. Haslingden	WORKHOUSE (pt.of), Boys' Home, Moorland Cottage	—	—	—
		Copy Small-pox Hospital (Haslingden M.B.) ..	—	—	—
	4. Accrington	Inf. Dis. Hosp. (Small-pox ; Accrington M.B.) ..	—	—	—
Victoria Cottage Hospital		17	11	6	
472.—BURNLEY ..	1. East Ward	WORKHOUSE	296	179	117
		Sanatorium (Burnley C.B. and R.D., Brierfield U.D.,			
		and Padiham U.D.)	25	7	18
		Isolation Hospital, Briercliffe Road, (Small-pox			
		Observation Cases ; Burnley C.B.)	—	—	—
	2. West Ward	Victoria Hospital	98	57	41
		Small-pox Hospital (Burnley C.B. & R.D., Brier-			
		field U.D., and Padiham U.D.)	—	—	—
		Small-pox Hospital (Nelson M.B.)	—	—	—
4. Nelson†	Small-pox Hospital (Nelson M.B.)	—	—	—	
	5. Colne	Cottage Hospital	9	6	3
		Small-pox Hospital (Colne M.B.)	—	—	—
473.—CLITHEROE	4. Clitheroe	WORKHOUSE	27	19	8
474.—BLACKBURN	1. Billington	WORKHOUSE, Epileptic Colony (Chorlton and			
		Manchester)	13	6	7
	4. Blackburn Northern	WORKHOUSE, Cottage Homes	—	—	—
		6. Blackburn South	WORKHOUSE	291	159
	Eastern.	WORKHOUSE, Cottage Homes	—	—	—
		Blackburn and East Lancashire Infirmary.. ..	133	71	62
	8. Darwen	Fever Hospital (Blackburn C.B.)	32	16	16
		Bull Hill Hospital for Infect. Dis. (Darwen M.B.)	4	2	2

* Removed during the year to Chorlton upon Medlock sub-district (464 : 3), which see also.
† 467 : 5.—In the Home for Aged Poor, Culcheth Hall, 30 deaths occurred during the year.
‡ 472 : 4.—In Marsden Hall, a private Lunatic Asylum, 1 death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
35.—Lancashire—continued.						
475.—CHORLEY ..	1. Brindle	Small-pox Hosp., Hoghton (Blackburn C.B.) ..	1	1	—	
		Isolation Hospital (Withnell U.D.)	—	—	—	
	3. Rivington	Infectious Diseases Hospital (Chorley M.B., Chorley R.D., Adlington U.D., and Leyland U.D.)	4	3	1	
		WORKHOUSE	48	31	17	
476.—PRESTON ..	3. North Preston ..	Rawcliffe Hospital	31	16	15	
		Royal Infirmary (including Harris Infect. Wards)	95	52	43	
		Holme Slack Small-pox Hospital (Preston C.B.) ..	—	—	—	
		Nurses' Home and Preston Private Hospital ..	3	1	2	
	4. West Preston ..	Isolation Hospital (Preston C.B.)	20	7	13	
		St. Joseph's Hospital	8	3	5	
	5. Walton le Dale ..	Bradkirk Small-pox Hosp. (Walton le Dale U.D.) ..	—	—	—	
		Infectious Diseases Hosp. (Walton le Dale U.D.) ..	4	4	—	
	6. Alston	WORKHOUSE	5	5	—	
		7. Broughton	WORKHOUSE	210	113	97
477.—FYLDE ..	1. Kirkham	Joint Isolation Hospital (Fulwood U.D., Longridge U.D., and Preston R.D.)	4	3	1	
		Military Hospital (Garrison Hospital)	1	1	—	
		County Lunatic Asylum, Whittingham	133	67	66	
		WORKHOUSE	70	38	32	
	2. Lytham	WORKHOUSE, Children's Home	—	—	—	
		Moss Side Fever Hospital (Joint Hospital Board)	16	5	11	
		Cottage Hospital	2	2	—	
		Abraham Ormerod Convalescent Home	2	—	2	
	3. Blackpool	Convalescent Home, St. Anne's on the Sea (Branch of Manchester Children's Hospital)	—	—	—	
		Sanatorium (Blackpool C.B.)	9	3	6	
		Victoria Hospital	41	24	17	
		Co-operative Convalescent Home	—	—	—	
	4. Fleetwood	Fleetwood Cottage Hospital	11	6	5	
		Small-pox Hospital (Joint Hospital Board) ..	—	—	—	
478.—GARSTANG ..	3. Garstang	WORKHOUSE	3	3	—	
479.—LANCASTER	2. Heaton	Sanatorium (Morecambe M.B.)	1	1	—	
		Sanatorium for Infectious Dis. (Heysham U.D.) ..	—	—	—	
		Queen Victoria Cottage Hospital	6	4	2	
		WORKHOUSE	45	30	15	
	3. Lancaster	Royal Lancaster Infirmary	52	32	20	
		Luneside Hospital (Inf. Dis.; Lancaster M.B.) ..	6	2	4	
		County Lunatic Asylum, Lancaster Moor	219	147	72	
		Royal Albert Institution	22	18	4	
		WORKHOUSE	2	1	1	
		Infectious Dis. Hosp., Hornby (Lunesdale R.D.) ..	—	—	—	
480.—LUNESDALE	2. Wray	WORKHOUSE	—	—	—	
	481.—ULVERSTON	1. Cartmel	Friendly Societies Convalescent Home	—	—	—
		3. Ulverston	WORKHOUSE	23	15	8
482.—BARROW IN FURNESS	1. Barrow in Furness ..	Cottage Hospital	12	9	3	
		High Carley Sanatorium (Ulverston Jt. Hosp. Bd.)	1	1	—	
		WORKHOUSE	63	45	18	
		WORKHOUSE, Grouped Cottage Homes	—	—	—	
		North Lonsdale Hospital	44	31	13	
		Small-pox Hospital (Barrow in Furness C.B.) ..	—	—	—	
Cholera Hospital (Barrow in Furness C.B.) ..		—	—	—		
Infectious Dis. Hosp. (Barrow in Furness C.B.) ..		2	2	—		
IX.—YORKSHIRE.						
36.—West Riding.						
483.—SEDBERGH ..	1. Sedbergh	WORKHOUSE	—	—	—	
484.—SETTLE ..	1. Bentham	Isolation Hospital (Settle R.D.)	2	1	1	
	2. Settle	WORKHOUSE	15	9	6	
485.—SKIPTON ..	3. Barnoldswick ..	Isolation Hospital (Barnoldswick U.D.)	1	—	1	
	5. Skipton	WORKHOUSE	35	21	14	
		WORKHOUSE Infirmary (Bradford Union) Consumption Sanatorium	1	1	—	
486.—PATELEY BRIDGE	1. Ramsgill	Joint Fever Hospital (Skipton U.D., Silsden U.D., and Skipton R.D.)	8	6	2	
		Skipton and District Cottage Hospital	15	12	3	
		Small-pox Hospital (Skipton U.D.)	—	—	—	
		Angram Accident Hospital (Bradford C.B. Water Works)	—	—	—	
		WORKHOUSE	6	5	1	
487.—RIPON ..	2. Ripon	Isolation Hospital (Pateley Bridge R.D.)	—	—	—	
		WORKHOUSE	9	5	4	
		Dispensary and Cottage Hospital	2	2	—	
488.—GREAT OUSEBURN	2. Whixley	Infectious Diseases Hosp. (Ripon and Wath R.D's.)	—	—	—	
		Small-pox Hospital (Ripon and Wath R.D's.) ..	—	—	—	
		3. Poppleton	WORKHOUSE	6	4	2
		Fever Hospital (Great Ouseburn R.D.)	—	—	—	
Small-pox Isolation Hospital (Great Ouseburn R.D.)			—	—	—	

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
36.—West Riding—continued.					
489.—KNARES- BOROUGH	1. Knaresborough ..	WORKHOUSE	29	18	11
		WORKHOUSE, Cottage Homes	—	—	—
	2. Harrogate ..	Isolation Hosp. (Harrogate M.B. & Knaresborough U.D. & R.D.) ..	—	—	—
		Royal Bath Hospital and Rawson Conv. Home ..	—	—	—
490.—WETHERBY	1. Wetherby ..	The Harrogate Infirmary	37	16	21
		Home for Incurables	2	—	2
	2. Harrogate ..	Heatherdene Convalescent Home	—	—	—
		Durham County Hospital Convalescent Home ..	—	—	—
491.—WHARFE- DALE	1. Wetherby ..	Police Convalescent Home, Harrogate	1	1	—
		WORKHOUSE	20	17	3
	1. Horsforth ..	Isolation Hospital (Wetherby R.D.)	1	—	1
		Cookridge Convalescent Hospital	3	2	1
492.—KEIGHLEY ..	1. Horsforth ..	Ida Hospital (connected with Leeds Gen. Infirmary)	6	4	2
		Woodlands Convalescent Home (Branch of Brad- ford Royal Infirmary)	—	—	—
	2. Fewston ..	Springfield Convalescent Home (Leeds Work- people Hospital Fund)	1	1	—
		WORKHOUSE	33	24	9
493.—TODMORDEN	3. Otley ..	Fever Hospital (Otley U.D.)	4	—	4
		West Riding Lunatic Asylum, Menston	173	77	96
	4. Ilkley ..	West Riding Lunatic Asylum, Scalebor Park ..	20	13	7
		Semon Convalescent Home (Brad. Corp.)	—	—	—
494.—SADDLE- WORTH	5. Yeadon ..	Cottage Hospital (Infect. Diseases; Ilkley U.D.)	1	1	—
		Ilkley Hospital and Convalescent Home	1	—	1
	1. Bingley ..	Ilkley Coronation Hospital	6	5	1
		Hill Top Convalescent Home (Leeds Workpeople's Hospital Fund)	1	—	1
495.—HUDDERS- FIELD	2. Todmorden ..	Small-pox Hosp. (Wharfedale Jnt. Hosp. Comm.)	—	—	—
		Cottage Hospital	8	1	7
	2. Keighley ..	Joint Inf. Dis. Hosp. (Keighley M.B. & Bingley U.D.)	19	6	13
		Eldwick Sanatorium (Consumption)	—	—	—
496.—HALIFAX ..	2. Todmorden ..	WORKHOUSE	86	60	26
		Victoria Hospital	36	17	19
	2. Saddleworth ..	WORKHOUSE	42	27	15
		WORKHOUSE, Cottage Home	—	—	—
497.—NORTH BIERLEY	2. Honley ..	Small-pox Hospital (Urban & Rural Districts in Todmorden Reg. Dist., and Bacup M.B.)	—	—	—
		Fielden Hospital (Infectious Diseases; Urban & Rural Dist. in Todmorden Reg. Dist.)	7	5	2
	5. Kirkburton ..	WORKHOUSE	8	7	1
		Small-pox Hosp., Runninghill (Saddleworth U.D.)	—	—	—
498.—NORTH BIERLEY	2. Almondbury ..	Isolation Hosp. (Colne & Holme Jt. Bd.), Meltham	13	7	6
		Small-pox Hospital (Joint Committee)	—	—	—
	8. Huddersfield ..	Isolation Hospital (Joint Committee)	3	2	1
		West Riding Lunatic Asylum (Storthes Hall) ..	105	50	55
499.—NORTH BIERLEY	6. Almondbury ..	Sanatorium, Dalton (Huddersfield C.B.)	31	17	14
		Small-pox Hospital (Huddersfield C.B.)	—	—	—
	9. Lockwood ..	Huddersfield Infirmary	146	89	57
		Nursing Home, Trinity Street	12	8	4
500.—NORTH BIERLEY	1. Brighouse ..	WORKHOUSE, Crosland Moor	113	70	43
		WORKHOUSE, Cottage Homes	—	—	—
	2. Elland ..	Brighouse Joint Hospital (Infectious Diseases; Halifax R.D. and three Urban Districts)	5	3	2
		Hollin Hey Hosp. (Inf. Dis.; five Urban Districts)	—	—	—
501.—NORTH BIERLEY	4. Sowerby ..	Small-pox Hospital (Sowerby U.D.)	—	—	—
		WORKHOUSE	8	8	—
	5. Halifax, South ..	WORKHOUSE Infirmary (Poor Law Hospital) ..	238	149	89
		Royal Halifax Infirmary	184	100	84
502.—NORTH BIERLEY	6. Halifax, North ..	Borough Fever Hospital	15	8	7
		Small-pox Hospital (Halifax C.B.)	—	—	—
	1. Cleckheaton ..	Infectious Diseases Hospital (Halifax C.B., Lud- denden Foot and Midgley U.D.'s)	—	—	—
		Infectious Diseases Hospital (Queensbury U.D.) ..	—	—	—
503.—NORTH BIERLEY	3. North Bierley ..	North Bierley Joint Inf. Dis. Hosp. (City of Brad- ford, Hunsworth U.D., and Cleckheaton U.D.) ..	8	4	4
		Small-pox Hospital (Cleckheaton U.D.)	—	—	—
	4. Thornton ..	Small-pox Hospital (City of Bradford)	—	—	—
		WORKHOUSE	99	57	42
504.—NORTH BIERLEY	6. Shipley ..	WORKHOUSE, Cottage Homes for Children	—	—	—
		Inf. Dis. Hosp. (City of Bradford & Clayton U.D.)	2	1	1
	8. Calverley ..	Salt's Hospital, Saltaire	9	2	7
		Stoney Ridge Hospital (Infect. Dis.; Shipley U.D.)	5	3	2
505.—NORTH BIERLEY	8. Calverley ..	Calverley Joint Inf. Dis. Hosp. (City of Bradford, Pudsey M.B., Calverley U.D. and Farsley U.D.)	2	—	2
		—	—	—	—
	—	—	—	—	—
		—	—	—	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
36.—West Riding—continued.					
498.—BRADFORD..	2. Bradford Central ..	Fever Hospital (City of Bradford) ..	43	21	22
		Bradford Royal Infirmary ..	232	137	95
	3. Manningham ..	Royal Eye and Ear Hospital ..	12	6	6
		Hospital for Sick Children of the Poor ..	66	43	23
499.—BRAMLEY ..	4. Horton ..	St. Catherine's Home for Incurables ..	13	—	13
		Waddilove's Samaritan Hospital for Women ..	1	—	1
	3. Wortley ..	WORKHOUSE ..	471	270	201
		WORKHOUSE, Children's Homes ..	—	—	—
500.—LEEDS ..	3. West Leeds* ..	WORKHOUSE ..	66	34	32
		WORKHOUSE, Cottage Homes ..	—	—	—
	5. North East Leeds ..	Hospital for Consumption ..	23	18	5
		WORKHOUSE ..	498	315	183
501.—HUNSLET ..	3. Rothwell ..	WORKHOUSE, Infirmary } ..	—	—	—
		WORKHO., Children's Central Home, Street Lane ..	—	—	—
	3. West Leeds* ..	Herzl Memorial Hospital for Jews ..	519	318	201
		General Infirmary.. ..	43	9	34
502.—HOLBECK ..	5. North East Leeds ..	Hospital for Women and Children ..	14	10	4
		Leeds Maternity Hospital ..	1	1	—
	3. Rothwell ..	WORKHOUSE, Temporary Branch (Aged Poor)† ..	—	—	—
		City Small-pox Hospital (Killingbeck) ..	110	51	59
503.—DEWSBURY..	3. Rothwell ..	City of Leeds Fever Hospital (Seacroft) ..	70	49	21
		WORKHOUSE ..	—	—	—
	1. Holbeck ..	WORKHOUSE, Children's Homes ..	—	—	—
		Isolation Hospital (Rothwell U.D., Methley U.D. and Hunslet R.D.) ..	1	1	—
504.—WAKEFIELD	1. Holbeck ..	WORKHOUSE ..	34	16	18
		Infectious Diseases Hospital (Morley M.B.) ..	3	1	2
	2. Batley ..	District Hospital ..	29	17	12
		Oakwell Isolation Hospital (Joint Board) ..	7	5	2
505.—PONTEFRACT	3. Gomersal ..	Memorial Cottage Hospital ..	15	4	11
		Crossley Infectious Diseases Hosp. (Liversedge and Mirfield U.D's.) ..	6	4	2
	6. Dewsbury ..	WORKHOUSE ..	116	75	41
		Dewsbury and District General Infirmary ..	58	29	29
506.—HEMSWORTH	7. Soothill ..	Infect. Dis. Hosp. (Dewsbury Joint Hosp. Board) ..	12	8	4
		Small-pox Hospital, Storrs Hill (Ossett M.B.) ..	—	—	—
	8. Ossett ..	Small-pox Hosp., Healey (Dewsbury Jt. Hos. Bd.) ..	—	—	—
		Small-pox Isolation Hospital (Dewsbury M.B.) ..	—	—	—
507.—BARNESLEY ..	2. Sandal ..	WORKHOUSE, Cottage Home ..	—	—	—
		Isolation Hospital (City of Wakefield) ..	—	—	—
	3. Horbury..	Isolation Hospital, Addingford (Horbury U.D.) ..	125	72	53
		WORKHOUSE ..	92	56	36
508.—WORTLEY ..	4. Wakefield ..	Clayton Hospital & Wakefield General Dispensary ..	6	3	3
		Fever Hospital (City of Wakefield) ..	169	103	96
	5. Ardsley ..	West Riding Lunatic Asylum (part of) ..	—	—	—
		Cardigan Hosp. (Small-pox; Wakefield & Dis. Com.) ..	3	1	2
509.—WORTLEY ..	6. Stanley ..	Isolation Hospital (Ardsley U.D.) ..	—	—	—
		Field Head Home, West Riding Lun. Asy. (part of) ..	3	3	—
	3. Pontefract ..	Stanley Hall Home ..	—	—	—
		Ivy House, Stanley ..	68	50	18
510.—BARNESLEY ..	3. Pontefract ..	WORKHOUSE ..	2	2	—
		Joint Isolation Hospital (Pontefract M.B. and R.D. and Knottingley U.D.) ..	—	—	—
	4. Castleford ..	Small-pox Hospital (Featherstone U.D.) ..	12	6	6
		Infectious Diseases Hospital, Ackton (Normanton & District Hospital Committee) ..	7	2	5
511.—WORTLEY ..	4. Castleford ..	General Dispensary and Infirmary ..	—	—	—
		Small-pox Hospital (Whitwood U.D.) ..	—	—	—
	1. Hemsworth Eastern	Red Hill Small-pox Hospital (Castleford U.D.) ..	—	—	—
		Small-pox Hospital (Hemsworth R.D.) ..	23	14	9
512.—WORTLEY ..	2. Hemsworth Western	WORKHOUSE ..	7	2	5
		Infectious Diseases Hospital (Hemsworth R.D.) ..	57	38	19
	2. Barnsley..	Beckett's Hospital and Dispensary ..	54	31	23
		Kendray Hospital (Barnsley M.B.) ..	30	15	15
513.—WORTLEY ..	3. Penistone ..	Small-pox Hospital (Barnsley M.B.) ..	12	9	3
		WORKHOUSE (Penistone) ..	3	—	3
	5. Ecclesfield ..	Stanhope Isol. Hosp. (Penistone Hospital District) ..	—	—	—
		Small-pox Hosp. (Penistone District Hosp. Com.)† ..	25	19	6
514.—WORTLEY ..	6. Bradfield ..	WORKHOUSE (Wortley) ..	4	1	3
		Infectious Diseases Hospital (Wortley R.D.) ..	209	119	90
	6. Bradfield ..	West Riding Lunatic Asylum, Wadsley ..	—	—	—
		Isolation Hospital (Stocksbridge U.D.) ..	—	—	—

* 500 : 3.—In the Little Sisters' Home (Consort Terrace Hospital), 25 deaths occurred during the year.

† Closed during the year.

‡ 508 : 3.—Sometimes used for convalescent patients from the Stanhope Isolation Hospital.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
36.—West Riding—continued.						
509.—ECCLESALL BIERLOW.	2. Ecclesall West Central.	WORKHOUSE, Cottage Homes, Fulwood	—	—	—	
		WORKHOUSE, Cottage Homes (Sheffield)	—	—	—	
		Lodge Moor Hosp. (Infec. Dis.; City of Sheffield)	64	34	30	
		Crimicar Lane Hosp. (City of Sheffield)*	2	1	1	
		Children's Hospital	57	32	25	
510.—SHEFFIELD..	5. Ecclesall South	Hospital for Consumption (City of Sheffield)	2	2	—	
		Royal Hospital Annexe (Convalescent Home)	—	—	—	
	1. South Sheffield	George Woofindin Convalescent Home	—	—	—	
		WORKHOUSE	246	148	98	
	2. North Sheffield	WORKHOUSE, Cottage Homes	—	—	—	
		Royal Hospital	205	136	69	
	3. Sheffield Park ..	Jessop Hospital for Women	44	9	35	
		Royal Infirmary	264	170	94	
	5. West Brightside	Fever Hospital (City of Sheffield)	—	—	—	
		WORKHOUSE, Children's Homes	—	—	—	
511.—ROTHERHAM	6. East Brightside	WORKHOUSE	33	17	16	
		WORKHOUSE Infirmary (Union Hospital)	558	364	194	
	1. Aston	WORKHOUSE, Children's Homes	—	—	—	
		Children's Hospital, Wicker	—	—	—	
	2. South East Rotherham	Isolation Hospital (Rotherham R.D., Handsworth U.D. and Kiveton Park R.D.)	7	1	6	
		WORKHOUSE	122	81	41	
	3. North West Rotherham†	Hospital and Dispensary	71	41	30	
		Consumption Sanatorium (Rotherham Union)	—	—	—	
	4. Rawmarsh	Isolation Hospital (Rotherham C.B.)	12	11	1	
		Fever Hospital, Parkgate (Rawmarsh U.D.) ..	1	1	—	
512.—DONCASTER	1. Tickhill	Infec. Dis. Hosp., Rosehill Road (Rawmarsh U.D.)	—	—	—	
		Infec. Dis. Hospital (Wath, Swinton and District Joint Board)	6	3	3	
	2. Barmbrough	Hooler Small-pox Hospital (Wath, Swinton and District Joint Board)	—	—	—	
		WORKHOUSE	79	49	30	
	3. Doncaster	Convalescent Hosp. for Consump. (Doncaster M.B.)	—	—	—	
		Montague Cottage Hospital	13	8	5	
	513.—THORNE ..	2. Thorne	Infectious Diseases Hospital (Mexborough U.D. and Doncaster R.D.)	8	2	6
			Fullerton Hospital (Accidents)	1	1	—
	514.—GOOLE ..	2. Goole	Royal Infirmary and Dispensary	57	37	20
			Carr House Hosp. for Infect. Dis. (Doncaster M.B.)	8	6	2
515.—SELBY ..	3. Snaith	WORKHOUSE	18	15	3	
		Fever Hospital (Goole U.D.)‡	31	22	9	
	2. Selby	Small-pox Hospital (Goole U.D.)	1	—	1	
		Cottage Hospital	7	5	2	
	516.—TADCASTER..	1. Aberford	Isolation Hospital, Hooke (Goole U.D. and R.D.)‡	5	1	4
			WORKHOUSE, Children's Home	—	—	—
	2. Tadcaster	WORKHOUSE	14	7	7	
		Gateforth Hall Sanatorium (Tuberculosis) ..	1	1	—	
	3. Sherburn	Brooke Cottage Hospital	3	2	1	
		Isolation Hospital (Selby U.D. and R.D.) ..	1	1	—	
517.—YORK.. ..	1. Skelton	Cliffe Isolation Hospital (Tadcaster R.D.) ..	10	6	4	
		WORKHOUSE	18	14	4	
	2. York East	Small-pox Hospital (Joint Hospital Board) ..	—	—	—	
		York City Fever Hospital	1	—	1	
	5. Esrick	York City Small-pox Hospital§	1	1	—	
		North Riding Lunatic Asylum	88	49	39	
	518.—POCKLINGTON	2. Pocklington	WORKHOUSE	128	84	44
			Military Hospital	5	5	—
	519.—HOWDEN ..	3. Howden	County Hospital	85	53	32
			Maternity Home (Branch of York Dispensary)	—	—	—
520.—BEVERLEY ..	2. Beverley..	York Lunatic Hospital (Bootham Park Asylum)	7	2	5	
		The Retreat (Lunatic Hospital)	9	5	4	
521.—SCULCOATES	1. Southcoates	York City Lunatic Asylum	30	23	7	
		WORKHOUSE	8	4	4	
	2. Cottingham	WORKHOUSE	7	7	—	
		Isolation Hospital (Howden R.D.)	—	—	—	
	4. Hessle	WORKHOUSE	21	13	8	
		Cottage Hospital	3	—	3	
	6. Drypool	7. East Sculcoates	East Riding Lunatic Asylum	55	30	25
			Evan Fraser Hospital (Small-pox, &c., City of Hull)	3	3	—
	8. West Sculcoates	8. West Sculcoates	Hull City Lunatic Asylum	84	45	39
			WORKHOUSE, Cottage Homes	—	—	—
37.—East Riding (with York).						
517.—YORK.. ..	1. Skelton	Sanatorium (City of Hull)	37	24	13	
		WORKHOUSE	203	123	80	
	2. York East	Hospital for Women and Orthopædics	10	—	10	
		York City Fever Hospital	1	—	1	
	5. Esrick	York City Small-pox Hospital§	1	1	—	
		North Riding Lunatic Asylum	88	49	39	
	518.—POCKLINGTON	2. Pocklington	WORKHOUSE	128	84	44
			Military Hospital	5	5	—
	519.—HOWDEN ..	3. Howden	County Hospital	85	53	32
			Maternity Home (Branch of York Dispensary)	—	—	—
520.—BEVERLEY ..	2. Beverley..	York Lunatic Hospital (Bootham Park Asylum)	7	2	5	
		The Retreat (Lunatic Hospital)	9	5	4	
521.—SCULCOATES	1. Southcoates	York City Lunatic Asylum	30	23	7	
		WORKHOUSE	8	4	4	
	2. Cottingham	WORKHOUSE	7	7	—	
		Isolation Hospital (Howden R.D.)	—	—	—	
	4. Hessle	WORKHOUSE	21	13	8	
		Cottage Hospital	3	—	3	
	6. Drypool	7. East Sculcoates	East Riding Lunatic Asylum	55	30	25
			Evan Fraser Hospital (Small-pox, &c., City of Hull)	3	3	—
	8. West Sculcoates	8. West Sculcoates	Hull City Lunatic Asylum	84	45	39
			WORKHOUSE, Cottage Homes	—	—	—
* One death from small-pox and one from phthisis.						

* One death from small-pox and one from phthisis.
† 511: 3.—In The Grange, a private Lunatic Asylum, no death occurred during the year.
‡ The Fever Hospital was closed and the new Isolation Hospital opened during the year.
§ In the absence of small-pox cases this hospital is occasionally used for convalescent cases of scarlet fever and diphtheria. The death in 1910 was ascribed to diphtheria.
|| 517: 2.—In the Pleasaunce, a private Lunatic Asylum, 1 death occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
37.—East Riding—continued.						
522.—HULL..	1. Humber ..	Royal Infirmary ..	282	181	101	
	2. Myton ..	WORKHOUSE ..	220	145	75	
		Victoria Hospital for Sick Children ..	92	53	39	
523.—PATRINGTON	1. Patrington ..	WORKHOUSE ..	8	6	2	
		(Hull and East Riding Convalescent Home Sanatorium (Consumption) ..	—	—	—	
524.—SKIRLAUGH	2. Skirlaugh ..	WORKHOUSE ..	6	2	4	
525.—DRIFFIELD ..	2. Driffield ..	WORKHOUSE ..	19	15	4	
		Cottage Hospital ..	3	2	1	
526.—BRIDLINGTON	2. Bridlington ..	WORKHOUSE ..	24	13	11	
		Lloyd Hospital ..	6	3	3	
		St. Anne's Convalescent Home ..	—	—	—	
		Sanatorium (Bridlington M.B.) ..	—	—	—	
		Foresters' Convalescent Home, Bridlington ..	1	1	—	
38.—North Riding.						
527.—SCAR-BOROUGH	2. Scarborough ..	WORKHOUSE ..	63	37	26	
		Scarborough Hospital and Dispensary ..	36	20	16	
		Royal Northern Sea Bathing Infirmary ..	1	1	—	
		Cottage Hospital ..	—	—	—	
		Sanatorium (Scarborough M.B.) ..	3	1	2	
528.—MALTON ..	3. Malton ..	WORKHOUSE ..	12	9	3	
		Malton, Norton and District Cottage Hospital ..	2	1	1	
529.—EASINGWOLD	2. Easingwold ..	WORKHOUSE ..	2	1	1	
		St. Monica's Cottage Hospital ..	2	2	—	
530.—THIRSK ..	2. Thirsk ..	WORKHOUSE ..	4	3	1	
		Lambert Memorial Hospital ..	—	—	—	
531.—HELMSLEY ..	1. Helmsley ..	WORKHOUSE (Helmsley) ..	5	4	1	
	2. Kirkby Moorside ..	WORKHOUSE (Kirkby Moorside) ..	6	4	2	
532.—PICKERING ..	2. Pickering ..	WORKHOUSE ..	4	1	3	
533.—WHITBY ..	2. Whitby ..	WORKHOUSE ..	21	14	7	
		Infectious Diseases Hospital (Whitby U.D.) ..	—	—	—	
		Cottage Hospital, Whitby ..	6	4	2	
534.—GUISBOROUGH	1. Loftus ..	Cleveland Cottage Hospital, Brotton ..	2	2	—	
		Miners' Hospital, Skinningrove ..	—	—	—	
		Isolation Hospital (Loftus U.D.) ..	—	—	—	
		Miners' Hospital, Skelton ..	—	—	—	
		Convalescent Home, Saltburn ..	1	1	—	
		Convalescent Home, Coatham ..	1	—	1	
	2. Skelton ..	Miners' Hospital, Marske ..	—	—	—	
		Fever Hospital (Redcar U.D.) ..	1	1	—	
		Sanatorium for Small-pox (Redcar U.D., Saltburn by the Sea U.D. and Guisborough R.D.) ..	—	—	—	
		WORKHOUSE ..	17	13	4	
		Sanatorium (Guisborough U.D.) ..	—	—	—	
		Chaloner Cottage Hospital (Miners) ..	4	2	2	
	535.—MIDDLESBROUGH	1. Ormesby*	Eston Urban District Sanatorium ..	6	4	2
			Eston Hospital ..	15	12	3
North Ormesby Cottage Hospital ..			65	39	26	
Middlesbrough Borough Lunatic Asylum ..			52	34	18	
2. Middlesbrough East*†		WORKHOUSE (Children's Hospital) "Broomlands"	1	—	1	
		WORKHOUSE, Cottage Homes ..	—	—	—	
3. Middlesbrough West*		WORKHOUSE ..	181	123	58	
		WORKHOUSE, Cottage Homes ..	—	—	—	
		Middlesbrough Borough Sanatorium ..	33	16	17	
		North Riding Infirmary ..	86	60	26	
4. Thornaby*		Hemlington Hosp. (Phthisis: Middlesbro' C.B.) ..	1	—	1	
536.—STOKESLEY..	1. Stokesley ..	WORKHOUSE ..	5	3	2	
537.—NORTHALLERTON	2. Northallerton ..	WORKHOUSE ..	3	2	1	
		Rutson Hospital ..	8	5	3	
		Fever Hospital, Northallerton (Northallerton U.D.)	1	1	—	
		Fever Hospital, Northallerton (Northallerton R.D.)	—	—	—	

* The sub-districts of Middlesbrough district were altered on 1st October, 1910. The institution deaths are shown as if the change had taken place at the beginning of the year.

† 535: 2.—In Nazareth House, 11 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
38.—North Riding—continued.					
538.—BEDALE ..	1. Bedale	WORKHOUSE	2	2	—
		Isolation Hospital (Bedale R.D.)	3	2	1
539.—LEYBURN ..	2. Leyburn	WORKHOUSE	5	3	2
540.—AYSGARTH ..	1. Askrigg	WORKHOUSE	3	3	—
		Wensleydale Sanatorium (Phthisis)	3	2	1
541.—REETH ..	2. Reeth	WORKHOUSE	2	2	—
542.—RICHMOND ..	1. Richmond	WORKHOUSE	1	1	—
		Cottage Hospital (Infect. Dis.; Richmond M.B.) ..	2	1	1
		Victoria Cottage Hospital	3	2	1
	2. Catterick	St. John of God's Hospital	12	12	—
X.—NORTHERN DIVISION.					
39.—Durham.					
543.—DARLINGTON	1. Hurworth*	Ropner Convalescent Home	—	—	—
	2. Darlington	WORKHOUSE	53	38	15
		Darlington Hospital	51	21	30
		Borough Hospital (Darlington Fever Hospital) ..	11	10	1
		Small-pox Hospital (Darlington M.B.)	—	—	—
544.—STOCKTON ..	1. Stockton.. ..	WORKHOUSE	79	54	25
		WORKHOUSE, Cottage Homes	—	—	—
		Stockton and Thornaby Hospital	58	39	19
		Floating Hospital (Port Sanitary Authority) ..	—	—	—
		Infectious Dis. Hospital (Stockton on Tees M.B.) ..	13	8	5
		Small-pox Hospital (Stockton on Tees M.B.) ..	—	—	—
545.—HARTLEPOOL	1. Hartlepool	WORKHOUSE	126	85	41
		Hartlepoons Hospital	30	17	13
		Port Sanitary Hospital	2	2	—
		Cameron Hospital	25	17	8
546.—SEDFIELD	1. Sedgfield	WORKHOUSE	4	—	4
		Union Isolation Hospital (Sedgfield R.D.)	7	4	3
		County Lunatic Asylum	167	103	64
		County Lunatic Asylum (Trimdon House Branch) ..	—	—	—
547.—AUCKLAND ..	1. Bishop Auckland ..	WORKHOUSE	77	45	32
		Inf. Dis. Hosp., Helmington Row (Joint Board) ..	11	7	4
		Inf. Dis. Hosp., Tindale Crescent (Joint Board) ..	5	—	5
		Small-pox Hospital (Joint Board)	—	—	—
		Inf. Dis. Hosp. (Bishop Auckland U.D.)	2	2	—
		Inf. Dis. Hos., Merrington Lane (Spennymoor U.D.)	1	1	—
		Lady Eden Cottage Hospital, Bishop Auckland ..	8	5	3
548.—TEESDALE ..	2. Barnard Castle ..	WORKHOUSE	14	10	4
		Infectious Diseases Hospital (Barnard Castle U.D.)	—	—	—
		Infectious Diseases Hospital (Barnard Castle R.D.)	1	—	1
	3. Middleton	Infectious Diseases Hospital (Startforth R.D.) ..	—	—	—
549.—WEARDALE..	2. Stanhope	WORKHOUSE	7	4	3
		Horn Hall Sanatorium for Men (Phthisis)	1	1	—
	3. Wolsingham	Leazes Hall Sanatorium for Women (Phthisis) ..	—	—	—
550.—LANCHESTER	1. Tanfield	Tanfield Infec. Dis. Hos.(Lanchester Jnt. Hos. Brd.)	15	8	7
	2. Consett	Fever Hosp, Leadgate (Lanchester Jnt. Hosp. Brd.)	1	—	1
		Infirmary (Consett Iron Co.)	2	2	—
	3. Lanchester	WORKHOUSE	55	48	7
		Langley Park Isol. Hos. (Lanchester Jnt. Hos. Brd.)	9	3	6
		Maiden Law Sanatorium for Phthisis (Lanchester Joint Hospital Board)	10	7	3
551.—DURHAM ..	1. Brandon†	Brandon Fever Hosp.(Brandon & Byshottles U.D.)	2	1	1
	2. Durham†	WORKHOUSE	55	33	22
		Fever Hospital (City of Durham)	1	1	—
		Houghall Infectious Dis. Hospital (Durham R.D.)	3	1	2
		Durham County Hospital	47	35	12
		Sherburn Hospital	4	1	3
552.—EASINGTON..	1. Wingate	Small-pox Hospital (Easington & Sedgfield R.D.'s)	—	—	—
	2. Dawdon	WORKHOUSE	31	22	9
		Fever Hospital, Thorpe (Easington R.D.)	3	1	2
		Seaham Harbour Infirmary	—	—	—
		Fever Hospital (Seaham Harbour U.D.)	—	—	—

* 543 : 1.—In Dinsdale Park and Middleton Hall, two private Lunatic Asylums, 8 deaths occurred during the year.
† Changed in boundary and re-named on 1st December, 1910. The institution deaths are shown as if the change had occurred at the beginning of the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.			
			Persons.	Males.	Females.	
39.—Durham—continued.						
553.—HOUGHTON LE SPRING	1. Houghton le Spring ..	WORKHOUSE	29	19	10	
		Northern Infectious Diseases Hospital (Hetton U.D. and Houghton le Spring R.D.) ..	3	1	2	
		Infectious Diseases Hosp. (Houghton le Spring U.D.) ..	1	—	1	
554.—CHESTER LE STREET	2. Hetton le Hole.. ..	Southern Infectious Diseases Hospital (Hetton U.D. and Houghton le Spring R.D.).. ..	1	1	—	
		WORKHOUSE	40	27	13	
555.—SUNDERLAND	1. Chester le Street ..	Infectious Diseases Hospital (Rural District) ..	5	3	2	
	2. Harraton	Consumption Sanatorium (Chester le Street R.D.) ..	3	2	1	
	1. Sunderland West ..	WORKHOUSE	357	212	145	
		Royal Infirmary	210	135	75	
		Sunderland and Durham Eye Infirmary	1	1	—	
		Children's Hospital (Branch of Royal Infirmary) ..	—	—	—	
	3. Sunderland North ..	Monkwearmouth and Southwick Hospital ..	27	14	13	
	5. Ryhope*.. ..	Sanatorium (Sunderland C.B.)	23	10	13	
		Isolation Hospital (Sunderland R.D.).. ..	4	2	2	
		Sunderland Borough Lunatic Asylum	37	19	18	
	556.—SOUTH SHIELDS	1. South Shields	WORKHOUSE	250	165	85
			WORKHOUSE, Cottage Homes	—	—	—
			Ingham Infirmary	68	41	27
			Denes Hospital (Infect. Dis.; South Shields C.B.)..	11	5	6
		Whiteleas Small-pox Hosp. (South Shields C.B.) ..	2	2	—	
		Boldon Fever Hospital (South Shields R.D. and Southwick on Wear U.D.)	1	—	1	
2. Jarrow		Memorial Hospital	6	6	—	
		Tyne Floating Hospital (Port Sanitary Authority) ..	1	1	—	
		Jarrow Borough Hospital, Primrose Hill (Inf. Dis.) ..	2	2	—	
		Hebburn U.D. Infectious Diseases Hospital.. ..	4	2	2	
		Hebburn Accident Infirmary	1	1	—	
557.—GATESHEAD		1. Heworth	Small-pox Hospital (Felling U.D.)	—	—	—
		Fever Hospital (Felling U.D.)	—	—	—	
	2. Gateshead	WORKHOUSE	183	120	63	
		Hospital for Sick Children	16	9	7	
		Sheriff Hill Fever and Small-pox Hospital (Gateshead C.B.)	5	3	2	
	4. Winlaton	Isolation Hospital (Blaydon U.D., Ryton U.D., and Whickham U.D.)	10	5	5	
		Small-pox Hospital (Blaydon U.D., Ryton U.D., and Whickham U.D.)	—	—	—	
	40.—Northumberland.					
	558.—NEWCASTLE UPON TYNE	2. St. Andrew	Eye Infirmary	—	—	—
			Royal Victoria Infirmary	570	362	208
			Northern Counties Hospital for Diseases of Chest ..	—	—	—
			Moor Small-pox and Fever Hospital (City of Newcastle upon Tyne)	1	1	—
		Home for Incurables	8	4	4	
		Fleming Memorial Hospital for Children	95	49	46	
3. Elswick†		WORKHOUSE	318	198	120	
		Nose, Throat, and Ear Hospital	2	2	—	
5. All Saints		Lying-in Hospital	9	4	5	
		St. Catherine's Hospital	4	1	3	
559.—TYNEMOUTH		1. Wallsend	Infectious Diseases Hospital (Wallsend M.B.) ..	4	1	3
			Small-pox Hospital (Wallsend M.B.).. .. .	—	—	—
	2. Tynemouth	WORKHOUSE	169	117	52	
		Cottage Hospital (Fever; Tynemouth C.B.) ..	—	—	—	
		Victoria Jubilee Infirmary	29	18	11	
		Moor Park Fever Hospital (Tynemouth C.B.) ..	8	5	3	
	3. Longbenton	Walker Hospital and Infirmary	—	—	—	
		Newcastle City Hospital for Infectious Diseases ..	58	28	30	
		Scaffold Hill Isolation Hosp. (Joint Hosp. Board)..	1	1	—	
	4. Whitley	Earsdon Grange Infectious Diseases Hospital (Earsdon U.D.)	1	1	—	
		Prudhoe Memorial Convalescent Home	4	4	—	
	560.—CASTLE WARD	5. Blyth	Port Sanitary Hospital	1	1	—
		Thomas Knight Memorial Hospital	1	1	—	
6. Cramlington		Infectious Diseases Hospital (Cramlington U.D.)..	—	—	—	
1. Ponteland		WORKHOUSE	10	8	2	
		WORKHO., Cottage Homes (Newcastle upon Tyne) ..	—	—	—	
		Philipson Boys' Farm Colony	—	—	—	
		Children's Sanatorium (Tuberculosis)	—	—	—	
		Boys' Convalescent Home	—	—	—	
2. Gosforth		Small-pox Hospital (Gosforth U.D.)	—	—	—	
		Newcastle City Lunatic Asylum	108	75	33	
3. Newburn		Infectious Diseases Hospital (Gosforth U.D., Newburn U.D., and Castle Ward R.D.)	1	1	—	
		Small-pox Hospital (Newburn U.D.).. .. .	—	—	—	
	Newburn and District Cottage Hospital	—	—	—		

* 555: 5.—In "High Barnes" (Home of the Little Sisters of the Poor) 22 deaths occurred during the year.

† 558: 3.—In St. Joseph's House, 34 deaths occurred during the year.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
40.—Northumberland—continued.					
561.—HEXHAM ..	1. Bywell	Isolation Hospital (Hexham R.D.)	2	1	1
	2. Hexham	WORKHOUSE	18	12	6
		Isolation Hospital (Hexham U.D.)	—	—	—
		Lightwater Small-pox Hospital (Hexham R.D.) ..	—	—	—
		Corbridge Cottage Hospital	2	—	2
	4. Chollerton	Barrasford Sanatorium (Consumption)	2	2	—
562.—HALTWHISTLE	1. Haltwhistle	WORKHOUSE	4	3	1
563.—BELLINGHAM	1. Bellingham	WORKHOUSE	5	4	1
564.—MORPETH ..	1. Morpeth	WORKHOUSE	26	17	9
		Victoria Cottage Hospital	3	2	1
		Infectious Diseases Hospital (Morpeth M.B.) ..	—	—	—
		County Lunatic Asylum	85	43	42
	2. Bedlington	Infectious Diseases Hospital, Stakeford (Bedlingtonshire U.D.)	—	—	—
		Infectious Diseases Hospital, Staith Quay (Bedlingtonshire U.D.)	1	1	—
	3. Ashington	Isolation Hospital (Ashington U.D.)	3	2	1
		Isolation Hospital (Newbiggin by the Sea U.D.) ..	—	—	—
		Isolation Hospital (Morpeth R.D.)	—	—	—
565.—ALNWICK ..	2. Alnwick	WORKHOUSE	13	10	3
		Alnwick Infirmary	6	3	3
		Infectious Diseases Hosp. (Alnwick U.D.)	—	—	—
		Small-pox Hospital (Alnwick U.D. and R.D.) ..	—	—	—
566.—BELFORD ..	1. Belford	WORKHOUSE	2	1	1
567.—BERWICK ..	1. Berwick upon Tweed	WORKHOUSE	17	9	8
		WORKHOUSE, Cottage Home	—	—	—
		Berwick Dispensary and Infirmary	11	8	3
		Military Hospital	—	—	—
		Port Hosp. (Infect. Dis.: Berwick upon Tweed M.B.)	—	—	—
		Small-pox Hospital (Berwick upon Tweed M.B.) ..	—	—	—
568.—GLENDALE ..	2. Wooler	WORKHOUSE	4	3	1
569.—ROTHBURY ..	1. Rothbury	WORKHOUSE	4	4	—
		Isolation Hospital (Rothbury U.D. and R.D.) ..	—	—	—
		Coquetdale Cottage Hospital	1	—	1
41.—Cumberland.					
570.—ALSTON ..	1. Alston	WORKHOUSE	4	1	3
		Ruth Lancaster Cottage Hospital, Alston	3	—	3
571.—PENRITH ..	1. Penrith	WORKHOUSE	12	7	5
		Fever Hospital (Penrith Union)	2	2	—
		Penrith Cottage Hospital	2	2	—
572.—BRAMPTON ..	2. Greystoke	Blencathea Sanatorium (Consumption)	2	1	1
573.—LONGTOWN ..	2. Brampton	WORKHOUSE	7	4	3
574.—CARLISLE ..	1. Longtown	WORKHOUSE	3	3	—
		WORKHOUSE, Fuse Hill	54	33	21
		WORKHOUSE (School), Harraby Hill	—	—	—
		Cumberland and Westmorland Lunatic Asylum ..	78	35	43
	3. St. Mary	Cumberland Infirmary	86	60	26
		Border Counties Home for Incur. (Strathclyde Ho.)	10	3	7
		Fever Hosp. or House of Recovery (Private Com.)	5	2	3
575.—WIGTON ..	5. Burgh	Small-pox Hospital (City of Carlisle)	—	—	—
		WORKHOUSE	13	9	4
	1. Wigton	Silloth Convalescent Institution	1	1	—
576.—COCKERMOUTH	2. Abbey Holme	Infectious Diseases Hosp. (Holme Cultram U.D.)	—	—	—
		Mary Hewetson Hospital	6	1	5
		Whinlatter Infectious Dis. Hosp. (Keswick U.D.)	—	—	—
		Small-pox Hospital (Keswick U.D.)	—	—	—
	2. Cockermouth	WORKHOUSE	40	27	13
		Nursing Home	4	1	3
	3. Workington	Workington Infirmary	15	10	5
		Ellerbeck Hosp. for Infect. Dis. (Workington M.B.)	1	1	—
		Merchants' Quay Hospital (Port San. Author.) ..	—	—	—
	4. Maryport	WORKHOUSE (School and Casual Ward)	—	—	—
		Fever Hospital (Maryport U.D.)	—	—	—
		Victoria Cottage Hospital	5	4	1
		Isolation Hospital, Broughton Moor (Cockermouth R.D.)	4	3	1
577.—WHITEHAVEN	2. Whitehaven	WORKHOUSE	47	30	17
		Whitehaven and West Cumberland Infirmary ..	37	25	12
		Bransby Fever Hospital (Whitehaven Port & M.B.)	3	1	2
		Galemore Hospital (four Urban Dists. and R.D.) ..	3	2	1
578.—BOOTLE ..	2. Bootle	WORKHOUSE	4	3	1
		Hodbarrow Hospital, Steel Green	—	—	—
		Infectious Diseases Hospital (Millom U.D.) ..	—	—	—
		Isolation Hospital (Millom U.D. and Bootle R.D.)	2	2	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
42.—Westmorland.					
579.—EAST WARD	1. Appleby	WORKHOUSE (Vagrant Ward)	—	—	—
		Infectious Diseases Hospital (Appleby M.B., East Westmorland R.D. & West Ward R.D.)	3	1	2
580.—WEST WARD	2. Kirkby Stephen	WORKHOUSE	6	4	2
	1. Morland	WORKHOUSE	5	4	1
581.—KENDAL ..	1. Ambleside	WORKHOUSE, Abbey Home (Children)	—	—	—
		Infectious Diseases Hospital (Windermere U.D.) ..	—	—	—
		Infectious Diseases Hospital (Grasmere U.D.) ..	15	14	1
	2. Kendal	WORKHOUSE	29	18	11
		Westmorland County Hospital	5	2	3
		Sanatorium (Kendal M.B.)	—	—	—
	3. Kirkby Lonsdale ..	WORKHOUSE (Vagrant Ward)	—	—	—
		Small-pox Hospital (Kendal M.B. and South Westmorland R.D.)	1	1	—
		Keastwich Memorial Hospital	12	9	3
	4. Milnthorpe	WORKHOUSE	5	3	2
		Westmorland Consumption Sanatorium			
	XI.—WELSH DIVISION.				
43.—Monmouthshire.					
582.—CHEPSTOW ..	1. Chepstow	WORKHOUSE	18	12	6
		WORKHOUSE, Cottage Homes	—	—	—
		Infectious Diseases Hospital (Joint Hospital Board)	—	—	—
	2. Lydney	Cottage Hospital	6	4	2
583.—MONMOUTH	3. Monmouth	Isolation Hospital (Lydney R.D.)	25	16	9
		WORKHOUSE	4	3	1
		General Hospital and Dispensary	—	—	—
584.—ABER-GAVENNY	3. Abergavenny	Fever Hospital (Monmouth M.B.)	28	24	4
		WORKHOUSE	1	1	—
		Victoria Cottage Hospital	1	1	—
		Sanatorium (Abergavenny M.B. & R.D.)	75	40	35
		Monmouth County Lunatic Asylum	—	—	—
	4. Blaenavon	The Hospital	—	—	—
585.—BEDWELLY	1. Aberystroth	Isolation Hospital (Nantyglo and Blaina U.D.) ..	—	—	—
		Isolation Hospital (Abertillery U.D.)	93	69	24
	2. Tredegar	WORKHOUSE	—	—	—
		WORKHOUSE, Children's Homes	—	—	—
		Fever Hospital (Tredegar U.D.)	9	8	1
		Cottage Hospital, Tredegar	6	3	3
		Cottage Hospital (Works Hospital), Ebbw Vale ..	—	—	—
		Isolation Hospital (Rhymney U.D.)	3	1	2
		Rhymney Workmen's Cottage Hospital	—	—	—
	3. Rock Bedwellty ..	Isolation Hospital (Bedwellty U.D.)	5	3	2
	Aberbargoed Cottage Hospital				
586.—PONTYPOOL..	2. Pontypool	Isolation Hospital (Abersychan U.D.)	—	—	—
		Pontypool and District Hospital	24	19	5
	3. Llangibby	WORKHOUSE	29	22	7
587.—NEWPORT ..	1. Caerleon	Borough Lunatic Asylum (Newport C.B.)	34	24	10
	2. Newport	WORKHOUSE	149	114	35
		Newport and Monmouthshire Hospital	109	80	29
		Allt-yr-yn Infect. Dis. Hospital (Newport C.B.) ..	13	8	5
	3. Rogerstone	Port Sanitary Hospital (Newport C.B. and Port) ..	—	—	—
		Small-pox Hospital, Cefn (St. Mellons R.D.) ..	—	—	—
		Convalescent Home, "Highfield," Bassaleg ..	4	2	2
	5. Mynyddislwyn ..	"Goverra" Infectious Dis. Hosp. (Abercarn U.D.)	1	1	—
44.—Glamorganshire.					
588.—CARDIFF ..	1. Llandaff	WORKHOUSE	4	4	—
		Ely Isol. Hosp. (Llandaff and Dinas Powis R.D.) ..	7	4	3
		Cardiff City Mental Hospital	59	41	18
	3. Central Cardiff*	Glamorganshire and Monmouthshire Infirmary†	191	128	63
		Royal Hamadryad Seamen's Hospital	24	24	—
		Port Sanitary Hospital	—	—	—
	4. West Cardiff	WORKHOUSE	314	215	99
		WORKHOUSE, Cottage Homes	—	—	—
		Sanatorium (City of Cardiff)	28	11	17
	5. Penarth	Isolation Hospital (Penarth U.D.)	4	2	2
	6. St. Nicholas	Barry Cottage Hospital (Accidents)	10	8	2
		Voluntary Hospital (General Diseases)	4	3	1
		Sanatorium (Barry U.D.)	—	—	—
		Small-pox Hosp. (Glamorgan C.C. and Barry U.D.)	—	—	—

* 588: 3.—In Nazareth House, 13 deaths occurred during the year.

† Now called King Edward VII. Hospital.

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
44.—Glamorganshire—continued.					
589.—PONTYPRIDD	1. Eglwysilan	Small-pox Hospital (Caerphilly U.D.)	—	—	—
		Infectious Diseases Hospital (Caerphilly U.D.)	4	2	2
	2. Llanwonno	Cottage Hospital, Pontypridd	—	—	—
		Infectious Diseases Hospital (Mountain Ash U.D.) ..	1	1	—
	3. Llantrisant	Cottage Hospital	10	9	1
		WORKHOUSE	135	91	44
		WORKHOUSE, Cottage Homes for Children	—	—	—
		Infectious Diseases Hospital (Pontypridd U.D.) ..	4	2	2
	4. Ystradyfodwg.. ..	Infectious Diseases Hospital (Llantrisant and Llantwitfardre R.D.)	1	1	—
		WORKHOUSE, Union Homes for Aged	18	18	—
		Porth Cottage Hospital	15	10	5
		Tyntila Isolation Hospital (Rhondda U.D.)	16	9	7
		Ferndale Workmen's General Hospital	1	1	—
		Penrhys Isolation Hospital (Rhondda U.D.)	—	—	—
590.—MERTHYR TYDFIL	1. Gelligaer	Penybank Fever Hosp. (Gelligaer U.D.)	1	1	—
	2. Lower Merthyr Tydfil	Mardy Fever Hospital (Merthyr Tydfil C.B.)	8	3	5
	3. Upper Merthyr Tydfil	WORKHOUSE	193	125	68
	4. Aberdare	General Hospital	34	24	10
		WORKHOUSE (Industrial School)	1	—	1
		Aberdare Cottage Hospital	3	1	2
591.—BRIDGEND ..	1. Maesteg	Infectious Diseases Hospital (Aberdare U.D.)	8	3	5
		Small-pox Hospital (Maesteg U.D.)	—	—	—
	2. Ogmore	Isolation Hospital (Joint Committee)	1	—	1
		Small-pox Hospital (Ogmore and Garw U.D. and Penybont R.D.)	—	—	—
	4. Bridgend	Isolation Hospital (Ogmore and Garw U.D.)	3	2	1
		WORKHOUSE	42	36	6
		WORKHOUSE, Cottage Homes (including Clifton House Branch)	—	—	—
		Cottage Hospital	1	—	1
		"The Rest," Convalescent Home (S. Wales Conv. Home)	3	2	1
		Isolation Hospital (Joint Committee)	2	—	2
592.—NEATH ..	1. Margam	Glamorgan County Lunatic Asylum ("Parc Gwyllt and Angleton")	159	70	89
		Sanatorium (Margam U.D.)	—	—	—
	2. Neath	Cottage Hospital	1	1	—
		WORKHOUSE	35	29	6
	3. Glyncorwg	Infectious Diseases Hospital (Briton Ferry U.D.) ..	—	—	—
		Isolation Hospital, Cimla (Neath R.D.)	—	—	—
593.—PONTARDAWE	1. Pontardawe	Infectious Diseases Hospital (Neath M.B.)	—	—	—
		Isolation Hospital (Glyncorwg U.D.)	—	—	—
	3. Swansea	WORKHOUSE, Cottage Homes	—	—	—
		Ystalyfera Small-pox Hosp. (Pontardawe R.D.) ..	16	16	—
		Pontardawe Isolation Hospital (Jt. Hosp. Comm.) ..	1	—	1
		WORKHOUSE	—	—	—
594.—SWANSEA ..	1. Llandilo Talybont ..	WORKHOUSE, Cottage Homes	—	—	—
		WORKHOUSE	147	101	46
	3. Swansea	Swansea Hospital	152	99	53
		Borough Hospital (Infectious Diseases)	11	8	3
		Swansea and S. Wales Nursing Institute	3	1	2
		Swansea Hospital Convalescent Home	1	1	—
595.—GOWER ..	2. Gower Western ..	WORKHOUSE	4	2	2
45.—Carmarthenshire.					
596.—LLANELLY ..	1. Loughor	Garngoch Fever Hospital (Swansea R.D.)	1	—	1
	3. Llanelly Urban ..	WORKHOUSE	26	16	10
		Llanelly Hospital	21	17	4
		Isolation Hospital (Llanelly U.D.)	—	—	—
597.—LLANDOVERY	4. Llandingat	WORKHOUSE	4	3	1
598.—LLANDILO-FAWR	4. Llandilo	WORKHOUSE	12	9	3
599.—CARMARTHEN	3. Carmarthen	WORKHOUSE	19	14	5
		County and Borough General Infirmary	9	6	3
		Carmarthen, Cardigan & Pembroke Jnt. Co.'s Lun. Asy.	54	31	23

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
46.—Pembrokeshire.					
600.—NARBERTH ..	3. Begelly	WORKHOUSE	1	—	1
601.—PEMBROKE ..	1. Tenby	Isolation Hospital (Tenby M.B.)	—	—	—
		Pembroke Infirmary and Dispensary	2	2	—
	Cottage Hospital	1	1	—	
	2. Pembroke	WORKHOUSE	25	15	10
		Military Station Hospital.. .. .	2	2	—
		Royal Naval Hospital	2	2	—
Isolation Hospital (Pembroke M.B.)		1	—	1	
602.—HAVERFORD- WEST	1. Milford	Victoria Nurses Home and Meyrick Wards ..	—	—	—
		Hospital (Infect. Dis.; Port Sanitary Authority) ..	—	—	—
	2. Haverfordwest ..	WORKHOUSE	19	11	8
		Pembrokeshire and Haverfordwest Infirmary ..	10	7	3
47.—Cardiganshire.					
603.—CARDIGAN ..	2. Cardigan	WORKHOUSE	8	3	5
604.—NEWCASTLE IN EMLYN	3. Cenarth	WORKHOUSE	3	1	2
605.—LAMPETER ..	1. Llanybyther	West Wales Sanatorium (Pulmonary Tuberculosis)	—	—	—
	3. Lampeter	WORKHOUSE	6	4	2
606.—ABERAYRON	2. Llansantffraid.. ..	WORKHOUSE	7	4	3
607.—ABERYST- WITH	2. Aberystwith	WORKHOUSE	16	8	8
		Aberystwith and Cardigan General Infirmary ..	8	3	5
608.—TREGARON..	3. Tregaron	WORKHOUSE	3	3	—
48.—Brecknockshire.					
609.—BUILTH ..	4. Builth	WORKHOUSE	5	2	3
		Cottage Hospital	5	3	2
610.—BRECKNOCK	2. Brecknock	WORKHOUSE	11	8	3
		County and Borough Infirmary	8	6	2
		Infectious Diseases Hospital (Brecknock U.D.) ..	—	—	—
611.—CRICK- HOWELL	2. Beaufort.. ..	Fever Hospital (Ebbw Vale U.D.)	2	1	1
	4. Crickhowell	WORKHOUSE	10	7	3
612.—HAY	1. Talgarth.. ..	<i>Brecon and Radnor Lunatic Asylum</i>	47	31	16
	2. Hay	WORKHOUSE	7	3	4
49.—Radnorshire.					
613.—KNIGHTON ..	1. Presteigne	Isolation Hospital (Presteigne U.D.)	—	—	—
		Isolation Hospital (Knighton R.D)	1	—	1
	2. Knighton	WORKHOUSE	12	10	2
614.—RHAYADER..	2. Nantmel.. ..	WORKHOUSE	2	1	1
		Llandrindod Wells Cottage Hospital	4	3	1
50.—Montgomeryshire.					
615.—MACHYNL- LETH	1. Machynlleth	WORKHOUSE	5	4	1
		Londonderry Cottage Hospital	1	1	—
616.—NEWTOWN ..	2. Llanwnnog	WORKHOUSE	8	4	4
		Montgomery Infirmary	5	4	1
	4. Newtown	Isolation Hospital (Phthisis, &c., Newtown and Llanllwchaiarn U.D)	—	—	—
617.—FORDEN ..	2. Chirbury	WORKHOUSE	11	11	—
		Forden Isolation Hospital (Montgomery M.B., Forden R.D. and Chirbury R.D.)	—	—	—
	3. Welshpool	Victoria Nursing Institute	1	1	—
618.—LLANFYLLIN	2. Llansantffraid ..	WORKHOUSE	6	4	2
51.—Flintshire.					
619.—HOLYWELL	2. Holywell	WORKHOUSE	34	27	7
		Flintshire Cottage Hospital	6	4	2
	4. Mold	Cottage Hospital	4	2	2
620.—HAWARDEN	1. Hawarden	WORKHOUSE	5	4	1
		Isolation Hospital (Hawarden R.D.)	2	2	—

Deaths in Workhouses, Hospitals, Lunatic Asylums, and Idiot Asylums, 1910—continued.

DISTRICT.	SUB-DISTRICT.	NAME OF INSTITUTION.	DEATHS.		
			Persons.	Males.	Females.
52.—Denbighshire.					
621.—WREXHAM ..	2. Ruabon .. 3. Wrexham ..	Accident Hospital	4	4	—
		WORKHOUSE	83	59	24
		Infirmary and General Dispensary	28	16	12
		Sanitary Hospital (Wrexham M.B. & R.D.)	8	6	2
622.—RUTHIN ..	2. Ruthin ..	WORKHOUSE	8	5	3
		Vale of Clwyd Sanatorium (Tuberculosis).. .. .	1	—	1
623.—ST. ASAPH ..	1. St. Asaph .. 2. Abergele.. 3. Denbigh ..	WORKHOUSE	26	15	11
		Women's Convalescent Home	9	4	5
		Royal Alexandra Hospital (Rhyl)	—	—	—
		Hendre Hosp. (tem. Bch. of Royal Alexandra Hosp.)	—	—	—
		Men's Convalescent Institution.. .. .	2	2	—
		Walsall Convalescent Hospital	1	1	—
		Isolation Hospital (Rhyl U.D.)	7	6	1
		Denbigh Infirmary	103	48	55
	North Wales Counties Lunatic Asylum.. .. .				
624.—LLANRWST ..	1. Llanrwst ..	WORKHOUSE	9	6	3
53.—Merionethshire.					
625.—CORWEN ..	1. Corwen .. 2. Llangollen ..	WORKHOUSE	7	6	1
		Cottage Hospital	4	3	1
626.—BALA ..	1. Bala ..	WORKHOUSE	6	5	1
627.—DOLGELLY ..	2. Barmouth ..	WORKHOUSE	9	5	4
628.—FESTINIOG ..	1. Deudraeth .. 2. Festiniog ..	WORKHOUSE	8	5	3
		Oakley's Hospital	2	1	1
54.—Carnarvonshire.					
629.—PWLLELI ..	2. Pwllheli ..	WORKHOUSE	5	2	3
630.—CARNARVON	2. Llanrug .. 3. Carnarvon ..	Dinorwic Quarry Hospital	2	2	—
		WORKHOUSE	21	15	6
		Cottage Hospital	3	3	—
		Infectious Diseases Hospital (Carnarvon M.B.)	—	—	—
		Small-pox Hospital (Gwyrfa R.D.)	—	—	—
631.—BANGOR ..	2. Bangor .. 3. Llanfairfechan .. 4. Llanllechid ..	WORKHOUSE	27	17	10
		Carnarvon and Anglesey Infirmary	12	10	2
		Bangor Borough Hospital for Infectious Diseases	—	—	—
		Beaumaris Port Hospital Ship	—	—	—
		Heath Convalescent Home	—	—	—
		Bryn-y-Newadd (Branch of St. Andrew's Lunatic Hospital, Northampton)	1	1	—
632.—CONWAY ..	1. Conway .. 2. Llandudno .. 3. Colwyn Bay ..	Penrhyn Hospital	1	1	—
		WORKHOUSE	17	8	9
		WORKHOUSE, Cottage Homes	—	—	—
		Men's Convalescent Home, "Tyncoed" (Birmingham Hospital Saturday Fund)	—	—	—
		Women's Convalescent Home, "Marle Hall" (Birmingham Hospital Saturday Fund)	—	—	—
		Pendyffryn Hall Sanatorium (Tuberculosis)	—	—	—
		Cottage Hospital, Llandudno	9	4	5
		Llandudno Sanatorium and Convalescent Home for Women	—	—	—
		Infectious Diseases Hospital (Llandudno U.D.)	2	1	1
		Cottage Hospital	1	1	—
	Inf. Dis. Hosp. (Colwyn Bay and Colwyn U.D.)	—	—	—	
	Small-pox Hospital, Llysfaen (Conway R.D.)	—	—	—	
55.—Anglesey.					
633.—ANGLESEY ..	3. Llanfechell ..	WORKHOUSE	5	2	3
634.—HOLYHEAD ..	2. Llanddeusant .. 3. Holyhead ..	WORKHOUSE	11	4	7
		Stanley Hospital	2	2	—

DEATHS
OF
PERSONS, MALES, AND FEMALES,
AT DIFFERENT AGES,
IN REGISTRATION DIVISIONS AND COUNTIES,
1910.

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1910—in REGISTRATION DIVISIONS and COUNTIES.

REGISTRATION DIVISIONS.		TOTAL DEATHS.	AGES AT DEATH.															85 and upwards.				
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—		45—	55—	65—	75—
No. I.	ENGLAND AND WALES.	{ P. M. F. 483247 249016 234231	52473	16839	25267	94579	25390	9785	5829	4263	139846	11216	6650	8903	10798	26004	34282	44252	58302	73793	53971	15230
			29988 22485	9374 7465	13793 11474	53155 41424	13251 12139	5020 4765	2950 2879	2168 2095	76544 63302	5550 5666	3233 3417	4524 4379	5607 5191	13229 12775	18139 16143	24225 20027	31496 26806	36656 37137	24005 29966	5808 9422
II.	DIVISIONS.	{ P. M. F. 62699 32418 30281	6401	2211	3542	12154	3912	1426	815	575	18882	1391	782	1035	1298	3380	4986	6625	7835	8583	6106	1796
			3633 2768	1207 1004	1914 1628	6754 5400	2086 1826	713 713	419 396	288 287	10260 8622	711 680	388 394	520 515	697 601	1810 1570	2727 2259	3721 2904	4268 3567	4232 4351	2513 3583	571 1225
III.	SOUTH EASTERN	{ P. M. F. 44619 22904 21715	3810	966	1464	6240	1374	602	379	257	8852	949	589	821	1026	2507	3373	4072	5546	7735	6748	2401
			2172 1638	551 415	789 675	3512 2728	712 662	323 279	178 201	135 122	4860 3992	480 469	295 294	421 400	529 497	1362 1145	1860 1513	2208 1864	3060 2486	3813 3922	3078 3670	938 1463
IV.	SOUTH MIDLAND	{ P. M. F. 28571 14418 14153	2754	705	979	4438	930	356	257	182	6163	590	400	507	631	1464	1946	2440	3389	5189	4423	1429
			1569 1185	387 318	576 403	2532 1906	486 444	189 167	138 119	102 80	3447 2716	306 284	178 222	238 269	335 296	759 705	1021 925	1289 1151	1802 1587	2509 2680	1974 2449	560 869
V.	EASTERN	{ P. M. F. 25426 12979 12447	2563	706	983	4258	975	386	233	177	6029	503	352	429	538	1242	1681	2173	2945	4225	3949	1360
			1456 1113	391 315	553 430	2400 1858	488 487	194 192	121 112	89 88	3292 2737	264 239	160 192	240 189	291 247	645 597	884 797	1178 995	1537 1408	2128 2097	1811 2138	549 811
VI.	SOUTH WESTERN	{ P. M. F. 26042 12758 13284	2024	590	715	3329	645	288	181	160	4603	496	334	453	606	1303	1728	2118	3202	4912	4668	1619
			1142 882	340 250	404 311	1886 1443	353 292	146 142	94 87	74 86	2553 2050	229 267	158 176	225 228	320 286	655 648	919 809	1127 991	1596 1606	2344 2568	2021 2647	611 1008
VII.	WEST MIDLAND	{ P. M. F. 53329 27508 25821	6088	1866	2638	10592	2514	1036	647	517	15336	1360	722	926	1104	2801	3614	4824	6199	8405	6332	1706
			3577 2511	1050 816	1427 1211	6054 4538	1261 1253	524 512	325 322	276 271	8440 6896	687 673	359 363	475 451	554 550	1378 1423	1823 1791	2673 2151	3348 2851	4294 4111	2832 3500	645 1081
VIII.	NORTH MIDLAND	{ P. M. F. 29969 15490 14479	3677	1196	1726	6599	1569	591	354	235	9348	675	397	572	676	1462	1807	2385	3323	4512	3734	1078
			2142 1535	661 535	945 781	3748 2651	812 757	290 301	180 174	118 117	5148 4200	329 346	189 208	277 295	358 318	740 722	918 889	1305 1080	1745 1528	2247 2265	1761 1973	423 655

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1910—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION DIVISIONS.		TOTAL DEATHS.	AGES AT DEATH.																			85 and up- wards.
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	
No. VIII.	NORTH WESTERN ..	{ P. M. F. 85863 44087 41776	9342	3396	5489	18227	5685	2088	1294	941	28235	2152	1284	1604	1935	4800	6415	8682	11018	12261	6356	1121
			5326	1848	2987	10161	2945	1070	649	476	15301	1017	606	775	768	1050	1207	2379	3399	4717	5849	5836
IX.	YORKSHIRE ..	{ P. M. F. 56523 29399 27124	6535	2104	3307	11946	3415	1302	719	514	17896	1328	768	1050	1207	3027	3938	5222	7145	8404	5354	1184
			3677	1180	1774	6631	1806	671	358	270	9736	653	401	557	401	600	1458	2101	2824	3964	4263	2387
X.	NORTHERN ..	{ P. M. F. 35249 18625 16624	4866	1549	2305	8720	2472	973	512	361	13038	927	527	788	889	1902	2348	2773	3809	4618	2968	662
			2783	877	1232	4892	1298	508	258	184	7140	455	265	437	262	465	973	1216	1520	1520	2088	1356
XI.	WELSH ..	{ P. M. F. 34957 18430 16527	4407	1550	2119	8076	1899	737	438	314	11464	845	495	718	888	2116	2446	2938	3891	4949	3333	874
			2511	882	1192	4585	1004	392	230	156	6367	419	234	359	261	443	1070	1271	1663	2189	2541	1528
			1896	668	927	3491	895	345	208	158	5097	426		359	445	1046	1175	1275	1702	2408	1805	528

ENGLAND AND WALES,—DEATHS at different Ages Registered in the Year 1910—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.	TOTAL DEATHS.	AGES AT DEATH.																		85 and up- wards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1- 2- 3- 4- 5- Total under 5 Years.	10- 15- 20- 25- 35- 45- 55- 65- 75-																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1910—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.		TOTAL DEATHS.	AGES AT DEATH.														Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—																		
No. 9	III.—SOUTH MIDLAND— <i>continued.</i> BUCKING- HAMSHIRE { P. M. F.	2142 1115 1027	197	35	72	304	67	23	14	13	421	45	28	28	37	111	119	170	263	415	386	119						
			103	24	47	174	34	11	5	7	231	20	13	10	22	62	71	94	123	220	193	56						
10	OXFORD- SHIRE { P. M. F.	2465 1244 1221	191	41	49	281	57	25	14	11	388	32	36	54	50	125	129	214	313	478	499	147						
			81	22	22	125	26	14	8	7	210	22	15	26	35	57	69	100	168	234	241	67						
11	NORTH- AMPTON- SHIRE { P. M. F.	4326 2195 2131	413	113	143	669	153	58	44	28	952	85	69	96	103	218	279	324	488	817	698	197						
			178	51	53	282	67	27	21	10	545	39	25	44	43	116	142	170	256	407	328	80						
12	HUNTING- DONSHIRE { P. M. F.	632 331 301	49	12	15	76	9	3	7	6	101	11	11	13	7	22	29	49	69	111	148	61						
			30	7	9	46	7	—	3	2	58	7	4	5	4	11	19	30	36	52	76	29						
13	BEDFORD- SHIRE { P. M. F.	2280 1174 1106	219	63	69	351	68	27	14	15	475	41	30	36	45	95	132	187	257	450	399	133						
			105	30	29	164	34	12	9	6	221	19	10	22	19	50	81	101	148	223	181	54						
14	CAM- BRIDGE- SHIRE { P. M. F.	2747 1435 1312	238	52	93	383	68	25	21	17	514	56	29	48	70	119	164	230	327	515	467	208						
			83	21	48	152	26	9	8	10	309	26	14	25	42	60	74	125	193	262	220	85						
15	IV.—EASTERN. ESSEX { P. M. F.	14268 7408 6860	1580	430	632	2642	689	271	140	117	3859	286	207	254	318	749	1059	1326	1683	2194	1822	511						
			669	188	285	1142	347	136	68	56	1749	137	113	113	139	351	485	605	896	1109	843	194						
16	SUFFOLK { P. M. F.	4870 2421 2449	425	115	149	689	142	54	48	27	960	83	59	73	100	227	273	363	569	929	897	337						
			192	53	60	305	78	27	23	12	515	34	26	40	47	120	143	204	296	466	389	141						
											445	49	33	33	53	107	130	159	273	463	508	196						

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1910—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.	TOTAL DEATHS.	AGES AT DEATH.																			85 and up- wards.	
		0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—		
No. 33	VII.—NORTH MIDLAND— <i>continued.</i> DERBY- SHIRE .. { P. M. F. 3290	6860 3570 3290	867 502 365	251 126 125	375 199 176	1493 827 666	355 189 166	163 74 89	84 44 40	52 21 31	2147 1155 992	171 85 86	80 33 47	121 65 56	167 88 79	326 168 158	438 234 204	582 322 260	832 444 388	1055 550 505	773 364 409	168 62 106
No. 34	VIII.—NORTH WESTERN. CHEESHIRE .. { P. M. F. 5805	11747 5942 5805	1235 701 534	334 209 175	625 337 288	2244 1247 997	657 343 314	241 143 98	151 81 70	110 53 57	3403 1867 1536	279 138 141	170 81 89	199 88 111	270 147 123	660 330 330	792 379 413	1042 550 492	1509 787 722	1881 899 982	1242 539 703	300 137 163
No. 35	LANCA- SHIRE .. { P. M. F. 35971	74116 38145 35971	8107 4625 3482	3012 1639 1373	4864 2650 2214	15983 8914 7069	5028 2602 2426	1847 927 920	1143 568 575	831 423 408	24832 13434 11398	1873 879 994	1114 525 589	1405 687 718	1665 868 797	4140 2049 2091	5623 3020 2603	7640 4167 3473	9509 5062 4447	10380 4937 5443	5114 2205 2909	821 312 509
No. 36	IX.—YORKSHIRE. WEST RIDING .. { P. M. F. 20764	43050 22286 20764	4943 2779 2164	1554 869 685	2512 1377 1135	9009 5025 3984	2699 1428 1271	1012 524 488	561 276 285	397 207 190	13678 7460 6218	1007 503 504	585 306 279	739 419 370	904 452 452	2327 1104 1223	3009 1590 1419	4116 2232 1884	5605 3078 2527	6397 3198 3199	3882 1660 2222	751 284 467
No. 37	EAST RIDING (WITH YORK) { P. M. F. 3442	7350 3908 3442	852 508 34	292 158 134	432 218 214	1576 884 692	357 187 170	156 81 75	71 33 38	58 30 28	2218 1215 1003	175 79 96	96 46 50	144 79 65	176 92 84	396 202 194	532 291 241	634 339 295	857 507 350	1099 577 522	780 396 384	243 85 168
No. 38	NORTH RIDING .. { P. M. F. 2918	6123 3205 2918	740 330 350	258 153 105	363 179 184	1361 722 639	359 191 168	134 66 68	87 49 38	59 33 26	2000 1061 939	146 71 75	87 49 38	117 59 58	127 56 71	304 152 152	397 220 177	472 253 219	683 379 304	908 488 420	692 331 361	190 86 104
No. 39	X.—NORTHERN. DURHAM .. { P. M. F. 9529	20132 10603 9529	3096 1770 1326	969 525 444	1493 796 697	5558 3091 2467	1562 830 732	603 302 301	293 156 137	213 115 98	8229 4494 3735	540 268 272	286 137 149	462 248 214	504 255 249	1029 512 517	1288 636 652	1528 823 705	2054 1127 927	2471 1317 1154	1433 663 770	308 123 185

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1910—in REGISTRATION DIVISIONS and COUNTIES—continued.

REGISTRATION COUNTIES.		TOTAL DEATHS.	AGES AT DEATH.																		85 and up-wards.	
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—		75—
No.																						
40	X.—NORTHERN —continued. NORTHUMBERLAND	10208 { P. 5443 M. 4765 F.	1281 741 540	434 261 173	612 340 272	2327 1342 985	692 348 344	285 155 130	154 70 84	102 45 57	3560 1960 1600	272 134 138	169 93 76	235 138 97	251 133 118	576 287 289	742 394 348	851 498 353	1121 621 500	1336 715 621	900 398 502	195 72 123
41	CUMBERLAND	4115 { P. 2187 M. 1928 F.	430 242 188	130 81 49	181 86 95	741 409 332	200 110 90	75 48 27	54 29 25	43 24 19	1113 620 493	94 40 54	58 27 31	82 47 35	117 67 50	263 159 104	267 154 113	328 167 161	520 288 232	641 335 306	509 230 279	123 53 70
42	WESTMORLAND	794 { P. 392 M. 402 F.	59 30 29	16 10 6	19 10 9	94 50 44	18 10 8	10 3 7	11 3 8	3 — 3	136 66 70	21 13 8	14 8 6	9 4 5	17 10 7	34 15 19	51 32 19	66 32 34	114 52 62	170 82 88	126 65 61	36 13 23
43	XI.—WELSH. MONMOUTHSHIRE	5508 { P. 3015 M. 2493 F.	753 421 332	246 128 118	396 233 163	1395 782 613	391 213 178	155 86 69	87 51 36	51 28 23	2079 1160 919	143 76 67	80 43 37	105 63 42	128 74 54	320 165 155	399 218 181	441 252 189	563 316 247	726 396 330	425 211 214	99 41 58
44	GLAMORGANSHIRE	15663 { P. 8428 M. 7235 F.	2308 1310 998	889 513 376	1240 685 555	4437 2508 1929	1041 543 498	366 192 174	227 117 110	169 79 90	6240 3439 2801	415 193 222	219 89 130	334 164 170	412 202 210	1025 524 501	1176 643 533	1365 801 564	1664 979 685	1704 911 793	924 413 511	185 70 115
45	CARMARTHENSHIRE	2270 { P. 1148 M. 1122 F.	326 180 146	108 56 52	121 60 61	555 295 259	85 46 39	44 23 21	20 14 6	21 16 5	725 395 330	46 26 20	25 12 13	55 29 26	71 34 37	130 64 66	146 63 83	185 101 84	233 131 102	326 150 176	259 118 141	69 25 44
46	PEMBROKESHIRE	1282 { P. 630 M. 652 F.	125 68 57	48 29 19	49 30 19	222 127 95	46 29 17	16 9 7	8 2 6	9 3 6	301 170 131	32 10 22	20 11 9	36 15 21	43 21 22	73 35 38	61 33 28	100 51 49	117 56 61	259 120 139	186 82 104	54 26 28

ENGLAND AND WALES.—DEATHS at different Ages Registered in the Year 1910—in REGISTRATION DIVISIONS and COUNTIES—continued.

No.	REGISTRATION COUNTIES.	TOTAL DEATHS.	AGES AT DEATH.																			
			0-3 Mths.	3-6 Mths.	6-12 Mths.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and up- wards.
47	XI.—WELSH—cont. CARDI- GANSHIRE { P. M. F.	1418 668 750	109 63 46	22 15 7	34 19 15	165 97 68	24 12 12	10 6 4	4 1 3	4 2 2	207 118 89	19 11 8	30 13 17	30 14 16	40 21 19	79 33 46	82 33 49	110 46 64	178 92 86	289 131 168	270 123 147	84 33 51
48	BRECK- NOCK- SHIRE .. { P. M. F.	847 454 393	97 59 38	24 14 10	26 17 9	147 90 57	45 25 20	17 7 10	10 4 6	5 3 2	224 129 95	13 9 4	4 3 1	19 9 10	13 4 9	41 20 21	70 38 32	60 31 29	103 57 46	141 71 70	121 62 59	38 21 17
49	RADNOR- SHIRE .. { P. M. F.	243 140 103	27 20 7	4 3 1	3 1 2	34 24 10	6 3 3	3 2 1	2 — 2	4 — 4	49 29 20	6 3 3	6 5 1	— — —	1 1 —	9 4 5	17 6 11	17 12 5	39 25 14	43 26 17	40 22 18	16 7 9
50	MONT- GOMERY- SHIRE .. { P. M. F.	844 418 426	56 31 25	18 10 8	21 12 9	95 53 42	15 9 6	11 6 5	7 4 3	9 6 3	137 78 59	8 2 6	12 7 5	10 7 3	17 9 8	56 23 33	53 25 28	69 38 31	101 45 56	160 87 73	166 79 87	55 18 37
51	FLINT- SHIRE .. { P. M. F.	982 523 459	110 70 40	24 15 9	31 18 13	165 103 62	49 27 22	31 17 14	12 10 2	10 5 5	267 162 105	32 15 17	18 8 10	13 5 8	21 10 11	50 33 17	50 25 25	77 44 33	107 52 55	193 102 91	131 57 74	23 10 13
52	DENBIGH- SHIRE .. { P. M. F.	2208 1146 1062	197 114 83	83 49 34	104 59 45	384 222 162	112 57 55	49 23 26	32 13 19	13 6 7	590 321 269	58 31 27	33 18 15	43 24 19	48 24 24	131 69 62	147 82 85	196 100 96	280 166 124	352 183 169	260 131 129	70 27 43
53	MERION- ETH- SHIRE .. { P. M. F.	972 491 481	73 47 26	20 10 10	18 11 7	111 68 43	24 11 13	10 8 2	10 5 5	4 1 3	159 93 66	19 12 7	15 8 7	18 6 12	24 10 14	38 15 23	65 35 30	78 44 34	157 96 61	210 97 113	145 62 83	44 13 31
54	CARNAR- VONSHIRE { P. M. F.	2134 1090 1044	171 103 68	53 31 22	57 38 19	281 172 109	42 21 21	18 9 9	14 7 7	12 6 6	367 215 152	44 26 18	24 14 10	43 18 25	55 27 28	132 70 62	149 73 76	192 111 81	279 153 126	434 215 219	311 129 182	104 39 65
55	ANGLESEY { P. M. F.	586 279 307	55 25 30	11 9 2	19 9 10	85 43 42	19 8 11	7 4 3	5 2 3	3 1 2	119 58 61	10 5 5	9 3 6	12 5 7	15 6 9	32 15 17	31 17 14	48 32 16	70 31 39	112 62 60	95 39 56	33 16 17

1910.

CAUSES OF DEATH AT DIFFERENT PERIODS
OF LIFE IN ENGLAND AND WALES
AND IN LONDON.

CAUSES OF DEATH IN REGISTRATION
COUNTIES.

DEATHS FROM SEVERAL CAUSES IN
REGISTRATION DIVISIONS, COUNTIES, AND
DISTRICTS.

VIOLENT DEATHS.

ENGLAND AND WALES.—SUMMARY of CAUSES of DEATH, 1910—MALES.

MALES.		AGES AT DEATH.												85 and upwards							
CAUSES OF DEATH.	ALL AGES.	0—5 Months.		6—12 Months.		Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
		0—5	6—12	6—12	13—18																
ALL CAUSES	249016	29988	9274	13793	53155	13251	5020	2950	2168	76544	5550	3233	4524	5607	13229	18139	24225	31496	36656	24005	5808
A.*—GENERAL DISEASES	112026	17179	4431	8767	30377	9577	3616	2083	1470	47123	3465	1628	2336	3535	8060	9519	10882	11441	9599	3723	515
B.*—DISEASES OF PARTICULAR ORGANS:— I. DISEASES OF NERVOUS SYSTEM.. .. .	16624	3329	1156	1274	5759	893	365	198	151	7366	382	265	297	279	697	1383	1605	1614	1729	873	134
II. " " ORGANS OF SPECIAL SENSE	639	27	35	72	134	52	17	21	27	251	50	70	53	50	49	42	36	17	16	5	—
III. " " HEART.. .. .	23355	19	5	14	38	28	23	15	18	122	201	273	350	353	966	1892	3427	5762	6640	2986	383
IV. " " BLOOD VESSELS	15270	6	5	7	18	6	4	2	1	31	14	10	28	39	199	722	1665	3424	5273	3302	563
V. " " RESPIRATORY SYSTEM	21013	1624	1153	1620	4397	1216	346	177	142	6278	208	57	65	92	306	659	1432	3110	4613	3436	757
VI. " " DIGESTIVE SYSTEM	13667	1569	1195	1099	3863	695	207	124	129	5018	396	301	280	300	682	999	1515	1769	1555	731	121
VII. " " LYMPH: & DUCTLESS GLANDS	527	21	21	24	66	25	8	11	5	115	35	19	29	23	44	56	77	70	45	13	1
VIII. " " URINARY SYSTEM.. .. .	10318	31	30	47	108	69	37	34	29	277	121	88	110	158	477	893	1552	2241	2725	1416	260
IX. " " GENERATIVE SYSTEM	66	17	—	4	21	1	1	1	—	24	—	1	—	—	4	5	3	11	11	4	3
X. " " PREGNANCY AND CHILD BIRTH	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XI. " " LOCOMOTOR SYSTEM	374	16	5	11	32	10	12	8	6	68	45	62	34	9	24	16	30	25	42	18	1
XII. " " THE SKIN	513	195	25	33	253	25	4	1	—	283	—	—	3	4	7	7	29	42	70	58	10
C.*—OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.	21499	5299	1130	692	7121	323	49	12	9	7514	17	14	8	15	28	61	101	346	3372	7058	2965
E.*—VIOLENT DEATHS.. .. .	13125	656	183	129	968	331	331	263	181	2074	616	445	731	750	1686	1885	1871	1624	966	382	95

* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.

ENGLAND AND WALES.—SUMMARY of CAUSES of DEATH, 1910—FEMALES.

FEMALES. CAUSES OF DEATH.		ALL AGES.	AGES AT DEATH.																		
			0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1- 2- 3- 4- 5- 10- 15- 20- 25- 35- 45- 55- 65- 75- 85 and upwards.														
			1- 2- 3- 4- 5- 10- 15- 20- 25- 35- 45- 55- 65- 75- 85 and upwards.																		
ALL CAUSES	234231	22485	7465	11474	41424	12139	4765	2879	2095	63302	5666	3417	4379	5191	12775	16143	20027	26806	37137	29966	9422
A.*-GENERAL DISEASES	103185	13318	3617	7329	24264	8888	3515	2055	1499	40221	3831	2086	2782	3253	7658	8448	9033	10160	9921	4959	833
B.*-DISEASES OF PARTICULAR ORGANS:- I. DISEASES OF NERVOUS SYSTEM..	13487	2355	903	1005	4263	838	318	217	140	5776	408	285	244	269	579	964	1091	1240	1485	948	198
II. " " ORGANS OF SPECIAL SENSE ..	511	24	18	46	88	39	26	17	12	182	70	48	49	23	50	22	23	17	13	10	4
III. " " HEART..	25369	7	7	22	36	25	19	19	21	120	235	389	470	403	1192	1992	3310	5336	7386	3912	624
IV. " " BLOOD VESSELS ..	16458	7	2	5	14	6	5	3	2	30	12	17	31	52	172	613	1756	3298	5441	4123	913
V. " " RESPIRATORY SYSTEM ..	20339	1184	860	1306	3350	1090	343	175	90	5048	168	49	60	91	237	513	1113	2473	4898	4338	1351
VI. " " DIGESTIVE SYSTEM ..	13173	1026	830	899	2755	598	186	124	120	3783	413	259	315	341	817	1096	1505	1681	1816	970	177
VII. " " LYMPH: & DUCTLESS GLANDS	899	17	15	18	50	14	7	7	6	84	16	16	36	64	115	141	160	138	84	37	8
VIII. " " URINARY SYSTEM..	6990	13	26	39	78	56	36	27	16	213	102	86	103	161	533	852	1191	1488	1460	697	104
IX. " " GENERATIVE SYSTEM ..	950	8	—	1	9	5	1	1	—	16	1	2	9	28	133	256	226	115	107	49	8
X. " " PREGNANCY AND CHILD BIRTH	1917	—	—	—	—	—	—	—	—	—	—	—	57	259	853	720	28	—	—	—	—
XI. " " LOCOMOTOR SYSTEM ..	275	11	6	10	27	9	6	4	11	57	28	25	12	8	15	25	20	30	35	18	2
XII. " " THE SKIN ..	628	138	20	19	177	23	7	4	6	217	3	1	1	3	5	26	38	58	124	99	53
C.*-OTHER SPECIFIED DISEASES ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*-CAUSES ILL - DEFINED OR NOT SPECIFIED.	24452	3752	972	661	5385	297	62	20	10	5774	13	5	7	19	32	43	58	336	3888	9319	4958
E.*-VIOLENT DEATHS..	5598	625	189	114	928	251	234	206	162	1781	366	149	203	217	384	432	475	436	479	487	189

* The grouping in this Summary is for convenience of tabling merely : it must not be regarded as a classification.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1910.—MALES.

Note.—The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

MALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												Total under 5 Years.	Total under 1 Year.	6—12 Months.	3—6 Months.	0—3 Months.	3	10	35	45	55	65—	75—	85 and upwards.
		1—	2—	3—	4—	5 Years.	10—15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.											
Small-pox { Vaccinated ... Not vaccinated ... Doubtful ...	3 1 10	— — —	— — —	— 1 —	— — —	— 1 3	1 — —	— 1 —	— — —	1 3 —	— 2 —	1 — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —
Cow-pox and other effects of Vaccination.	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox ...	55	15	3	2	1	54	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Measles (Morbilli) ...	4305	1837	650	338	186	4012	12	4	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
German Measles ...	7	1	3	1	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever ...	1181	125	167	182	169	687	78	15	12	7	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Plague ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	3253	49	24	15	11	259	34	86	222	315	419	568	654	473	94	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough ...	3862	1136	370	195	99	3751	2	—	1	—	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Mumps ...	55	3	3	4	2	22	—	1	1	2	3	5	6	5	—	—	—	—	—	—	—	—	—	—	—	—
Diphtheria ...	2022	253	278	295	287	1225	101	10	7	9	8	4	3	1	—	—	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal Fever ...	70	2	7	5	2	28	12	3	10	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Pyrexia</i> * (origin uncertain) ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ...	1047	3	6	10	8	29	68	125	262	212	110	59	15	5	—	—	—	—	—	—	—	—	—	—	—	—
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	137	62	4	5	3	80	5	3	8	3	10	14	4	3	—	—	—	—	—	—	—	—	—	—	—	—
Infective Enteritis, Epidemic ...	2975	2178	104	24	14	2893	2	2	3	5	12	15	18	6	1	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea. (not otherwise defined) ...	2626	1734	75	24	18	2261	4	1	13	13	21	68	85	115	24	—	—	—	—	—	—	—	—	—	—	—
Dysentery ...	125	7	—	1	—	9	1	9	23	19	23	17	15	5	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 292.

+ *i.e.*, deaths stated to be so caused.

* Called Simple Continued Fever previous to 1901.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1910—FEMALES.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.													85 and upwards.						
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—		25—	35—	45—	55—	65—	75—
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... of	— 1 4 5	— 1 — —	— 1 — —	— 1 — —	— 1 — —	— 1 — —	— 1 — —	— 1 — —	— 1 — —	— 1 — —	— 1 — —	— 1 — —	— 1 — —	— 1 — —	— 1 — —	— 1 — —	— 1 — —	— 1 — —	— 1 — —	— 1 — —	
Cow-pox and other effects of Vaccination.	42 3997	4 24	4 52	13 802	21 878	12 1574	4 660	1 342	4 224	42 3678	— 279	— 14	— 6	— 4	— 7	— 1	— 1	— —	— —	— —	
Chicken-pox ...	8 1189	— 3	— 2	2 31	2 36	1 111	3 189	— 176	— 154	6 666	1 344	— 86	— 31	— 18	— 30	— 10	— 3	— —	— 1	— —	
German Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Scarlet Fever	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Plague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Relapsing Fever	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Influenza	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Whooping-cough	3251	33	23	46	102	46	22	11	10	191	52	32	57	72	163	213	308	508	820	660	
Mumps	4935	561	550	1208	2319	1501	507	264	162	4753	172	5	1	2	—	1	—	—	1	—	
Diphtheria	59	4	—	2	6	4	—	4	2	16	5	—	2	3	2	4	2	8	8	7	
Cerebro-spinal Fever	2262	7	6	63	76	266	240	298	308	1188	888	114	21	15	16	10	2	4	4	—	
Pyrexia* (origin uncertain)	62	1	2	5	8	5	5	3	2	23	11	8	7	2	4	5	2	—	—	—	
Enteric Fever	7 842	1 —	1 1	— 2	2 3	— 1	— 8	1 2	— 7	3 21	— 64	2 95	— 106	— 105	— 184	— 133	— 80	— 37	— 15	— 2	
Asiatic Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhoea due to Food†	114	22	12	12	46	11	2	—	—	59	7	4	2	2	9	5	11	6	8	1	
Infective Enteritis, Epidemic	2432	354	580	761	1695	532	87	23	6	2343	22	1	—	2	3	12	9	23	23	6	
Diarrhoea.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diarrhoea (not otherwise defined)	2220	379	467	535	1381	354	58	14	3	1810	21	2	1	4	9	21	24	115	120	39	
Dysentery	118	1	1	4	6	2	—	—	—	8	1	—	—	2	11	20	21	24	9	1	

Note.—For continuation of this Table, see page 293.

* Called Simple Continued Fever previous to 1901. † i.e., deaths stated to be so caused.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1910—MALES—continued from page 290.

MALES.	CAUSES OF DEATH.	AGES AT DEATH.														ALL AGES.					
		AGES AT DEATH.																			
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—			35—	45—	55—	65—
Tetanus
Malaria
Rabies, Hydrophobia
Glanders
Anthrax (Splenic Fever)
Syphilis
Gonorrhoea
Puerperal Septicæmia, Puerperal Septic Intoxication.
Puerperal Pyæmia
Phlegmasia Alba Dolens
Puerperal Fever (not otherwise defined).
Infective Endocarditis
{ Lobar
{ Broncho-
Pneumonia
{ Epidemic
{ Not defined
Erysipelas
Septicæmia, Septic Intoxication (not Puerperal).
Pyæmia (not Puerperal)
Phlegmon, Carbuncle (not Anthrax)
Phagedæna
Other Infective Processes

Note.—For continuation of this Table, see page 294.

FEMALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.													Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
			Months.			6—12 Months.			Total under 1 Year.			1—			2—																		3—			4—			Total under 5 Years.			5—			10—			15—			20—			25—			35—			45—			55—			65—			75—			85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			0—3	3—6	6—12	16	1	1	1	1	1	1	1	1	1																		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

Note.—For continuation of this Table, see page 295.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1910—MALES—continued from page 292.

MALES.	ALL AGES.	AGES AT DEATH.											75—	65—	55—	45—	35—	25—	20—	15—	10—	5—	Total under 5 Years.	4—	3—	2—	1—	Total under 1 Year.	6—12 Months.	3—6 Months.	0—3 Months.	85 and upwards.	
Pulmonary Tuberculosis (Tuberculous Phthisis).	11992	21	37	124	182	170	90	62	35	539	123	176	634	1143	2655	2751	2120	1285	499	65	2												
Phthisis (not otherwise defined) ...	8533	4	11	21	36	36	19	15	15	121	68	121	471	893	1960	1869	1652	974	366	39	4												
Tuberculous Meningitis	2889	51	165	447	663	573	338	189	144	1907	465	205	124	53	70	33	22	7	3														
Tuberculous Peritonitis	1820	103	193	264	560	328	130	67	62	1147	165	101	73	61	90	67	53	39	23	1													
Tubes Mesenterica ...	424	43	95	101	239	87	35	8	9	378	22	11	2	1	5	3	1	1															
Lupus...	15	—	—	—	—	1	—	—	—	1	—	—	—	1	1	1	3	4	2														
Tubercle of other Organs	1243	5	9	16	30	27	24	27	15	123	87	129	135	139	192	138	128	84	72	12	3												
General Tuberculosis	1523	48	94	159	301	208	86	59	35	689	124	76	96	108	174	115	69	46	25														
Scrofula ...	14	3	1	1	5	2	2	—	—	9	—	1	1	—	—	—	2	—	1														
Parasitic Diseases ...	103	56	12	10	78	5	1	2	—	86	3	—	—	—	2	3	4	3	2														
Starvation ...	22	1	—	1	2	1	—	—	—	3	—	—	—	—	—	2	6	7	3	1													
Scurvy ...	25	4	2	4	10	7	1	—	—	18	1	—	—	—	1	—	2	2	—	1													
Alcoholism, Delirium Tremens ...	862	—	—	—	—	—	—	—	—	—	—	—	—	10	115	244	240	180	65	8													
Opium, Morphia-habit	4	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	1														
Industrial Poisoning:—	80	—	—	—	—	—	—	—	—	—	—	—	—	3	6	27	24	19	1														
By Lead...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—														
" Phosphorus...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—														
" Arsenic and other Poisons	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—														

Note.—For continuation of this Table, see page 296.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.													85 and upwards.						
		Years.																			
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—		25—	35—	45—	55—	65—	75—
Pulmonary Tuberculosis (Tuberculous Phthisis). <i>Phthisis</i> (not otherwise defined) ...	8800	10	32	72	114	152	83	45	28	422	204	348	884	1011	2126	1778	1038	630	290	67	2
Tuberculous Meningitis ...	2582	30	129	355	514	472	285	201	133	1605	463	217	121	55	63	36	15	5	2	—	2
Tuberculous Peritonitis ...	1734	80	136	172	388	247	117	62	44	858	189	130	107	89	160	98	52	33	16	42	2
<i>Tabes Mesenterica</i> ...	367	45	72	88	205	70	30	15	8	328	23	5	2	4	1	2	2	—	—	—	—
Lupus ...	46	—	—	—	—	—	—	—	—	—	—	2	2	1	5	4	8	10	7	7	—
Tubercle of other Organs ...	945	1	6	19	26	24	17	8	16	91	70	67	84	71	169	128	96	78	66	23	2
General Tuberculosis ...	1361	43	56	122	221	166	94	46	49	576	137	104	93	82	128	108	59	46	21	6	1
<i>Scrofula</i> ...	20	5	1	1	7	1	2	1	—	11	2	1	—	—	1	1	1	2	—	1	—
Parasitic Diseases ...	75	35	7	4	46	5	4	2	—	57	1	3	1	—	5	3	2	2	1	—	—
Starvation ...	7	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	2	3	1	—	—
Scurvy ...	19	—	2	6	8	2	2	—	1	13	1	—	1	1	2	—	—	1	—	—	—
Alcoholism, Delirium Tremens ...	628	—	—	—	—	—	—	—	—	—	—	—	—	3	67	195	198	96	50	17	2
Opium, Morphia-habit ...	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	1	1	—	—
Industrial Poisoning:— By Lead ...	6	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	3	1	—	—	—
" Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
" Arsenic and other Poisons...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 297.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1910—MALES—continued from page 294.

MALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.															85 and upwards.			
			Total under 5 Years.																		
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	5 Years.	5—	10—	15—	20—	25—	35—		45—	55—	65—
Rheumatic Fever, Acute Rheumatism.	793	—	2	3	5	2	5	6	15	33	115	109	117	65	108	106	59	49	27	5	—
<i>Rheumatism of Heart</i> ...	134	—	—	—	—	—	—	—	1	1	9	8	4	4	12	5	25	23	29	14	—
Chronic Rheumatism ...	140	—	—	—	—	—	—	—	—	—	—	—	—	—	2	6	11	31	57	28	5
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .	294	—	—	—	—	—	—	—	—	—	—	—	—	—	6	15	30	60	121	56	6
Gout ...	307	—	—	—	—	—	—	—	—	—	—	—	—	—	1	11	36	87	108	54	10
Carcinoma ...	8370	—	2	—	—	1	—	—	1	2	—	3	2	23	122	524	1607	2576	2515	889	107
Sarcoma ...	1116	—	3	6	11	16	10	17	8	62	34	21	52	52	128	168	211	195	138	45	10
Cancer, Malignant Disease (not otherwise defined).	5357	1	—	2	3	2	1	1	—	7	—	5	8	12	87	309	960	1606	1662	641	60
Rickets ...	617	20	52	175	247	242	91	15	8	603	11	1	2	—	—	—	—	—	—	—	—
Purpura ...	147	21	5	7	33	9	10	3	4	59	18	8	6	3	4	11	11	13	7	7	—
Hæmophilia, Hæmorrhagic Diathesis	62	24	—	1	25	3	1	2	—	31	8	7	5	3	4	3	—	1	—	—	—
Anæmia, Leucocythæmia ...	1115	10	5	15	30	26	12	8	6	82	32	19	24	33	68	159	220	250	191	36	1
Diabetes Mellitus ...	1982	—	—	2	2	4	3	2	4	15	22	35	58	93	172	192	271	454	486	170	14
Premature Birth ...	9816	9724	76	16	9816	—	—	—	—	9816	—	—	—	—	—	—	—	—	—	—	—
Congenital Hydrocephalus	175	48	27	38	113	32	7	7	3	162	7	2	—	—	2	2	—	—	—	—	—
Other Congenital Defects ...	2538	2133	186	80	2399	31	23	12	5	2470	22	11	14	10	5	3	1	2	—	—	—
Injury at Birth ...	484	481	2	—	483	—	1	—	—	484	—	—	—	—	—	—	—	—	—	—	—
Atelectasis ...	874	874	—	—	874	—	—	—	—	874	—	—	—	—	—	—	—	—	—	—	—
Want of Breast Milk	296	184	62	50	296	—	—	—	—	296	—	—	—	—	—	—	—	—	—	—	—
<i>Teething</i> ...	896	4	91	454	549	311	36	—	—	896	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 298.

FEMALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.													Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
			0—3 Months.	3—6 Months.	6—12 Months.	1 Year.	1—	2—	3—	4—	5 Years.	5—	10—	15—	20—																	
Rheumatic Fever, Acute Rheumatism.		887	—	—	2	2	3	5	5	11	26	108	164	111	84	111	103	84	53	35	7	1										
<i>Rheumatism of Heart</i>	184	—	—	—	—	—	—	—	—	—	10	13	11	9	9	19	31	34	32	16	—										
Chronic Rheumatism	231	—	—	—	—	—	—	—	—	—	—	—	1	2	3	8	13	46	86	63	9										
Rheumatoid Arthritis, <i>Rheumatic Gout</i>	746	—	—	—	—	—	—	—	—	—	—	—	1	1	13	25	93	188	262	152	11										
Gout	76	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	6	17	28	14	6										
Carcinoma	11950	—	—	—	—	1	—	1	—	2	1	2	3	24	316	1293	2515	3221	3005	1391	177										
Sarcoma	957	5	—	3	8	21	13	8	—	58	29	24	31	35	98	124	173	191	133	52	9										
Cancer, Malignant Disease (not otherwise defined).	...	6857	1	—	1	2	1	2	—	—	5	6	2	4	11	129	613	1386	1890	1873	839	99										
Rickets	444	15	28	102	145	192	71	16	8	432	7	2	—	—	—	1	1	1	—	—	—										
Purpura	155	17	8	7	32	6	3	5	1	47	14	10	8	8	7	14	9	12	15	11	—										
Hæmophilia, Hæmorrhagic Diathesis	...	23	9	—	—	9	—	1	—	—	10	—	2	3	4	2	1	1	—	—	—	—										
Anæmia, Leucoeythæmia	1304	10	2	12	24	14	9	9	5	61	18	22	39	42	124	215	265	258	209	48	3										
Diabetes Mellitus	1955	—	—	—	—	3	2	5	4	14	17	41	36	67	164	170	256	493	515	164	18										
Premature Birth	7758	7667	71	20	7758	—	—	—	—	7758	—	—	—	—	—	—	—	—	—	—	—										
Congenital Hydrocephalus...	...	127	36	29	23	88	19	4	3	1	115	2	2	2	3	1	2	—	—	—	—	—										
Other Congenital Defects	1953	1575	149	101	1825	56	13	6	5	1905	14	5	15	8	3	1	1	—	—	1	—										
Injury at Birth	362	360	—	1	361	—	1	—	—	362	—	—	—	—	—	—	—	—	—	—	—										
Atelectasis	679	679	—	—	679	—	—	—	—	679	—	—	—	—	—	—	—	—	—	—	—										
Want of Breast Milk	245	136	75	34	245	—	—	—	—	245	—	—	—	—	—	—	—	—	—	—	—										
<i>Teething</i>	704	3	79	360	442	243	19	—	—	704	—	—	—	—	—	—	—	—	—	—	—										

Note.—For continuation of this Table, see page 299.

ENGLAND AND WALES.—CAUSES of DEATH at different Periods of Life, 1910—MALES—continued from page 296.

MALES.	ALL AGES.	AGES AT DEATH.													75— 85 and upwards.						
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—		25—	35—	45—	55—	65—	
Meningitis, Inflammation of Brain	2653	117	242	473	832	430	212	116	99	1689	224	123	99	66	102	122	99	63	49	15	2
Softening of Brain ...	1075	—	—	—	—	—	—	—	—	—	—	1	3	1	11	24	91	263	399	247	35
General Paralysis of Insane	1723	—	—	—	—	—	—	—	—	—	—	1	5	11	190	608	528	236	100	39	5
Insanity (not Puerperal) ...	940	—	—	—	3	3	5	4	—	15	12	7	17	10	42	67	92	192	278	177	31
Chorea	31	1	—	1	2	—	—	1	—	3	10	1	4	—	—	2	3	4	3	1	—
Epilepsy	1396	14	10	17	41	19	5	12	8	85	53	61	107	128	186	190	208	169	139	61	9
Convulsions ...	5315	3160	868	715	4743	366	107	43	23	5282	23	2	2	1	1	—	3	—	1	—	—
Laryngismus Stridulus	126	12	22	32	66	23	8	7	10	114	10	2	—	—	—	—	—	—	—	—	—
Locomotor Ataxy	485	—	—	—	—	—	—	—	—	—	—	1	2	—	14	83	142	145	84	14	—
Paraplegia, Diseases of Cord	1152	6	3	11	20	18	14	8	2	62	20	18	24	27	63	122	201	244	252	102	17
Neuritis, Peripheral, Poly-Neuritis	113	—	—	—	—	—	—	—	1	1	—	1	2	—	7	27	31	18	23	3	—
Brain Tumour (Not Specific)	403	—	—	—	—	6	5	3	5	21	18	32	17	20	47	85	76	65	20	2	—
Other Diseases of Nervous System	1212	19	9	22	50	28	9	4	3	94	12	15	15	15	34	53	131	215	381	212	35
Otitis, Mastoid Disease	579	14	33	67	114	50	17	20	25	226	46	68	50	49	48	38	29	12	12	1	—
Epistaxis, Diseases of Nose	35	6	1	2	9	2	—	—	2	13	3	2	2	—	1	2	4	4	1	3	—
Ophthalmia, Diseases of Eye	25	7	1	3	11	—	—	1	—	12	1	—	1	1	—	2	3	1	3	1	—
Valvular Disease, Endocarditis (not Infective).	7726	5	1	4	10	7	8	3	9	37	101	141	195	173	441	804	1255	1734	1914	830	101
Pericarditis ...	247	3	1	5	9	2	3	1	3	18	17	29	14	12	28	29	36	43	19	2	—
Hypertrophy of Heart	141	—	—	—	—	—	—	—	—	—	—	1	2	1	5	10	20	48	43	8	3
Angina Pectoris	716	—	—	—	—	—	—	—	—	—	—	—	—	—	13	44	131	223	210	85	10
Dilatation of Heart...	1586	—	—	—	—	4	2	—	—	6	2	7	3	12	40	97	219	406	511	256	27
Fatty Degeneration of Heart	1150	—	—	—	—	—	—	—	—	—	—	—	—	7	15	99	159	303	393	155	19
Syncope, Heart Disease (not specified).	11789	11	3	5	19	15	10	11	6	61	81	95	136	148	424	809	1607	3005	3550	1650	223

Note.—For continuation of this Table, see page 300.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1910—FEMALES—continued from page 297.

FEMALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.													Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	AGES AT DEATH.										35—	45—	55—	65—	75—	85 and upwards.
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—							25—	35—	45—	55—	65—	75—	85 and upwards.									
Meningitis, Inflammation of Brain	2353	93	160	384	637	398	157	107	98	1397	239	143	91	72	85	119	82	74	34	14	3																
Softening of Brain ...	1002	—	—	—	—	—	—	—	—	—	—	—	2	2	7	34	78	203	358	253	65																
General Paralysis of Insane	490	—	—	—	—	—	—	—	—	—	—	1	3	12	58	135	122	75	54	25	5																
Insanity (not Puerperal) ...	1151	1	1	1	3	7	2	4	2	18	10	6	15	19	54	106	148	173	304	244	54																
Chorea ...	106	—	—	—	—	1	1	—	2	4	27	32	12	5	7	6	5	2	3	3	—																
Epilepsy ...	1286	15	7	10	32	11	13	11	8	75	43	56	74	98	188	213	207	146	125	56	5																
Convulsions ...	4081	2208	717	561	3486	369	111	65	13	4044	25	2	2	1	2	2	1	—	1	—	1																
Laryngismus Stridulus ...	110	16	7	22	45	24	9	10	6	94	13	2	—	—	1	—	—	—	—	—	—																
Locomotor Ataxy ...	95	—	—	—	—	—	—	—	—	—	—	—	—	—	5	13	19	36	19	2	1																
Paraplegia, Diseases of Cord ...	949	7	5	7	19	14	12	13	4	62	15	12	16	24	62	114	155	198	184	97	10																
Neuritis, Peripheral, Poly-Neuritis	264	—	—	—	—	—	—	1	—	1	—	1	—	1	18	66	68	52	34	20	3																
Brain Tumour (not Specific) ...	401	1	1	1	3	—	6	3	4	16	25	16	18	23	51	90	82	51	50	8	1																
Other Diseases of Nervous System	1199	14	5	19	38	14	7	3	3	65	11	14	11	12	41	66	124	230	349	226	50																
Otitis, Mastoid Disease ...	439	12	17	40	69	38	22	16	11	156	68	47	46	22	46	18	17	8	5	3	3																
Epistaxis, Diseases of Nose ...	35	2	—	1	3	1	1	—	—	5	2	1	2	1	3	4	4	4	3	5	1																
Ophthalmia, Diseases of Eye ...	37	10	1	5	16	—	3	1	1	21	—	—	1	—	1	—	2	5	5	2	—																
Valvular Disease, Endocarditis (not Infective).	9043	—	2	11	13	3	7	10	6	39	122	238	280	216	621	881	1300	1729	2282	1171	164																
Pericarditis ...	199	1	—	2	3	8	1	3	2	17	28	10	15	8	25	19	20	21	22	12	2																
Hypertrophy of Heart ...	59	—	—	—	—	—	—	—	—	—	—	1	1	—	5	1	16	10	14	8	3																
Angina Pectoris ...	294	—	—	1	1	—	—	—	—	1	—	1	—	—	4	22	35	69	108	47	7																
Dilatation of Heart ...	1609	2	2	1	5	—	—	1	1	7	3	4	9	8	23	82	175	367	593	290	48																
Fatty Degeneration of Heart	1267	—	—	—	—	—	—	—	—	—	—	—	—	3	21	74	185	374	442	144	24																
Syncope, Heart Disease (not specified).	12898	4	3	7	14	14	11	5	12	56	82	135	165	168	493	913	1579	2766	3925	2240	376																

Note.—For continuation of this Table, see page 301.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1910—MALES—continued from page 298.

MALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.															75— 85 and upwards.				
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—		45—	55—	65—	75—
Cerebral Hæmorrhage, Cerebral Embolism.	8017	4	5	4	13	3	2	1	—	19	10	7	17	27	93	332	864	1945	2828	1625	250
Apoplexy, Hemiplegia ...	3303	1	—	2	3	3	—	—	—	6	1	2	5	4	32	105	357	702	1185	789	115
Aneurysm ...	898	—	—	—	—	—	—	—	—	—	1	1	2	3	50	219	251	229	118	20	4
Senile Gangrene ...	767	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	62	276	339	90
Embolism, Thrombosis (not Cerebral).	171	1	—	1	2	—	2	—	1	5	1	—	3	4	9	18	36	37	40	18	—
Phlebitis ...	37	—	—	—	—	—	—	1	—	1	—	—	1	—	—	4	4	12	11	4	—
Varicose Veins ...	32	—	—	—	—	—	—	—	—	—	—	—	—	1	4	2	5	7	8	5	—
Other Diseases of Blood Vessels ...	2045	—	—	—	—	—	—	—	—	—	1	—	—	—	11	42	148	430	807	502	104
Laryngitis ...	485	13	20	46	79	86	59	47	50	321	81	4	2	4	5	11	20	16	15	5	1
Membranous Laryngitis (not Diphtheritic).	11	—	1	1	2	—	—	2	1	5	5	—	—	—	—	1	—	—	—	—	—
Croup (not Spasmodic nor Membranous).	49	—	2	8	10	14	8	8	4	44	5	—	—	—	—	—	—	—	—	—	—
Other Diseases of Larynx and Trachea.	11	—	1	—	1	—	3	1	2	7	—	—	—	—	2	—	—	—	2	—	—
Bronchitis ..	17072	1497	1063	1464	4024	1015	232	97	62	5430	66	19	24	38	124	359	955	2414	3917	3056	670
Emphysema, Asthma ...	965	—	1	2	3	1	2	2	4	12	6	4	8	5	37	73	138	246	300	126	10
Pleurisy ...	760	7	4	17	28	38	24	12	12	114	26	16	20	26	70	95	109	132	96	48	8
Fibroid Disease of Lung ...	339	—	—	—	—	—	2	—	—	2	1	1	1	2	13	34	77	117	75	15	1
Other Diseases of Respiratory System.	1321	107	61	82	250	62	16	8	7	343	18	13	10	17	55	86	133	185	208	186	67

Note.—For continuation of this Table, see page 302.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1910—FEMALES—continued from page 299.

FEMALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.															85 and upwards.				
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—		45—	55—	65—	75—
Cerebral Hemorrhage, Cerebral Embolism.	9869	6	2	4	12	3	3	3	1	22	9	10	20	29	101	382	1138	2082	3267	2344	465	
<i>Apoplexy, Hemiplegia</i>	4081	—	—	—	—	1	—	—	—	1	2	4	3	8	20	122	428	831	1383	1064	215	
Aneurysm	225	—	—	—	—	—	—	—	—	—	—	—	3	2	8	25	53	62	46	22	4	
Senile Gangrene	640	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	47	228	253	112	
Embolism, Thrombosis (not Cerebral).	230	—	—	1	1	2	2	—	1	6	—	2	5	10	23	42	27	44	34	34	3	
Phlebitis	99	1	—	—	1	—	—	—	—	1	—	—	—	1	12	14	21	22	22	5	1	
Varicose Veins	74	—	—	—	—	—	—	—	—	—	—	—	—	—	6	8	12	22	16	10	—	
Other Diseases of Blood Vessels	1240	—	—	—	—	—	—	—	—	—	1	1	—	2	2	20	77	188	445	391	113	
Laryngitis	380	12	10	33	55	72	63	50	31	271	51	5	2	5	4	9	12	6	7	7	1	
<i>Membranous Laryngitis</i> (not Diphtheritic).	7	—	—	—	—	—	—	3	1	4	1	1	—	—	1	—	—	—	—	—	—	
<i>Croup</i> (not Spasmodic nor Membranous).	24	—	—	—	—	1	7	5	5	18	5	1	—	—	—	—	—	—	—	—	—	
Other Diseases of Larynx and Trachea.	10	—	—	1	1	1	3	1	—	6	—	—	—	—	1	2	1	—	—	—	—	
Bronchitis	17391	1080	788	1190	3058	926	227	100	39	4350	74	20	32	35	107	329	849	2113	4365	3923	1194	
Emphysema, Asthma	660	—	—	1	1	2	3	1	—	7	5	—	4	8	35	60	94	139	201	96	11	
Pleurisy	523	5	6	15	26	23	16	8	7	80	12	11	10	22	43	53	61	72	86	59	14	
Fibroid Disease of Lung	109	—	—	—	—	1	—	—	—	1	1	2	—	1	6	9	17	33	28	10	1	
Other Diseases of Respiratory System.	1235	87	56	66	209	64	24	7	7	311	19	9	12	20	40	51	79	110	211	243	136	

Note.—For continuation of this Table, see page 303.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1910.—FEMALES—continued from page 301.

FEMALES.	ALL AGES.	AGES AT DEATH.												Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
		0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—	5—	10—	15—	20—	25—																	
Tonsillitis, Quinsy ...	146	1	6	5	12	5	11	8	10	46	39	11	7	2	8	6	7	8	11	1	—									
Diseases of Mouth, Pharynx, Esophagus (not Specific).	319	61	14	21	96	28	17	13	10	164	13	10	7	9	14	22	26	23	16	14	—									
Gastric Ulcer	1052	1	—	1	2	—	—	1	1	4	3	8	82	127	235	224	170	102	73	18	6									
Gastritis, Gastric Catarrh ...	1575	252	182	150	584	96	29	22	13	744	31	14	14	14	44	58	86	145	218	175	32									
Other Diseases of Stomach (not Malignant).	308	20	12	15	47	7	6	3	3	66	6	8	4	4	10	20	28	33	64	51	14									
Ulceration of Intestines ...	306	1	—	2	3	3	1	1	1	9	5	3	11	22	60	41	48	51	41	14	1									
Enteritis (not Epidemic) ...	1738	355	276	325	956	180	52	27	17	1232	32	13	9	14	40	53	62	76	129	68	10									
Gastro-enteritis ...	1407	265	273	290	828	215	45	21	21	1130	38	11	6	6	22	26	30	38	44	49	7									
Appendicitis, Perityphlitis ...	1025	—	—	1	1	2	6	6	22	37	163	138	123	90	135	111	100	66	45	14	3									
Hernia ...	835	2	3	1	6	—	—	1	—	7	4	—	2	—	24	62	158	238	216	107	17									
Intestinal Obstruction ...	1297	40	42	63	145	20	3	8	5	181	28	21	18	14	75	104	130	186	308	191	41									
Other Diseases of Intestines	175	5	12	11	28	5	1	4	—	38	2	1	2	3	10	15	19	31	25	22	7									
Peritonitis (not Puerperal)	331	11	3	5	19	11	8	5	13	56	34	14	16	20	32	43	24	21	49	21	1									
Cirrhosis of Liver ...	1384	—	2	4	6	4	1	—	—	11	3	—	5	5	55	215	434	367	247	39	3									
Other Diseases of Liver and Gall Bladder.	1159	2	—	3	5	9	6	4	2	26	11	6	8	8	47	88	164	274	313	181	33									
Other Diseases of Digestive System	116	10	5	2	17	13	—	—	2	32	1	1	1	3	6	8	19	22	17	5	1									
Diseases of Spleen ...	23	—	1	—	1	—	—	1	—	2	1	—	1	—	2	2	7	4	3	1	—									
Other Diseases of Lymphatic System.	191	14	12	17	43	12	3	2	4	64	9	7	7	16	15	8	17	21	13	10	4									
Diseases of Thyroid Body ...	555	2	2	1	5	2	4	3	2	16	4	9	26	40	73	102	114	93	54	20	4									
Diseases of Supra Renal Capsules	130	1	—	—	1	—	—	1	—	2	2	—	2	8	25	29	22	20	14	6	—									
Acute Nephritis, Uræmia ...	1698	12	26	32	70	40	29	19	13	171	67	53	49	75	224	259	238	240	208	96	18									
Chronic Bright's Disease, Albuminuria.	4822	1	—	5	6	13	7	5	1	32	30	29	51	78	279	536	898	1156	1155	509	69									
Calculus (not Biliary) ...	80	—	—	—	—	—	—	—	1	1	2	1	—	3	5	9	19	12	18	9	1									
Diseases of Bladder and of Prostate	221	—	—	—	—	—	—	—	—	—	2	2	1	2	11	16	13	45	52	66	11									
Other Diseases of Urinary System	169	—	—	2	2	3	—	3	1	9	1	1	2	3	14	32	23	35	27	17	5									

Note.—For continuation of this Table, see page 305.

ENGLAND AND WALES.—CAUSES of DEATH at different Periods of Life, 1910—MALES—continued from page 302.

MALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												Total under 5 Years.	Total under 1 Year.	0—3 Months.	3—6 Months.	6—12 Months.	1—4—	1—2—3—4—	5—10—15—20—25—35—45—55—65—75—85 and upwards.
			0—3	3—6	6—12	1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
Ovarian Tumour (not Malignant) Other Diseases of Ovary ... Uterine Tumour (not Malignant) ... Other Diseases of Uterus and Vagina.	Disorders of Menstruation... Other Diseases of Generative and Mammary Organs.	— 66	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			17	—	4	21	1	1	1	—	24	—	1	—	—	4	5	3	11	11	4	3
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Abortion, Miscarriage ... Puerperal Mania ... Puerperal Convulsions ... Placenta Prævia, Flooding ... Other Accidents of Pregnancy and Childbirth.	Caries, Necrosis ... Arthritis, Periostitis ... Other Diseases of Locomotor System	— 43 128 203	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ulcer, Bed-sore ... Eczema ... Pemphigus ... Other Diseases of the Skin	OTHER SPECIFIED DISEASES	— 149 138 113 113	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
			—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 306.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.													85 and upwards.				
		0-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1-2	2-3	3-4	Total under 5 Years.	5-10	10-15	15-20	20-25	25-35		35-45	45-55	55-65	65-75
<i>Ovarian Tumour</i> (not Malignant)	291	—	—	—	—	—	—	—	—	1	1	8	25	58	57	51	56	29	5
Other Diseases of Ovary ...	23	—	—	—	—	—	—	—	—	—	1	1	8	6	5	—	2	—	—
<i>Uterine Tumour</i> (not Malignant)...	312	—	—	—	—	—	—	—	—	—	1	1	18	92	106	43	35	15	1
Other Diseases of Uterus and Vagina.	285	4	—	1	5	1	—	12	—	3	17	81	85	50	18	—	12	4	2
Disorders of Menstruation...	26	—	—	—	—	—	—	—	—	1	3	1	1	13	7	—	—	—	—
Other Diseases of Generative and Mammary Organs.	13	4	—	—	4	—	—	4	—	—	—	—	—	2	1	3	2	1	—
Abortion, Miscarriage	78	—	—	—	—	—	—	—	—	—	—	7	35	32	4	—	—	—	—
Puerperal Mania ...	48	—	—	—	—	—	—	—	—	—	1	13	15	19	—	—	—	—	—
Puerperal Convulsions ...	439	—	—	—	—	—	—	—	—	—	34	99	197	107	2	—	—	—	—
Placenta Prævia, Flooding	612	—	—	—	—	—	—	—	—	—	7	39	264	295	7	—	—	—	—
Other Accidents of Pregnancy and Childbirth.	740	—	—	—	—	—	—	—	—	—	15	101	342	267	15	—	—	—	—
Caries, Necrosis	23	1	—	—	1	—	—	2	2	1	4	—	2	2	1	1	5	3	—
Arthritis, Periostitis	105	7	2	4	13	2	2	25	8	3	2	2	4	7	8	16	15	8	1
Other Diseases of Locomotor System	147	3	4	6	13	4	8	30	18	5	6	6	9	16	11	13	15	7	1
Ulcer, Bed-sore	310	3	1	—	4	—	—	7	1	—	—	—	3	12	25	44	99	77	42
Eczema	107	40	11	11	62	5	2	81	—	—	—	—	1	1	1	3	11	6	3
Pemphigus	91	63	3	3	69	—	1	74	1	—	—	—	—	3	4	4	1	3	1
Other Diseases of the Skin	120	32	5	5	42	2	4	55	1	1	3	3	1	10	8	7	13	13	7
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 307.

ENGLAND AND WALES.—CAUSES OF DEATH at different Periods of Life, 1910—MALES—continued from page 304.

MALES.	CAUSES OF DEATH.	All Ages.	AGES AT DEATH.												Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
			0—3 Months.	3—6 Months.	6—12 Months.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
CAUSES ILL-DEFINED OR NOT SPECIFIED.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
Atrophy, Debility	7359	5186	1092	665	6943	305	46	8	6	7308	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—</

FEMALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
			0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—	5—	10—	15—	20—	25—																	
CAUSES ILL-DEFINED OR NOT SPECIFIED.																															
	<i>Atrophy, Debility</i> ...	5686	3668	948	648	5264	283	54	15	6	5622	6	15	6	2	2	6	12	16	8	9264	4	3								
	<i>Old Age</i> ...	18233	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	233	3792	2	4944	2	3							
	<i>Dropsy, Ascites, Anasarca</i> ...	24	—	1	—	1	—	—	—	—	1	—	—	—	—	—	5	1	6	7	2	1	1								
	<i>Tumour</i> ...	48	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	8	14	9	7	1	1								
	<i>Abscess</i> ...	108	18	5	5	28	3	3	1	—	35	—	—	—	10	4	4	5	17	17	11	2	2								
	<i>Hæmorrhage</i> ...	26	—	—	—	—	—	—	—	—	—	—	—	—	6	7	—	2	1	3	1	—	—								
	<i>Sudden Death (cause unascertained)</i>	6	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	1	2	—	—								
	<i>Other ill-defined causes</i> ...	243	43	15	7	65	9	5	2	4	85	—	—	—	9	2	12	20	39	43	20	4	4								
	<i>Causes not specified</i> ...	78	23	3	1	27	2	—	1	—	30	—	—	—	3	—	6	10	9	8	8	2	2								
VIOLENT DEATHS.																															
	<i>In Mines and Quarries</i> ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—							
	<i>Vehicles and Horses</i> ...	409	1	—	2	3	22	25	21	14	85	—	—	—	27	—	—	43	47	42	11	—	—								
	<i>Ships, Boats, and Docks (not Drowning).</i>	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
	<i>Building Operations</i> ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
	<i>Machinery</i> ...	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
	<i>Weapons and Implements</i> ...	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
	<i>Burns and Scalds</i> ...	1330	4	12	34	50	146	154	137	123	610	—	—	—	41	45	53	51	78	1	61	16	16								
	<i>Poisons, Poisonous Vapours</i>	196	2	—	3	5	8	5	1	3	22	—	—	—	35	25	32	21	9	9	4	—	—								
	<i>Drowning</i> ...	387	11	3	3	17	21	24	22	2	86	—	—	—	55	40	43	36	18	6	5	—	—								
	<i>Suffocation</i> ...	731	459	160	50	669	16	4	5	—	694	—	—	—	7	5	6	5	242	3	325	134	134								
	<i>Falls</i> ...	1074	2	6	8	16	21	9	13	8	67	—	—	—	26	40	83	111	242	3	2	1	1								
	<i>Weather Agencies</i> ...	31	3	—	—	3	—	1	—	5	151	—	—	—	1	1	3	5	27	2	64	33	33								
	<i>Otherwise or not stated</i>	383	105	4	7	116	13	9	5	8	—	—	—	—	10	15	16	28	27	—	—	—	—								
	<i>Battle</i> ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								
	<i>Homicide</i> ...	147	38	4	7	49	4	3	1	3	60	—	—	—	27	23	5	4	2	—	—	—	—								
	<i>Suicide</i> ...	887	—	—	—	—	—	—	—	—	—	—	—	—	152	203	191	125	51	13	—	—	—								
	<i>Execution</i> ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—								

LONDON.—SUMMARY of CAUSES of DEATH, 1910.—MALES.

MALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.																	85 and upwards.	
		0—5 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—		75—
					1,914	1,322	6,754	2,086		713	419	288	10,260	711	388	520	697	1,810		2,727
ALL CAUSES..	..	3,633	1,207	6,754	2,086	713	419	288	10,260	711	388	520	697	1,810	2,727	3,721	4,268	4,232	2,513	571
A.*—GENERAL DISEASES	2,263	635	4,220	1,687	572	341	210	7,010	420	170	293	453	1,182	1,584	1,876	1,821	1,367	483	69
B.*—DISEASES OF PARTICULAR ORGANS:—																				
I. DISEASES OF NERVOUS SYSTEM																			
II. " " ORGANS OF SPECIAL SENSE..	..	231	95	431	84	26	8	9	558	33	19	29	29	55	109	135	138	137	84	15
III. " " HEART	2	4	18	2	2	2	5	29	9	10	13	9	12	7	5	2	3	—	—
IV. " " BLOOD VESSELS	7	2	14	3	2	1	1	21	36	53	54	49	136	256	420	622	602	264	46
V. " " RESPIRATORY SYSTEM	—	2	3	2	—	1	—	6	4	—	3	3	26	113	245	381	539	305	40
VI. " " DIGESTIVE SYSTEM	200	97	482	151	37	14	14	698	16	6	6	10	54	123	249	456	691	472	115
VII. " " LYMPH : & DUCTLESS GLANDS	..	186	149	473	87	21	19	19	619	62	44	39	42	92	156	246	241	171	85	16
VIII. " " URINARY SYSTEM	2	9	19	7	1	4	2	33	5	4	4	2	8	12	12	9	5	2	—
IX. " " GENERATIVE SYSTEM	6	4	11	4	3	1	2	21	20	9	13	24	67	140	271	366	364	208	32
X. " " PREGNANCY AND CHILD BIRTH	..	4	—	6	—	—	—	—	6	—	—	—	—	2	—	—	1	—	1	—
XI. " " LOCOMOTOR SYSTEM	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
XII. " " THE SKIN	5	—	9	2	4	1	3	19	7	12	4	3	1	3	7	4	6	5	—
C.*—OTHER SPECIFIED DISEASES	27	3	35	4	—	—	—	39	—	—	—	—	1	—	6	5	4	5	3
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.																				
E.*—VIOLENT DEATHS	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
		542	153	789	26	5	2	1	823	2	—	—	—	2	3	5	26	236	542	224
		158	54	244	47	40	25	22	378	97	61	62	73	172	221	244	196	107	57	11

* The grouping in this Summary is for convenience of tabling merely ; it must not be regarded as a classification.

LONDON.—SUMMARY of CAUSES of DEATH, 1910.—FEMALES.

FEMALES. CAUSES OF DEATH.		ALL AGES.	AGES AT DEATH.																					
			0—5 Months.	6—12 Months.	1—5 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.		
			Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.	Months.
ALL CAUSES..	
A.*—GENERAL DISEASES	
B.*—DISEASES OF PARTICULAR ORGANS:—																								
I. DISEASES OF NERVOUS SYSTEM	
II.	"	"	ORGANS OF SPECIAL SENSE..	
III.	"	"	HEART	
IV.	"	"	BLOOD VESSELS	
V.	"	"	RESPIRATORY SYSTEM	
VI.	"	"	DIGESTIVE SYSTEM	
VII.	"	"	LYMPH : & DUCTLESS GLANDS	
VIII.	"	"	URINARY SYSTEM	
IX.	"	"	GENERATIVE SYSTEM	
X.	"	"	PREGNANCY AND CHILDBIRTH	
XI.	"	"	LOCOMOTOR SYSTEM	
XII.	"	"	THE SKIN	
C.*—OTHER SPECIFIED DISEASES																								
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.																								
E.*—VIOLENT DEATHS..																								

* The grouping in this Summary is for convenience of tabling merely ; it must not be regarded as a classification.

LONDON.—CAUSES OF DEATH at different Periods of Life, 1910—MALES.

Note.—The figures in this Table differ in some cases from those published in Table 17 in the Annual Summary. These differences are due (1) to corrections made in the Tables of the Annual Summary, but not in those of this Report, for Deaths occurring in Public Institutions (*see* Note on p. 6 of Annual Summary); and (2) to alterations in classification owing to further information furnished by the Certifying Medical Practitioners after the publication of the figures in the Annual Summary; and, further, the two tables do not relate precisely to the same period.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in medical certificates only when precise information is unobtainable.

MALES.	ALL AGES.	AGES AT DEATH.												Total under 1 Year.	6-12 Months.	3-6 Months.	0-3 Months.																	
		1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—					55—	65—	75—	85 and upwards.													
{ Vaccinated Not Vaccinated Doubtful ... of effects of Vaccination.	Small-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Cow-pox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Chicken-pox	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Measles (Morbilli)	474	169	—	57	1004	46	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	German Measles	1	1	—	—	2	26	7	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Scarlet Fever	14	18	15	11	62	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Typhus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Plague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Relapsing Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Influenza	330	2	5	—	—	22	3	4	—	21	36	53	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Whooping-cough	604	209	55	36	23	590	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Mumps	6	1	—	—	—	3	51	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diphtheria	200	36	36	25	26	142	2	4	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cerebro-spinal Fever	17	1	1	—	1	11	2	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Pyrexia* (origin uncertain)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Enteric Fever	94	—	1	—	—	1	5	6	9	22	24	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Asiatic Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	22	2	2	—	1	12	2	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	331	58	9	3	2	321	3	—	—	—	1	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	381	61	9	3	1	360	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	18	—	—	—	—	—	—	—	—	3	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

Note.—For continuation of this Table, *see* page 312. * Called Simple Continued Fever previous to 1901. † *i.e.*, deaths stated to be so caused

LONDON.—CAUSES of DEATH at different Periods of Life, 1910—FEMALES.

Note.—The figures in this Table differ in some cases from those published in Table 17 in the Annual Summary. These differences are due (1) to corrections made in the Tables of the Annual Summary, but not in those of this Report, for Deaths occurring in Public Institutions (*see* Note on p. 6 of Annual Summary); and (2) to alterations in classification owing to further information furnished by the Certifying Medical Practitioners after the publication of the figures in the Annual Summary; and, further, the two tables do not relate precisely to the same period.

FEMALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.											Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
			0—3 Months.	3—6 Months.	6—12 Months.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... Cow-pox and other effects of Vaccination.

FEMALES. CAUSES OF DEATH	ALL AGES.	AGES AT DEATH.																85 and upwards.															
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—		55—	65—	75—												
Tetanus	5	1	—	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Malaria	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever) ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	117	43	22	10	75	5	1	—	—	1	—	82	1	—	—	2	1	3	9	8	7	—	—	—	—	—	—	—	—	—	—	—	—
Gonorrhoea	3	1	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Septicæmia, Puerperal Septic Intoxication.	145	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	27	72	42	2	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Pyæmia	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmasia Alba Dolens	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined).	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Infective Endocarditis	77	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	14	16	10	6	8	—	—	—	—	—	—	—	—	—	—	—	—
{ Lobar	286	4	4	17	25	19	3	—	—	—	—	54	7	—	5	6	25	35	—	41	—	—	—	—	—	—	—	—	—	—	—	—	—
{ Broncho-	1385	123	113	265	501	351	91	22	1010	44	—	13	7	—	5	4	13	27	—	76	—	—	—	—	—	—	—	—	—	—	—	—	—
{ Epidemic	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
{ Not defined	1194	43	38	87	164	96	45	17	348	25	19	19	15	—	19	15	55	108	102	166	—	—	—	—	—	—	—	—	—	—	—	—	—
Erysipelas	73	10	4	2	16	3	2	—	21	—	—	2	—	—	—	—	3	4	12	12	—	—	—	—	—	—	—	—	—	—	—	—	—
Septicæmia, Septic Intoxication (not Puerperal).	24	6	—	2	8	1	1	—	10	1	—	10	1	—	—	—	—	4	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
Pyæmia (not Puerperal)	10	3	—	1	4	—	—	—	4	—	—	4	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phlegmon, Carbuncle (not Anthrax)	40	4	3	3	10	2	—	—	12	—	—	—	—	—	—	—	—	—	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—
Phagedæna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Infective Processes ...	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 315.

LONDON.—CAUSES of DEATH at different Periods of Life, 1910—MALES—continued from page 312.

MALES.	ALL AGES.	AGES AT DEATH.															85 and upwards.				
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—		45—	55—	65—	75—
Pulmonary Tuberculosis (Tuberculous Phthisis).	2545	2	6	24	32	30	13	11	4	90	17	25	95	209	529	643	500	305	122	10	—
Phthisis (not otherwise defined) ...	899	—	—	1	1	3	1	—	—	5	5	9	24	76	193	213	197	126	44	6	1
Tuberculous Meningitis ...	428	10	26	60	96	93	59	27	23	298	70	20	19	5	10	3	2	1	—	—	—
Tuberculous Peritonitis ...	186	17	25	31	73	29	16	8	3	129	18	8	2	1	7	6	7	4	4	—	—
Tubes Mesenterica ...	31	5	6	9	20	8	2	—	—	30	—	—	—	—	—	—	1	—	—	—	—
Lupus ...	4	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	1	—	1	1	1
Tubercle of other organs ...	184	2	—	2	4	2	5	4	2	17	19	15	15	21	29	22	21	10	13	1	1
General Tuberculosis ...	220	9	12	26	47	43	16	14	7	127	19	8	9	8	20	12	11	4	2	—	—
Scrofula ...	1	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Parasitic Diseases ...	12	6	1	—	7	—	—	—	—	7	—	—	—	—	1	1	1	1	1	—	—
Starvation ...	4	1	—	—	1	1	—	—	—	2	—	—	—	—	—	1	—	—	—	1	—
Scurvy ...	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Alcoholism, Delirium Tremens ...	158	—	—	—	—	—	—	—	—	—	—	—	—	—	20	43	52	29	12	2	—
Opium, Morphia-habit ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Poisoning :—	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—
By Lead ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Arsenic and other Poisons	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 316.

FEMALES. CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.																	85 and upwards.		
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—		65—	75—
Pulmonary Tuberculosis (Tuberculous Phthisis). <i>Phthisis</i> (not otherwise defined) ...	1425	4	6	17	27	26	16	10	6	85	27	37	118	148	270	293	222	151	58	16	—
Tuberculous Meningitis ...	383	7	16	58	81	76	56	32	23	268	66	23	11	5	7	1	2	—	—	—	—
Tuberculous Peritonitis ...	163	11	12	21	44	18	12	10	7	91	15	17	10	5	7	4	6	3	5	—	—
<i>Tabes Mesenterica</i> ...	21	3	7	4	14	2	—	—	—	16	2	1	—	1	—	—	1	—	—	—	—
Lupus ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2	—	—
Tubercle of other Organs ...	111	—	—	2	2	—	5	1	3	11	12	9	9	5	24	8	10	7	9	6	1
General Tuberculosis ...	190	4	9	22	35	27	18	10	9	99	28	15	10	10	11	8	4	2	2	1	—
<i>Scrophula</i> ...	1	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Parasitic Diseases ...	4	2	—	—	2	—	—	—	—	2	—	—	—	—	—	2	—	—	—	—	—
Starvation ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scurvy ...	2	—	—	1	1	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
Alcoholism, Delirium Tremens ...	154	—	—	—	—	—	—	—	—	—	—	—	—	—	21	48	44	23	13	5	—
Opium, Morphia-habit ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
Industrial Poisoning :— By Lead ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
” Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
” Arsenic and other Poisons ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 317.

LONDON.—CAUSES of DEATH at different Periods of Life, 1910—MALES—continued from page 314.

MALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.												Total under 1 Year.	Total under 5 Years.	AGES AT DEATH.										75—	85 and upwards.
			0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—	5—	10—	15—	20—	25—			35—	45—	55—	65—								
Rheumatic Fever, Acute Rheumatism.	...	95	—	—	—	—	—	1	3	—	—	14	14	15	7	9	16	7	8	1	—	—	—	—	—	—	—	
Rheumatism of Heart	...	8	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	1	1	1	1	—	—	—	—	—	
Chronic Rheumatism	...	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5	2	2	—	—	—	—	—	
Rheumatoid Arthritis, Rheumatic Gout.	...	29	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	3	6	10	6	—	—	—	—	—	—	
Gout	52	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	5	12	22	8	2	—	—	—	—	—	
Carcinoma	1475	—	—	—	—	—	—	—	—	—	—	—	—	2	27	93	326	488	409	117	13	—	—	—	—	—	
Sarcoma	197	—	—	—	—	—	—	—	—	—	10	5	11	11	21	53	36	40	13	7	—	—	—	—	—	—	
Cancer, Malignant Disease (not otherwise defined).	...	668	—	—	—	—	—	—	—	—	—	2	2	3	4	16	37	126	216	190	67	5	—	—	—	—	—	
Rickets	...	99	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Purpura	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hæmophilia, Hæmorrhagic Diathesis	...	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Anæmia, Leucocythæmia	118	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Diabetes Mellitus	220	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Premature Birth	1201	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Congenital Hydrocephalus	...	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other Congenital Defects	338	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Injury at Birth	76	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Atelectasis	114	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Want of Breast Milk	...	33	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Teething	54	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

Note.—For continuation of this Table, see page 318.

[illegible]

Note.—For continuation of this Table, see page 319.

LONDON.—CAUSES OF DEATH at different Periods of Life, 1910.—MALES—continued from page 316.

MALES.	ALL AGES.	AGES AT DEATH.													Total under 1 Year.	Total under 5 Years.	Total upwards.			
		0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—	5 Years.	5—	10—	15—	20—	25—				35—	45—	55—
Meningitis, Inflammation of Brain	274	15	28	58	101	45	18	5	5	18	10	12	11	14	13	14	4	2	2	—
Softening of Brain ...	57	—	—	—	—	—	—	—	—	—	—	—	—	1	—	4	14	25	10	3
General Paralysis of Insane	93	—	—	—	—	—	—	—	—	—	—	2	1	8	24	29	18	6	5	—
Insanity (not Puerperal) ...	80	—	—	—	—	1	1	—	—	1	—	—	1	2	3	6	19	22	21	3
Chorea ...	2	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
Epilepsy ...	85	—	—	2	2	4	—	1	—	1	—	5	6	10	14	16	11	6	8	1
Convulsions ...	335	212	61	35	308	20	2	—	1	4	—	—	—	—	—	—	—	—	—	—
Laryngismus Stridulus ...	12	—	4	5	9	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Locomotor Ataxy ...	81	—	—	—	—	—	—	—	—	—	—	1	—	2	18	22	25	12	1	—
Paraplegia, Diseases of Cord ...	129	1	—	1	2	2	—	—	—	5	2	4	3	10	17	23	22	21	13	3
Neuritis, Peripheral, Poly-Neuritis	8	—	—	—	—	—	—	—	—	—	1	—	—	1	2	4	—	—	—	—
Brain Tumour (not Specific) ...	55	—	—	—	—	2	2	1	1	1	6	4	2	6	12	6	8	5	—	—
Other Diseases of Nervous System	130	3	2	4	9	8	1	2	1	2	—	1	5	1	5	11	17	38	24	5
Otitis, Mastoid Disease ...	94	1	4	12	17	2	2	2	5	9	9	12	9	12	7	5	2	1	—	—
Epistaxis, Diseases of Nose ...	4	1	—	—	1	—	—	—	—	—	1	1	—	—	—	—	—	1	—	—
Ophthalmia, Diseases of Eye ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
Valvular Disease, Endocarditis (not Infective).	1107	3	—	2	5	1	1	—	—	20	33	36	29	76	158	200	243	210	82	13
Pericarditis ...	64	2	—	1	3	1	—	1	—	8	7	7	3	7	8	5	12	2	—	—
Hypertrophy of Heart ...	37	—	—	—	—	—	—	—	—	—	—	—	—	1	4	9	9	11	2	1
Angina Pectoris ...	84	—	—	—	—	—	—	—	—	—	—	—	—	5	4	15	24	24	11	—
Dilatation of Heart ...	160	—	—	—	—	—	—	—	—	—	—	—	—	6	11	27	44	46	26	—
Fatty Degeneration of Heart	207	—	—	—	—	—	—	—	—	—	—	—	2	5	21	26	59	65	26	3
Syncope, Heart Disease (not specified).	900	2	2	2	6	1	1	—	1	8	13	11	15	36	50	138	231	244	117	28

Note.—For continuation of this Table, see page 320.

FEMALES.	ALL AGES.	AGES AT DEATH.													Total under 1 Year.	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		0—3 Months.	3—6 Months.	6—12 Months.	1—	2—	3—	4—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
CAUSES OF DEATH.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									</

Note.—For continuation of this Table, see page 321.

FEMALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.													85 and upwards.						
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—		25—	35—	45—	55—	65—	75—
Cerebral Hemorrhage, Cerebral Embolism.		1143	—	1	2	3	1	—	—	—	4	2	2	2	2	11	69	156	241	338	250	66
<i>Apoplexy, Hemiplegia</i>	309	—	—	—	—	—	—	—	—	—	—	—	—	—	1	15	27	53	86	101	26
Aneurysm	50	—	—	—	—	—	—	—	—	—	—	—	—	1	4	6	15	10	8	4	2
Senile Gangrene	86	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	29	32	19
Embolism, Thrombosis (not Cerebral).	...	41	—	—	1	1	—	1	—	1	3	—	—	2	3	2	5	5	6	4	9	2
Phlebitis	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	4	2	1	—
Varicose Veins	9	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	3	2	2	—	—
Other Diseases of Blood Vessels	195	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	15	25	61	70	20
Laryngitis	21	1	—	1	2	2	3	4	1	12	2	—	1	2	—	1	1	2	—	—	—
<i>Membranous Laryngitis</i> (not Diphtheritic).	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Croup</i> (not Spasmodic nor Membranous).	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Larynx and Trachea.	...	1	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Bronchitis	2634	136	101	128	365	89	20	10	3	487	10	2	2	—	10	56	163	348	659	647	250
Emphysema, Asthma	74	—	—	—	—	—	—	—	—	—	—	—	2	—	3	5	11	13	27	12	1
Pleurisy	87	1	2	5	8	4	6	3	1	22	2	2	3	3	4	8	6	10	12	12	3
Fibroid Disease of Lung	14	—	—	—	—	1	—	—	—	1	—	—	—	—	1	1	1	6	4	—	—
Other Diseases of Respiratory System.	...	178	16	8	13	37	9	3	1	—	50	2	—	1	2	4	5	9	8	27	36	34

Note.—For continuation of this Table, see page 323.

LONDON.—CAUSES OF DEATH at different Periods of Life, 1910—MALES—continued from page 320.

MALES.	ALL AGES	AGES AT DEATH.																	
		AGES AT DEATH.																	
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—
Tonsillitis, Quinsy ... Diseases of Mouth, Pharynx, Esophagus (not Specific). Gastric Ulcer ... Gastritis, Gastric Catarrh ... Other Diseases of Stomach (not Malignant). Ulceration of Intestines ... Enteritis (not Epidemic) ... Gastro-enteritis ... Appendicitis, Perityphlitis ... Hernia ... Intestinal Obstruction ... Other Diseases of Intestines ... Peritonitis (not Puerperal) ... Cirrhosis of Liver ... Other Diseases of Liver and Gall Bladder. Other Diseases of Digestive System Diseases of Spleen ... Other Diseases of Lymphatic System. Diseases of Thyroid Body ... Diseases of Supra Renal Capsules Acute Nephritis, Uræmia ... Chronic Bright's Disease, Albu- minuria. Calculus (not Biliary) ... Diseases of Bladder and of Prostate Other Diseases of Urinary System	15 49 161 99 35 96 262 217 228 100 140 25 38 241 90 17 4 74 8 10 242 852 29 311 101	— 																	

Note.—For continuation of this Table, see page 324.

FEMALES.	ALL AGES.	AGES AT DEATH.												85 and upwards.						
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—		20—	25—	35—	45—	55—	65—
Tonsillitis, Quinsy ...	14	—	2	—	2	—	3	—	1	6	3	1	1	—	—	—	1	1	1	—
Diseases of Mouth, Pharynx, Oesophagus (not Specific).	41	4	—	2	6	4	3	2	2	17	2	1	3	—	—	—	5	3	3	2
Gastric Ulcer ...	172	—	—	1	1	—	—	—	—	1	1	—	—	19	36	46	23	24	9	1
Gastritis, Gastric Catarrh...	102	23	7	6	36	8	1	2	1	48	3	—	—	1	3	6	7	7	15	2
Other Diseases of Stomach (not Malignant).	36	4	4	5	13	—	—	—	—	13	—	—	—	—	3	2	4	2	4	—
Ulceration of Intestines ...	48	—	—	—	—	1	—	—	—	1	1	1	—	4	13	8	8	5	5	—
Enteritis (not Epidemic) ...	206	38	44	48	130	22	6	2	2	162	4	1	—	1	4	3	4	7	15	1
Gastro-enteritis ...	160	28	34	43	105	22	5	3	2	137	3	—	—	—	2	2	2	1	4	1
Appendicitis, Perityphlitis ...	179	—	—	—	—	1	1	1	5	8	24	18	16	21	20	23	23	13	7	1
Hernia ...	128	1	—	—	1	—	—	—	—	1	1	—	1	—	6	15	21	31	32	2
Intestinal Obstruction ...	184	4	12	9	25	3	1	1	—	30	1	2	2	3	8	22	14	23	46	5
Other Diseases of Intestines	29	4	2	1	7	—	—	—	—	7	—	—	—	—	3	3	3	3	1	2
Peritonitis (not Puerperal)	51	2	—	2	4	2	3	—	5	14	10	1	3	1	3	5	3	5	4	—
Cirrhosis of Liver ...	280	—	1	—	1	2	1	—	—	4	—	—	1	—	5	43	103	68	45	1
Other Diseases of Liver and Gall Bladder.	149	—	—	—	—	—	1	1	—	2	1	1	—	—	9	15	22	34	45	5
Other Diseases of Digestive System	16	—	1	—	1	—	—	—	—	1	1	—	—	—	2	2	2	2	3	1
Diseases of Spleen ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Lymphatic System.	36	5	3	5	13	4	—	—	1	18	—	—	2	2	1	2	1	5	—	—
Diseases of Thyroid Body ...	54	—	—	—	—	1	—	—	—	1	—	3	2	4	9	9	8	6	7	—
Diseases of Supra Renal Capsules	13	—	—	—	—	—	—	—	—	—	—	—	—	1	3	4	2	3	—	—
Acute Nephritis, Uræmia ...	188	1	—	2	3	3	1	1	1	9	8	5	4	6	22	30	25	27	31	3
Chronic Bright's Disease, Albuminuria.	719	—	—	—	—	2	1	1	—	4	4	6	8	7	34	69	143	188	167	12
Calculus (not Biliary) ...	19	—	—	—	—	—	—	—	—	—	1	1	—	1	1	3	4	3	3	1
Diseases of Bladder and of Prostate	36	—	—	—	—	—	—	—	—	—	1	—	1	—	2	3	2	8	5	2
Other Diseases of Urinary System	33	—	—	1	1	1	—	3	—	5	—	—	—	—	4	6	3	6	6	—

Note.—For continuation of this Table, see page 325.

LONDON.—CAUSES of DEATH at different Periods of Life, 1910—MALES—continued from page 322.

MALES. CAUSES OF DEATH.	AGES AT DEATH.																	ALL AGES.		
	0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—		65—	75—
Ovarian Tumour (not Malignant)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Ovary ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Uterine Tumour (not Malignant) ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Uterus and Vagina.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Disorders of Menstruation... ..	4	—	2	6	—	—	—	—	6	—	—	—	—	2	—	—	1	—	—	—
Other Diseases of Generative and Mammary Organs.	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Abortion, Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Mania	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Placenta Prævia, Flooding	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Accidents of Pregnancy and Childbirth.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Caries, Necrosis	6	—	2	2	1	1	—	—	4	—	—	—	—	—	—	—	—	1	—	—
Arthritis, Peritostitis	22	3	1	4	—	—	2	2	7	2	1	2	1	—	—	4	1	2	2	—
Other Diseases of Locomotor System	43	2	1	3	1	2	1	1	8	5	11	2	2	1	3	3	3	3	—	—
Ulcer, Bed-sore	14	1	—	1	—	—	—	—	1	—	—	—	—	1	—	1	2	2	4	3
Eczema	12	5	1	8	—	—	—	—	8	—	—	—	—	—	—	1	2	—	1	—
Pemphigus	18	15	1	16	1	—	—	—	17	—	—	—	—	—	—	1	—	—	—	—
Other Diseases of the Skin	19	6	1	10	3	—	—	—	13	—	—	—	—	—	—	3	1	2	—	—
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 326.

FEMALES.	ALL AGES.	AGES AT DEATH.																	85 and upwards.		
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—		65—	75—
<i>Ovarian Tumour</i> (not Malignant)	43	—	—	—	—	—	—	—	—	—	—	—	—	1	2	9	8	10	8	4	1
Other Diseases of Ovary ...	6	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	2	—	—	—	—
<i>Uterine Tumour</i> (not Malignant)...	65	—	—	—	—	—	—	—	—	—	—	—	—	—	3	20	24	11	4	3	—
Other Diseases of Uterus and Vagina.	58	—	—	—	—	—	—	—	2	1	—	—	2	15	16	13	7	—	2	—	—
Disorders of Menstruation...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—
Other Diseases of Generative and Mammary Organs.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Abortion, Miscarriage ...	14	—	—	—	—	—	—	—	—	—	—	—	2	4	6	2	2	—	—	—	—
Puerperal Mania ...	4	—	—	—	—	—	—	—	—	—	—	1	—	2	1	1	—	—	—	—	—
Puerperal Convulsions ...	24	—	—	—	—	—	—	—	—	—	—	4	6	8	6	—	—	—	—	—	—
Placenta Prævia, Flooding ...	49	—	—	—	—	—	—	—	—	—	—	1	3	26	17	2	—	—	—	—	—
Other Accidents of Pregnancy and Childbirth.	58	—	—	—	—	—	—	—	—	—	—	3	3	29	18	5	—	—	—	—	—
Caries, Necrosis ...	4	1	—	—	1	—	—	1	2	7	3	—	—	—	—	—	—	—	—	1	—
Arthritis, Periostitis ...	20	4	1	2	7	—	—	—	7	—	—	—	—	—	—	1	1	1	3	3	—
Other Diseases of Locomotor System	25	—	2	1	7	1	—	1	7	—	—	—	1	2	2	2	2	1	3	1	—
Ulcer, Bed-sore ...	45	1	1	—	2	1	—	—	3	—	—	—	—	1	1	1	5	5	13	7	10
Eczema ...	14	4	1	2	7	1	—	—	8	—	—	—	—	—	—	—	1	3	2	—	—
Penphigus ...	11	8	1	—	9	—	—	—	9	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of the Skin	14	3	1	1	5	—	1	1	7	—	—	—	—	1	1	1	3	—	1	1	—
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 327.

LONDON.—CAUSES of DEATH at different Periods of Life, 1910.—MALES—continued from page 324.

MALES.	CAUSES OF DEATH.	ALL AGES.	AGES AT DEATH.														85 and upwards.						
			0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—		35—	45—	55—	65—	75—	
CAUSES ILL-DEFINED OR NOT SPECIFIED.																							
Atrophy, Debility	...	820	537	153	93	783	26	5	1	1	816	2	—	—	—	—	—	—	1	—	16	1	—
Old Age	...	1014	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	233	542	223
Dropsy, Ascites, Anasarca	...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
Tumour	...	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4	—	—	—
Abscess	...	15	2	—	1	3	—	—	1	—	4	—	—	—	—	2	1	2	—	4	—	—	—
Hæmorrhage	...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
Sudden Death (cause unascertained)	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other ill-defined causes	...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Causes not specified	...	3	3	—	—	3	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—
VIOLENT DEATHS.																							
In Mines and Quarries	...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Vehicles and Horses	...	311	—	—	1	1	5	6	1	8	21	36	40	19	18	35	39	43	36	19	5	—	—
Ships, Boats, and Docks (not Drowning).	(not Drowning).	25	—	—	—	—	—	—	—	—	—	—	—	—	—	1	5	7	9	3	—	—	—
Building Operations	...	36	—	—	—	—	—	—	—	—	—	—	—	—	—	4	7	11	11	2	—	—	—
Machinery	...	21	—	—	—	—	—	—	—	—	—	—	1	2	6	6	3	4	1	—	—	—	—
Weapons and Implements	...	4	—	—	1	1	—	—	—	1	2	—	—	—	—	1	3	2	2	3	5	—	—
Burns and Scalds	...	105	3	3	5	11	24	18	14	6	73	10	1	1	8	13	6	14	5	4	2	—	2
Poisons, Poisonous Vapours	...	70	1	3	2	6	—	2	1	—	9	5	1	3	11	19	28	24	16	3	—	—	—
Drowning	...	153	2	46	13	3	—	1	1	1	6	30	11	5	—	2	3	1	4	—	—	—	—
Suffocation	...	201	124	—	5	183	3	3	5	5	189	8	—	6	—	19	28	27	29	33	1	9	—
Falls	...	237	1	—	—	6	12	10	—	—	38	—	—	—	2	—	1	—	—	—	33	—	—
Weather Agencies	...	2	—	1	—	—	2	—	1	1	30	4	2	9	7	4	15	8	7	3	3	—	—
Otherwise or not stated	...	92	22	1	3	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Battle	...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Homicide	...	24	5	1	1	7	1	—	2	—	10	3	—	—	2	—	4	4	—	1	—	—	—
Suicide	...	393	—	—	—	—	—	—	—	—	—	—	—	16	21	63	78	97	75	35	8	—	
Execution	...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	1	—	—	—	—

LONDON.—CAUSES of DEATH at different Periods of Life, 1910—FEMALES—continued from page 325.

FEMALES.	ALL AGES.	AGES AT DEATH.																				
		CAUSES OF DEATH.																				
		0—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 Years.	5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.	
CAUSES ILL-DEFINED OR NOT SPECIFIED.																						
Atrophy, Debility ...	596	324	140	88	552	35	7	—	—	594	—	—	—	—	1	—	—	26	298	815	—	486
Old Age ...	1625	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	
Dropsy, Ascites, Anasarca ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	
Tumour ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	
Abscess ...	9	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	
Hæmorrhage ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
Sudden Death (cause unascertained)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other ill-defined causes ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Causes not specified ...	2	2	—	—	2	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
VIOLENT DEATHS.																						
In Mines and Quarries ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Vehicles and Horses ...	104	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12	14	4	—	
Ships, Boats, and Docks (not Drowning).	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Building Operations ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Machinery ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Weapons and Implements ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burns and Scalds ...	148	—	2	4	6	25	22	11	12	76	13	2	4	4	12	5	6	11	6	8	2	
Poisons, Poisonous Vapours	38	—	—	1	1	1	4	—	1	7	—	—	2	4	7	5	8	3	—	1	—	
Drowning ...	32	1	—	1	2	1	—	—	—	3	—	—	1	2	8	5	5	5	2	—	—	
Suffocation ...	165	109	36	9	154	5	1	1	—	161	2	—	7	2	1	—	6	24	42	64	27	
Falls ...	208	1	—	4	5	6	4	—	1	16	—	—	—	—	3	—	10	—	1	—	—	
Weather Agencies ...	—	17	—	—	—	—	—	—	—	20	—	—	—	—	—	—	—	—	—	—	—	
Otherwise or not stated	49	—	—	1	18	—	1	1	—	—	—	—	3	—	1	2	2	3	5	7	3	
Battle																						
Homicide ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Suicide ...	20	—	—	—	6	1	1	—	1	9	—	—	—	—	4	4	—	—	—	—	—	
Execution ...	149	5	1	—	—	—	—	—	—	—	—	—	—	5	29	43	31	21	6	—	—	

SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1910.

CAUSES OF DEATH	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	Males.	Females.	Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
					Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
ALL CAUSES	249016	234231	32418	30281	5137	4919	6197	5855	4003	4190	5808	5019	1759	1732
A.*—GENERAL DISEASES	112026	103185	16728	14600	2340	2167	2601	2519	1758	1796	2489	2137	730	697
B.*—DISEASES OF PARTICULAR ORGANS:—														
I. DISEASES OF NERVOUS SYSTEM	16624	13487	1341	1155	486	313	433	333	276	226	329	239	100	81
II. " " ORGANS OF SPECIAL SENSE..	639	511	99	107	15	8	14	7	6	7	16	14	3	1
III. " " HEART	23355	25369	2559	3058	518	605	718	732	465	537	684	621	206	246
IV. " " BLOOD VESSELS	15270	16458	1665	1844	394	382	402	468	260	307	409	398	127	153
V. " " RESPIRATORY SYSTEM	21013	20339	2896	3009	316	325	427	423	273	324	394	366	123	138
VI. " " DIGESTIVE SYSTEM	13667	13173	1813	1795	264	276	324	325	189	229	287	273	97	97
VII. " " LYMPH & DUCTLESS GLANDS	527	899	96	104	19	31	10	18	14	24	10	19	6	8
VIII. " " URINARY SYSTEM	10318	6990	1535	995	228	190	293	193	226	137	335	164	90	45
IX. " " GENERATIVE SYSTEM	66	950	10	175	1	28	1	23	2	25	1	24	1	9
X. " " PREGNANCY AND CHILD BIRTH	—	1917	—	149	—	39	—	33	—	24	—	34	—	16
XI. " " LOCOMOTOR SYSTEM	374	275	71	49	12	4	5	3	6	5	6	5	4	—
XII. " " THE SKIN	513	628	63	84	11	15	20	15	8	16	10	10	4	12
C.*—OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECI- FIED.	21499	24452	1863	2242	272	409	605	645	323	446	583	598	171	189
E.*—VIOLENT DEATHS	13125	5598	1679	915	261	127	344	118	197	87	255	117	97	40

* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.

SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.							
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwickshire.		Leicestershire.		Rutland-shire.		Lincoln-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES	4340	4373	808	731	1881	1674	9731	9037	3457	3312	7291	6694	2984	2832	106	137	3839	3549
A.*—GENERAL DISEASES	1838	1752	276	249	746	667	4194	3902	1461	1390	3259	2872	1296	1183	36	42	1569	1473
B.*—DISEASES OF PARTICULAR ORGANS:—																		
I. DISEASES OF NERVOUS SYSTEM.. .. .	269	278	43	43	104	90	711	598	218	175	504	395	218	157	9	2	294	230
II. " " ORGANS OF SPECIAL SENSE	8	8	2	—	3	3	25	13	10	5	22	20	19	9	—	—	11	10
III. " " HEART	470	573	96	120	210	230	762	840	333	396	602	652	290	336	13	24	405	354
IV. " " BLOOD VESSELS	327	381	94	70	136	124	496	576	221	239	400	431	200	230	8	14	275	282
V. " " RESPIRATORY SYSTEM	340	381	60	52	143	128	996	773	299	265	691	618	227	246	8	13	281	301
VI. " " DIGESTIVE SYSTEM	224	215	38	35	106	108	497	524	209	203	481	456	155	152	11	8	181	174
VII. " " LYMPH: & DUCTLESS GLANDS	16	30	2	5	—	5	21	22	10	12	12	24	2	10	—	—	6	12
VIII. " " URINARY SYSTEM	259	138	44	23	78	53	325	230	178	89	267	175	105	68	4	2	154	82
IX. " " GENERATIVE SYSTEM	2	17	—	—	—	4	2	38	1	17	1	31	—	8	—	—	1	18
X. " " PREGNANCY AND CHILD BIRTH	—	38	—	6	—	12	—	69	—	28	—	45	—	19	—	2	—	32
XI. " " LOCOMOTOR SYSTEM	7	4	2	—	1	2	16	9	7	4	13	15	6	1	1	—	6	5
XII. " " THE SKIN	8	13	2	3	5	3	20	16	11	11	8	30	5	7	—	1	13	13
C.*—OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.	363	488	113	103	256	202	1106	1198	357	403	643	703	307	337	13	27	465	517
E.*—VIOLENT DEATHS.. .. .	209	77	36	22	93	43	560	229	142	75	388	227	154	69	3	2	178	46

* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.

SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N.W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.					
	Notting- hamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		North- berland.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES	4991	4671	3570	3290	5942	5805	38145	35971	22286	20764	3908	3442	3205	2918	10603	9529	5443	4765
A.*—GENERAL DISEASES	2266	2143	1548	1398	2663	2554	18101	16494	10320	9307	1660	1525	1475	1335	4891	4420	2452	2133
B.*—DISEASES OF PARTICULAR ORGANS:—																		
I. DISEASES OF NERVOUS SYSTEM	359	325	238	224	420	322	2624	2080	1547	1315	299	262	233	182	869	668	425	326
II. " " ORGANS OF SPECIAL SENSE..	15	15	7	11	18	9	103	82	44	60	15	10	9	1	28	21	11	11
III. " " HEART	438	474	338	360	599	698	3220	3451	2047	2291	396	336	284	301	835	824	494	460
IV. " " BLOOD VESSELS	261	289	226	208	409	433	2099	2361	1447	1498	254	215	183	199	596	549	303	327
V. " " RESPIRATORY SYSTEM	419	391	273	284	416	417	3606	3558	1979	1771	315	295	260	223	904	851	442	386
VI. " " DIGESTIVE SYSTEM	281	250	194	172	362	356	2195	2174	1206	1103	200	184	170	164	518	498	312	265
VII. " " LYMPH: & DUCTLESS GLANDS	8	22	5	17	5	16	83	130	42	74	9	10	2	19	14	27	6	20
VIII. " " URINARY SYSTEM	174	111	130	89	233	177	1382	1074	906	690	145	103	110	78	289	242	223	157
IX. " " GENERATIVE SYSTEM	3	19	—	5	2	15	7	157	7	73	8	7	—	9	2	27	—	16
X. " " PREGNANCY AND CHILD BIRTH	—	58	—	26	—	49	—	308	—	215	—	18	—	25	—	94	—	57
XI. " " LOCOMOTOR SYSTEM	6	3	8	5	8	3	45	44	28	28	6	3	3	2	13	7	10	4
XII. " " THE SKIN	22	8	6	12	9	6	52	74	49	51	10	13	5	6	16	24	11	13
C.*—OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECI- FIED.	478	444	393	406	514	625	2841	3073	1512	1770	368	374	307	302	1032	1101	476	479
E.*—VIOLENT DEATHS	261	119	204	73	284	125	1787	911	1152	518	223	87	164	72	596	176	278	111

* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.

SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1910—*continued*.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Cumberland.		Westmor-land.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardigan-shire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
ALL CAUSES	2187	1928	392	402	3015	2493	8428	7235	1148	1122	630	652	668	750	454	393
A.*—GENERAL DISEASES	827	803	146	165	1263	1091	3773	3440	444	473	241	270	262	311	175	173
B.*—DISEASES OF PARTICULAR ORGANS:—																
I. DISEASES OF NERVOUS SYSTEM.. .. .	137	121	17	16	233	150	714	612	115	106	49	35	41	42	56	18
II. " " ORGANS OF SPECIAL SENSE	3	3	—	1	7	2	27	14	4	1	1	2	2	1	—	—
III. " " HEART.. .. .	251	260	48	59	271	240	712	643	109	123	64	83	89	109	41	36
IV. " " BLOOD VESSELS	148	124	38	36	132	163	343	413	73	83	46	56	43	43	32	24
V. " " RESPIRATORY SYSTEM	142	144	16	19	259	201	689	516	89	73	40	53	56	76	41	44
VI. " " DIGESTIVE SYSTEM	128	108	25	32	195	175	549	446	87	66	29	24	38	38	16	19
VII. " " LYMPH: & DUCTLESS GLANDS	3	6	2	3	8	4	7	14	—	3	—	2	2	1	1	2
VIII. " " URINARY SYSTEM.. .. .	65	33	28	15	72	54	302	170	59	29	34	15	45	21	19	8
IX. " " GENERATIVE SYSTEM	—	4	—	1	—	8	1	17	—	2	—	1	—	5	—	3
X. " " PREGNANCY AND CHILDBIRTH	—	21	—	3	—	44	—	104	—	14	—	7	—	4	—	3
XI. " " LOCOMOTOR SYSTEM	6	—	—	—	5	6	8	8	2	—	1	1	1	2	—	—
XII. " " THE SKIN	4	5	—	—	4	7	14	16	2	3	2	2	2	1	2	1
C.*—OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.	214	251	49	41	307	291	670	668	88	130	81	90	60	90	48	53
E.*—VIOLENT DEATHS	259	45	23	11	259	57	619	154	76	16	42	11	21	6	23	9

* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.

SUMMARY of CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued.

PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.															
CAUSES OF DEATH.	Radnorshire.		Montgomeryshire.		Flintshire.		Denbighshire.		Merionethshire.		Carnarvonshire.		Anglesey.		
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
ALL CAUSES	140	103	418	426	523	459	1146	1062	491	481	1090	1044	279	307	
A.*—GENERAL DISEASES	67	42	156	153	206	179	509	455	188	187	456	427	126	121	
B.*—DISEASES OF PARTICULAR ORGANS:—															
I. DISEASES OF NERVOUS SYSTEM.. .. .	5	6	28	20	42	30	93	83	47	21	80	71	22	20	
II. " " ORGANS OF SPECIAL SENSE ..	—	—	—	—	2	3	—	1	1	2	2	—	—	—	
III. " " HEART.. .. .	16	15	41	64	57	59	130	130	68	78	124	135	28	35	
IV. " " BLOOD VESSELS	12	7	28	38	35	46	84	85	27	40	78	90	24	24	
V. " " RESPIRATORY SYSTEM	8	6	40	37	55	33	95	72	28	29	85	79	18	29	
VI. " " DIGESTIVE SYSTEM	2	3	23	18	23	21	48	52	36	27	50	47	11	20	
VII. " " LYMPH: & DUCTLESS GLANDS	1	1	2	3	—	1	3	5	3	—	—	3	1	1	
VIII. " " URINARY SYSTEM	6	4	21	14	15	18	37	35	33	29	70	51	17	8	
IX. " " GENERATIVE SYSTEM	—	—	—	—	—	1	—	3	1	2	1	2	—	1	
X. " " PREGNANCY AND CHILD BIRTH	—	1	—	11	—	8	—	17	—	6	—	8	—	1	
XI. " " LOCOMOTOR SYSTEM	—	—	3	—	1	—	3	—	2	4	3	—	—	2	
XII. " " THE SKIN	—	—	—	1	—	—	2	1	3	2	3	3	2	—	
C.*—OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
D.*—CAUSES ILL-DEFINED OR NOT SPECIFIED.	18	17	50	61	56	51	90	106	33	45	87	110	20	41	
E.*—VIOLENT DEATHS.. .. .	5	1	26	6	31	9	52	17	21	9	51	18	10	4	

* The grouping in this Summary is for convenience of tabling merely: it must not be regarded as a classification.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1910.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.									
			London.		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated ... Not vaccinated ... Doubtful ... of ...	3 1 10 3	— 1 4 5	— — — 1	— — — —	— — — 1	— — — —	— — 1 —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —	— — — —
Cow-pox and other effects of Vaccination.														
Chicken-pox ...	55	42	13	9	4	—	2	2	—	—	—	—	—	—
Measles (Morbilli) ...	4305	3997	1054	929	41	22	46	50	69	74	56	49	17	11
German Measles ...	7	8	2	1	—	—	—	—	—	—	—	—	—	—
Scarlet Fever ...	1181	1189	100	87	16	18	17	14	5	7	20	22	5	3
Typhus ...	5	—	—	—	—	—	1	—	—	—	—	—	—	—
Plague ...	2	3	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	3253	3251	330	393	89	94	112	111	79	69	71	97	37	32
Whooping-cough ...	3862	4935	604	771	68	72	109	134	48	69	51	71	25	45
Mumps ...	55	59	6	9	5	—	—	1	—	—	—	1	—	1
Diphtheria ...	2022	2262	200	208	51	48	36	41	17	13	51	81	21	26
Cerebro-spinal Fever ...	70	62	17	13	2	—	3	1	—	1	—	—	3	2
Pyrexia* (origin uncertain) ...	5	7	1	2	—	—	—	1	—	—	1	—	—	—
Enteric Fever ...	1047	842	94	90	11	6	27	18	9	10	51	25	3	1
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	137	114	22	18	5	3	3	4	3	2	4	—	—	—
Infective Enteritis, Epidemic ...	2975	2432	331	273	29	20	32	27	15	12	37	24	3	3
Diarrhoea.														
Diarrhoea (not otherwise defined) ...	2626	2220	381	287	33	27	41	28	28	22	28	30	11	9
Dysentery ...	125	118	18	2	10	18	11	2	1	8	2	1	—	1

Note.—For continuation of this Table, see page 342.

* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1910—continued.

CAUSES OF DEATH.		DIVISION III. SOUTH MIDLAND COUNTIES.												Cambridge- shire.	
		Middlesex.		Hertfordshire.		Buckingham- shire.		Oxfordshire.		Northamp- tonshire.		Huntingdon- shire.		Bedford- shire.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... of		—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cow-pox and other effects of Vaccination.		—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox ...		2	—	—	—	—	—	—	—	2	—	—	—	—	—
Measles (Morbilli) ...		62	58	9	8	17	4	3	1	25	24	1	2	7	6
German Measles ...		—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever ...		34	20	3	2	—	2	—	3	4	5	1	1	—	4
Typhus ...		—	—	—	—	—	—	—	—	—	—	—	—	—	—
Plague ...		—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...		—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...		60	80	31	32	32	33	31	29	43	42	9	8	20	19
Whooping-cough ...		85	98	14	20	19	13	9	13	21	30	1	—	13	7
Mumps ...		2	2	—	—	—	—	—	—	—	2	—	—	—	—
Diphtheria ...		59	83	18	9	8	4	4	2	17	23	2	1	11	21
Cerebro-spinal Fever ...		3	—	1	1	—	1	—	1	—	—	—	—	—	—
Pyrexia* (origin uncertain)		—	2	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ...		20	26	4	4	1	1	2	1	9	3	—	—	1	3
Asiatic Cholera ...		—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...		6	2	—	—	—	1	—	1	—	1	—	—	—	—
Infective Enteritis, Epidemic		61	40	2	5	2	—	1	4	9	6	—	—	—	2
Diarrhoea. (not otherwise defined)		43	20	11	12	2	8	7	6	13	6	2	—	10	11
Dysentery ...		6	21	2	—	—	—	—	—	1	—	—	—	2	—

Note — For continuation of this Table, see page 343.

* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.							
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... of Cow-pox and other effects of Vaccination.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox ...	1	1	—	—	—	2	2	—	—	—	2	—	—	—	—	—	1	—
Measles (Morbilli) ...	52	44	1	1	20	15	155	156	24	26	47	46	33	29	—	47	45	—
German Measles ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Scarlet Fever ...	10	7	2	1	5	8	79	107	27	22	70	71	6	11	—	5	4	—
Typhus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Plague ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	76	79	18	16	52	55	102	99	61	51	79	76	40	29	5	78	70	—
Whooping-cough ...	48	54	6	6	16	13	129	182	64	74	129	165	48	68	2	65	77	—
Mumps ...	1	2	—	4	20	18	4	1	5	2	—	2	1	1	—	—	—	—
Diphtheria ...	39	51	9	—	—	1	95	116	25	32	66	70	11	8	—	34	29	—
Cerebro-spinal Fever ...	1	2	—	—	—	—	1	—	3	—	—	1	1	3	—	2	2	—
Pyrexia* (origin uncertain)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ...	12	7	1	1	6	6	41	40	11	6	21	26	11	8	—	26	13	—
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	3	—	2	—	1	1	5	4	—	1	2	4	1	1	—	3	2	—
Infective Enteritis, Epidemic	32	15	2	1	5	4	115	104	16	11	108	103	30	14	—	29	20	—
Diarrhoea.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)	15	40	4	3	15	7	170	124	38	27	55	60	34	25	—	49	42	—
Dysentery ...	—	—	—	—	—	1	7	9	1	—	1	2	—	—	—	—	1	—

Note.—For continuation of this Table, see page 345.

* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.					
	Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		Northumber- land.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... of	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cow-pox and other effects of Vaccination.	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox ...	2	126	—	—	—	—	9	12	6	2	—	—	—	2	1	150	—	95
Measles (Morbili) ...	130	60	82	—	106	89	754	723	421	405	43	49	19	18	148	—	90	—
German Measles ...	—	—	—	—	1	1	1	—	—	1	—	—	—	1	—	—	—	—
Scarlet Fever ...	22	11	14	18	28	34	336	325	104	121	12	12	11	6	46	51	16	18
Typhus ...	1	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—
Plague ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	50	56	43	39	56	59	334	305	249	212	51	52	36	38	115	92	53	48
Whooping-cough ...	77	100	59	74	80	135	751	1012	380	488	48	45	43	54	209	249	82	91
Mumps ...	3	2	—	—	2	1	4	9	6	4	—	2	2	1	1	2	1	3
Diphtheria ...	40	32	37	43	68	81	293	352	191	206	41	25	43	59	98	109	39	40
Cerebro-spinal Fever ...	4	1	—	2	4	2	9	8	2	2	2	1	1	—	1	—	4	3
Pyrexia* (origin uncertain)	—	—	—	—	—	—	1	—	1	1	—	—	—	—	1	—	—	—
Enteric Fever ...	18	15	13	13	22	29	263	209	119	90	22	17	20	15	57	49	21	13
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	3	6	3	2	3	1	25	25	14	4	—	—	1	2	5	2	3	—
Infective Enteritis, Epidemic	72	67	34	22	72	52	780	633	377	325	91	85	68	62	201	168	91	60
Diarrhoea.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)	56	52	27	27	54	67	542	442	269	227	71	60	38	56	193	143	59	54
Dysentery ...	1	4	—	—	5	2	18	10	2	2	2	2	1	1	1	—	1	1

Note.—For continuation of this Table, see page 346.

* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

CAUSES OF DEATH IN REGISTRATION COUNTIES, 1910—continued.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.												
	Cumberland.		Westmorland.		Monmouth-shire.		Glamorgan-shire.		Cardmarthen-shire.		Pembroke-shire.		Cardiganshire.		Brecknock-shire.		
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
Small-pox { Vaccinated ... Not Vaccinated ... Doubtful ... of	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cow-pox and other effects of Vaccination.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Chicken-pox ...	1	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—
Measles (Morbilli) ...	19	15	1	—	105	91	245	254	9	4	4	—	1	—	15	—	15
German Measles ...	1	1	—	—	17	12	46	48	4	2	4	—	2	—	3	—	1
Scarlet Fever ...	14	19	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Typhus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Plague ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Influenza ...	19	24	8	4	34	28	82	79	7	15	6	8	15	16	8	9	3
Whooping-cough ...	15	39	1	1	52	57	116	140	29	34	16	14	5	8	—	—	—
Mumps ...	—	1	—	—	2	—	1	—	13	—	8	—	—	1	—	—	—
Diphtheria ...	23	14	8	6	23	25	62	79	—	7	—	12	6	4	2	—	—
Cerebro-spinal Fever ...	—	—	—	—	—	—	2	3	1	—	—	—	—	—	—	—	—
Pyrexia* (origin uncertain) ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Enteric Fever ...	4	3	—	—	19	5	25	27	3	4	—	1	—	—	3	—	3
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	3	—	—	—	1	1	2	4	—	1	—	—	—	—	—	—	—
Infective Enteritis, Epidemic Diarrhoea.	10	11	—	—	25	20	142	113	2	1	1	2	—	—	—	—	1
Diarrhoea (not otherwise defined)	20	12	1	1	23	17	89	94	5	10	5	9	5	5	1	—	—
Dysentery ...	2	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 347.

* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

CAUSES OF DEATH.	PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.									
	Radnorshire.		Montgomeryshire.		Flintshire.		Denbighshire.		Merionethshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Vaccinated ...	—	—	—	—	—	—	—	—	—	—
Not Vaccinated ...	—	—	—	—	—	—	—	—	—	—
Doubtful ...	—	—	—	—	—	—	—	—	—	—
of	—	—	—	—	—	—	—	—	—	—
Cow-pox and other effects of Vaccination.	—	—	—	—	—	—	—	—	—	—
Chicken-pox ...	—	—	—	—	—	—	—	—	—	—
Measles (Morbilli) ...	—	—	—	—	—	—	—	—	—	—
German Measles ...	—	—	—	—	—	—	—	—	—	—
Scarlet Fever ...	—	—	—	—	—	—	—	—	—	—
Typhus ...	—	—	—	—	—	—	—	—	—	—
Plague ...	—	—	—	—	—	—	—	—	—	—
Relapsing Fever ...	—	—	—	—	—	—	—	—	—	—
Influenza ...	—	—	—	—	—	—	—	—	—	—
Whooping-cough ...	—	—	—	—	—	—	—	—	—	—
Mumps ...	—	—	—	—	—	—	—	—	—	—
Diphtheria ...	—	—	—	—	—	—	—	—	—	—
Cerebro-spinal Fever ...	—	—	—	—	—	—	—	—	—	—
Pyrexia* (origin uncertain)	—	—	—	—	—	—	—	—	—	—
Enteric Fever ...	—	—	—	—	—	—	—	—	—	—
Asiatic Cholera ...	—	—	—	—	—	—	—	—	—	—
Diarrhoea due to Food† ...	—	—	—	—	—	—	—	—	—	—
Infective Enteritis, Epidemic	—	—	—	—	—	—	—	—	—	—
Diarrhoea.	—	—	—	—	—	—	—	—	—	—
Diarrhoea (not otherwise defined)	—	—	—	—	—	—	—	—	—	—
Dysentery ...	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 348.

* Called Simple Continued Fever previous to 1901.

† i.e., deaths stated to be so caused.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1910—continued from page 335.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
Tetanus	153	44	20	5	12	3	10	2	8	1	2	1	1	—
Malaria	44	7	4	1	2	1	—	1	2	—	5	—	—	—
Rabies	1	—	1	—	—	—	—	—	—	—	—	—	—	—
Hydrophobia	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	1	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax	11	4	—	—	1	—	—	—	1	—	—	—	—	—
(Splenic Fever)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	957	682	184	117	24	20	25	22	13	12	35	19	4	2
Gonorrhœa	14	21	1	3	—	1	1	—	—	—	—	—	—	—
Puerperal Septicæmia,	—	967	—	145	—	24	—	21	—	20	—	13	—	4
Septic Intoxication.	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Pyæmia	—	91	—	10	—	1	—	2	—	1	—	3	—	1
Phlegmasia Alba Dolens	—	55	—	7	—	3	—	—	—	2	—	—	—	1
Puerperal Fever (not otherwise defined).	—	161	—	8	—	1	—	2	—	1	—	2	—	—
Infective Endocarditis	246	276	80	77	7	8	5	7	5	7	7	3	3	4
{ Lobar	3373	1904	493	286	76	63	55	46	33	23	45	30	10	2
{ Broncho-	9308	8239	1421	1385	190	170	168	149	101	95	147	122	32	24
{ Epidemic	6	3	—	—	—	1	—	—	—	—	—	—	—	—
{ Not defined	9854	7073	1620	1194	167	145	179	107	148	149	216	141	50	43
Erysipelas	433	393	59	73	8	7	9	10	11	7	12	7	5	2
Septicæmia, Septic Intoxication	173	127	30	24	4	3	6	5	—	1	1	1	1	2
(not Puerperal).	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pyæmia (not Puerperal)	65	53	12	10	—	1	2	3	—	1	2	—	1	—
Phlegmon, Carbuncle (not Anthrax)	422	275	85	40	21	9	8	11	7	5	6	14	4	1
Phagedæna	3	2	1	—	—	—	—	—	—	—	—	1	—	—
Other Infective Processes	145	59	23	15	1	—	5	1	2	—	4	2	—	—

Note.—For continuation of this Table, see page 349.

DIVISION III.
SOUTH MIDLAND COUNTIES.

CAUSES OF DEATH.	Middlesex.		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.		Bedfordshire.		Cambridgeshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tetanus	9	3	2	1	—	—	1	1	3	—	—	—	—	—	2	1
Malaria	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
Syphilis	13	23	1	4	—	—	3	1	3	5	1	—	3	—	5	—
Gonorrhoea	—	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—
Puerperal Septicæmia, Puerperal Septic Intoxication.	—	27	—	6	—	1	—	3	—	5	1	—	—	3	—	4
Puerperal Pyæmia	—	4	—	—	—	—	—	—	—	1	—	—	—	1	—	1
Phlegmasia Alba Dolens	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	1
Puerperal Fever (not otherwise defined).	—	3	—	1	—	1	—	1	—	2	—	—	—	1	—	—
Infective Endocarditis	4	13	—	3	—	2	3	1	1	1	1	—	—	1	1	1
{ Lobar	50	54	21	12	8	6	13	5	22	9	—	1	14	6	7	6
{ Broncho-	186	193	28	30	27	18	29	26	55	51	5	6	31	21	33	31
{ Epidemic	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
{ Not defined	222	184	53	35	39	27	49	28	83	54	14	5	44	39	40	43
Erysipelas	12	4	2	4	1	1	2	3	2	3	2	—	1	1	2	3
Septicæmia, Septic Intoxication (not Puerperal).	5	4	1	—	3	1	3	1	—	—	—	—	—	—	—	2
Pyæmia (not Puerperal)	1	1	—	1	—	—	—	2	1	—	—	—	1	—	—	—
Phlegmon, Carbuncle (not Anthrax)	12	2	1	3	1	—	5	3	3	2	1	—	1	—	4	—
Phagedæna	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Infective Processes	2	3	—	—	—	1	1	—	1	—	—	—	—	1	1	2

Note.—For continuation of this Table, see page 350.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1910—continued from page 337.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.						DIVISION V. SOUTH WESTERN COUNTIES.					
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tetanus	5	1	3	1	3	—	—	1	—	—	5	—
Malaria	4	—	—	—	—	—	—	—	—	—	2	—
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	—	—	—	—	—	—	—	—	—	—	1	—
Syphilis	24	19	8	8	18	5	6	3	3	—	30	17
Gonorrhœa	2	1	—	—	—	—	1	—	—	—	1	—
Puerperal Septicæmia, Puerperal Septic Intoxication.	—	20	—	3	—	10	—	3	—	—	—	8
Puerperal Pyæmia	—	5	—	—	—	—	—	—	—	—	—	—
Phlegmasia Alba Dolens	—	2	—	1	—	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined).	—	2	—	1	—	1	—	—	—	—	—	—
Infective Endocarditis	9	13	1	1	—	2	1	1	—	—	8	9
{ Lobar	84	41	9	13	17	9	8	7	4	—	32	34
{ Broncho-	272	228	70	56	74	47	36	26	31	24	103	119
{ Epidemic	—	—	—	—	—	—	—	—	—	—	—	—
{ Not defined	270	191	58	38	75	61	50	38	40	32	158	114
Erysipelas	23	10	2	2	7	1	2	3	2	—	8	6
Septicæmia, Septic Intoxication (not Puerperal).	4	2	3	1	4	1	2	—	1	2	6	—
Pyæmia (not Puerperal)	2	3	—	—	4	—	—	—	2	—	3	2
Phlegmon, Carbuncle (not Anthrax)	14	2	6	1	5	3	1	2	1	—	8	—
Phagedæna	—	—	—	—	—	—	—	—	—	—	—	—
Other Infective Processes	4	1	2	—	—	—	1	—	—	—	5	1

Note.—For continuation of this Table, see page 351.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.							
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tetanus	5	2	—	—	1	—	3	2	2	—	2	2	3	1	—	—	3	1
Malaria	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	2	—
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever) ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	19	16	3	—	6	2	34	27	9	6	42	11	8	4	—	—	17	11
Gonorrhoea	1	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—
Puerperal Septicæmia, Puerperal Septic Intoxication.	—	19	—	5	—	4	—	44	—	18	—	51	—	4	—	—	—	5
Puerperal Pyæmia	—	1	—	—	—	—	—	2	—	1	—	3	—	1	—	—	—	1
Phlegmasia Alba Dolens ...	—	—	—	—	—	—	—	1	—	2	—	3	—	1	—	—	—	—
Puerperal Fever (not otherwise defined).	—	2	—	—	—	2	—	10	—	1	—	3	—	—	—	—	—	—
Infective Endocarditis	12	5	1	3	2	2	8	2	3	4	7	11	4	2	—	—	1	3
{ Lobar	53	37	7	3	16	6	97	57	42	24	82	45	25	12	—	—	35	15
{ Broncho-	128	118	15	15	60	42	351	265	108	91	281	232	98	77	2	1	119	88
{ Epidemic	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
{ Not defined	133	97	32	14	68	47	353	274	145	119	265	227	—	52	5	118	81	
Erysipelas	8	11	1	1	4	6	16	17	4	8	17	15	4	4	—	2	2	2
Septicæmia, Septic Intoxication (not Puerperal).	4	6	1	2	—	—	5	5	3	1	7	5	1	—	—	2	1	1
Pyæmia (not Puerperal)	1	—	1	—	1	2	—	2	—	—	4	2	1	—	—	—	—	3
Phlegmon, Carbuncle (not Anthrax)	5	2	1	1	4	—	14	18	6	7	14	12	6	—	—	6	—	—
Phagedæna	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Infective Processes ...	4	2	—	—	—	1	8	1	1	1	5	—	1	—	—	2	—	—

Note.—For continuation of this Table, see page 352.

CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued from page 339.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		Durham.		Northumberland.	
	Males.		Males.		Males.		Males.		Males.		Males.		Males.		Males.	
	Females.		Females.		Females.		Females.		Females.		Females.		Females.		Females.	
Tetanus	1	1	—	—	5	—	10	2	7	2	—	—	4	2	5	2
Malaria	—	—	—	—	1	—	10	1	5	2	—	—	1	—	1	—
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	—	—	—	—	—	—	1	1	4	2	—	—	—	—	1	—
Syphilis	38	10	8	9	12	18	115	103	102	74	19	13	37	26	18	10
Gonorrhœa	—	—	—	—	—	1	3	4	—	4	—	—	—	1	—	—
Puerperal Septicæmia, Puerperal Septic Intoxication	—	11	—	19	—	19	—	146	—	94	—	11	—	42	—	23
Puerperal Pyæmia	—	—	—	4	—	2	—	16	—	12	—	2	—	7	—	2
Phlegmasia Alba Dolens	—	2	—	1	—	1	—	9	—	2	—	—	—	3	—	1
Puerperal Fever (not otherwise defined).	—	1	—	1	—	6	—	34	—	22	—	3	—	14	—	3
Infective Endocarditis	3	3	2	6	2	7	29	30	10	13	—	2	2	5	1	4
{ Lobar	40	36	31	16	88	37	760	423	342	184	37	23	160	77	99	38
{ Broncho-	208	196	118	100	243	181	1729	1518	892	792	120	119	439	394	215	202
Pneumonia	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
{ Epidemic	191	156	116	86	261	170	1505	1124	951	629	138	82	468	328	179	122
{ Not defined	5	5	6	2	14	11	64	55	47	44	7	8	15	19	6	6
Erysipelas	6	2	1	—	4	5	21	20	14	5	1	2	9	2	3	3
Septicæmia, Septic Intoxication (not Puerperal).	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pyæmia (not Puerperal)	2	—	—	—	1	1	5	6	6	4	2	—	2	2	1	4
Phlegmon, Carbuncle (not Anthrax)	3	4	4	3	12	3	57	39	31	18	6	4	9	9	3	8
Phagedæna	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Infective Processes	1	—	3	—	5	—	28	13	10	5	—	1	5	1	4	1

Note.—For continuation of this Table, see page 353.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Cumberland.		Westmorland.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardiganshire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tetanus	1	—	—	—	1	—	3	—	—	—	—	—	1	—	—	—
Malaria	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Syphilis	12	6	—	2	8	9	16	24	1	1	—	1	—	—	1	—
Gonorrhœa	—	—	—	1	—	—	2	1	—	—	—	—	—	—	—	—
Puerperal Septicæmia, Puerperal Septic Intoxication.	—	2	—	1	—	14	—	35	6	—	—	1	—	7	—	4
Puerperal Pyæmia	—	1	—	—	—	—	—	2	1	—	—	—	—	—	—	—
Phlegmasia Alba Dolens	—	—	—	—	—	2	—	1	1	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined).	—	—	—	1	—	3	—	10	1	—	—	—	—	—	—	2
Infective Endocarditis	—	1	1	1	1	1	8	3	—	1	—	—	—	—	1	—
Pneumonia {	27	13	2	3	57	23	109	47	11	10	2	3	7	5	4	3
	75	66	4	11	141	130	447	367	38	43	21	17	18	23	16	11
	—	—	—	—	1	1	—	—	—	—	—	—	1	—	—	—
Erysipelas	81	68	25	13	148	78	415	226	39	39	23	11	23	27	21	13
	3	4	—	—	—	2	17	8	3	—	1	1	1	—	1	2
Septicæmia, Septic Intoxication (not Puerperal).	1	—	—	1	2	1	6	7	—	—	—	—	—	—	—	—
Pyæmia (not Puerperal)	1	—	—	—	1	—	1	2	1	2	—	—	—	—	1	—
Phlegmon, Carbuncle (not Anthrax)	1	2	—	—	3	6	20	8	4	2	—	2	—	1	—	—
Phagedæna	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Other Infective Processes	2	1	—	—	2	—	7	3	1	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 354.

CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued from page 341.

[CAUSES OF DEATH.	PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.									
	Radnorshire.		Montgomery-shire.		Flintshire.		Denbighshire.		Merionethshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tetanus	—	—	—	—	1	—	—	—	—	—
Malaria	—	—	—	—	—	—	—	—	—	—
Rabies, Hydrophobia	—	—	—	—	—	—	—	—	—	—
Glanders	—	—	—	—	—	—	—	—	—	—
Anthrax (Splenic Fever)	—	—	—	—	—	—	—	—	—	—
Syphilis	—	—	—	—	—	—	1	—	—	—
Gonorrhoea	—	—	—	—	—	—	—	2	—	—
Puerperal Septicæmia, Puerperal Septic Intoxication.	—	—	—	2	—	—	—	4	—	3
Puerperal Pyæmia	—	—	—	—	—	—	—	—	—	1
Phlegmasia Alba Dolens	—	—	—	—	—	—	—	—	—	—
Puerperal Fever (not otherwise defined).	—	—	—	1	—	—	—	3	—	—
Infective Endocarditis	—	—	—	—	2	—	—	—	—	—
{ Lobar	3	2	6	5	7	5	23	5	6	1
{ Broncho-	4	—	5	4	18	6	44	47	11	14
{ Epidemic	—	—	1	—	—	—	—	—	—	—
Pneumonia	—	—	18	9	24	13	50	28	22	11
{ Not defined	2	—	—	—	—	—	2	1	1	—
Erysipelas	—	—	—	—	—	—	1	—	—	—
Septicæmia, Septic Intoxication (not Puerperal).	—	—	—	1	—	—	—	—	—	—
Pyæmia (not Puerperal)	—	—	—	—	—	—	—	—	—	—
Phlegmon, Carbuncle (not Anthrax)	—	—	—	1	—	—	—	—	—	—
Phagedæna	—	—	—	—	—	—	—	—	—	—
Other Infective Processes	—	—	—	—	1	—	—	—	—	—

Note.—For continuation of this Table, see page 355.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1910—continued from page 342.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.				Hampshire.		Berkshire.	
	Males.	Females.	Males.	Females.	Surrey.		Kent.		Sussex.		Males.	Females.
					Males.	Females.	Males.	Females.	Males.	Females.	Males.	
Pulmonary Tuberculosis (Tuberculous Phthisis).	11992	8800	2545	1425	314	206	361	278	202	136	92	80
Phthisis (not otherwise defined) ...	8538	7004	899	662	191	126	206	187	174	122	56	34
Tuberculous Meningitis ...	2889	2582	428	383	50	56	59	74	44	37	21	14
Tuberculous Peritonitis ...	1820	1734	186	163	26	27	32	44	22	31	10	10
Tabes Mesenterica ...	424	367	31	21	7	3	5	5	3	3	1	1
Lupus ...	15	46	4	5	—	2	—	—	—	2	—	2
Tubercle of other Organs ...	1243	945	184	111	26	27	33	29	21	24	15	10
General Tuberculosis ...	1523	1361	220	190	26	18	39	34	25	28	8	4
Scrofula ...	14	20	1	1	—	—	—	—	—	—	—	—
Parasitic Diseases ...	103	75	12	4	—	2	2	2	1	2	1	1
Starvation ...	22	7	4	—	1	—	2	—	1	1	—	1
Scurvy ...	25	19	1	2	3	—	—	2	—	—	—	—
Alcoholism, Delirium Tremens ...	862	628	158	154	14	15	16	14	18	20	10	5
Opium, Morphia-habit ...	4	6	—	2	—	—	—	1	—	—	1	—
Industrial Poisoning:—												
By Lead ...	80	6	6	—	1	—	1	—	1	—	—	—
“ Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—
“ Arsenic and other Poisons ...	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 356.

CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued from page 343.

CAUSES OF DEATH	DIVISION III. SOUTH MIDLAND COUNTIES.											
	Middlesex.		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Pulmonary Tuberculosis (Tuberculous Phthisis).	319	226	86	72	36	32	48	42	87	83	13	14
Phthisis (not otherwise defined) ...	197	139	35	32	34	18	51	40	85	79	10	15
Tuberculous Meningitis ...	68	51	8	16	5	11	4	9	23	25	1	2
Tuberculous Peritonitis ...	26	25	8	9	5	5	1	6	9	16	—	1
Tubes Mesenterica ...	9	2	—	—	—	3	—	—	1	1	—	—
Lupus ...	—	1	—	1	—	1	—	—	—	2	—	1
Tubercle of other organs ...	20	18	10	6	4	3	6	6	8	13	5	1
General Tuberculosis ...	27	27	4	6	6	1	6	6	6	9	6	6
Scrophula ...	—	1	—	—	—	—	—	—	—	—	—	—
Parasitic Diseases ...	2	1	—	—	—	—	—	—	1	1	—	—
Starvation ...	—	—	—	1	—	—	1	1	—	—	—	—
Scurvy ...	—	—	—	—	—	—	—	—	—	—	—	—
Alcoholism, Delirium Tremens ...	22	13	5	3	1	6	6	1	3	1	—	1
Opium, Morphia-habit	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Poisoning:—	—	—	—	—	—	—	—	—	—	—	—	—
By Lead ...	2	—	—	—	1	—	—	—	1	—	—	—
" Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—
" Arsenic and other Poisons	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 357.

CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued from page 344.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.						DIVISION V. SOUTH WESTERN COUNTIES.					
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Pulmonary Tuberculosis (Tuberculous Phthisis).	456	318	89	74	111	115	56	49	61	43	225	246
Phthisis (not otherwise defined) ...	219	215	86	86	108	98	53	56	39	36	157	144
Tuberculous Meningitis	100	79	19	24	24	36	12	17	10	8	24	51
Tuberculous Peritonitis	41	31	9	17	23	21	10	10	4	12	25	33
Tubes Mesenterica	7	8	2	—	—	2	1	—	1	—	5	2
Lupus ..	1	2	—	—	2	1	—	1	—	—	—	1
Tubercle of other Organs	29	20	8	10	17	6	10	6	4	8	26	29
General Tuberculosis	48	43	13	16	21	15	5	8	7	3	31	26
Scrofula	—	—	—	—	—	—	—	—	—	1	1	—
Parasitic Diseases	1	—	—	—	2	1	—	—	—	1	—	—
Starvation	1	—	—	1	—	1	—	—	—	—	—	—
Scurvy	—	—	—	—	1	—	—	—	—	—	—	—
Alcoholism, Delirium Tremens	20	18	6	3	9	9	9	2	4	—	14	9
Opium, Morphia-habit	—	—	—	—	—	—	—	—	—	—	1	—
Industrial Poisoning:—	—	—	—	—	—	—	—	—	—	—	—	—
By Lead	4	—	1	—	1	—	—	—	—	—	3	—
Phosphorus	—	—	—	—	—	—	—	—	—	—	—	—
Arsenic and other Poisons	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 358.

CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued from page 345.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.							
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Pulmonary Tuberculosis (Tuberculous Phthisis).	203	201	31	23	56	42	422	293	155	109	304	186	141	121	3	4	117	95
Phthisis (not otherwise defined) ...	117	114	18	14	68	54	291	243	106	97	382	248	126	106	4	5	133	125
Tuberculous Meningitis ...	56	46	5	2	18	11	118	106	32	32	82	70	32	46	1	1	35	45
Tuberculous Peritonitis ...	33	19	4	5	11	12	97	84	20	19	37	34	22	24	—	—	26	25
Tubes Mesenterica ...	6	5	—	—	—	—	29	36	2	8	13	13	2	3	—	1	6	3
Lupus... ..	—	3	—	—	—	—	—	1	—	1	—	—	—	—	—	1	—	1
Tubercle of other organs ...	34	18	2	2	4	2	43	38	10	15	25	22	18	16	—	—	13	18
General Tuberculosis ...	18	23	3	5	13	7	48	65	26	30	37	30	18	16	—	1	21	20
Scrofula ...	—	—	1	—	1	—	—	1	—	1	—	1	—	—	—	—	—	1
Parasitic Diseases ...	2	4	—	—	2	—	4	—	2	2	5	—	2	—	—	—	5	1
Starvation ...	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
Scurvy ...	1	—	—	—	—	—	1	1	1	—	—	1	1	—	—	—	—	1
Alcoholism, Delirium Tremens ...	16	10	3	2	10	1	16	15	5	1	14	17	6	6	—	1	13	8
Opium, Morphia-habit ...	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
Industrial Poisoning :—																		
By Lead ...	4	—	—	—	—	—	7	6	1	—	2	—	—	—	—	—	2	—
” Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
” Arsenic and other Poisons	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 359.

CAUSES OF DEATH.	PART OF DIVISION VII, N. MIDLAND COUNTIES.				DIVISION VIII, N. W. COUNTIES.				DIVISION IX, YORKSHIRE.				PART OF DIVISION X, NORTHERN COUNTIES.					
	Nottingham- shire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		Northumber- land.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Pulmonary Tuberculosis (Tuber- culous Phthisis).	177	166	112	105	216	166	1811	1356	961	645	137	106	120	96	271	267	224	162
<i>Phthisis</i> (not otherwise defined) ...	167	166	133	101	233	209	1432	1053	688	554	158	128	82	78	411	357	210	190
Tuberculous Meningitis ...	76	52	52	31	80	68	441	406	244	225	35	32	51	27	161	120	91	71
Tuberculous Peritonitis ...	48	54	40	27	55	38	331	316	224	177	24	23	20	24	117	126	48	60
<i>Tabes Mesenterica</i> ...	6	5	4	3	18	10	81	89	42	29	4	3	7	5	56	44	17	11
Lupus ...	—	—	—	—	2	4	1	4	1	2	—	1	—	—	2	3	—	—
Tubercle of other Organs ...	22	15	23	11	33	24	204	142	111	89	14	14	17	12	46	28	30	28
General Tuberculosis ...	32	23	27	20	53	47	240	192	141	122	25	26	20	33	76	66	47	33
<i>Scrophula</i> ...	—	2	—	1	—	—	1	5	3	2	—	—	—	—	—	—	—	—
Parasitic Diseases ...	3	—	—	1	2	2	18	19	14	13	2	2	1	—	1	4	1	—
Starvation ...	—	—	—	—	1	—	4	1	1	—	—	—	—	—	1	—	—	1
Scurvy ...	—	—	—	—	—	—	4	6	3	1	1	—	1	—	2	—	1	9
Alcoholism, Delirium Tremens ...	7	13	18	8	21	18	163	105	71	37	10	12	15	9	30	18	13	—
Opium, Morphia-habit ...	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
Industrial Poisoning:—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
By Lead ...	—	—	1	—	2	—	9	—	11	—	1	—	—	—	4	—	—	—
„ Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
„ Arsenic and other Poisons ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 360.

CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued from page 347.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.									
	Cumberland.		Westmorland.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardiganshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Pulmonary Tuberculosis (Tuberculous Phthisis).	55	64	9	10	76	67	304	316	55	47	28	27	50	62
Phthisis (not otherwise defined) ...	76	79	14	8	66	72	240	239	41	49	30	30	29	26
Tuberculous Meningitis ...	33	23	4	7	27	21	101	98	22	10	6	2	6	2
Tuberculous Peritonitis ...	18	18	2	3	12	12	63	52	9	1	2	6	5	6
Tubes Mesenterica ...	9	6	—	1	8	10	27	16	—	—	1	—	—	—
Lupus ...	—	—	—	—	—	—	1	1	—	—	—	—	1	1
Tubercle of other Organs ...	15	4	1	2	12	8	32	23	4	6	3	2	3	6
General Tuberculosis ...	11	5	1	2	17	3	38	55	6	9	4	4	1	3
Scrofula ...	—	—	—	—	—	—	2	1	—	—	—	—	—	—
Parasitic Diseases ...	1	—	—	—	2	—	1	1	—	—	—	—	—	1
Starvation ...	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Scurvy ...	—	1	—	—	1	—	1	—	—	—	—	—	—	—
Alcoholism, Delirium Tremens ...	8	7	6	—	9	2	26	16	1	1	—	3	3	1
Opium, Morphia-habit ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Industrial Poisoning:—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
By Lead ...	1	—	—	—	1	—	4	—	—	—	—	—	—	—
" Phosphorus ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
" Arsenic and other Poisons ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 361.

CAUSES OF DEATH.	PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.									
	Radnorshire.		Montgomery- shire.		Flintshire.		Denbighshire.		Merionethshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Pulmonary Tuberculosis (Tuber- culous Phthisis). <i>Phthisis</i> (not otherwise defined)...	2	2	20	19	17	15	31	25	23	16
Tuberculous Meningitis ...	5	4	17	17	10	13	39	44	18	20
Tuberculous Peritonitis ...	3	3	4	2	3	1	18	9	5	8
<i>Tuberc Mesenterica</i> ...	1	2	1	2	4	7	10	10	4	4
Lupus... ..	—	—	—	1	—	—	1	—	1	1
Tubercle of other organs ...	—	—	—	—	—	—	—	—	—	—
General Tuberculosis ...	—	1	1	2	1	4	7	3	3	7
<i>Scrophula</i> ...	—	1	1	2	1	—	8	9	1	4
Parasitic Diseases ...	—	—	—	—	—	—	—	—	—	—
Starvation ...	—	—	—	1	—	—	—	—	—	—
Scurvy ...	—	—	—	—	—	—	—	—	—	—
Alcoholism, Delirium Tremens ...	—	1	—	—	3	—	4	1	2	2
Opium, Morphia-habit ...	—	—	—	—	—	—	—	—	—	—
Industrial Poisoning:—	—	—	—	—	—	—	—	—	—	—
By Lead ...	—	—	—	—	—	—	1	—	—	—
" Phosphorus ...	—	—	—	—	—	—	—	—	—	—
" Arsenic and other Poisons	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 362.

DIVISION IV.
SOUTH MIDLAND COUNTIES.

CAUSES OF DEATH.	Middlesex.		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.		Bedfordshire.		Cambridgeshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Rheumatic Fever, Acute Rheumatism.	19	27	7	5	4	6	3	6	5	4	—	—	5	2	3	5
<i>Rheumatism of Heart</i> ...	4	2	4	2	—	—	1	1	1	—	—	—	1	—	—	1
Chronic Rheumatism ...	2	2	—	1	1	2	1	2	2	2	—	1	1	—	2	—
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .	7	16	3	10	5	4	5	4	3	6	1	4	1	3	1	5
Gout ...	11	4	4	1	2	1	5	—	3	1	1	—	3	—	2	1
Carcinoma ...	191	344	68	111	43	68	49	86	73	119	19	18	49	60	80	111
Sarcoma ...	27	23	7	13	6	11	11	5	13	4	—	5	5	6	5	8
Cancer, Malignant Disease (not otherwise defined).	127	161	45	57	34	37	29	40	80	105	11	17	26	44	48	43
Rickets ...	9	5	2	2	1	1	1	3	6	8	—	—	1	2	2	3
Purpura ...	5	3	1	2	—	—	4	—	1	2	—	—	—	1	3	1
Hæmophilia, Hæmorrhagic Diathesis	—	—	1	—	—	—	—	—	1	—	—	—	—	1	—	—
Anæmia, Leucocythæmia ...	21	26	7	10	5	5	10	12	15	9	—	—	4	7	6	10
Diabetes Mellitus ...	64	49	15	19	12	13	14	18	18	29	3	2	11	15	22	10
Premature Birth ...	248	204	41	39	41	37	35	32	94	81	11	9	46	46	45	29
Congenital Hydrocephalus...	3	2	2	1	—	—	1	2	3	3	—	—	—	—	—	—
Other Congenital Defects ...	78	45	7	5	10	12	15	7	24	16	1	4	8	10	15	7
Injury at Birth ...	17	12	1	2	5	1	2	1	5	1	1	—	1	2	1	2
Atelectasis ...	22	20	6	3	2	1	—	1	15	2	1	—	1	2	8	2
Want of Breast Milk	13	12	1	1	1	—	2	1	6	5	—	—	—	4	1	—
Teething ...	11	11	3	1	7	6	2	3	5	2	—	1	2	6	1	4

Note.—For continuation of this Table, see page 364.

CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued from page 351.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.						DIVISION V. SOUTH WESTERN COUNTIES.					
	Essex.		Suffolk.		Norfolk.		Dorsetshire.		Devonshire.		Cornwall.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Rheumatic Fever, Acute Rheumatism.	32	22	3	7	5	5	3	1	10	12	11	5
Rheumatism of Heart	4	7	1	2	6	6	1	2	1	3	—	2
Chronic Rheumatism	7	15	—	1	2	2	2	3	5	6	—	2
Rheumatoid Arthritis, Rheumatic Gout.	11	19	10	9	16	16	—	2	11	20	4	8
Gout	16	2	8	—	5	—	1	1	8	4	—	1
Carcinoma	302	388	109	162	96	167	60	74	163	262	84	125
Sarcoma	24	22	11	15	18	22	4	6	25	30	10	8
Cancer, Malignant Disease (not otherwise defined).	154	219	78	84	110	166	51	56	119	137	60	65
Rickets	17	12	2	6	8	5	3	—	9	12	9	18
Purpura	8	—	1	—	—	3	—	1	—	2	2	3
Hæmophilia, Hæmorrhagic Diathesis	1	3	1	1	3	—	—	—	1	—	—	—
Anæmia, Leucocythæmia	28	31	8	9	10	18	8	8	27	19	20	15
Diabetes Mellitus	52	53	33	27	35	27	12	18	44	49	31	29
Premature Birth	302	242	80	71	116	103	63	42	126	94	80	53
Congenital Hydrocephalus	5	6	—	2	1	—	2	1	5	1	1	1
Other Congenital Defects	77	60	27	15	28	20	13	19	38	13	21	12
Injury at Birth	14	8	2	2	6	4	4	2	5	8	6	6
Atelectasis	27	23	5	4	4	4	5	1	9	11	4	—
Want of Breast Milk	12	9	2	1	2	3	—	2	5	3	—	2
Teething	17	20	8	8	11	6	4	2	10	5	6	5

Note.—For continuation of this Table, see page 365.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.							
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Rheumatic Fever, Acute Rheumatism.	18	13	2	1	4	8	25	37	15	10	18	14	7	12	—	3	10	
<i>Rheumatism of Heart</i> ...	6	—	—	1	—	1	5	4	—	3	2	4	1	—	—	1	3	
Chronic Rheumatism ...	2	2	—	—	1	—	4	9	—	2	5	5	1	3	—	3	1	
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .	7	18	—	3	1	8	9	19	4	14	10	26	2	8	—	4	14	
Gout ...	17	—	—	—	3	—	12	7	5	—	11	2	2	—	1	13	2	
Carcinoma ...	196	252	29	36	84	113	251	359	148	191	271	333	118	151	3	106	185	
Sarcoma ...	16	23	5	6	13	9	32	33	10	9	37	22	12	9	—	17	18	
Cancer, Malignant Disease (not otherwise defined).	102	125	15	26	44	55	182	225	60	108	123	155	75	106	6	102	135	
Rickets ...	8	7	—	—	3	—	22	13	8	7	14	10	8	4	—	15	8	
Purpura ...	3	1	—	3	1	1	7	11	4	3	1	4	1	—	—	4	2	
Hæmophilia, Hæmorrhagic Diathesis	2	1	—	—	—	—	3	1	1	—	3	—	1	—	—	4	—	
Anæmia, Leucocythæmia ...	26	21	4	3	12	9	38	52	7	17	20	29	10	17	—	16	17	
Diabetes Mellitus ...	39	53	11	8	18	13	63	51	32	34	53	46	21	19	2	49	30	
Premature Birth ...	161	119	21	20	46	50	437	345	128	105	348	254	151	112	1	151	118	
Congenital Hydrocephalus	3	—	—	—	—	—	8	3	1	2	5	1	3	2	—	1	3	
Other Congenital Defects ...	41	24	9	8	14	17	111	89	39	16	66	49	25	24	—	21	31	
Injury at Birth ...	9	5	1	1	4	2	22	14	10	2	18	11	7	4	—	10	7	
Atelectasis ...	17	10	2	3	7	1	43	23	17	12	20	20	5	7	—	10	11	
Want of Breast Milk	3	4	1	—	1	3	16	11	2	—	1	5	2	2	—	2	2	
<i>Teething</i> ...	8	11	2	—	5	2	32	36	11	5	25	10	15	10	1	20	16	

Note.—For continuation of this Table, see page 366.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1910—continued from page 353.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		Durham.		Northumberland.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Rheumatic Fever, Acute Rheumatism.	18	16	10	11	11	26	157	160	88	87	12	11	20	33	18	23
Rheumatism of Heart	1	2	1	3	1	3	28	40	20	20	3	3	6	7	1	1
Chronic Rheumatism	1	4	4	3	1	3	23	51	13	13	3	4	3	7	2	6
Rheumatoid Arthritis, Rheumatic Gout.	7	9	6	8	4	22	34	100	25	57	3	11	8	17	3	10
Gout	3	1	4	—	2	2	13	11	23	6	3	1	—	—	2	1
Carcinoma	139	213	108	138	169	309	1043	1498	595	974	113	164	210	305	169	208
Sarcoma	16	16	13	11	27	16	171	114	112	86	8	18	26	28	24	15
Cancer, Malignant Disease (not otherwise defined).	84	118	67	85	98	199	628	824	477	633	109	126	193	226	110	110
Rickets	15	12	7	7	16	12	99	72	75	65	5	8	27	22	18	12
Purpura	4	5	—	—	3	3	22	26	13	17	—	2	8	6	4	2
Hæmophilia, Hæmorrhagic Diathesis	1	1	1	—	2	2	10	3	4	2	1	—	2	2	3	—
Anæmia, Leucocythæmia	22	25	17	19	37	42	183	214	124	134	13	20	30	52	21	26
Diabetes Mellitus	32	42	30	33	67	59	256	261	184	196	33	18	57	58	38	40
Premature Birth	284	202	173	140	231	178	1408	1137	954	725	138	107	573	406	237	171
Congenital Hydrocephalus	3	2	7	3	3	1	23	17	12	13	2	2	11	7	6	5
Other Congenital Defects	58	37	43	35	67	42	380	325	236	174	31	25	131	94	65	46
Injury at Birth	6	4	4	4	11	4	61	40	38	38	5	4	35	29	9	7
Atelectasis	29	12	14	17	14	10	125	99	101	78	31	13	58	61	15	13
Want of Breast Milk	6	8	4	4	9	8	59	38	33	24	5	2	11	7	3	5
Teething	21	17	23	21	23	10	177	149	113	69	16	19	73	71	25	12

Note.—For continuation of this Table, see page 367.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1910—continued from page 354.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.												
	Cumberland.		Westmorland.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardiganshire.		Brecknock-shire.		
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	
Rheumatic Fever, Acute Rheumatism.	6	7	2	1	12	18	41	49	1	5	2	3	—	3	—	—	1
<i>Rheumatism of Heart</i> ...	1	—	—	—	2	1	8	2	1	2	—	2	1	—	1	—	—
Chronic Rheumatism ...	4	3	—	—	1	5	7	1	1	1	1	3	1	1	—	2	1
Rheumatoid Arthritis, <i>Rheumatic Gout</i> .	2	7	—	4	1	6	4	13	—	5	—	2	1	10	1	—	—
Gout ...	—	—	—	1	—	—	1	—	1	—	—	—	2	1	—	—	—
Carcinoma ...	49	87	22	36	68	92	204	260	19	35	23	28	27	28	16	21	—
Sarcoma ...	6	11	2	1	13	6	33	21	3	6	2	2	4	—	2	2	—
Cancer, Malignant Disease (not otherwise defined).	52	58	9	13	50	57	116	135	28	33	17	31	16	34	5	9	—
Rickets ...	4	1	—	—	5	5	20	9	4	1	—	—	2	—	1	2	—
Purpura ...	—	2	—	1	—	1	4	4	—	1	—	—	—	1	—	—	—
Hæmophilia, Hæmorrhagic Diathesis	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
Anæmia, Leucocythæmia ...	6	10	7	3	10	13	35	53	5	13	1	6	2	5	5	3	6
Diabetes Mellitus ...	16	14	5	3	11	18	35	39	7	7	8	8	—	5	2	—	—
Premature Birth ...	75	52	5	17	109	104	364	275	32	30	12	18	15	12	22	15	—
Congenital Hydrocephalus	3	3	1	—	3	2	7	4	—	1	1	—	—	—	1	—	—
Other Congenital Defects ...	16	23	3	3	45	22	83	81	17	7	5	1	2	—	3	4	—
Injury at Birth ...	5	5	—	1	3	2	9	8	2	—	2	1	3	3	—	—	—
Atelectasis ...	10	4	—	—	8	6	36	22	2	3	1	1	—	1	2	—	—
Want of Breast Milk	3	1	—	—	5	2	13	13	—	1	—	—	2	—	—	—	—
<i>Teething</i> ...	6	4	1	1	18	9	44	44	11	9	—	2	—	—	2	1	—

Note.—For continuation of this Table, see page 368.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.				Hampshire.		Berkshire.	
	Males.	Females.	Males.	Females.	Surrey.		Kent.		Sussex.		Males.	Females.
					Males.	Females.	Males.	Females.	Males.	Females.		
Meningitis, Inflammation of Brain	2653	2353	274	238	33	33	60	42	31	23	10	13
Softening of Brain ...	1075	1002	57	74	38	26	51	39	17	20	6	6
General Paralysis of Insane	1723	490	93	23	185	42	58	16	37	10	17	7
Insanity (not Puerperal) ...	940	1151	80	126	20	36	14	28	46	48	7	5
Chorea ...	31	106	2	9	—	—	—	2	1	2	—	1
Epilepsy ...	1396	1286	85	103	60	47	52	44	31	21	16	6
Convulsions ...	5315	4081	335	249	44	27	89	82	39	28	23	27
Laryngismus Stridulus ...	126	110	12	12	4	3	4	—	4	1	—	—
Locomotor Ataxy ...	485	95	81	14	9	3	15	2	12	5	2	—
Paraplegia, Diseases of Cord ...	1152	949	129	112	24	17	37	28	20	22	6	9
Neuritis, Peripheral, Poly-Neuritis	113	264	8	28	2	2	1	6	—	8	1	1
Brain Tumour (not Specific) ...	403	401	55	51	10	8	12	15	10	8	4	1
Other Diseases of Nervous System	1212	1199	130	116	57	69	40	29	28	35	8	5
Otitis, Mastoid Disease ...	579	439	94	95	12	6	13	6	6	6	2	—
Epistaxis, Diseases of Nose ...	35	35	4	6	2	1	—	—	—	1	1	—
Ophthalmia, Diseases of Eye ...	25	37	1	6	1	1	1	1	—	—	—	1
Valvular Disease, Endocarditis (not Infective).	7726	9043	1107	1268	199	244	250	261	166	184	66	82
Pericarditis ...	247	199	64	36	9	12	5	5	3	5	1	1
Hypertrophy of Heart ...	141	59	37	15	6	4	5	—	1	1	3	—
Angina Pectoris ...	716	294	84	37	14	5	24	10	18	9	9	—
Dilatation of Heart ...	1586	1609	160	198	61	44	39	46	29	28	18	18
Fatty Degeneration of Heart	1150	1267	207	208	36	55	42	37	21	38	6	10
Syncope, Heart Disease (not specified).	11789	12898	900	1296	193	241	353	373	227	272	103	135

Note.—For continuation of this Table, see page 370.

CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued from page 357.

CAUSES OF DEATH.	DIVISION III. SOUTH MIDLAND COUNTIES.											
	Middlesex.		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	36	32	6	12	7	6	9	10	30	18	2	1
Softening of Brain ...	18	26	20	18	11	5	3	7	11	10	—	4
General Paralysis of Insane	60	25	33	12	10	1	4	3	16	6	—	—
Insanity (not Puerperal) ...	51	75	8	8	2	6	13	21	3	8	1	—
Chorea ...	—	2	—	—	—	1	—	—	—	—	—	—
Epilepsy ...	33	27	13	9	7	1	—	—	—	—	—	—
Convulsions ...	78	50	14	16	25	10	13	7	13	5	2	2
Laryngismus Stridulus ...	3	2	1	1	—	—	—	—	30	28	3	1
Locomotor Ataxy ...	15	1	3	—	2	—	2	—	1	—	—	—
Paraplegia, Diseases of Cord	38	25	8	6	4	4	8	14	5	11	1	—
Neuritis, Peripheral, Poly-Neuritis	1	5	—	—	1	1	1	—	2	—	—	—
Brain Tumour (not Specific) ...	6	10	4	2	2	2	2	—	6	4	—	—
Other Diseases of Nervous System	20	22	10	8	8	7	5	6	20	18	1	3
Otitis, Mastoid Disease ...	14	9	4	2	2	1	2	—	5	1	1	—
Epistaxis, Diseases of Nose ...	2	1	—	—	—	—	—	—	—	—	—	—
Ophthalmia, Diseases of Eye ...	—	—	—	—	—	—	—	—	—	—	—	—
Valvular Disease, Endocarditis (not Infective).	178	225	102	95	44	36	42	60	56	71	9	12
Pericarditis ...	4	5	1	3	3	—	1	1	—	—	—	—
Hypertrophy of Heart ...	4	1	2	4	—	—	1	1	—	—	—	—
Angina Pectoris ...	20	5	5	1	4	2	1	2	9	1	3	—
Dilatation of Heart...	33	32	13	20	10	7	13	11	15	20	1	2
Fatty Degeneration of Heart	49	51	7	11	6	6	9	6	7	11	3	1
Syncope, Heart Disease (not specified).	210	268	82	87	75	65	74	84	131	156	19	18

Note.—For continuation of this Table, see page 371.

CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued from page 359.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.								PART OF DIVISION VII. NORTH MIDLAND COUNTIES.									
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	22	40	7	3	12	112	119	43	36	109	102	36	23	—	—	37	32	
Softening of Brain ...	28	40	3	2	3	26	23	26	20	30	29	19	15	2	—	30	24	
General Paralysis of Insane	30	7	—	2	8	18	47	8	11	52	13	11	7	1	—	32	12	
Insanity (not Puerperal) ...	49	49	2	3	5	61	64	9	7	42	39	9	2	—	—	16	17	
Chorea ...	2	2	—	—	—	2	—	2	—	1	4	—	3	—	—	1	3	
Epilepsy ...	16	27	7	9	11	63	49	19	25	37	28	21	15	—	—	27	26	
Convulsions ...	66	43	14	9	43	221	292	32	53	138	103	80	53	3	1	91	70	
Laryngismus Stridulus ...	2	2	—	—	—	7	5	2	3	5	1	3	2	—	—	—	1	
Locomotor Ataxy ...	13	3	3	—	3	5	14	—	7	9	1	5	—	—	—	7	1	
Paraplegia, Diseases of Cord	12	18	4	3	9	28	39	11	19	33	19	11	11	1	1	25	17	
Neuritis, Peripheral, Poly-Neuritis	1	5	—	—	2	19	3	8	3	3	14	—	6	—	—	1	4	
Brain Tumour (not Specific) ...	9	9	—	2	—	8	9	4	5	13	10	5	7	1	—	10	7	
Other Diseases of Nervous System	19	33	3	10	8	28	47	11	29	32	32	18	13	1	—	17	16	
Otitis, Mastoid Disease ...	7	7	1	—	3	13	25	5	7	21	19	14	8	—	—	10	8	
Epistaxis, Diseases of Nose	1	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	1	
Ophthalmia, Diseases of Eye	—	1	1	—	—	—	—	—	1	1	1	4	1	—	—	1	1	
Valvular Disease, Endocarditis (not Infective).	167	196	27	36	55	270	208	101	80	176	209	67	104	2	9	150	118	
Pericarditis ...	6	5	—	—	1	7	7	—	1	11	5	2	1	—	—	4	1	
Hypertrophy of Heart	4	2	—	1	2	2	3	1	2	1	2	—	—	—	—	2	1	
Angina Pectoris ...	14	8	1	—	4	5	18	3	7	16	3	—	—	1	—	13	6	
Dilatation of Heart	17	38	5	7	14	62	68	17	24	56	43	21	16	3	—	19	20	
Fatty Degeneration of Heart	25	32	5	4	8	30	36	35	19	17	18	10	5	—	1	20	18	
Syncope, Heart Disease (not specified).	237	292	58	72	126	464	422	239	200	325	372	181	207	7	14	197	190	

Note.—For continuation of this Table, see page 373.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1910—continued from page 360.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.					
	Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		Northumberland.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	55	46	50	44	64	51	533	462	258	251	43	50	56	33	161	129	64	54
Softening of Brain ...	6	11	18	13	25	31	151	151	125	97	27	12	6	8	37	25	31	20
General Paralysis of Insane	29	8	11	5	47	11	249	76	157	51	48	9	8	5	54	11	42	13
Insanity (not Puerperal) ...	41	46	6	6	15	21	168	172	72	89	9	10	6	4	29	20	12	13
Chorea ...	1	3	1	1	—	2	6	21	2	11	1	3	1	—	3	5	1	4
Epilepsy ...	29	40	14	23	30	30	203	180	117	117	21	26	14	11	59	45	36	22
Convulsions ...	140	108	90	85	142	97	841	630	530	434	96	89	94	79	396	321	174	148
Laryngismus Stridulus ...	4	—	2	3	4	6	14	25	16	12	—	—	3	1	10	3	2	1
Locomotor Ataxy ...	3	3	5	—	9	4	79	11	36	10	7	1	4	1	13	7	7	2
Paraplegia, Diseases of Cord ...	20	20	15	17	30	18	171	133	88	88	25	18	19	16	38	31	25	17
Neuritis, Peripheral, Poly-Neuritis	3	9	—	4	3	7	21	35	14	22	—	4	2	3	8	16	4	10
Brain Tumour (Not Specific) ...	3	5	9	6	15	15	60	62	28	33	10	7	3	6	9	11	2	2
Other Diseases of Nervous System	25	26	17	17	36	29	128	122	104	100	12	33	18	15	52	44	25	20
Otitis, Mastoid Disease ...	14	15	6	11	18	7	84	68	40	49	15	8	6	1	28	17	11	9
Epistaxis, Diseases of Nose ...	1	—	1	—	—	1	11	9	1	3	—	—	3	—	—	4	—	1
Ophthalmia, Diseases of Eye ...	—	—	—	—	—	1	8	5	3	8	—	2	—	—	—	—	—	1
Valvular Disease, Endocarditis (not Infective).	145	150	91	130	162	252	922	1258	745	904	133	117	100	106	247	270	180	186
Pericarditis ...	4	4	1	3	2	2	35	31	18	12	1	6	4	2	6	5	5	2
Hypertrophy of Heart ...	2	—	—	1	4	—	21	11	3	1	4	1	2	—	2	—	3	1
Angina Pectoris ...	11	4	11	5	21	4	111	45	58	33	15	2	9	6	14	9	14	10
Dilatation of Heart ...	12	14	23	15	54	65	280	285	134	136	19	20	18	15	38	32	30	25
Fatty Degeneration of Heart ...	24	18	5	6	24	25	110	134	116	129	24	15	16	22	25	23	8	12
Syncope, Heart Disease (not specified).	240	284	207	200	332	350	1741	1687	973	1076	200	175	135	150	503	485	254	224

Note.—For continuation of this Table, see page 374.

CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued from page 361.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Cumberland.		Westmorland.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardiganshire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	29	25	3	1	26	21	106	97	9	13	3	3	1	6	6	1
Softening of Brain...	11	1	1	4	12	8	21	23	3	4	1	2	2	1	1	—
General Paralysis of Insane	4	11	—	—	14	2	45	4	10	3	2	—	3	6	16	1
Insanity (not Puerperal)	1	3	—	—	2	8	31	50	4	2	—	—	1	3	2	2
Chorea	—	—	—	—	1	—	2	9	—	2	—	—	1	—	—	—
Epilepsy	13	15	1	1	19	8	48	38	9	11	7	2	1	6	5	1
Convulsions	45	36	6	5	120	82	386	327	72	58	31	20	22	11	17	12
Laryngismus Stridulus	1	—	—	—	—	2	5	6	—	1	—	1	—	1	—	—
Locomotor Ataxy	5	—	—	1	6	—	15	2	4	—	2	—	1	—	1	—
Paraplegia, Diseases of Cord	16	18	1	1	11	5	15	18	—	4	1	—	5	4	4	1
Neuritis, Peripheral, Poly-Neuritis	3	—	—	—	—	4	5	5	2	—	—	—	—	—	—	—
Brain Tumour (not Specific)	2	5	1	—	9	4	13	9	—	3	—	—	—	—	1	—
Other Diseases of Nervous System	7	7	4	3	13	6	22	24	2	5	2	4	3	4	3	—
Otitis, Mastoid Disease	3	3	—	1	6	2	24	13	4	1	1	2	1	1	—	—
Epistaxis, Diseases of Nose	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
Ophthalmia, Diseases of Eye	—	—	—	—	1	—	—	1	—	—	—	—	1	—	—	—
Valvular Disease, Endocarditis (not Infective).	70	94	12	27	108	92	195	223	23	30	14	15	27	33	11	13
Pericarditis	1	5	1	—	—	1	8	6	1	1	—	—	—	—	—	—
Hypertrophy of Heart	4	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—
Angina Pectoris	10	2	4	1	8	3	17	9	4	1	1	—	1	—	2	1
Dilatation of Heart...	11	7	—	4	7	12	78	52	7	8	6	7	7	8	3	1
Fatty Degeneration of Heart	10	12	4	1	7	9	19	30	5	3	1	1	7	8	—	2
Syncope, Heart Disease (not specified).	145	140	27	26	140	123	395	322	69	80	42	60	47	60	25	19

Note.—For continuation of this Table, see page 375.

CAUSES OF DEATH.	PART OF DIVISION XL. MONMOUTHSHIRE AND WALES.									
	Radnorshire.		Montgomeryshire.		Flintshire.		Denbighshire.		Merionethshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Meningitis, Inflammation of Brain	—	1	5	2	5	9	9	12	4	3
Softening of Brain ...	—	—	2	2	6	—	9	7	5	4
General Paralysis of Insane	—	—	2	1	—	—	7	1	1	1
Insanity (not Puerperal) ...	1	—	1	1	—	—	3	10	4	—
Chorea ...	—	—	—	—	—	—	—	1	—	—
Epilepsy ...	—	—	2	2	5	1	8	5	3	—
<i>Convulsions</i> ...	1	2	8	9	16	15	41	21	19	39
Laryngismus Stridulus ...	—	—	1	—	—	—	—	—	—	1
Locomotor Ataxy ...	—	2	—	1	1	2	2	—	2	—
Paraplegia, Diseases of Cord	—	—	3	—	5	—	5	13	1	3
Neuritis, Peripheral, Poly-Neuritis	—	—	1	—	—	—	1	—	—	—
<i>Brain Tumour</i> (not Specific)	1	—	1	—	2	—	—	2	2	1
Other Diseases of Nervous System	2	1	2	2	2	3	8	11	6	11
Otitis, Mastoid Disease ...	—	—	—	—	2	3	—	1	1	—
Epistaxis, Diseases of Nose	—	—	—	—	—	—	—	—	—	—
Ophthalmia Diseases of Eye	—	—	—	—	—	—	—	—	—	—
Valvular Disease, Endocarditis (not Infective).	4	2	4	14	26	21	45	45	26	53
Pericarditis ...	—	—	—	1	1	—	1	1	—	—
Hypertrophy of Heart ...	—	—	—	—	—	—	1	—	—	1
Angina Pectoris ...	—	—	1	—	—	1	6	1	1	2
Dilatation of Heart ...	1	—	3	6	5	5	2	5	12	3
Fatty Degeneration of Heart	1	1	—	4	3	1	4	5	3	4
<i>Syncope, Heart Disease</i> (not specified).	10	12	33	39	22	31	71	73	26	67

Note.—For continuation of this Table, see page 376

CAUSES OF DEATH in REGISTRATION COUNTIES, 1910—continued from page 363.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.									
	Males.	Females.	London.		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.		
Cerebral Hemorrhage, Cerebral Embolism.	8017	9869	891	1143	192	209	215	269	132	183	205	233	71	93
<i>Apoplexy, Hemiplegia</i> ...	3303	4081	218	309	44	49	74	106	47	74	88	99	13	23
Aneurysm ...	898	225	189	50	27	14	16	8	24	6	45	6	8	1
Senile Gangrene ...	767	640	65	86	25	18	21	22	17	12	12	17	7	12
Embolism, Thrombosis (not Cerebral).	171	230	24	41	5	7	14	10	2	8	7	9	2	2
Phlebitis ...	37	99	3	11	3	1	1	7	—	1	2	—	—	2
Varicose Veins ...	32	74	7	9	—	1	1	1	—	1	2	1	—	—
Other Diseases of Blood Vessels ...	2045	1240	268	195	98	83	60	45	38	22	48	33	26	20
Laryngitis ...	485	380	32	21	8	3	7	7	4	—	10	4	2	2
<i>Membranous Laryngitis</i> (not Diphtheritic).	11	7	1	—	—	1	—	—	—	—	—	—	—	—
<i>Croup</i> (not Spasmodic nor Membranous).	49	24	2	—	—	—	—	—	—	—	1	—	—	—
Other Diseases of Larynx and Trachea.	11	10	5	1	—	—	2	—	—	—	—	—	—	—
Bronchitis ...	17072	17391	2361	2634	245	267	322	352	202	263	315	312	99	117
Emphysema, Asthma ...	965	660	148	74	19	19	37	21	15	12	16	14	9	6
Pleurisy ...	760	523	135	87	12	13	20	9	17	7	14	15	5	4
Fibroid Disease of Lung ...	339	109	21	14	3	1	6	4	4	2	9	3	6	2
Other Diseases of Respiratory System.	1321	1235	191	178	29	21	33	30	31	40	29	18	2	7

Note.—For continuation of this Table, see page 377.

Note.—For continuation of this Table, see page 378.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.										PART OF DIVISION VII. NORTH MIDLAND COUNTIES.							
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Cerebral Hemorrhage, Cerebral Embolism.	181	249	55	41	70	80	252	340	121	150	225	273	94	134	2	9	126	149
<i>Apoplexy, Hemiplegia</i> ...	68	73	20	19	32	25	124	158	44	53	90	95	54	66	3	4	86	94
Aneurysm ...	23	7	3	2	4	—	18	5	9	3	19	5	6	3	1	—	18	2
Senile Gangrene ...	12	14	5	6	12	6	22	22	11	8	22	30	17	4	1	1	18	15
Embolism, Thrombosis (not Cerebral).	7	5	1	1	1	2	4	9	2	6	4	6	2	3	—	—	4	—
Phlebitis ...	—	3	1	—	1	3	—	4	1	3	1	1	1	4	—	—	2	1
Varicose Veins ...	—	2	—	—	—	—	2	—	1	—	—	2	1	1	—	—	—	2
Other Diseases of Blood Vessels ...	36	28	9	1	16	8	74	38	32	16	39	19	25	15	1	—	21	19
Laryngitis ...	7	4	2	2	4	4	17	15	7	6	8	9	8	4	—	—	5	4
<i>Membranous Laryngitis</i> (not Diphtheritic).	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Croup</i> (not Spasmodic nor Membranous).	1	—	—	—	1	—	2	1	1	—	—	—	1	1	—	—	1	—
Other Diseases of Larynx and Trachea.	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Bronchitis ...	267	309	44	46	113	98	851	682	254	234	580	536	195	211	8	13	221	254
Emphysema, Asthma ...	25	7	5	1	8	8	35	23	7	8	27	18	4	10	—	—	9	15
Pleurisy ...	13	10	1	1	8	2	30	14	12	7	32	13	4	4	—	—	11	4
Fibroid Disease of Lung ...	4	1	—	—	—	1	18	5	3	2	7	3	1	1	—	—	5	2
Other Diseases of Respiratory System.	22	30	8	2	9	15	43	32	15	8	36	39	14	14	—	—	30	22

Note.—For continuation of this Table, see page 380.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1910—continued from page 367.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		Durham.		Northumbeland.	
	Females.		Males.		Females.		Males.		Females.		Males.		Females.		Males.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Cerebral Hemorrhage, Cerebral Embolism.	114	154	139	130	239	267	1140	1443	743	897	104	109	318	316	147	178
<i>Apoplexy, Hemiplegia</i> ...	75	101	46	56	80	102	463	578	324	406	79	79	197	175	64	97
Aneurysm ...	22	2	6	2	17	3	87	21	69	15	27	4	24	4	24	2
Senile Gangrene ...	15	5	10	5	20	17	78	91	73	37	14	10	25	18	17	16
Embolic, Thrombosis (not Cerebral).	1	8	2	2	6	7	18	23	8	18	1	2	1	4	5	2
Phlebitis ...	2	1	1	2	1	3	—	8	3	4	—	—	—	5	1	3
Varicose Veins ...	1	1	1	2	—	3	4	5	3	8	—	—	—	4	—	1
Other Diseases of Blood Vessels ...	31	17	21	9	46	31	309	192	224	113	29	11	31	23	45	28
Laryngitis ...	12	4	6	7	16	8	90	82	56	43	2	4	30	35	13	15
<i>Membranous Laryngitis</i> (not Diphtheritic).	—	—	—	1	—	1	2	—	1	1	—	1	—	1	1	—
<i>Croup</i> (not Spasmodic nor Membranous).	—	1	1	—	4	—	13	12	7	2	1	—	2	—	—	2
Other Diseases of Larynx and Trachea.	—	—	—	—	—	—	1	2	1	—	—	—	—	—	—	—
Bronchitis ..	339	339	219	239	337	362	3033	3128	1630	1528	265	252	760	721	363	323
Emphysema, Asthma ...	22	17	15	10	11	7	98	84	75	54	12	9	41	24	20	9
Pleurisy ...	19	5	11	11	15	12	122	76	67	44	5	10	20	17	18	16
Fibroid Disease of Lung ...	4	—	4	1	3	3	53	11	51	9	2	1	10	4	5	2
Other Diseases of Respiratory System.	23	25	17	15	30	24	194	163	91	90	28	18	41	49	22	19

Note.—For continuation of this Table, see page 381.

CAUSES OF DEATH IN REGISTRATION COUNTIES, 1910—continued from page 368.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.											
	Cumberland.		Westmorland.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardiganshire.		Brecknock-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Cerebral Hæmorrhage, Cerebral Embolism.	83	69	15	18	48	89	165	238	47	47	23	26	19	18	21	19
<i>Apoplexy, Hemiplegia</i> ...	37	40	14	11	47	50	105	140	14	25	11	21	15	22	6	3
Aneurysm ...	7	2	1	—	8	3	21	3	2	1	—	—	—	—	1	1
Senile Gangrene ...	9	4	1	2	9	3	12	8	2	—	4	1	1	1	2	—
Embolism, Thrombosis (not Cerebral).	—	2	—	—	1	2	2	5	1	2	1	—	—	—	—	—
Phlebitis ...	—	2	—	1	—	2	—	4	1	1	—	2	—	—	—	—
Varicose Veins ...	—	1	—	1	1	3	—	1	—	1	—	—	—	2	—	—
Other Diseases of Blood Vessels ...	12	4	7	3	18	11	38	14	6	6	7	6	8	—	2	1
Laryngitis ...	4	4	2	2	7	4	18	20	3	4	1	2	5	3	—	1
<i>Membranous Laryngitis</i> (not Diphtheritic).	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
<i>Croup</i> (not Spasmodic nor Membranous).	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—
Other Diseases of Larynx and Trachea.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Bronchitis ...	103	120	10	12	214	165	560	440	67	60	34	43	40	61	31	35
Emphysema, Asthma ...	7	7	2	2	6	5	42	15	9	1	1	3	4	5	2	2
Pleurisy ...	6	2	—	1	6	8	19	13	5	1	—	—	2	2	1	—
Fibroid Disease of Lung ...	8	—	1	—	2	—	7	3	2	3	3	1	4	2	1	—
Other Diseases of Respiratory System.	13	11	1	2	24	19	38	25	3	4	1	4	1	3	6	6

Note.—For continuation of this Table, see page 382.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.				HAMPSHIRE.		BERKSHIRE.	
	Males.	Females.	Males.	Females.	SURREY.		KENT.		SUSSEX.		Males.	Females.
					Males.	Females.	Males.	Females.	Males.	Females.		
Tonsillitis, Quinsy ...	174	146	15	14	5	7	6	7	2	3	—	3
Diseases of Mouth, Pharynx, Esophagus (not Specific).	304	319	49	41	7	7	12	7	2	7	4	5
Gastric Ulcer ...	773	1052	161	172	15	19	18	30	13	20	2	13
Gastritis, <i>Gastric Catarrh</i> ...	1613	1575	99	102	22	32	27	21	7	20	7	4
Other Diseases of Stomach (not Malignant).	328	308	35	36	6	10	8	9	8	9	5	2
Ulceration of Intestines ...	552	306	96	48	6	14	10	14	10	7	8	3
Enteritis (not Epidemic) ...	1961	1738	262	206	30	13	36	35	12	17	6	12
<i>Gastro-enteritis</i> ...	1695	1407	217	160	26	23	19	22	14	18	6	9
Appendicitis, Perityphlitis ...	1336	1025	228	179	30	37	32	29	21	22	15	14
Hernia ...	642	835	100	128	22	16	28	17	10	13	9	5
Intestinal Obstruction ...	1205	1297	140	184	32	23	42	36	22	31	7	10
Other Diseases of Intestines	179	175	25	29	3	6	5	6	6	6	1	—
<i>Peritonitis</i> (not Puerperal)	223	331	38	51	2	5	1	9	2	7	—	1
Cirrhosis of Liver ...	1827	1384	241	280	41	24	55	45	41	23	21	8
Other Diseases of Liver and Gall Bladder.	737	1159	90	149	13	38	21	31	16	24	5	9
Other Diseases of Digestive System	118	116	17	16	4	2	4	7	3	2	1	1
Diseases of Spleen ...	15	23	4	1	—	2	—	1	—	1	—	—
Other Diseases of Lymphatic System.	320	191	74	36	14	8	6	5	9	8	3	1
Diseases of Thyroid Body ...	96	555	8	54	1	15	2	6	3	10	2	5
Diseases of Supra Renal Capsules	96	130	10	13	4	6	2	6	2	5	1	2
Acute Nephritis, Uræmia ...	1897	1698	242	188	30	29	49	38	28	21	8	8
Chronic Bright's Disease, Albuminuria.	5530	4822	852	719	137	151	151	140	125	105	41	37
Calculus (not Biliary) ...	159	80	29	19	2	2	5	2	7	2	1	—
Diseases of Bladder and of Prostate	2189	221	311	36	44	7	73	9	52	3	33	—
Other Diseases of Urinary System	543	169	101	33	15	1	15	4	14	6	7	—

Note.—For continuation of this Table, see page 384.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1910—continued from page 371.

CAUSES OF DEATH.		DIVISION III. SOUTH MIDLAND COUNTIES.											
		Middlesex.		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tonsillitis, Quinsy	6	5	—	1	—	1	3	—	—	2	1	—
Diseases of Mouth, Pharynx, (Esophagus (not Specific)).	...	4	5	—	2	—	1	1	—	4	—	—	1
Gastric Ulcer	12	16	7	7	2	2	4	11	5	—	3	1
Gastritis, Gastric Catarrh	31	44	8	9	6	9	6	5	14	—	1	—
Other Diseases of Stomach (not Malignant).	...	7	11	1	3	2	5	2	1	3	—	—	—
Ulceration of Intestines	13	10	6	1	1	—	4	1	4	—	1	—
Enteritis (not Epidemic)	30	29	7	10	4	6	6	7	10	—	—	—
Gastro-enteritis	25	23	4	5	7	6	2	2	11	—	3	—
Appendicitis, Perityphlitis	21	22	13	10	7	3	9	14	11	—	3	—
Hernia	17	19	6	8	1	7	5	5	5	—	—	—
Intestinal Obstruction	28	23	14	10	2	7	8	11	10	—	3	—
Other Diseases of Intestines	2	5	3	1	—	1	2	—	2	—	—	—
Feritonitis (not Puerperal)	1	9	—	—	3	4	1	—	2	—	—	—
Cirrhosis of Liver	50	66	14	7	8	7	13	6	20	—	4	—
Other Diseases of Liver and Gall Bladder.	...	12	27	2	5	6	—	4	6	11	—	1	—
Other Diseases of Digestive System	...	4	1	1	—	1	—	—	2	1	—	—	—
Diseases of Spleen	—	—	1	—	1	—	—	—	1	—	—	—
Other Diseases of Lymphatic System.	...	12	4	3	1	2	1	—	3	3	—	—	—
Diseases of Thyroid Body	2	23	—	6	1	3	—	4	2	—	—	—
Diseases of Supra Renal Capsules	...	3	3	—	2	1	2	2	1	1	—	—	—
Acute Nephritis, Uræmia	21	29	12	6	7	3	8	6	10	—	2	—
Chronic Bright's Disease, Albuminuria.	...	130	120	52	49	34	18	25	19	41	—	5	—
Calculus (not Biliary)	3	1	1	3	—	1	2	—	1	—	—	—
Diseases of Bladder and of Prostate	...	46	3	18	1	11	—	19	2	23	—	3	—
Other Diseases of Urinary System	...	15	5	4	2	2	—	2	—	6	—	—	—

Note.—For continuation of this Table see page 385.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.				DIVISION V. SOUTH WESTERN COUNTIES.											
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.		Cornwall.		Somersetshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tonsillitis, Quinsy	5	4	4	4	1	—	2	1	2	—	6	1	1	1	—	1
Diseases of Mouth, Pharynx, Esophagus (not Specific).	3	4	1	2	8	7	1	1	2	1	2	4	2	4	4	5
Gastric Ulcer	21	22	5	9	8	12	2	12	5	4	14	28	6	14	12	16
Gastritis, <i>Gastric Catarrh</i> ...	42	36	16	9	15	13	13	9	5	5	32	44	18	10	13	26
Other Diseases of Stomach (not Malignant).	10	2	7	3	1	2	2	3	1	4	13	10	4	3	5	4
Ulceration of Intestines ...	13	10	4	6	6	1	3	4	2	2	6	5	4	6	7	3
Enteritis (not Epidemic) ...	44	50	11	11	10	18	6	6	2	2	27	26	6	10	25	18
<i>Gastro-enteritis</i>	41	25	6	8	10	8	7	5	7	7	16	24	9	13	12	10
Appendicitis, Perityphlitis ...	25	17	13	5	22	16	8	11	4	9	33	24	13	14	19	8
Hernia	14	21	11	12	6	11	8	5	3	4	17	13	8	2	12	15
Intestinal Obstruction ...	37	33	14	16	21	18	18	8	7	8	22	35	19	17	14	24
Other Diseases of Intestines	7	4	—	3	3	2	2	2	—	1	5	4	2	3	6	2
Other Diseases of Intestines	8	3	2	2	1	1	1	3	2	1	4	4	3	4	2	4
<i>Peritonitis</i> (not Puerperal)	48	45	28	12	33	15	19	13	7	11	41	21	10	7	23	12
Cirrhosis of Liver	26	32	4	16	13	14	9	14	5	7	24	24	3	12	15	18
Other Diseases of Liver and Gall Bladder.	3	3	—	2	2	3	1	—	—	—	2	1	—	—	1	2
Other Diseases of Digestive System																
Diseases of Spleen	—	—	—	—	1	—	—	1	—	—	—	1	—	1	—	1
Other Diseases of Lymphatic System.	6	6	3	3	7	2	—	—	—	2	10	4	1	2	6	2
Diseases of Thyroid Body ...	3	16	—	10	2	8	1	3	1	7	1	14	—	10	—	11
Diseases of Supra Renal Capsules	3	1	2	2	5	2	1	1	—	2	2	5	1	1	2	1
Acute Nephritis, Uræmia ...	43	46	20	15	17	10	12	14	9	6	53	43	15	21	21	24
Chronic Bright's Disease, Albu- minuria.	156	152	62	46	53	47	38	36	31	26	120	107	55	54	85	75
Calculus (not Biliary) ...	4	4	1	1	6	—	1	1	—	—	3	1	2	—	2	—
Diseases of Bladder and of Prostate	61	6	34	4	51	1	13	3	22	2	57	9	33	4	36	5
Other Diseases of Urinary System	22	2	3	3	5	4	2	3	5	—	7	4	6	1	7	3

Note.—For continuation of this Table, see page 386.

CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued from page 373.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.								PART OF DIVISION VII. NORTH MIDLAND COUNTIES.									
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tonsillitis, Quinsy	2	4	—	1	2	2	5	7	2	3	4	3	1	3	—	—	—	1
Diseases of Mouth, Pharynx, Oesophagus (not Specific).	3	2	—	1	1	1	9	14	3	2	14	7	3	7	—	—	6	5
Gastric Ulcer	20	26	3	4	3	10	31	33	8	13	21	27	7	7	1	—	12	12
Gastritis, <i>Gastric Catarrh</i>	23	25	3	3	12	9	57	60	21	22	76	54	14	17	2	4	21	22
Other Diseases of Stomach (not Malignant).	9	7	1	—	4	4	11	10	6	4	7	7	4	4	—	—	5	5
Ulceration of Intestines	7	4	—	2	2	2	9	3	11	4	24	9	8	3	—	—	4	4
Enteritis (not Epidemic)	35	25	15	3	13	15	90	94	43	35	78	89	21	24	2	1	15	18
<i>Gastro-enteritis</i>	11	15	1	4	8	10	70	56	26	22	73	58	20	18	3	—	25	22
Appendicitis, Perityphlitis	20	13	4	5	11	14	46	36	17	13	55	33	11	13	—	—	14	12
Hernia	22	16	3	—	8	5	14	32	12	7	20	25	6	12	—	—	8	10
Intestinal Obstruction	20	28	4	3	8	8	48	53	19	18	31	29	14	15	1	1	22	21
Other Diseases of Intestines	2	4	—	—	4	2	5	6	2	3	2	3	1	1	—	—	3	4
<i>Peritonitis</i> (not Puerperal)	3	4	—	—	2	2	11	18	4	6	8	18	2	6	1	—	4	7
<i>Cirrhosis</i> of Liver	28	24	3	3	16	8	65	63	27	32	50	64	31	10	1	1	31	13
Other Diseases of Liver and Gall Bladder.	17	16	3	6	10	16	20	37	7	15	16	27	12	10	—	1	10	18
Other Diseases of Digestive System	2	2	—	—	2	—	6	2	1	4	2	3	—	2	—	—	1	—
Diseases of Spleen	1	—	—	—	—	—	1	—	1	—	—	1	—	1	—	—	—	—
Other Diseases of Lymphatic System.	5	8	1	—	—	1	7	4	3	3	8	3	1	2	—	—	4	2
Diseases of Thyroid Body	1	18	1	4	—	4	6	14	3	7	2	14	1	7	—	—	2	9
Diseases of Supra Renal Capsules	9	4	—	1	—	—	7	4	3	2	2	6	—	—	—	—	—	1
Acute Nephritis, Uræmia	48	42	10	3	14	11	76	77	34	24	66	43	12	21	2	—	33	19
Chronic Bright's Disease, Albu- minuria.	142	86	24	18	43	38	158	136	92	60	125	115	61	44	1	2	70	60
Calculus (not Biliary)	3	3	—	—	1	—	8	2	—	1	4	5	4	—	—	—	2	—
Diseases of Bladder and of Prostate	50	4	8	1	17	3	68	7	43	3	53	6	25	2	1	—	42	3
Other Diseases of Urinary System	16	3	2	1	3	1	15	8	9	1	19	6	3	1	—	—	7	—

Note.—For continuation of this Table, see page 387.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		Northumberland.	
	Males.		Males.		Males.		Males.		Males.		Males.		Males.		Males.	
	Females.		Females.		Females.		Females.		Females.		Females.		Females.		Females.	
Tonsillitis Quinsy	5	4	2	1	23	24	24	6	1	3	4	2	6	9	6	—
Diseases of Mouth, Pharynx, Esophagus (not specific).	3	3	2	6	55	56	28	28	4	4	2	6	14	4	7	6
Gastric Ulcer	19	14	18	14	111	156	87	87	7	13	9	11	23	7	18	18
Gastritis, Gastric Catarrh	39	47	44	19	363	338	106	106	15	23	12	21	64	33	28	28
Other Diseases of Stomach (not Malignant).	3	7	10	4	26	45	21	21	10	3	3	4	9	3	5	5
Ulceration of Intestines	7	6	12	2	74	42	34	34	8	2	3	4	20	29	8	8
Enteritis (not Epidemic)	42	39	51	19	363	312	162	162	24	25	32	28	106	52	48	48
Gastro-enteritis	41	30	61	22	294	267	117	117	39	26	25	15	95	54	34	34
Appendicitis, Perityphlitis	10	12	35	11	203	152	79	79	20	15	14	10	35	23	17	17
Hernia	10	13	12	13	92	144	80	80	6	9	2	13	14	9	15	15
Intestinal Obstruction	29	29	34	25	158	190	102	102	17	15	15	6	37	31	32	32
Other Diseases of Intestines	3	4	5	1	21	29	11	11	—	2	5	—	9	3	—	—
Peritonitis (not Puerperal)	3	6	5	4	42	55	21	21	6	6	2	1	9	4	6	6
Cirrhosis of Liver	51	22	48	17	253	186	95	95	25	17	25	18	52	41	17	17
Other Diseases of Liver and Gall Bladder.	14	12	11	13	102	161	138	138	10	19	17	21	21	12	29	29
Other Diseases of Digestive System	2	2	6	1	15	17	16	16	8	2	—	4	4	1	2	2
Diseases of Spleen	—	—	—	1	3	3	1	1	—	—	—	2	—	—	1	1
Other Diseases of Lymphatic System.	5	4	2	3	53	26	15	15	6	5	2	3	10	3	3	3
Diseases of Thyroid Body	1	14	1	11	17	83	44	44	1	3	—	13	3	2	16	16
Diseases of Supra Renal Capsules	2	4	2	2	10	18	6	6	2	2	—	1	1	1	—	—
Acute Nephritis, Uremia	29	30	36	22	323	323	180	180	13	22	17	19	90	42	36	36
Chronic Bright's Disease, Albuminuria	92	73	123	64	780	686	470	470	79	75	65	57	135	131	117	117
Calculus (not Biliary)	6	2	3	—	10	10	9	9	2	—	—	—	3	6	1	1
Diseases of Bladder and of Prostate	37	2	51	2	203	30	23	23	39	6	26	1	54	36	2	2
Other Diseases of Urinary System	10	4	20	1	66	25	8	8	12	—	2	1	7	8	1	1

Note.—For continuation of this Table, see page 388.

CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued from page 375.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.									
	Cumberland.		Westmorland.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.		Cardiganshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tonsillitis, Quinsy	—	—	1	—	1	6	12	6	1	—	—	—	—	1
Diseases of Mouth, Pharynx, Esophagus (not Specific).	—	4	2	—	—	14	11	14	4	12	—	1	2	—
Gastric Ulcer	6	11	—	3	5	34	26	34	3	4	3	1	2	—
Gastritis, Gastric Catarrh... ..	19	14	4	7	38	104	117	104	12	8	6	3	7	5
Other Diseases of Stomach (not Malignant).	7	—	1	2	4	9	16	9	1	1	—	—	—	3
Ulceration of Intestines	5	6	1	1	4	2	12	2	2	—	1	1	2	—
Enteritis (not Epidemic)	25	14	1	2	32	66	102	66	11	7	1	4	3	1
Gastro-enteritis	21	11	3	3	44	63	74	63	19	14	4	6	2	1
Appendicitis, Perityphlitis	10	9	3	1	17	24	40	24	5	2	4	1	2	6
Hernia	9	4	—	1	4	21	12	21	4	3	2	1	3	1
Intestinal Obstruction	7	9	3	3	14	29	51	29	7	9	3	3	6	1
Other Diseases of Intestines	1	—	1	—	2	6	5	6	—	—	—	—	—	2
Peritonitis (not Puerperal)	2	7	—	1	1	10	11	10	3	1	—	—	—	—
Cirrhosis of Liver	5	9	5	4	22	25	38	25	10	4	2	1	4	—
Other Diseases of Liver and Gall Bladder.	11	10	—	4	7	30	22	30	5	1	3	2	2	3
Other Diseases of Digestive System	—	—	—	—	—	3	—	—	—	—	—	—	—	—
Diseases of Spleen	—	—	—	1	—	—	—	—	—	—	—	—	—	1
Other Diseases of Lymphatic System.	—	1	1	—	5	2	4	2	—	—	—	—	—	—
Diseases of Thyroid Body	3	5	1	2	2	11	2	11	—	2	—	2	1	1
Diseases of Supra Renal Capsules	—	—	—	—	1	1	1	1	—	1	—	—	—	—
Acute Nephritis, Uremia	11	4	7	2	22	74	90	74	11	4	6	2	4	3
Chronic Bright's Disease, Albu- minuria.	31	26	17	12	34	87	130	87	35	21	17	13	27	5
Calculus (not Biliary)	1	—	—	—	1	2	3	2	1	1	—	—	—	—
Diseases of Bladder and of Prostate	19	1	4	1	14	3	66	3	12	—	11	—	12	—
Other Diseases of Urinary System	3	2	—	—	1	4	13	4	—	3	—	—	1	—

Note.—For continuation of this Table, see page 389.

PART OF DIVISION XI.
MONMOUTHSHIRE AND WALES.

CAUSES OF DEATH.	Radnorshire.		Montgomeryshire.		Flintshire.		Denbighshire.		Merionethshire.		Carnarvonshire.		Anglesey.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Tonsillitis, Quinsy ...	—	—	—	1	—	1	2	1	—	—	1	—	—	—
Diseases of Mouth, Pharynx, Esophagus (not Specific).	—	—	—	—	—	1	1	—	—	—	—	—	1	—
Gastric Ulcer ...	—	1	1	5	1	3	2	8	4	3	3	6	1	—
Gastritis, Gastric Catarrh...	—	1	2	2	8	2	1	1	5	5	11	6	—	4
Other Diseases of Stomach (not Malignant).	—	—	3	3	1	1	—	—	2	1	1	2	—	—
Ulceration of Intestines ...	—	—	3	—	—	—	5	5	—	—	3	—	—	—
Enteritis (not Epidemic) ...	1	—	—	2	—	1	5	4	—	1	5	6	1	1
Gastro-enteritis ...	—	—	3	—	—	7	4	6	3	4	9	2	4	3
Appendicitis, Perityphlitis ...	—	—	2	—	—	1	2	10	3	1	2	2	1	2
Hernia ...	—	—	1	4	—	—	1	—	2	5	3	8	—	4
Intestinal Obstruction ...	—	—	3	—	—	—	4	—	3	1	1	—	—	—
Other Diseases of Intestines	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Peritonitis (not Puerperal)	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Cirrhosis of Liver ...	—	—	—	—	—	1	1	5	2	2	6	3	1	1
Other Diseases of Liver and Gall Bladder.	—	—	1	1	—	2	4	4	1	1	2	3	—	4
Other Diseases of Digestive System	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of Spleen ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Lymphatic System.	—	1	1	—	—	—	1	—	—	—	—	—	—	—
Diseases of Thyroid Body ...	—	—	1	2	—	1	1	5	3	—	—	3	1	1
Diseases of Supra Renal Capsules	—	—	—	1	—	—	1	—	—	—	—	—	—	—
Acute Nephritis, Uræmia ...	1	1	2	2	4	6	8	4	12	7	4	10	1	2
Chronic Bright's Disease, Albuminuria.	2	3	12	12	7	11	17	31	14	19	49	40	13	5
Calculus (not Biliary)	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diseases of Bladder and of Prostate	3	—	7	—	3	—	—	—	7	—	1	1	2	—
Other Diseases of Urinary System	—	—	—	—	1	1	3	—	—	2	2	—	1	1

Note.—For continuation of this Table, see page 390.

CAUSES OF DEATH in REGISTRATION COUNTIES, 1910—continued from page 377.

CAUSES OF DEATH.	ENGLAND AND WALES.		DIVISION I. LONDON.		DIVISION II. SOUTH EASTERN COUNTIES.									
			London.		Surrey.		Kent.		Sussex.		Hampshire.		Berkshire.	
		Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.
Ovarian Tumour (not Malignant)	—	291	—	43	—	10	—	7	—	—	—	8	—	3
Other Diseases of Ovary ...	—	23	—	6	—	—	—	1	—	—	—	—	—	—
Uterine Tumour (not Malignant)...	—	312	—	65	—	7	—	8	—	—	—	6	—	5
Other Diseases of Uterus and Vagina.	—	285	—	58	—	10	—	5	—	—	—	9	—	1
Disorders of Menstruation...	—	26	—	3	—	—	—	2	—	—	—	1	—	—
Other Diseases of Generative and Mammary Organs.	66	13	10	—	1	1	—	—	2	—	1	—	1	—
Abortion, Miscarriage ...	—	78	—	14	—	4	—	1	—	—	—	—	—	1
Puerperal Mania ...	—	48	—	4	—	—	—	1	—	—	—	2	—	—
Puerperal Convulsions ...	—	439	—	24	—	5	—	4	—	—	—	9	—	2
Placenta Prævia, Flooding ...	—	612	—	49	—	13	—	13	—	—	—	12	—	3
Other Accidents of Pregnancy and Childbirth.	—	740	—	58	—	17	—	14	—	—	—	11	—	8
Caries, Necrosis ...	43	23	6	4	5	—	—	—	—	—	—	—	—	—
Arthritis, Periostitis ...	128	105	22	20	2	2	3	—	2	2	2	1	4	—
Other Diseases of Locomotor System	203	147	43	25	5	2	2	3	4	3	4	4	—	—
Ulcer, Bed-sore ...	149	310	14	45	1	6	9	10	4	8	1	6	1	8
Eczema ...	138	107	12	14	2	1	2	2	2	1	5	1	1	1
Pemphigus ...	113	91	18	11	2	5	6	1	1	1	3	1	—	2
Other Diseases of the Skin ...	113	120	19	14	6	3	3	2	1	6	1	2	2	1
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 391.

DIVISION III.
SOUTH MIDLAND COUNTIES.

CAUSES OF DEATH.	Middlesex.		Hertfordshire.		Buckinghamshire.		Oxfordshire.		Northamptonshire.		Huntingdonshire.		Bedfordshire.		Cambridgeshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
<i>Ovarian Tumour</i> (not Malignant)	—	6	—	2	—	—	—	1	—	3	—	1	—	—	—	—
Other Diseases of Ovary ...	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—
<i>Uterine Tumour</i> (not Malignant)...	—	9	—	1	—	1	—	—	—	1	—	—	—	—	—	1
Other Diseases of Uterus and Vagina.	—	11	—	—	—	—	—	1	—	5	—	—	—	—	—	1
Disorders of Menstruation...	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Other Diseases of Generative and Mammary Organs.	1	—	—	—	1	—	—	—	1	—	—	—	—	—	1	—
Abortion, Miscarriage	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Mania ...	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
Puerperal Convulsions ...	—	4	—	3	—	2	—	1	—	4	—	—	—	—	—	4
Placenta Prævia, Flooding	—	10	—	1	—	2	—	3	—	4	—	—	—	—	—	3
Other Accidents of Pregnancy and Childbirth.	—	7	—	2	—	1	—	6	—	8	—	1	—	—	—	3
Caries, Necrosis	1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—
Arthritis, Periostitis	1	1	—	1	—	—	—	2	—	4	—	—	2	—	—	—
Other Diseases of Locomotor System	5	3	—	2	—	2	—	—	3	2	—	—	1	—	—	2
Ulcer, Bed-sore	4	8	—	1	—	—	—	—	2	10	—	—	1	—	—	2
Eczema	1	2	—	—	—	—	—	—	1	—	—	—	2	—	3	—
Pemphigus	5	5	—	—	—	1	—	1	—	1	—	—	—	—	—	—
Other Diseases of the Skin	3	3	—	3	—	1	—	2	—	2	—	—	1	—	2	—
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 392

CAUSES OF DEATH IN REGISTRATION COUNTIES, 1910—continued from page 379.

CAUSES OF DEATH.	DIVISION IV. EASTERN COUNTIES.						DIVISION V. SOUTH WESTERN COUNTIES.					
	Essex.		Suffolk.		Norfolk.		Wiltshire.		Dorsetshire.		Devonshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Ovarian Tumour (not Malignant)	—	4	—	2	—	4	—	2	—	1	—	4
Other Diseases of Ovary ...	—	—	—	—	—	1	—	—	—	—	—	—
Uterine Tumour (not Malignant)...	—	6	—	4	—	4	—	—	—	5	—	5
Other Diseases of Uterus and Vagina.	—	10	—	1	—	3	—	1	—	1	—	3
Disorders of Menstruation...	—	—	—	—	—	—	—	—	—	—	—	—
Other Diseases of Generative and Mammary Organs ...	2	—	3	1	—	—	—	1	1	—	1	2
Abortion, Miscarriage ...	—	3	—	1	—	—	—	—	—	3	—	—
Puerperal Mania ...	—	1	—	—	—	—	—	—	—	1	—	—
Puerperal Convulsions ...	—	14	—	7	—	3	—	2	—	1	—	2
Placenta Prævia, Flooding ...	—	9	—	8	—	10	—	3	—	5	—	8
Other Accidents of Pregnancy and Childbirth.	—	23	—	11	—	7	—	1	—	4	—	6
Caries, Necrosis ...	1	—	—	1	—	1	—	—	—	—	—	—
Arthritis, Periostitis ...	4	5	1	1	—	—	1	1	2	1	—	1
Other Diseases of Locomotor System	4	1	—	2	2	1	1	—	4	1	4	—
Ulcer, Bed-sore ...	7	8	2	7	4	7	1	2	2	3	2	6
Eczema ...	1	2	1	1	5	4	1	—	3	—	4	3
Pemphigus ...	8	5	—	2	1	—	—	—	2	2	2	—
Other Diseases of the Skin	3	6	1	2	3	1	2	1	2	1	4	1
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 393.

CAUSES OF DEATH.	DIVISION VI. WEST MIDLAND COUNTIES.								PART OF DIVISION VII. NORTH MIDLAND COUNTIES.									
	Gloucester-shire.		Hereford-shire.		Shropshire.		Stafford-shire.		Worcester-shire.		Warwick-shire.		Leicester-shire.		Rutland-shire.		Lincolnshire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
<i>Ovarian Tumour</i> (not Malignant)	—	5	—	—	—	—	—	—	9	—	—	8	—	—	—	—	—	8
Other Diseases of Ovary ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>Uterine Tumour</i> (not Malignant)...	—	6	—	—	—	—	—	—	15	—	—	10	—	—	—	—	—	5
Other Diseases of Uterus and Vagina.	—	6	—	—	—	—	—	—	11	—	—	13	—	—	—	—	—	5
Disorders of Menstruation ...	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
Other Diseases of Generative and Mammary Organs.	2	—	—	—	—	—	2	1	—	1	1	—	—	—	—	1	—	—
Abortion, Miscarriage ...	—	1	—	1	—	—	—	—	1	—	—	3	—	—	—	—	—	2
Puerperal Mania ...	—	1	—	—	—	—	—	4	—	—	—	1	—	—	—	—	—	2
Puerperal Convulsions ...	—	14	—	2	—	—	—	16	—	—	—	10	—	—	—	—	—	3
Placenta Prævia, Flooding ...	—	9	—	3	—	—	—	25	—	—	—	14	—	—	—	—	—	10
Other Accidents of Pregnancy and Childbirth.	—	13	—	—	—	—	—	23	—	—	—	17	—	—	—	—	—	15
Caries, Necrosis ...	—	—	1	—	—	—	3	—	—	3	2	—	—	—	—	—	—	1
Arthritis, Periostitis ...	2	—	1	—	—	—	4	1	—	—	3	6	—	—	—	—	—	—
Other Diseases of Locomotor System	5	4	—	—	—	—	9	6	—	4	8	7	1	—	—	—	—	4
Ulcer, Bed-sore ...	1	3	—	1	—	3	5	8	3	3	6	21	2	1	—	7	6	6
Eczema ...	3	4	1	1	1	1	8	2	3	2	1	3	2	—	5	2	2	2
Pemphigus ...	1	1	1	1	—	—	3	2	—	1	1	3	1	—	—	1	3	3
Other Diseases of the Skin	3	5	—	—	—	—	4	4	—	5	—	3	2	—	—	—	2	2
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 384.

CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued from page 381.

CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.					
	Nottinghamshire.		Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		Northumber- land.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
Ovarian Tumour (not Malignant)	—	6	—	1	—	—	—	—	39	32	—	2	—	3	—	—	6	8
Other Diseases of Ovary ...	—	1	—	—	—	—	—	4	—	3	—	—	—	—	—	—	1	2
Uterine Tumour (not Malignant)...	—	4	—	1	—	—	—	52	—	23	—	2	—	2	—	—	7	1
Other Diseases of Uterus and Vagina.	—	8	—	2	—	—	—	52	—	13	—	3	—	2	—	—	10	5
Disorders of Menstruation ...	—	—	—	—	—	—	—	7	—	—	—	—	—	2	—	—	2	—
Other Diseases of Generative and Mammary Organs.	3	—	—	—	2	—	7	3	—	2	8	—	—	—	2	—	1	—
Abortion, Miscariage ...	—	3	—	1	—	—	—	12	—	6	—	—	—	—	—	—	3	1
Puerperal Mania ...	—	—	—	—	—	—	—	9	—	4	—	1	—	1	—	—	2	—
Puerperal Convulsions ...	—	9	—	4	—	—	—	65	—	60	—	6	—	7	—	—	32	13
Placenta Prævia, Flooding ...	—	19	—	10	—	—	—	95	—	76	—	7	—	7	—	—	23	17
Other Accidents of Pregnancy and Childbirth.	—	27	—	11	—	—	—	127	—	69	—	4	—	10	—	—	34	26
Caries, Necrosis ...	—	—	1	—	1	—	7	2	—	3	1	1	1	1	3	1	1	—
Arthritis, Periostitis ...	2	2	4	2	2	2	19	17	9	7	3	1	2	1	3	3	9	2
Other Diseases of Locomotor System	4	1	3	3	5	1	19	25	18	18	2	1	—	—	7	3	2	2
Ulcer, Bed-sore ...	5	4	4	7	4	3	13	30	14	22	1	7	3	1	5	10	3	3
Eczema ...	6	—	1	2	2	1	19	15	15	9	1	3	2	1	4	6	2	5
Pemphigus ...	6	3	—	—	1	—	9	14	15	5	7	2	—	4	4	2	2	1
Other Diseases of the Skin ...	5	1	1	3	2	2	11	15	5	15	1	1	—	—	3	6	4	4
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 395.

CAUSES OF DEATH.	PART OF DIVISION X. NORTHERN COUNTIES.				PART OF DIVISION XI. MONMOUTHSHIRE AND WALES.							
	Cumberland.		Westmorland.		Monmouth-shire.		Glamorgan-shire.		Carmarthen-shire.		Pembroke-shire.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
<i>Ovarian Tumour</i> (not Malignant)	—	—	—	1	—	4	—	5	—	1	—	2
Other Diseases of Ovary ...	—	—	—	—	—	—	—	—	—	—	—	—
<i>Uterine Tumour</i> (not Malignant)...	—	3	—	—	—	1	—	6	—	—	—	1
Other Diseases of Uterus and Vagina.	—	1	—	—	—	2	—	4	—	—	—	—
Disorders of Menstruation ...	—	—	—	—	—	1	—	1	—	—	—	—
Other Diseases of Generative and Mammary Organs.	—	—	—	—	—	—	1	1	—	—	—	—
Abortion, Miscarriage ...	—	—	—	—	—	—	—	6	—	—	—	—
Puerperal Mania ...	—	—	—	—	—	—	—	2	—	—	—	—
Puerperal Convulsions ...	—	5	—	1	—	11	—	19	—	1	—	1
Placenta Prævia, Flooding ...	—	5	—	1	—	17	—	35	—	1	—	1
Other Accidents of Pregnancy and Childbirth.	—	11	—	1	—	16	—	42	—	5	—	1
Caries, Necrosis ...	1	—	—	—	1	—	—	1	—	—	—	—
Arthritis, Periostitis ...	2	—	—	—	2	2	1	5	2	1	—	—
Other Diseases of Locomotor System	3	—	—	—	2	4	7	2	—	—	1	—
Ulcer, Bed-sore ...	1	4	—	—	—	2	2	6	—	2	—	1
Eczema ...	2	—	—	—	2	3	6	6	1	1	1	—
Pemphigus ...	—	1	—	—	—	—	4	4	—	—	—	—
Other Diseases of the Skin	1	—	—	—	2	2	2	—	1	—	1	—
OTHER SPECIFIED DISEASES	—	—	—	—	—	—	—	—	—	—	—	—

Note.—For continuation of this Table, see page 396.

[illegible]

CAUSES of DEATH in REGISTRATION COUNTIES, 1910—continued from page 386.

[illegible]

(CAUSES OF DEATH.	PART OF DIVISION VII. N. MIDLAND COUNTIES.				DIVISION VIII. N. W. COUNTIES.				DIVISION IX. YORKSHIRE.				PART OF DIVISION X. NORTHERN COUNTIES.			
	Derbyshire.		Cheshire.		Lancashire.		West Riding.		East Riding (with York).		North Riding.		Durham.		Northumberland.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
CAUSES ILL-DEFINED OR NOT SPECIFIED.																
<i>Atrophy, Debility</i> ...	231	144	127	93	130	913	556	465	127	87	106	89	469	414	172	145
<i>Old Age</i> ...	235	289	259	304	489	2042	914	1272	238	286	188	206	541	674	290	324
<i>Dropsy, Ascites, Anasarca</i> ...	—	2	—	1	—	2	1	2	—	—	—	—	1	1	1	3
<i>Tumour</i> ...	—	2	—	1	—	6	2	5	1	—	—	—	—	2	1	1
<i>Abscess</i> ...	4	3	2	1	4	9	16	10	—	—	1	2	6	3	1	4
<i>Hæmorrhage</i> ...	1	—	—	—	1	4	2	1	—	—	—	—	—	1	1	1
<i>Sudden Death (cause unascertained)</i> ...	—	—	—	—	—	1	—	—	2	1	—	—	—	2	—	—
<i>Other ill-defined causes</i> ...	5	3	5	4	—	90	21	14	—	—	11	5	12	3	4	1
<i>Causes not specified</i> ...	1	1	—	2	—	6	—	1	—	—	1	—	3	1	6	—
VIOLENT DEATHS.																
In Mines and Quarries ...	61	—	36	—	—	—	169	—	2	—	11	—	128	—	43	—
Vehicles and Horses ...	35	7	40	7	5	46	158	33	31	7	28	4	76	14	44	5
Ships, Boats, and Docks (not Drowning).	—	—	1	—	—	—	1	1	7	—	3	—	34	—	8	—
Building Operations ...	—	—	—	—	—	—	20	—	5	—	8	—	8	—	5	—
Machinery ...	4	—	3	—	—	1	28	5	5	—	4	1	4	—	5	—
Weapons and Implements ...	—	—	—	—	—	3	4	—	—	—	1	—	2	—	3	—
Burns and Scalds ...	30	27	8	20	27	270	83	127	19	22	20	28	46	57	19	36
Poisons, Poisonous Vapours	6	5	6	4	5	27	32	19	5	5	7	2	12	5	4	4
Drowning ...	35	7	25	9	13	62	127	30	59	11	22	1	86	10	39	10
Suffocation ...	13	17	5	1	19	139	44	46	9	5	5	3	26	13	9	12
Falls ...	18	24	29	11	30	156	138	116	28	17	6	16	47	40	16	11
Weather Agencies ...	1	—	2	—	2	4	13	2	4	1	5	—	11	2	4	1
Otherwise or not stated	11	9	12	3	4	67	67	29	12	5	11	5	31	9	29	11
Battle...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Homicide ...	4	4	2	2	2	17	12	14	5	2	2	1	5	8	6	2
Suicide ...	43	19	34	16	18	119	254	96	32	12	31	11	79	18	43	18
Execution ...	—	—	—	—	—	—	2	—	—	—	—	—	1	—	1	—

PART OF DIVISION XL.
MONMOUTHSHIRE AND WALES.

CAUSES OF DEATH.	Radnorshire.		Montgomeryshire.		Flintshire.		Denbighshire.		Merionethshire.		Carnarvonshire.		Anglesey.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
CAUSES ILL-DEFINED OR NOT SPECIFIED.	5	1	10	3	16	8	26	25	9	6	18	12	6	7
	12	15	35	57	31	37	55	77	22	38	68	96	12	32
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	1	—	—	—	—	1	1	—	—	—
	—	1	—	—	—	—	2	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	6	4	2	—	—	—	—	—	—	—
	1	—	2	1	2	2	5	1	2	—	—	1	2	—
	—	—	3	—	—	—	—	3	—	—	—	—	—	—
VIOLENT DEATHS.	—	—	1	—	6	—	16	—	2	—	13	—	—	—
	1	—	10	1	7	1	9	—	5	—	5	—	3	—
	—	—	—	—	2	—	—	—	—	—	—	—	2	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	3	—	—	—	1	—	1	—	—	—
	—	—	1	—	—	—	1	1	—	—	—	—	—	—
	1	—	—	2	4	1	2	5	2	2	7	6	—	2
	1	—	—	—	—	—	2	—	—	—	1	1	—	—
	—	1	4	—	1	1	6	—	6	—	6	2	1	—
	1	—	1	—	—	1	—	1	—	1	1	—	—	—
	—	—	2	—	2	4	—	3	3	—	5	6	1	—
	—	—	—	1	1	—	2	—	—	—	—	—	—	—
	1	—	4	—	1	—	4	—	—	1	2	3	1	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Battle ... Homicide ... Suicide ... Execution ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	—	—	—	1	—	—	—	—	—	—	1	—	—	—
	—	—	2	1	4	1	4	—	2	2	8	—	2	—
	—	—	—	—	—	—	—	—	—	—	1	—	—	—

DEATHS from SEVERAL CAUSES, and INQUEST CASES in the Year 1910, in REGISTRATION DIVISIONS, COUNTIES, and DISTRICTS.

REGISTRATION DIVISIONS.	CAUSES OF DEATH. (See Note.)																				Inquests.						
	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia*, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.		
ENGLAND AND WALES.																											
I. LONDON.	Persons ..	483247	19	3302	2370	5	6504	8797	4284	12	1889	10747	20792	15542	5471	3554	791	5167	34607	2672	1998	39760	34463	3191	18723	253587	35109
	Males	249016	14	4305	1181	5	3253	3862	2022	5	1047	5863	11992	8538	2889	1820	424	2795	14843	1487	927	22541	17072	—	13125	129009	
	Females	234231	5	3397	1189	—	3251	4935	2262	7	842	4884	8800	7004	2582	1734	367	2372	19764	1185	1071	17219	17391	3191	5598	124581	
II. S. EASTERN.	Persons ..	62699	—	1983	187	—	723	1375	408	3	184	1332	3970	1561	811	349	52	716	5115	529	237	6399	4995	319	2594	28857	6644
	Males	32418	—	1054	100	—	330	604	200	1	94	752	2545	899	428	186	31	409	2340	290	103	3534	2361	—	1679	14478	
	Females	30281	—	929	87	—	393	771	208	2	90	580	1425	662	383	163	21	307	2775	239	134	2865	2634	319	915	14379	
III. S. MIDLAND.	Persons ..	44619	1	435	127	1	791	692	385	2	161	537	2228	1428	457	264	40	479	4033	270	176	2927	2494	248	1643	24800	3166
	Males	22904	1	229	63	1	388	301	176	1	101	296	1315	814	229	127	23	260	1712	147	76	1617	1183	—	1154	12690	
	Females	21715	—	206	64	—	403	391	209	1	60	241	913	614	228	137	17	219	2321	123	100	1310	1311	248	489	12110	
IV. EASTERN.	Persons ..	28571	—	237	85	—	516	370	279	2	77	349	1230	905	254	145	17	264	2542	154	118	1963	1925	151	1028	15960	1975
	Males	14418	—	132	46	—	263	175	130	—	39	192	686	514	131	68	10	137	1046	83	57	1073	935	—	704	8007	
	Females	14153	—	105	39	—	263	195	149	2	38	157	544	391	123	77	7	127	1496	71	61	890	990	151	324	7953	
V. S. WESTERN.	Persons ..	25426	2	286	82	1	454	346	188	—	57	349	1163	812	282	142	19	252	2147	133	98	1613	1785	142	955	14118	1676
	Males	12979	—	148	38	1	233	153	82	—	35	187	656	413	143	73	9	139	902	90	49	929	861	—	686	7152	
	Females	12447	2	138	44	—	221	193	106	—	22	162	507	399	139	69	10	113	1245	43	49	684	924	142	269	6966	
	Persons ..	26042	1	177	49	—	565	318	218	1	58	250	1113	880	204	144	14	282	2108	134	72	1492	1666	139	918	15239	1792
	Males	12758	1	96	25	—	263	138	95	—	33	140	586	467	87	63	9	141	866	76	35	817	757	—	672	7391	
	Females	13284	—	81	24	—	302	180	123	1	25	110	527	413	117	81	5	141	1242	58	37	675	909	139	246	7848	

NOTE.—The Total Deaths in each Registration Division, County, District, and sub-district will be found at pp. 144-205. For Tables showing in greater detail the causes of death of Males and Females in England and Wales, in London and in Counties, see pp. 288-397.
Called Simple Continued Fever previous to 1901.

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION DIVISIONS.		CAUSES OF DEATH.																	ALL CAUSES.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
DIV. VI.	W. MIDLAND.																									
	Persons	53329	587	409	—	764	886	545	—	178	1118	2025	1752	578	375	112	530	3698	327	191	3949	4014	370	2101	28820	3576
	Males	27508	299	193	—	388	392	254	—	92	597	1171	982	311	202	50	265	1618	172	95	2236	2109	—	1428	14654	
	Females	25821	288	216	—	376	494	291	—	86	521	854	770	267	173	62	265	2080	155	96	1713	1905	370	673	14166	
DIV. VII.	N. MIDLAND.																									
	Persons	29969	552	91	1	413	571	236	—	117	630	1041	1066	371	266	33	320	2063	109	99	2115	2038	188	1109	16537	1813
	Males	15490	292	47	1	216	251	122	—	68	342	550	563	196	136	18	174	866	67	42	1198	982	—	800	8558	
	Females	14479	260	44	—	197	320	114	—	49	288	491	503	175	130	15	146	1197	42	57	917	1056	188	309	7979	
DIV. VIII.	N. WESTERN.																									
	Persons	85863	1672	723	1	754	1978	794	1	523	2741	3549	2927	995	740	198	952	5096	432	426	8039	6860	590	3107	42760	5483
	Males	44087	860	364	1	390	831	361	1	285	1499	2027	1665	521	386	99	534	2136	242	197	4586	3370	—	2071	21657	
	Females	41776	812	359	—	364	1147	433	—	238	1242	1522	1262	474	354	99	418	2960	190	229	3453	3490	590	1036	21103	
DIV. IX.	YORKSHIRE.																									
	Persons	56523	955	266	—	638	1058	565	2	283	1760	2065	1688	614	492	90	633	3784	266	267	4976	4061	425	2216	29416	4314
	Males	29399	483	127	—	336	471	275	1	161	934	1218	928	330	268	53	332	1578	146	131	2886	2098	—	1539	15101	
	Females	27124	472	139	—	302	587	290	1	122	826	847	760	284	224	37	301	2206	120	136	2090	1963	425	677	14315	
DIV. X.	NORTHERN.																									
	Persons	35249	518	165	1	363	687	337	1	147	1043	1062	1345	510	392	144	400	1970	143	126	3109	2412	275	1499	18597	2238
	Males	18625	258	77	1	195	307	168	1	82	590	559	711	289	185	82	229	872	69	54	1774	1236	—	1156	9727	
	Females	16624	260	88	—	168	380	169	—	65	453	503	634	221	207	62	171	1098	74	72	1335	1176	275	343	8870	
DIV. XI.	WELSH.																									
	Persons	34957	900	186	—	523	516	329	—	104	638	1346	1178	395	245	72	339	2051	175	188	3178	2213	344	1553	18483	2432
	Males	18430	454	101	—	261	239	159	—	57	334	679	582	224	126	40	175	907	105	88	1891	1180	—	1236	9591	
	Females	16527	446	85	—	262	277	170	—	47	304	667	596	171	119	32	164	1144	70	100	1287	1033	344	317	8892	

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Divisions, Counties, and Districts—*continued*.

REGISTRATION COUNTIES.	ALL CAUSES.	CAUSES OF DEATH.																	Inquests.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tubes Mesenterica.	All other Tuber- culous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
I.—LONDON.																										
Persons ..	62699	—	1983	187	—	723	1375	408	3	184	1332	3970	1561	811	349	52	716	5115	529	237	6399	4995	319	2594	28857	6644
Males ..	32118	—	1054	100	—	330	604	200	1	94	752	2545	899	428	186	31	409	2340	290	103	3534	2361	—	1679	14478	
Females ..	30281	—	929	87	—	393	771	208	2	90	580	1425	662	383	163	21	307	2775	239	134	2865	2634	319	915	14379	
II.—S TH . EASTERN.																										
Persons ..	10056	—	63	34	—	183	140	99	—	17	145	520	317	106	53	10	99	895	69	33	812	512	68	388	5493	779
Males ..	5137	—	41	16	—	89	68	51	—	11	77	314	191	50	26	7	52	368	41	16	433	245	—	261	2780	
Females ..	4919	—	22	18	—	94	72	48	—	6	68	206	126	56	27	3	47	527	28	17	379	267	68	127	2713	
Persons ..	12052	1	96	31	1	223	243	77	1	45	148	639	393	133	76	10	135	1033	72	55	704	674	58	462	6742	731
Males ..	6197	1	46	17	1	112	109	36	—	27	87	361	206	59	32	5	72	429	35	31	402	322	—	344	3463	
Females ..	5855	—	50	14	—	111	134	41	1	18	61	278	187	74	44	5	63	604	37	24	302	352	58	118	3279	
Persons ..	8193	—	143	12	—	148	117	30	—	19	91	338	296	81	53	6	100	856	46	36	549	465	48	284	4475	598
Males ..	4003	—	69	5	—	79	48	17	—	9	47	202	174	44	22	3	46	346	25	11	282	202	—	197	2175	
Females ..	4190	—	74	7	—	69	69	13	—	10	44	136	122	37	31	3	54	510	21	25	267	263	48	87	2300	
Persons ..	10827	—	105	42	—	168	122	132	1	76	126	559	332	102	62	12	106	922	60	42	701	627	52	372	6106	834
Males ..	5808	—	56	20	—	71	51	51	1	51	71	346	187	55	37	7	67	430	32	11	408	315	—	255	3286	
Females ..	5019	—	49	22	—	97	71	81	—	25	55	213	145	47	25	5	39	492	28	31	293	312	52	117	2820	

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.	ALL CAUSES.	CAUSES OF DEATH.																	Inquests.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tubercu- lous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tubes Mesenterica.	All other Tuber- culous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
6	II.—STH. EASTERN —continued. BERKSHIRE. Persons Males Females 3491 1759 1732	— — —	28 17 11	8 5 3	— — —	69 37 32	70 25 45	47 21 26	— — —	4 3 1	27 14 13	172 92 80	90 56 34	35 21 14	20 10 10	2 1 1	39 23 16	327 139 188	23 14 9	10 7 3	161 92 69	216 99 117	22 — 22	137 97 40	1984 986 998	224
7	III.—STH. MIDLAND. MIDDLESEX. Persons Males Females 10737 5310 5427	— — —	120 62 58	54 34 20	— — —	140 60 80	183 85 98	142 59 83	2 — 2	46 20 26	199 116 83	545 319 256	336 197 139	119 68 51	51 26 25	11 9 2	94 47 47	873 345 528	64 37 27	52 23 29	889 458 431	727 359 368	60 — 60	403 262 141	5627 2724 2903	957
8	HERTFORDSH. Persons Males Females 3242 1614 1628	— — —	17 9 8	5 3 2	— — —	63 31 32	34 14 20	27 18 9	— — —	8 4 4	32 15 17	158 86 72	67 35 32	24 8 16	17 8 9	— — —	27 14 13	301 120 181	15 4 11	18 11 7	179 102 77	222 106 116	14 — 14	125 86 39	1889 940 949	180
9	BUCKINGHAMS. Persons Males Females 2142 1115 1027	— — —	21 17 4	2 — 2	— — —	65 32 33	32 19 13	12 8 4	— — —	2 1 1	13 4 9	68 36 32	52 34 18	16 5 11	10 5 5	3 — 3	15 10 5	199 83 116	10 5 5	10 4 6	125 74 51	149 68 81	7 — 7	78 51 27	1253 659 594	177
10	OXFORDSHIRE. Persons Males Females 2465 1244 1221	— — —	4 3 1	3 — 3	— — —	60 31 29	22 9 13	6 4 2	— — —	3 2 1	19 8 11	90 48 42	91 51 40	13 4 9	7 1 6	— — —	24 12 12	220 89 131	25 14 11	11 4 7	150 91 59	196 91 105	14 — 14	80 60 20	1427 722 705	139

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Divisions, Counties and Districts—continued.

REGISTRATION COUNTIES.		ALL CAUSES.	CAUSES OF DEATH.																			Inquests.					
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhus Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
11	III.—STH. MIDLAND —continued. NORTHAMPTNS. Persons Males Females	4326 2195 2131	— — —	49 25 24	9 4 5	— — —	85 43 42	51 21 30	40 17 23	— — —	12 9 3	36 23 13	170 87 83	164 85 79	48 23 25	25 9 16	2 1 1	38 14 24	394 166 228	14 8 6	10 6 4	274 160 114	290 137 153	24 — 24	151 102 49	2440 1255 1185	223
12	HUNTINGDONS. Persons Males Females	632 331 301	— — —	3 1 2	— — —	17 9 8	1 1 —	3 2 1	— — —	— — —	— — —	2 2 —	27 13 14	25 10 15	3 1 2	1 — 1	— — —	19 11 8	70 30 40	4 4 —	— — —	31 19 12	39 19 20	2 — 2	20 16 4	362 192 170	40
13	BEDFORDSH. Persons Males Females	2280 1174 1106	— — —	10 8 2	5 4 1	— — —	40 20 20	27 13 14	17 11 6	— — —	2 2 —	23 12 11	61 39 22	77 49 28	19 12 7	15 7 8	1 — 1	20 12 8	190 80 110	6 3 3	8 6 2	155 89 66	150 77 73	13 — 13	65 50 15	1376 680 696	114
14	CAMBRIDGESH. Persons Males Females	2747 1435 1312	— — —	13 7 6	4 — 4	— — —	46 27 19	20 13 7	32 11 21	— — —	4 1 3	25 12 13	111 58 53	93 53 40	12 10 2	19 12 7	— — —	27 17 10	295 133 162	16 8 8	9 3 6	160 80 80	152 78 74	17 — 17	106 77 29	1586 835 751	145
15	IV.—EASTERN. ESSEX. Persons Males Females	14268 7408 6860	2 — 2	203 108 95	59 26 33	1 1 —	241 121 120	249 114 135	133 60 73	— — —	36 22 14	239 129 110	774 456 318	434 219 215	179 100 79	72 41 31	15 7 8	143 78 65	1109 480 629	87 56 31	65 36 29	1086 626 460	1162 574 588	79 — 79	530 381 149	7370 3773 3597	998
16	SUFFOLK. Persons Males Females	4870 2421 2449	— — —	51 22 29	3 2 1	— — —	85 45 40	48 16 32	20 7 13	— — —	9 6 3	42 24 18	163 89 74	172 86 86	43 19 24	26 9 17	2 2 —	47 21 26	459 198 261	19 14 5	13 4 9	244 137 107	266 111 155	32 — 32	182 126 56	2944 1483 1461	291

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.		ALL CAUSES.	CAUSES OF DEATH.																			Inquests.					
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	<i>Pyæmia</i> , of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tubercu- lous Phthisis.	<i>Phthisis</i> , not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	<i>Tuberc. Mesenterica</i> .	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever of <i>Heart.</i>		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
17	IV.—EASTERN— <i>continued.</i> NORFOLK. Persons Males Females	6288 3150 3138	— — —	32 18 14	20 10 10	— — —	128 67 61	49 23 26	35 15 20	— — —	12 7 5	68 34 34	226 111 115	206 108 98	60 24 36	44 23 21	2 — 2	62 40 22	579 224 355	27 20 7	20 9 11	283 166 117	357 176 181	31 — 31	243 179 64	3804 1896 1908	387
18	V.—SOUTH-WESTERN. WILTSHIRE. Persons Males Females	3261 1629 1632	1 1 —	11 9 6	3 1 2	— — —	81 37 44	32 9 23	30 11 19	1 1	— — —	17 10 7	105 56 49	109 53 56	29 12 17	20 10 10	1 1 —	30 15 15	253 115 138	13 7 6	5 1 4	165 94 71	220 111 109	9 — 9	107 77 30	2019 1003 1016	212
19	DORSETSHIRE. Persons Males Females	2651 1354 1297	— — —	11 7 4	7 3 4	— — —	79 39 40	44 19 25	17 8 9	— — —	6 2 4	17 5 12	104 61 43	75 39 36	18 10 8	16 4 12	1 1 —	23 11 12	230 94 136	8 6 2	6 3 3	140 75 65	170 89 81	10 — 10	96 71 25	1573 807 766	141
20	DEVONSHIRE. Persons Males Females	9465 4803 4862	— — —	71 38 33	15 10 5	— — —	199 90 109	158 75 83	92 43 49	— — —	34 22 12	139 77 62	471 225 246	301 157 144	75 24 51	58 25 33	7 5 2	114 58 56	736 307 429	64 38 26	26 11 15	560 293 267	621 269 352	51 — 51	345 247 98	5328 2589 2739	704
21	CORNWALL. Persons Males Females	4630 2304 2326	— — —	19 13 6	6 3 3	— — —	105 52 53	24 13 11	40 19 21	— — —	8 4 4	39 22 17	203 121 82	174 100 74	40 25 15	22 10 12	1 — 1	66 33 33	352 154 198	26 16 10	18 11 7	277 154 123	255 109 146	27 — 27	170 126 44	2758 1319 1439	345
22	SOMERSETSH Persons Males Females	6035 2868 3167	— — —	65 33 32	18 8 10	— — —	101 45 56	60 22 38	39 14 25	— — —	10 5 5	38 26 12	230 123 107	221 118 103	42 16 26	28 14 14	4 2 2	49 24 25	537 196 341	23 9 14	17 9 8	350 201 149	400 179 221	42 — 42	200 151 49	3561 1673 1888	390

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.	ALL CAUSES.	CAUSES OF DEATH.																	Inquests.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tubercu- lous Phtisis.	Phtisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Typhus Mesenterica.	All other Tuber- culous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
23	VI.—WEST MID- LAND.																										
	GLOUCESTERS.																										
	Persons	8713	96	17	—	155	102	90	—	19	105	404	231	102	52	11	96	714	60	37	566	576	60	286	4934	663	
	Males	4340	52	10	—	76	48	39	—	12	50	203	117	56	33	6	52	314	34	24	314	267	—	209	2424		
	Females	4373	44	7	—	79	54	51	—	7	55	201	114	46	19	5	44	400	26	13	252	309	60	77	2510		
24	HEREFORDSH.																										
	Persons	1539	2	3	—	34	12	13	—	2	12	54	32	7	9	—	13	117	12	4	86	90	11	58	968	88	
	Males	808	1	2	—	18	6	9	—	1	8	31	18	5	4	—	6	49	5	2	54	44	—	36	509		
	Females	731	1	1	—	16	6	4	—	1	4	23	14	2	5	—	7	68	7	2	32	46	11	22	459		
25	SHROPSHIRE.																										
	Persons	3555	35	13	—	107	29	38	—	12	34	98	122	29	23	—	27	318	22	13	239	211	18	136	2031	212	
	Males	1881	20	5	—	52	16	20	—	6	21	56	68	18	11	—	18	141	11	4	144	113	—	93	1064		
	Females	1674	15	8	—	55	13	18	—	6	13	42	54	11	12	—	9	177	11	9	95	98	18	43	967		
26	STAFFORDSH.																										
	Persons	18768	311	186	—	201	311	211	—	81	538	715	534	224	181	65	196	1082	96	71	1397	1533	126	789	9920	1385	
	Males	9731	155	79	—	102	129	95	—	41	297	422	291	118	97	29	91	465	51	30	801	851	—	560	5027		
	Females	9037	156	107	—	99	182	116	—	40	241	293	243	106	84	36	105	617	45	41	596	682	126	229	4893		
27	WORCESTERSH.																										
	Persons	6769	50	49	—	112	138	57	—	17	94	264	203	64	39	10	83	526	38	28	529	488	50	217	3713	396	
	Males	3457	24	27	—	61	64	25	—	11	55	155	106	32	20	2	36	218	17	15	295	254	—	142	1898		
	Females	3312	26	22	—	51	74	32	—	6	39	109	97	32	19	8	47	308	21	13	234	234	50	75	1815		
28	WARWICKSH.																										
	Persons	13985	93	141	—	155	294	136	—	47	335	490	630	152	71	26	115	941	99	38	1132	1116	105	615	7254	832	
	Males	7291	47	70	—	79	129	66	—	21	166	304	382	82	37	13	62	431	54	20	628	580	—	388	3732		
	Females	6694	46	71	—	76	165	70	—	26	169	186	248	70	34	13	53	510	45	18	504	536	105	227	3522		

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.	CAUSES OF DEATH.																	ALL CAUSES.											
	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyæmia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tabes Mesenterica.	All other Tuber- culous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.			
VII.—N. MIDLAND.																													
29	LEICESTERSH.		Persons	1	62	17	—	69	116	19	—	19	8	105	262	232	78	46	5	68	471	23	20	356	406	25	223	3193	393
			Males	1	33	6	—	40	48	11	—	11	—	65	141	126	32	22	2	36	205	17	8	215	195	—	154	1616	
			Females	—	29	11	—	29	68	8	—	8	—	40	121	106	46	24	3	32	266	6	12	141	211	25	69	1577	
30	RUTLANDSH.		Persons	—	—	—	—	8	3*	2	—	—	—	3	7	9	2	—	1	2	21	1	—	9	21	2	5	147	10
			Males	—	—	—	—	5	2	—	—	—	—	—	3	4	1	—	—	—	9	—	—	7	8	—	3	64	
			Females	—	—	—	—	3	1	2	—	—	—	—	—	5	1	—	—	2	12	1	—	2	13	2	2	83	
31	LINCOLNSH.		Persons	—	92	9	—	148	142	63	—	39	26	146	212	258	80	51	9	74	563	23	17	456	475	38	224	4269	385
			Males	—	47	5	—	78	65	34	—	26	13	81	117	133	35	26	6	34	225	13	4	272	221	—	178	2239	
			Females	—	45	4	—	70	77	29	—	13	—	65	95	125	45	25	3	40	338	10	13	184	254	38	46	2030	
32	NOTTINGHAMSH.		Persons	2	256	33	1	106	177	72	—	33	18	261	343	333	128	102	11	94	586	35	37	827	678	72	380	5095	567
			Males	—	130	22	1	50	77	40	—	18	—	132	177	167	76	48	6	54	239	21	19	439	339	—	261	2675	
			Females	2	126	11	—	56	100	32	—	15	—	129	166	166	52	54	5	40	347	14	18	388	339	72	119	2420	
33	DERBYSHIRE.		Persons	—	142	32	—	82	133	80	—	26	13	115	217	234	83	67	7	82	422	27	25	467	458	51	277	3833	458
			Males	—	82	14	—	43	59	37	—	13	—	64	112	133	52	40	4	50	188	16	11	265	219	—	204	1964	
			Females	—	60	18	—	39	74	43	—	13	—	51	105	101	31	27	3	32	234	11	14	202	239	51	73	1869	
VIII.—N. WESTERN.																													
34	CHESHIRE.		Persons	3	195	62	—	115	215	149	—	51	22	256	382	442	148	93	28	163	818	65	41	980	699	77	409	6356	865
			Males	2	106	28	—	56	80	68	—	22	—	134	216	233	80	55	18	88	294	38	12	592	337	—	284	3199	
			Females.. ..	1	89	34	—	59	135	81	—	29	—	122	166	209	68	38	10	75	524	27	29	388	362	77	125	3157	

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.	CAUSES OF DEATH.																				ALL CAUSES.				
	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	Phthisis, not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	Tubes Mesenterica.	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
35	VIII.—NORTH WEST- TERN—continued.																								
LANCASHIRE.																									
Persons	2	1477	661	1	639	1763	645	1	472	2485	3167	2485	847	647	170	789	4278	367	385	7059	6161	513	2698	36404	4618
Males	2	754	336	1	334	751	293	1	263	1365	1811	1432	441	331	81	446	1242	204	185	3994	3033	—	1787	18458	
Females..	—	723	325	—	305	1012	352	—	209	1120	1356	1053	406	316	89	343	2436	163	200	3065	3128	513	911	17946	
36	IX.—YORKSHIRE.																								
WEST RIDING.																									
Persons	1	826	225	—	461	868	397	2	209	1220	1606	1242	469	401	71	471	2877	207	215	3792	3158	345	1670	22317	3244
Males	1	421	104	—	249	380	191	1	119	662	961	688	244	224	42	256	1184	118	108	2186	1630	—	1152	11365	
Females..	—	405	121	—	212	488	206	1	90	558	645	554	225	177	29	215	1693	89	107	1606	1528	345	518	10952	
37	E. RIDING (WITH YORK).																								
Persons	2	92	24	—	103	93	66	—	39	311	243	286	67	47	7	80	538	33	29	519	517	34	310	3910	627
Males	2	43	12	—	51	48	41	—	22	164	137	158	35	24	4	39	230	16	15	295	265	—	223	2084	
Females..	—	49	12	—	52	45	25	—	17	147	106	128	32	23	3	41	308	17	14	224	252	34	87	1826	
38	NORTH RIDING.																								
Persons	—	37	17	—	74	97	102	—	35	229	216	160	78	44	12	82	369	26	23	665	386	46	236	3189	443
Males	—	19	11	—	36	43	43	—	20	108	120	82	51	20	7	37	164	12	8	405	203	—	164	1652	
Females..	—	18	6	—	38	54	59	—	15	121	96	78	27	24	5	45	205	14	15	260	183	46	72	1537	
39	X.—NORTHERN.																								
DURHAM.																									
Persons	2	298	97	1	207	458	207	1	106	713	538	768	281	243	100	221	988	80	66	1866	1481	160	772	10478	1136
Males	2	148	46	1	115	209	98	1	57	400	271	411	161	117	56	124	429	42	26	1067	760	—	596	5466	
Females..	—	150	51	—	92	249	109	—	49	313	267	357	120	126	44	97	559	38	40	799	721	160	176	5012	

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.		ALL CAUSES.		CAUSES OF DEATH.																				Inquests.					
				Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	<i>Pyrexia</i> , of uncer- tain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuber- culosis, Tuber- culous Phthisis.	<i>Phthisis</i> , not other- wise defined.	Tuberculous Men- ingitis.	Tuberculous Peri- tonitis.	<i>Tuberc Mesenterica</i> .	All other Tuber- culous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, <i>Rheumatism</i> of <i>Heart</i> .	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes	
40	X.—NORTHERN— <i>cont.</i>																												
	NORTHUMBRL.																												
	Persons	10208	1	185	34	—	101	173	79	—	34	269	386	400	162	108	28	138	636	44	43	855	686	86	389	5371	709		
	Males	5443	1	90	16	—	53	82	39	—	21	154	224	210	91	48	17	77	303	18	19	493	363	—	278	2846			
	Females..	4765	—	95	18	—	48	91	40	—	13	115	162	190	71	60	11	61	333	26	24	362	323	86	111	2525			
41	CUMBERLAND.																												
	Persons	4115	—	34	33	—	43	54	37	—	7	58	119	155	56	36	15	35	263	16	14	330	223	24	304	2259	352		
	Males	2187	—	19	14	—	19	15	23	—	4	35	55	76	33	18	9	26	107	8	7	183	103	—	259	1174			
	Females..	1928	—	15	19	—	24	39	14	—	3	23	64	79	23	18	6	9	156	8	7	147	120	24	45	1085			
42	WESTMORLD.																												
	Persons	794	—	1	1	—	12	2	14	—	—	3	19	22	11	5	1	6	83	3	3	58	22	5	34	489	41		
	Males	392	—	1	1	—	8	1	8	—	—	1	9	14	4	2	—	2	33	1	2	31	10	—	23	241			
	Females..	402	—	—	—	—	4	1	6	—	—	2	10	8	7	3	1	4	50	2	1	27	12	5	11	248			
43	XI.—WELSH. MONMOUTHSH.																												
	Persons	5508	—	196	29	—	62	109	48	—	24	87	143	138	48	24	18	40	286	19	33	579	379	63	316	2867	421		
	Males	3015	—	105	17	—	34	52	23	—	19	49	76	66	27	12	8	29	131	9	14	347	214	—	259	1524			
	Females..	2493	—	91	12	—	28	57	25	—	5	38	67	72	21	12	10	11	155	10	19	232	165	63	57	1343			

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.		ALL CAUSES.	CAUSES OF DEATH.																		Inquests.						
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).		Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
44	XI.—WELSH—cont. GLAMORGANSH.	15663	1	499	94	—	161	256	141	—	52	447	620	479	199	115	43	153	769	91	100	1611	1000	152	773	7907	1337
		8428	1	245	46	—	82	116	62	—	25	235	304	240	101	63	27	73	353	59	49	971	560	—	619	4197	
		7235	—	254	48	—	79	140	79	—	27	212	316	239	98	52	16	80	416	32	51	640	440	152	154	3710	
45	CARMARTHENS.	2270	—	18	6	—	22	63	20	—	7	19	102	90	32	10	—	25	124	15	9	180	127	23	92	1286	123
		1148	—	9	4	—	7	29	13	—	3	7	55	41	22	9	—	10	50	10	2	88	67	—	76	646	
		1122	—	9	2	—	15	34	7	—	4	12	47	49	10	1	—	15	74	5	7	92	60	23	16	640	
46	PEMBROKESH.	1282	—	8	5	—	14	30	20	—	1	17	55	60	8	8	1	13	103	6	7	77	77	8	53	711	78
		630	—	4	4	—	6	16	8	—	—	6	28	30	6	2	—	7	42	2	2	46	34	—	42	344	
		652	—	4	1	—	8	14	12	—	1	11	27	30	2	6	—	6	61	4	5	31	43	8	11	367	
47	CARDIGANSH.	1418	—	1	4	—	31	13	10	—	—	10	112	55	8	11	—	14	109	3	4	104	101	11	27	790	54
		668	—	1	2	—	15	5	6	—	—	5	50	29	6	6	—	5	47	2	1	49	40	—	21	379	
		750	—	—	2	—	16	8	4	—	—	5	62	26	2	2	—	9	62	1	3	55	61	11	6	411	
48	BRECKNOCKSH.	847	—	30	4	—	17	3	2	—	6	2	26	28	7	3	1	7	55	5	2	68	66	9	32	474	52
		454	—	15	3	—	8	—	2	—	3	1	9	12	4	3	—	5	23	3	1	41	31	—	23	267	
		393	—	15	1	—	9	3	—	—	3	1	17	16	3	—	1	2	32	2	1	27	35	9	9	207	
49	RADNORSHIRE.	243	—	—	—	—	10	4	7	—	—	2	4	9	6	3	—	2	25	—	—	11	6	1	6	146	9
		140	—	—	—	—	7	2	3	—	—	1	2	5	3	1	—	—	14	—	—	9	2	—	5	85	
		103	—	—	—	—	3	2	4	—	—	1	2	4	3	2	—	2	11	—	—	2	4	—	1	61	

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Divisions, Counties, and Districts—continued.

REGISTRATION COUNTIES.		ALL CAUSES.	CAUSES OF DEATH.																			Inquests.					
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhus Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
50	XI.—WELSH—cont. MONTGOMERYS. Persons Males Females	844	—	4	2	—	27	4	5	—	3	2	39	34	6	3	1	8	54	2	7	48	62	14	32	487	55
		418	—	1	2	—	16	2	4	—	2	1	20	17	4	1	—	4	18	—	—	30	30	—	26	236	
		426	—	3	—	—	11	2	1	—	1	1	19	17	2	2	2	—	4	36	2	3	18	32	14	6	251
51	FLINTSHIRE. Persons Males Females	982	—	6	14	—	15	2	35	—	2	9	32	23	4	11	—	6	49	7	4	73	69	13	40	568	58
		523	—	3	9	—	8	1	19	—	—	6	17	10	3	4	—	2	20	3	3	49	41	—	31	294	
		459	—	3	5	—	7	1	16	—	2	3	15	13	1	7	—	4	29	4	4	24	28	13	9	274	
52	DENBIGHSHIRE. Persons Males Females	2208	—	123	13	—	54	13	14	—	3	23	56	83	27	20	1	27	146	11	6	197	137	24	69	1161	107
		1146	—	64	6	—	27	8	7	—	2	12	31	39	18	10	—	15	71	5	3	117	73	—	52	585	
		1062	—	59	7	—	27	5	7	—	1	11	25	44	9	10	—	12	75	6	3	80	64	24	17	576	
53	MERIONETHSH. Persons Males Females	972	—	4	8	—	22	5	9	—	—	4	39	38	13	8	2	10	89	1	6	65	46	10	30	563	41
		491	—	3	4	—	13	2	4	—	—	2	23	18	5	4	—	4	42	1	2	39	22	—	21	281	
		481	—	1	4	—	9	3	5	—	—	2	16	20	8	4	—	6	47	—	1	4	26	24	10	9	282
54	CARNARVONSH. Persons Males Females	2134	—	10	6	—	71	5	7	—	6	15	91	122	29	20	3	28	189	13	7	126	107	11	69	1199	82
		1090	—	4	4	—	29	3	4	—	3	8	49	64	20	8	—	17	70	9	5	80	53	—	51	607	
		1044	—	6	2	—	42	2	3	—	3	7	42	58	9	12	1	11	119	4	2	46	54	11	18	592	
55	ANGLESEY. Persons Males Females	586	—	1	1	—	17	9	11	—	—	1	27	19	8	9	2	6	53	2	2	39	36	5	14	324	15
		279	—	—	—	—	9	3	4	—	—	—	15	11	5	4	—	4	26	—	—	25	13	—	10	146	
		307	—	1	1	—	8	6	7	—	—	—	12	8	3	5	5	2	27	—	—	14	23	5	4	178	

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts.

I.—LONDON.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	ALL CAUSES.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
No.	1.-LONDON.																										
1	PADDINGTON ..	—	67	—	—	33	31	6	—	5	19	82	39	26	9	3	17	178	16	16	7	179	155	9	89	1006	204
2	KENSINGTON ..	—	57	—	—	41	45	3	—	4	25	167	90	13	18	2	17	272	23	23	5	259	229	10	59	1183	164
3	*FUL- (HAMMERSMITH) ..	—	65	—	—	14	23	10	—	2	45	81	37	20	6	1	17	129	12	12	6	184	80	7	87	746	175
4	HAM (FULHAM) ..	—	71	—	—	30	59	47	—	14	53	101	50	26	4	—	17	124	15	15	8	174	114	8	47	722	123
5	CHELSEA ..	—	19	—	—	23	14	1	—	7	26	138	33	13	9	—	26	208	12	12	8	126	105	4	41	631	95
6	ST. GEORGE HANR. SQ. ..	—	17	—	—	1	16	6	—	—	27	46	24	10	13	—	23	147	24	24	9	140	67	12	117	770	207
7	WESTMINSTER ..	—	2	—	—	22	25	—	—	—	3	6	4	—	—	—	1	18	18	2	—	15	10	—	10	110	17
8	ST. MARYLEBONE ..	—	24	—	—	15	12	7	—	5	21	59	20	17	8	—	25	286	10	10	8	121	81	14	66	741	148
9	HAMPSTEAD ..	—	20	—	—	21	90	26	—	4	10	110	21	15	5	—	11	118	9	9	1	83	49	1	36	500	64
10	ST. PANCRAS ..	—	133	—	—	42	128	8	—	4	45	210	120	38	21	3	37	332	29	29	11	389	238	16	180	1490	377
11	ISLINGTON ..	—	189	—	—	41	128	7	—	11	78	339	109	51	28	8	33	352	38	38	21	459	384	12	146	1958	388
12	HACKNEY ..	—	79	—	—	1	71	18	—	28	53	206	124	44	18	1	30	295	31	31	12	259	270	13	155	1615	407
13	ST. GILES ..	—	4	—	—	3	5	—	—	1	—	12	6	1	—	—	2	13	13	2	—	18	24	3	8	127	25
14	STRAND ..	—	3	—	—	21	—	2	—	3	4	22	7	10	4	—	3	66	11	11	1	42	14	5	37	248	58
15	HOLBORN ..	—	42	—	—	21	63	11	—	3	35	81	31	52	15	—	36	89	9	9	12	177	115	7	53	683	183
16	LONDON CITY ..	—	8	—	—	3	4	21	—	2	17	32	37	19	5	1	10	86	20	20	6	75	26	12	101	364	158
17	SHOREDITCH ..	—	75	—	—	20	36	4	—	2	39	152	35	23	6	2	16	78	4	4	2	225	214	5	91	758	303
18	BETHNAL GREEN ..	—	64	—	—	8	34	8	—	9	71	180	19	48	20	1	30	113	21	21	4	240	185	5	79	909	260
19	WHITECHAPEL ..	—	24	—	—	23	7	11	—	8	58	91	20	54	21	—	36	174	40	40	9	277	112	34	136	953	299
20	ST. GEORGE IN THE EAST ..	—	604	—	—	9	8	5	—	2	16	52	16	6	7	—	3	29	22	3	5	56	57	1	28	263	113
21	STEPNEY ..	—	909	—	—	4	93	14	—	1	49	26	13	11	9	—	37	22	9	5	1	133	65	4	32	343	126
22	MILE END OLD TOWN ..	—	1207	—	—	10	30	8	—	2	31	98	37	9	4	—	11	64	5	5	1	123	109	3	46	598	148
23	POPLAR ..	—	2552	—	—	23	80	—	—	7	79	205	47	28	6	—	26	152	14	14	9	260	271	9	148	1132	476
24	SOUTHWARK ..	—	217	—	—	19	78	17	—	1	102	117	89	41	14	—	44	161	26	26	12	405	207	21	147	1148	376
25	ST. OLAVE (BERMONDSEY) ..	—	125	—	—	14	28	—	—	3	61	161	38	20	17	3	18	123	12	12	6	176	159	5	67	652	199

* 3.—The District of FULHAM comprises the two Poor Law Parishes of HAMMERSMITH and FULHAM.

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.
I.—LONDON—continued.

REGISTRATION DISTRICTS.	CAUSES OF DEATH.																									
	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhus Malarialis.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.	
No.																										
25	1.—LONDON—cont.																									
26	LAMBETH ..	138	22	—	50	50	50	—	20	79	272	105	51	36	2	53	373	36	14	447	356	25	152	2026	350	
27	WANDSWORTH ..	114	19	—	80	116	28	1	7	82	276	166	62	11	4	33	409	25	26	513	362	26	145	2525	427	
28	CAMBERWELL ..	145	2	—	43	71	5	—	7	57	329	111	38	15	8	41	279	32	14	361	361	19	107	1841	303	
29	GREENWICH ..	109	42	—	23	101	50	—	19	75	165	65	28	8	3	29	165	18	7	230	266	12	86	1220	215	
30	LEWISHAM..	16	7	—	20	31	11	—	3	20	64	26	15	5	1	15	156	11	7	135	157	8	50	902	129	
	WOOLWICH ..	21	26	—	54	25	24	1	2	20	90	52	22	7	—	18	104	10	5	118	113	9	48	693	127	

II.—SOUTH EASTERN COUNTIES.

31	2.—SURREY.	1620	3	16	—	12	21	31	—	3	31	94	75	17	4	—	16	101	12	3	206	60	9	33	873	55
32	EPSOM ..	438	2	4	—	6	3	4	—	1	4	23	20	8	—	1	8	51	1	—	40	20	—	16	231	22
33	CHERTSEY ..	823	2	—	—	23	22	10	—	—	10	29	25	6	2	—	9	68	5	2	58	40	12	34	476	49
34	GUILDFORD ..	698	—	—	—	10	6	1	—	—	1	28	29	2	6	—	5	69	4	4	12	40	4	32	379	52
35	FARNHAM ..	241	—	—	—	12	3	—	—	—	—	9	7	2	2	—	1	15	1	1	10	8	2	8	157	16
36	HAMBLETON ..	223	—	—	—	3	2	6	—	—	—	6	9	2	1	—	3	33	2	1	28	14	4	8	116	14
37	DORKING ..	553	4	1	—	24	8	1	—	3	10	15	28	4	7	—	6	50	2	3	38	26	4	16	312	39
38	REIGATE ..	504	5	—	—	10	10	3	—	1	7	39	9	3	7	—	8	40	1	1	208	26	3	13	283	22
39	GODSTONE ..	2762	—	—	—	33	32	29	—	1	47	164	64	34	18	4	22	242	20	15	107	156	18	115	1493	283
40	CROYDON ..	1623	40	7	—	38	30	18	—	6	22	85	38	14	2	2	16	173	11	3	46	86	13	76	873	164
41	KINGSTON ..	571	2	5	—	12	3	3	—	—	9	28	13	8	4	—	5	53	10	—	—	36	1	37	300	63
42	3.—KENT.																									
43	BROMLEY* ..	951	—	6	—	20	13	4	—	1	13	36	25	9	1	1	2	106	6	6	69	66	4	41	522	74
44	DARTFORD* ..	1259	46	10	—	16	8	10	—	3	11	63	40	17	6	—	18	75	13	4	107	59	8	57	688	99
45	GRAVESEND ..	381	3	—	—	9	4	—	—	3	6	20	12	3	—	—	2	29	4	1	22	31	2	14	216	29
	STROOD ..	441	12	3	—	4	11	2	—	2	3	10	19	3	1	1	5	31	1	1	38	33	1	19	241	33

* On 1st December, 1910, the boundary between BROMLEY (42) and DARTFORD (43) Registration Districts was altered; see page 492. The deaths are included in the figures for the District in which they were registered.

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.
II.—SOUTH EASTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	ALL CAUSES.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.			Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
No.	3.—KENT—cont.																										
46	HOO ..	39																									
47	MEDWAY ..	1251																									
48	MALLING ..	306																									
49	SEVENOAKS ..	323																									
50	TONBRIDGE ..	858																									
51	MAIDSTONE ..	814																									
52	HOLLINGBOURN ..	155																									
53	CRANBROOK ..	175																									
54	TENTERDEN ..	112																									
55	WEST ASHFORD ..	262																									
56	EAST ASHFORD ..	167																									
57	BRIDGE* ..	262																									
58	CANTERBURY* ..	348																									
59	BLEAN* ..	327																									
60	FAVERSHAM ..	336																									
61	MILTON ..	303																									
62	SHEPPEY ..	235																									
63	THANET ..	1022																									
64	EASTRY ..	393																									
65	DOVER ..	608																									
66	ELHAM ..	642																									
67	ROMNEY MARSH ..	82																									
68	4.—SUSSEX.																										
69	RYE ..	144																									
70	HASTINGS ..	884																									
71	BATTLE ..	252																									
	EASTBOURNE ..	674																									

* On 1st June, 1910, the boundary between BRIDGE (57), CANTERBURY (58), and BLEAN (59) Registration Districts was altered: see page 492. The deaths are included in the figures for the District in which they were registered.

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.

II.—SOUTH EASTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.															ALL CAUSES.										
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.			All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Chilblain and Puerperal Septic Diseases.	Violence.	All other Causes.
4.—SUSSEX—cont.		259					4	3			9	8	8	1				3	14			31	11	1	9	157	13
72	HAILSHAM ..	173				3	5	1		1	1	3	3	1	3			1	23			9	12	4	6	97	29
73	TICEHURST ..	268				3	3			1	1	12	8	2	3			1	25			18	19	1	15	150	17
74	UCKFIELD ..	212				3	3			1	4	10	10	4	1			3	18	1		15	15	1	10	120	23
75	EAST GRINSTEAD ..	281				3	4			1	1	6	6	1	1			7	34	4		21	15	2	10	160	16
76	UCKFIELD ..	330				7	1			1	1	19	19	—	—			36	9	—		17	29	—	5	186	74
77	LEWES ..	130				1	2			2	2	6	6	1	1			9	2			13	2	1	8	74	16
78	NEW HAVEN ..	1847				22	1			4	35	64	33	25	13	3	3	175	13	13		134	96	8	52	804	151
79	BRIGHTON ..	1080				18	3			8	19	33	33	7	5	—	22	125	4	4		78	41	7	26	609	29
80	STEYNING ..	335				3	4				1	15	13	2	4	—	13	42	3	3		14	16	5	13	195	3
81	HORSHAM ..	101				4	1				—	—	—	2	—	—	2	9	—	—	8	6	7	—	2	57	4
82	PETWORTH ..	86				1	1				—	—	—	—	—	—	2	5	—	—	3	7	—	—	—	62	36
83	THAKEHAM ..	598				7	7			1	6	20	13	7	2	2	4	63	4	4		31	38	3	20	337	22
84	EAST PRESTON ..	242				4	4				1	7	13	1	3	—	1	24	22	4		11	18	1	13	136	17
85	WESTHAMPTON ..	274				2	2				—	5	5	2	4	—	—	22	2	2		14	14	—	8	175	9
86	CHICHESTER ..	135				1	1				1	12	—	—	—	—	1	8	—	1		4	7	2	5	88	9
87	MIDHURST ..	88				4	1				—	2	1	—	—	—	—	10	—	—		6	7	—	4	50	9
88	WESTBOURNE ..																										
5.—HAMPSHIRE.		145				7	26			2	56	5	3	1	1	—	—	19	16	—	1	5	7	2	7	73	15
89	HAVANT ..	3084				8	8			39	4	166	85	33	20	3	26	185	—	—	15	230	222	19	106	1643	243
90	PORTSMOUTH ..	437				6	6			10	4	20	11	1	—	—	4	45	2	2	3	37	26	1	20	237	49
91	ALVERSTOKE ..	360				3	3			2	7	15	36	3	4	—	3	23	1	1	2	33	10	1	12	226	21
92	FAREHAM ..	972				—	17			3	2	63	36	7	6	—	11	97	4	4	1	47	45	5	30	579	69
93	ISLE OF WIGHT ..	138				—	2			—	7	9	5	1	—	—	3	17	1	1	4	4	8	—	3	85	61
94	LYMINGTON ..	1044				—	27			—	8	74	50	9	5	—	14	17	8	8	—	70	41	4	24	575	61
95	CHRISTCHURCH ..	100				—	2			—	—	7	1	1	—	2	—	113	—	—	3	7	4	—	3	61	2
96	RINGWOOD ..	61				—	1			—	1	—	3	—	—	—	—	4	—	—	—	2	8	1	—	39	2
97	FORDINGBRIDGE ..																										

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—*continued*.
 II.—SOUTH EASTERN COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				Inquests.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
No.	ALL CAUSES.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
98	5.—HAMPSHIRE	152	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10
99	—continued.	1557	18	2	—	1	13	28	7	6	1	12	—	—	—	—	—	—	5	16	1	—	8	8	—	4	94
100	NEW FOREST ..	429	1	1	—	20	1	6	104	47	24	1	—	—	—	—	—	19	148	12	—	90	92	6	66	814	
101	SOUTHAMPTON ..	139	4	—	—	10	—	2	25	13	2	—	—	—	—	—	—	3	36	3	—	22	25	3	16	256	
102	SOUTH STONEHAM ..	77	—	—	—	5	—	—	4	6	1	—	—	—	—	—	—	1	9	—	—	11	10	—	6	74	
103	ROMSEY ..	392	6	—	—	4	—	—	6	12	3	1	—	—	—	—	—	—	46	2	—	31	20	2	3	45	
104	STOCKBRIDGE ..	48	—	—	—	1	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	220	
105	*WINCHES- TER {	130	—	—	—	3	—	—	3	—	—	—	—	—	—	—	—	—	4	—	—	3	4	—	—	31	
106	DROXFORD ..	39	—	—	—	10	—	—	2	1	—	—	—	—	—	—	—	—	16	2	—	3	5	—	2	88	
107	CATHERINGTON ..	177	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	4	3	—	2	6	—	1	22	
108	PETERSFIELD ..	90	—	—	—	7	—	—	4	7	—	—	—	—	—	—	—	2	19	—	—	9	6	—	11	111	
109	ALRESFORD ..	248	1	—	—	1	—	—	5	9	—	—	—	—	—	—	—	—	9	—	—	5	4	—	3	54	
110	ALTON ..	344	3	—	—	6	—	2	10	12	4	3	—	—	—	—	—	1	25	—	—	23	20	—	5	137	
111	HARTLEY WINTNEY ..	266	1	—	—	2	—	1	6	6	4	2	—	—	—	—	—	—	25	3	—	18	19	2	5	221	
112	BASINGSTOKE ..	53	—	—	—	1	—	—	2	3	3	1	—	—	—	—	—	—	27	1	—	3	15	—	7	162	
113	WHITCHURCH ..	229	—	—	—	—	—	—	11	3	1	2	—	—	—	—	—	—	4	—	—	13	4	—	1	30	
114	ANDOVER ..	106	—	—	—	—	—	—	2	2	1	1	—	—	—	—	—	—	10	—	—	1	6	—	9	153	
115	KINGSLERE ..	292	—	—	—	—	—	—	2	2	1	1	—	—	—	—	—	—	6	—	—	1	—	—	1	76	
116	6.—BERKSHIRE.	181	—	—	—	2	—	—	11	10	4	4	—	—	—	—	—	3	23	—	—	9	15	2	12	189	
117	NEWBURY ..	143	1	—	—	3	—	—	13	2	1	—	—	—	—	—	—	3	14	—	—	12	8	—	4	115	
118	HUNGERFORD ..	211	—	—	—	7	—	—	5	1	2	—	—	—	—	—	—	4	9	—	—	6	13	—	7	77	
119	FARINGDON ..	185	—	—	—	—	—	—	7	11	—	1	—	—	—	—	—	1	31	—	—	9	15	8	8	118	
120	ABINGDON ..	232	—	—	—	2	—	—	10	3	—	2	—	—	—	—	—	—	21	—	—	4	10	1	10	107	
121	WANTAGE ..	119	—	—	—	13	—	—	29	2	1	—	—	—	—	—	—	—	14	3	—	10	12	1	9	130	

* 103.—The District of WINCHESTER comprises the two Poor Law Unions of WINCHESTER and HURSLEY.

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.

II.—SOUTH EASTERN COUNTIES—continued.

REGISTRATION DISTRICTS.	ALL CAUSES.	CAUSES OF DEATH.																				Inquests.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
No. 120	191	—	—	1	—	13	5	5	—	—	6	3	1	1	1	—	1	1	14	1	1	11	9	2	13	99	14
121	885	—	—	—	—	14	12	4	—	2	7	23	8	9	9	—	1	11	94	4	—	41	59	7	25	520	34
122	227	—	—	—	—	5	2	3	—	—	3	6	6	6	—	—	—	2	19	3	—	7	20	—	13	126	14
123	314	—	2	2	—	5	10	20	—	1	—	5	1	—	—	—	—	3	25	1	2	25	21	3	11	159	15
124	131	—	—	1	—	3	1	—	—	—	—	1	9	2	—	—	—	8	18	1	3	3	9	—	6	74	27
125	499	—	25	3	—	9	10	2	—	—	2	15	15	6	3	—	—	8	45	6	3	24	25	—	19	279	31
6.—BERKSHIRE																											
—continued.																											
BRADFELD																										
READING																										
WOKINGHAM																										
MAIDENHEAD																										
EASTHAMPTSTEAD																										
WINDSOR																										

III.—SOUTH MIDLAND COUNTIES.

7.—MIDDLESEX.																											
No. 126	415	—	7	1	—	3	11	3	—	2	4	14	11	1	2	—	—	1	30	5	1	22	35	3	16	250	35
127	699	—	27	2	—	6	9	3	—	—	9	47	21	1	5	—	—	11	36	6	4	53	56	2	18	403	26
128	2581	—	30	—	—	27	46	28	—	3	59	130	66	27	9	—	—	26	200	14	11	224	178	12	103	1385	196
129	1313	—	3	—	—	22	28	12	—	2	25	72	32	27	6	—	—	5	128	8	7	111	109	10	43	635	94
130	659	—	3	1	—	5	5	3	1	3	6	37	26	8	1	—	—	7	68	1	2	45	46	4	33	353	50
131	939	—	2	1	—	9	8	1	—	2	31	61	17	8	3	—	—	5	99	6	4	99	44	5	34	499	73
132	4131	—	51	45	—	68	76	92	1	34	65	184	163	47	25	6	—	39	312	24	23	335	259	24	156	2102	483
8.—HERTFORDSH.																											
No. 133	196	—	4	—	—	3	—	1	—	—	3	6	6	3	—	—	—	3	16	—	1	10	18	—	14	108	14
134	258	—	—	—	—	8	—	1	—	—	—	12	4	3	—	—	—	1	31	2	1	9	14	—	8	164	13

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—*continued*.
 III.—SOUTH MIDLAND COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.			
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyæmia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabes Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.

* 135.—The District of ROYSTON comprises the two Poor Law Unions of BUNTINGFORD and ROYSTON.
 † 138.—The District of HATFIELD comprises the two Poor Law Unions of HATFIELD and WELWYN.

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.
 III.—SOUTH MIDLAND COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.			
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.
III.—SOUTH MIDLAND COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	ALL CAUSES.																
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Lethis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.			Septic Diseases (not Puerperal).	Rheumatic Fever of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.							
																			IV.—EASTERN COUNTIES.																
																			15.—ESSEX.																
188	WEST HAM..	..	7287	166	40	1	88	159	87	—	26	163	444	204	104	33	10	74	491	53	33	642	687	38	264	3480	657								
189	EPPING	368	—	4	—	4	7	10	—	1	—	12	8	1	2	5	5	40	—	—	31	21	2	24	196	31								
190	ONGAR	116	—	1	—	8	—	—	—	—	—	5	—	1	1	—	1	12	—	—	11	—	4	65	5									
191	ROMFORD	1540	—	6	—	26	34	—	—	4	26	99	59	24	14	1	15	123	7	9	154	107	9	49	754	86								

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.

IV.—EASTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		ALL CAUSES.	CAUSES OF DEATH.																									
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.	
15.—ESSEX—cont.																												
No.																												
192	ORSETT ..	405	—	15	2	—	—	—	—	—	1	16	16	19	4	3	3	1	2	34	2	2	29	21	—	23	207	28
193	BILLERICAY ..	504	—	—	—	—	—	—	—	—	—	2	13	13	—	—	—	—	30	—	—	46	27	14	14	318	20	
194	CHELMSFORD ..	463	—	—	—	—	—	—	—	—	—	16	21	34	—	3	—	—	40	—	1	18	32	44	14	291	48	
195	ROCHFORD ..	936	—	—	—	—	—	—	—	—	—	4	45	11	1	5	1	—	91	—	6	38	54	44	9	541	13	
196	MALDON ..	315	—	—	—	—	—	—	—	—	—	9	10	14	2	1	—	—	32	—	4	13	40	19	12	183	18	
197	TENDRING ..	579	—	—	—	—	—	—	—	—	—	2	35	26	6	2	—	—	40	—	4	29	40	26	4	342	33	
198	COLCHESTER ..	551	2	—	—	—	—	—	—	—	—	1	20	4	5	1	—	—	36	—	9	26	41	26	5	298	131	
199	LEXDEN ..	242	—	—	—	—	—	—	—	—	—	2	14	11	1	—	—	—	27	—	1	11	22	1	5	116	5	
200	HALSTEAD ..	185	—	—	—	—	—	—	—	—	—	—	5	11	1	—	—	—	20	—	—	4	24	18	4	211	2	
201	BRAINTREE ..	363	—	—	—	—	—	—	—	—	—	—	10	13	8	—	—	—	39	—	1	17	24	18	4	120	18	
202	DUNMOW ..	204	—	—	—	—	—	—	—	—	—	—	7	5	2	—	—	—	30	—	1	9	14	9	6	117	5	
203	SAFFRON WALDEN ..	210	—	—	—	—	—	—	—	—	—	—	5	4	4	1	—	—	24	—	2	13	15	9	1	117	9	
16.—SUFFOLK.																												
204	RISBRIDGE ..	222	—	—	—	—	—	—	—	—	—	—	9	2	2	1	—	—	27	—	—	8	15	7	7	132	8	
205	SUDBURY ..	338	—	—	—	—	—	—	—	—	—	4	18	6	3	2	—	—	44	—	2	18	16	12	12	195	14	
206	COSFORD ..	183	—	—	—	—	—	—	—	—	—	—	4	2	—	—	—	—	12	—	—	7	10	7	15	119	8	
207	BURY ST. EDMUNDS ..	377	—	—	—	—	—	—	—	—	—	—	11	9	—	—	—	38	—	2	—	12	19	15	4	253	16	
208	MILDENHALL ..	92	—	—	—	—	—	—	—	—	—	—	1	3	1	—	—	10	—	—	—	6	2	2	10	62	3	
209	STOW ..	226	—	—	—	—	—	—	—	—	—	—	5	9	—	—	—	23	—	—	—	8	12	10	10	148	18	
210	HARTSMERE ..	309	—	—	—	—	—	—	—	—	—	—	9	8	—	—	—	28	—	—	—	12	20	10	10	200	13	
211	BOSMERE ..	217	—	—	—	—	—	—	—	—	—	5	6	4	—	—	—	24	—	—	—	14	14	5	5	135	12	

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.
IV.—EASTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		ALL CAUSES.		CAUSES OF DEATH.																			Inquests.							
				Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid.	Typhoid.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.		
No.																														
16.—SUFFOLK																														
—continued.																														
212	SAMFORD ..	164	—	—	1	17	8	—	2	3	3	8	13	2	—	—	—	2	14	11	5	—	11	9	—	8	105	9		
213	IPSWICH ..	1078	35	1	—	15	—	—	1	9	48	54	1	4	—	—	—	14	98	29	1	3	57	67	7	38	583	88		
214	WOODBRIDGE ..	379	5	—	—	1	—	—	—	—	17	17	1	6	—	—	—	2	2	21	2	1	25	22	—	13	233	24		
215	PLUMESGATE ..	246	3	—	—	12	—	—	—	2	5	7	1	—	—	—	—	4	29	30	—	2	6	15	13	13	153	16		
216	WYTHING ..	293	5	—	—	7	—	—	—	1	6	11	5	—	—	—	—	2	21	22	—	3	15	16	9	7	175	10		
217	WANGFORD ..	197	—	1	—	8	—	—	1	1	2	16	1	2	—	—	—	5	22	22	—	—	10	11	7	9	107	8		
218	MUTFORD ..	549	1	—	—	4	—	1	1	11	19	16	10	5	—	—	—	4	42	42	5	—	35	18	6	26	344	44		
17.—NORFOLK.																														
219	YARMOUTH ..	788	1	1	11	11	6	—	1	11	31	32	8	8	—	—	—	8	70	32	3	3	39	45	6	41	458	80		
220	FLEGG ..	125	—	—	—	—	3	—	1	4	—	5	1	1	—	—	—	1	8	21	—	1	3	6	1	3	81	6		
221	SMALLBURGH ..	207	—	1	—	—	1	—	—	—	7	10	2	—	—	—	—	—	21	32	—	2	9	12	—	6	127	7		
222	ERPINGHAM ..	267	—	—	—	—	1	—	—	—	2	7	4	1	—	—	—	—	32	16	—	—	5	11	—	11	168	13		
223	AYLSHAM ..	193	—	—	—	1	—	—	—	—	2	5	1	—	—	—	—	—	13	13	—	—	5	13	—	5	134	11		
224	ST. FAITH'S ..	175	1	—	—	2	—	—	—	4	12	3	—	—	—	—	—	—	13	16	—	2	3	6	—	6	118	11		
225	NORWICH ..	1617	9	12	19	18	—	—	4	27	68	63	21	20	—	—	—	24	118	10	10	93	91	10	49	944	99	99		
226	FOREHOE ..	120	2	—	—	2	—	—	—	1	11	3	—	1	—	—	—	2	9	9	—	—	7	10	1	6	65	9		
227	HENSTEAD ..	96	—	—	—	—	2	—	1	—	6	1	1	1	—	—	—	1	10	10	—	1	4	6	—	6	61	9		
228	BLOFIELD ..	247	—	—	—	—	—	—	—	1	5	22	—	1	—	—	—	1	24	16	—	—	10	6	—	8	165	11		
229	LODDON ..	153	—	—	—	—	—	—	—	2	2	4	2	1	—	—	—	2	16	31	—	—	9	20	—	8	100	13		
230	DEPWADE ..	300	—	—	—	—	—	—	—	1	14	—	—	—	—	—	—	—	31	22	—	—	11	14	15	15	188	20		
231	WAYLAND ..	172	—	—	—	—	—	—	—	—	10	—	1	—	—	—	—	—	22	22	—	—	5	20	—	7	90	7		
232	MITFORD ..	316	—	—	—	—	—	—	—	2	7	8	9	2	—	—	—	—	37	37	—	—	13	20	—	14	184	19		
233	WALSINGHAM ..	263	8	—	—	4	—	—	—	1	15	6	1	1	—	—	—	—	26	26	—	—	16	16	19	19	147	18		

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.
IV.—EASTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				Inquests.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
17.—NORFOLK— <i>continued.</i>																											
No. 234	DOCKING ..	—	—	—	—	10	2	1	—	—	3	5	8	—	1	—	—	1	20	—	—	9	9	—	—	122	8
235	FREEBRIDGE LYNN ..	—	—	—	—	2	1	—	—	—	3	6	3	—	1	—	—	3	16	—	—	3	12	—	87	4	
236	KING'S LYNN ..	—	—	—	—	5	2	—	—	1	—	13	7	4	2	—	—	1	28	—	—	8	21	—	159	15	
237	DOWNHAM ..	—	—	1	—	6	4	—	—	—	—	1	3	3	1	—	—	3	20	—	—	13	8	—	135	7	
238	SWAFFHAM ..	—	—	—	—	6	—	—	—	—	—	3	3	—	—	—	—	1	16	—	—	5	14	—	91	8	
239	THETFORD ..	—	—	—	—	13	—	—	—	—	1	3	11	—	—	—	—	1	26	—	—	16	13	—	180	12	

V.—SOUTH WESTERN COUNTIES.

No.	18.—WILTSHIRE.	672	1	1	—	7	10	1	1	1	3	6	37	25	16	2	—	10	52	1	1	28	44	5	18	40
240	SWINDON ..	133	—	—	—	10	4	1	—	—	—	—	4	6	—	—	—	—	12	—	—	5	7	—	77	12
241	CRICKLADE ..	144	—	—	—	8	—	—	—	—	—	—	4	5	—	2	—	—	13	—	—	1	2	—	101	9
242	MALMESBURY ..	288	—	—	—	2	—	—	—	—	—	—	—	1	—	2	—	—	18	—	—	—	4	—	178	14
243	CHIPPENHAM ..	90	—	—	—	8	—	—	—	—	—	—	—	1	—	1	—	—	13	—	—	—	4	—	58	4
244	CALNE ..	106	—	—	—	6	—	—	—	—	—	—	—	1	—	1	—	—	11	—	—	—	3	—	64	4
245	MARLBOROUGH ..	347	—	—	—	9	—	—	—	—	—	—	—	1	—	1	—	—	22	—	—	—	4	—	201	5
246	DEVIZES ..	215	—	—	—	3	—	—	—	—	—	—	—	28	3	1	—	—	17	—	—	—	16	—	121	21
247	MELKSHAM ..	124	—	—	—	6	—	—	—	—	—	—	—	4	1	—	—	—	4	—	—	—	4	—	78	7
248	BRADFORD ON AVON ..	125	—	—	—	3	—	—	—	—	—	—	—	2	—	—	—	—	10	—	—	—	7	—	82	10
249	WESTBURY ..	159	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	15	—	—	—	6	—	102	8
250	WARMINSTER ..	159	—	—	—	6	—	—	—	—	—	—	—	5	—	—	—	—	8	—	—	—	6	—	95	12
251	PEWSEY ..	91	—	—	—	1	—	—	—	—	—	—	—	2	—	—	—	—	8	—	—	—	1	—	59	17
252	AMESBURY ..	364	—	—	—	3	2	—	—	—	—	—	—	8	1	—	—	—	33	6	—	—	9	—	221	22
253	SALISBURY ..	104	—	—	—	2	—	—	—	—	—	—	—	1	4	—	—	—	6	—	—	—	3	—	75	13
254	WILTON ..	83	—	—	—	3	—	—	—	—	—	—	—	—	—	5	—	—	2	—	—	—	1	—	53	11
255	TISBURY ..	57	—	—	—	3	—	—	—	—	—	—	—	1	—	—	—	—	2	—	—	—	1	—	48	1
256	MERE ..		—	—	—																					

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.
V.—SOUTH WESTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.			Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
19.—DORSET-SHIRE.																											
No.		167																									
257	SHAFTESBURY ..	96																									
258	STURMINSTER ..	162																									
259	BLANDFORD ..	214																									
260	WIMBORNE ..	493																									
261	POOLE ..	214																									
262	WAREHAM ..	503																									
263	WEYMOUTH ..	302																									
264	*DORCH- (DORCHESTER	58																									
	ESTER (CERNE ..	141																									
265	SHERBORNE ..	116																									
266	BEAMINSTER ..	185																									
267	BRIDPORT ..																										
20.—DEVON-SHIRE.																											
No.		213																									
268	AXMINSTER ..	267																									
269	HONITON ..	883																									
270	ST. THOMAS ..	577																									
271	EXETER ..	1183																									
272	NEWTON ABBOT ..	567																									
273	TOTNES ..	192																									
274	KINGSBRIDGE ..	291																									
275	PLYMPTON ST. MARY ..	1737																									
276	PLYMOUTH ..	245																									
277	EAST STONEHOUSE ..	1005																									
278	DEVONPORT ..																										

* 264.—The District of DORCHESTER comprises the two Poor Law Unions of DORCHESTER and CERNE.

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—*continued*.
V.—SOUTH WESTERN COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	Inquests.									
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhus Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.		
20.—DEVON-SHIRE—continued.																												
No.		321	—	1	—	7	2	4	—	—	—	18	15	4	2	—	—	5	31	1	—	16	23	—	9	183	22	
279	TAVISTOCK	243	—	—	—	7	3	—	—	—	—	13	8	3	3	—	—	2	18	3	—	18	18	—	11	132	10	
280	OKHAMPTON	177	—	—	—	2	2	—	—	—	—	7	6	1	—	—	—	3	12	—	—	13	16	—	2	109	6	
281	CREDITON	339	—	—	—	8	3	2	—	—	—	18	10	—	—	—	—	1	21	—	—	19	23	—	15	204	25	
282	TIVERTON	134	1	—	—	4	3	—	—	—	—	2	1	—	—	—	—	1	17	—	—	14	8	—	5	76	7	
283	SOUTH MOLTON	558	—	—	—	26	15	—	—	—	—	29	21	—	—	—	—	1	43	—	—	27	33	—	22	321	38	
284	BARNSTAPLE	162	—	—	—	6	—	—	—	—	—	11	1	—	—	—	—	5	9	—	—	15	6	—	3	101	10	
285	TORRINGTON	266	—	—	—	5	—	—	—	—	—	15	4	—	—	—	—	—	28	—	—	20	16	—	19	132	24	
286	BIDEFORD	105	—	—	—	2	—	—	—	—	—	2	6	—	—	—	—	—	9	—	—	6	5	—	1	71	2	
287	HOLSWORTHY		—	—	—	2	—	—	—	—	—	2	4	2	—	—	—	—										
21.—CORNWALL.																												
288	STRATTON	91	—	—	—	3	1	—	—	—	—	7	—	—	—	—	—	1	4	—	—	2	5	—	—	7	58	8
289	CAMELFORD	101	—	—	—	11	—	—	—	—	—	—	5	—	—	—	—	2	8	—	—	6	7	—	—	—	53	4
290	LAUNCESTON	193	—	—	—	1	—	—	—	—	—	—	13	—	—	—	—	3	20	—	—	10	13	—	—	—	116	17
291	ST. GERMANS	244	—	—	—	6	—	—	—	—	—	19	9	—	—	—	—	2	19	—	—	15	16	—	10	137	22	
292	LISKEARD	304	—	—	—	7	—	—	—	—	—	11	9	—	—	—	—	3	24	—	—	23	17	—	7	189	25	
293	BODMIN	341	—	—	—	14	—	—	—	—	—	11	15	—	—	—	—	4	24	—	—	30	10	—	12	210	23	
294	ST. COLUMB	212	—	—	—	7	3	—	—	—	—	12	4	—	—	—	—	7	12	—	—	15	16	—	6	128	15	
295	ST. AUSTELL	473	—	—	—	12	4	—	—	—	—	13	13	—	—	—	—	9	33	—	—	26	38	—	21	272	40	
296	TRURO	484	—	—	—	6	8	—	—	—	—	18	20	—	—	—	—	4	43	—	—	21	27	—	22	295	26	
297	FALMOUTH	339	—	—	—	8	—	—	—	—	—	13	6	—	—	—	—	7	26	—	—	18	20	—	19	209	19	
298	HELSTON	318	—	—	—	9	—	—	—	—	—	13	10	—	—	—	—	5	28	—	—	18	22	—	9	182	40	
299	REDRUTH	786	—	—	—	14	—	—	—	—	—	51	31	—	—	—	—	9	54	—	—	40	40	—	19	483	57	
300	Penzance	729	—	—	—	7	—	—	—	—	—	26	39	—	—	—	—	12	54	—	—	53	28	—	32	419	1	
301	ISLES OF SCILLY	15	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	3	—	—	—	—	—	2	7		

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.
V.—SOUTH WESTERN COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				Inquests.		
		All Causes.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyæmia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.		Pneumonia.	Bronchitis.
VI.—WEST MIDLAND COUNTIES.																								

VI.—WEST MIDLAND COUNTIES.

Deaths from several Causes, and Inquest Cases in the Year 1910 in Registration Districts—continued.
VI.—WEST MIDLAND COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	ALL CAUSES.										
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.		
23.—GLOUCESTERSHIRE—cont.																													
No.	DURSLEY ..	144	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	
322	WESTBURY ON SEVERN ..	306	—	—	—	10	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	22	
323	NEWENT ..	108	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	
324	GLOUCESTER ..	994	—	—	—	11	12	21	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	59	
325	WHEATENHURST ..	92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	
326	STROUD ..	516	—	—	—	9	1	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	43	
327	TETBURY ..	71	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	
328	CIRENCESTER ..	221	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	21	
329	NORTHLEACH ..	107	—	—	—	7	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	
330	STOW ON THE WOLD ..	104	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
331	WINCHCOMB ..	117	—	—	—	36	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	
332	CHELTENHAM ..	738	—	—	—	7	12	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	
333	TEWKESBURY ..	159	—	—	—	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
334																													
24.—HEREFORDSHIRE.																													
335	LEDBURY ..	170	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
336	ROSS ..	206	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9
337	*HEREFORD { HEREFORD { DORE {	515	—	—	—	10	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
338	WOOLLEY ..	105	—	—	—	8	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
339	BROMYARD ..	97	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4
340	LEOMINSTER ..	125	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
341	KINGTON ..	177	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5
		144	—	—	—	3	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	86

* 337.—The District of HEREFORD comprises the two Poor Law Unions of HEREFORD and DORE.

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—*continued*.
VI.—WEST MIDLAND COUNTIES—*continued*.

REGISTRATION DISTRICTS.		ALL CAUSES.	CAUSES OF DEATH.																	Inquests.								
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
25.—SHROPSHIRE.																												
No. 342	215	—	—	—	—	3	2	2	—	—	—	3	10	2	1	—	—	—	—	21	2	—	10	15	1	8	133	11
343	124	—	—	—	—	4	—	6	—	—	—	2	6	—	—	—	—	—	14	15	1	9	3	3	1	2	4	3
344	73	—	—	—	—	—	1	2	—	—	—	1	1	—	—	—	—	—	5	9	—	4	2	2	1	1	3	4
345	103	—	19	—	—	—	—	—	—	—	—	6	3	2	—	—	—	—	22	24	—	9	11	9	—	8	5	6
346	191	—	—	—	—	3	—	—	—	—	—	1	3	1	—	—	—	—	22	58	5	1	15	5	—	19	9	23
347	147	—	—	—	—	7	—	—	—	—	—	6	3	2	—	—	—	—	24	32	2	29	25	4	—	8	11	
348	302	—	—	—	—	6	—	—	—	—	—	1	4	5	—	—	—	—	9	17	5	42	65	—	—	19	11	
349	852	—	8	—	—	20	2	—	—	—	—	18	45	2	—	—	—	—	36	20	1	36	17	4	—	37	55	
350	423	—	6	—	—	10	—	—	—	—	—	16	13	4	—	—	—	—	20	7	1	14	12	1	—	15	19	
351	184	—	—	—	—	7	—	—	—	—	—	3	8	1	—	—	—	—	19	27	1	13	9	—	—	14	14	
352	134	—	—	—	—	13	—	—	—	—	—	3	1	—	—	—	—	—	10	19	—	10	6	—	—	1	15	
353	171	—	—	—	—	6	2	—	—	—	—	3	4	—	—	—	—	—	27	7	—	5	8	—	—	5	11	
354	155	—	—	—	—	3	2	—	—	—	—	6	1	—	—	—	—	—	25	25	1	6	16	1	—	9	16	
355	298	—	1	—	—	14	2	—	—	—	—	8	17	4	—	—	—	—	21	21	—	16	8	—	—	8	12	
356	183	—	—	—	—	8	2	2	—	—	—	—	3	4	—	—	—	—	—	—	—	—	—	—	—	—	97	12
26.—STAFFORDSHIRE.																												
No. 357	565	—	22	—	—	1	2	—	—	1	5	38	30	7	5	2	6	33	33	3	2	32	30	3	21	322	43	
358	262	—	8	—	—	7	4	2	—	2	1	7	13	4	6	—	2	22	22	—	16	16	16	1	13	142	14	
359	520	—	5	—	—	4	6	14	—	2	8	19	11	6	—	1	2	40	40	—	30	39	39	2	14	309	29	
360	1686	—	26	—	—	7	11	57	—	13	49	78	35	15	21	15	28	80	80	4	117	146	146	7	77	869	125	
361	2899	—	83	—	—	14	55	39	—	23	91	116	87	50	40	13	30	134	134	16	17	227	276	22	121	1400	223	
362	656	—	9	—	—	9	9	4	—	—	16	10	21	7	7	—	7	42	42	2	—	61	41	2	24	377	43	
363	433	—	4	—	—	12	2	—	—	2	16	47	16	9	1	—	6	20	20	2	—	27	16	4	13	230	28	
364	193	—	—	—	—	—	8	—	—	—	5	8	1	1	2	—	3	16	16	2	—	12	8	—	6	116	9	
365	1197	—	39	—	—	15	23	24	—	2	14	76	30	16	12	1	13	74	74	4	4	88	74	10	46	630	63	

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.
VI.—WEST MIDLAND COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																		ALL CAUSES.							
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).			Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
26.—STAFFORDSHIRE—continued.																											
No.																											
366	TAMWORTH ..	—	3	7	—	4	5	9	—	1	3	7	5	2	4	—	2	18	18	1	4	21	24	2	19	172	23
367	LICHFIELD ..	—	10	13	—	17	5	6	—	4	10	18	27	6	3	1	3	30	30	3	2	33	43	3	20	377	39
368	CANNOCK ..	—	13	4	—	8	4	10	—	4	24	18	20	3	5	5	6	45	45	2	2	47	52	6	38	353	60
369	*WOLVERHAMPTON { SEISDON ..	—	—	3	—	1	—	1	—	1	1	4	4	1	2	—	2	15	15	2	1	12	15	3	10	128	13
	{ WOLVERHAMPTON ..	—	—	—	—	—	—	—	—	5	51	85	49	38	14	6	24	134	134	21	5	173	211	14	116	1224	227
370	WALSALL ..	—	23	9	—	32	38	9	—	5	84	46	72	14	12	2	18	106	106	19	4	131	135	11	65	883	132
371	WEST BROMWICH ..	—	12	25	—	15	13	10	—	4	82	67	80	22	18	11	23	160	160	7	14	179	217	15	98	1227	164
372	DUDLEY ..	—	15	6	—	21	89	8	—	12	74	71	33	23	28	8	21	113	113	8	6	191	190	21	88	1161	150
27.—WORCESTERSHIRE.																											
373	STOURBRIDGE ..	—	33	13	—	13	39	9	—	3	18	50	32	11	8	2	18	88	88	8	7	121	125	11	47	683	76
374	KIDDERMINSTER ..	—	—	3	—	14	19	—	—	—	—	28	12	5	2	—	4	55	55	2	3	22	60	6	22	305	32
375	TENBURY ..	—	—	—	—	2	—	—	—	—	—	3	3	1	1	—	1	19	19	—	—	6	7	—	3	37	7
376	MARTLEY ..	—	1	—	—	3	—	1	—	—	—	7	3	1	2	—	1	4	5	—	—	9	4	—	1	88	11
377	WORCESTER ..	—	12	2	—	13	—	7	—	—	—	48	11	14	4	—	14	50	50	11	1	66	35	—	31	422	55
378	UPTON ON SEVERN ..	—	—	—	—	8	9	—	—	—	3	12	24	1	—	—	3	42	42	1	1	16	15	—	13	228	21
379	EVESHAM ..	—	—	—	—	5	—	—	—	—	—	9	5	3	—	—	—	19	19	—	—	8	11	1	8	158	15
380	PERSHORE ..	—	1	—	—	2	—	1	—	—	—	3	2	2	—	—	4	22	22	3	—	11	13	1	6	105	9
381	DROITWICH ..	—	—	1	—	19	3	—	—	—	—	8	4	2	—	—	4	15	15	3	—	37	44	3	18	305	33
382	BROMSGROVE ..	—	—	1	—	5	9	6	—	—	7	22	20	4	3	1	7	33	33	3	4	194	163	22	65	1248	122
383	KINGS NORTON ..	—	1	28	—	28	58	33	—	10	44	74	87	20	16	6	27	178	178	9	12	194	163	22	65	1248	122

*369.—The District of WOLVERHAMPTON comprises the two Poor Law Unions of SEISDON and WOLVERHAMPTON.

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—*continued*.
VI.—WEST MIDLAND COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				Inquests.					
		ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.
28.—WARWICK-SHIRE.																											
No.	BIRMINGHAM	4491	—	22	15	—	34	111	54	—	19	133	144	223	57	20	7	38	280	46	11	401	371	33	274	2198	340
384	ASTON	4272	—	18	76	—	31	114	23	—	9	126	162	212	41	22	5	38	275	27	11	385	419	31	136	2111	199
385	MERIDEN	148	—	—	1	—	2	1	1	—	2	6	4	3	1	3	—	2	11	1	—	11	11	1	5	89	13
386	ATHERSTONE	231	—	4	10	—	7	4	1	—	1	15	6	8	5	3	1	2	7	1	—	9	8	2	11	139	13
387	NUNEATON	430	—	11	8	—	5	2	5	—	2	12	14	5	5	2	7	2	20	1	—	33	35	5	24	221	33
388	FOLESHILL	284	—	—	21	—	5	10	16	—	5	20	35	56	25	14	3	2	9	7	—	26	62	11	35	145	12
389	COVENTRY	1158	—	6	—	—	9	3	2	—	3	3	19	16	4	2	—	9	77	3	—	88	31	4	20	648	53
390	RUGBY	427	—	24	7	—	17	13	14	—	2	10	31	27	25	3	—	9	41	7	—	29	21	10	26	425	38
391	SOLIHULL	770	—	6	—	—	13	13	8	—	2	5	26	46	4	1	1	3	71	6	—	66	50	4	38	515	58
392	WARWICK	883	—	1	1	—	4	4	—	—	2	2	6	11	2	1	1	1	19	3	—	16	17	—	12	160	14
393	STRATFORD ON AVON	254	—	—	—	—	21	2	—	—	2	—	16	5	3	1	—	1	30	—	—	14	13	—	7	181	13
394	ALCESTER	284	—	—	—	—	4	4	—	—	2	—	9	5	—	—	—	—	14	—	—	6	13	—	5	138	7
395	SHIPSTON ON STOUR	219	—	—	—	—	1	8	4	—	2	1	5	5	1	—	—	—	13	—	—	5	14	—	7	160	13
396	SOUTHAM	134	—	1	1	—	—	—	—	—	2	—	5	5	—	—	—	—	13	—	—	5	14	—	7	138	8
397			—																								
29.—LEICESTER-SHIRE.																											
No.	LUTTERWORTH	139	—	1	1	—	3	9	—	—	—	1	4	4	—	1	—	—	16	1	—	6	16	—	4	81	10
398	MARKET HARBOUROUGH	226	—	—	—	—	7	1	—	—	—	—	4	9	3	2	—	—	27	—	—	21	15	—	6	118	14
399	BILLESDON	333	—	—	1	—	5	1	—	—	1	1	44	—	—	2	—	—	28	1	—	23	24	1	10	183	18
400	BLABY	307	—	—	2	—	1	1	2	—	—	1	18	11	5	4	—	—	37	1	—	20	17	—	8	175	18
401	HINCKLEY	328	—	1	1	—	4	9	2	—	—	7	13	14	6	2	—	—	26	3	—	16	20	4	9	188	10
402	MARKET BOSWORTH	224	—	7	—	—	2	10	—	—	—	2	3	3	3	2	—	—	8	—	—	13	31	3	12	121	20

VII.—NORTH MIDLAND COUNTIES.

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.
VII.—NORTH MIDLAND COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																	Inquests.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.		Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
29.—LEICESTER-SHIRE—continued.																			33																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—*continued*.
 VII.—NORTH MIDLAND COUNTIES—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.			
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Typhoid Malaria.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.
</																									

VIII.—NORTH WESTERN COUNTIES.

No	34.—CHESHIRE.	No	187
443	STOCKPORT ..	2574	1342
444	MACCLESFIELD ..	866	61
445	BUCKLOW ..	980	520
			550
			72
			27
			35
			18
			162
			247
			9
			55
			3
			69
			45
			9
			8
			4
			82
			9
			12
			3
			12
			23
			31
			22
			7
			35
			90
			35
			14
			4
			58
			178
			11
			9
			247
			162
			18
			72
			1342
			187

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.
VIII.—NORTH WESTERN COUNTIES—continued.

		ALL CAUSES.	CAUSES OF DEATH.																Inquests.									
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisids.	Phtisids, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabs Mesenterica.	All other Tuberculous Diseases.		Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
No.	REGISTRATION DISTRICTS.																											
34.—CHESHIRE— <i>continued.</i>																												
446	RUNCORN ..	564	—	3	7	—	4	13	7	7	6	19	19	19	9	10	6	6	4	26	1	3	43	36	3	23	315	45
447	NORTHWICH ..	705	6	6	3	—	6	2	13	1	15	19	19	10	6	2	1	6	6	50	7	5	42	39	5	50	400	71
448	CONGLETON ..	440	6	7	3	—	10	9	6	2	10	15	10	38	10	10	3	8	43	29	2	3	29	22	3	12	243	31
449	NANTWICH ..	962	20	10	4	—	12	11	41	—	6	12	15	38	10	10	—	10	64	55	5	9	18	55	7	40	538	74
450	*CHESTER {TARVIN ..	172	—	—	—	—	—	3	1	—	—	—	7	5	—	2	—	—	12	12	4	—	73	41	1	8	103	10
451	WIRRAL ..	957	32	11	—	—	18	6	5	—	2	18	22	48	15	9	1	9	57	47	5	3	48	31	8	42	546	63
452	BIRKENHEAD ..	623	50	7	8	—	10	6	8	—	4	10	32	20	7	6	1	4	47	198	18	3	305	195	14	75	343	47
		2904	—	26	84	28	104	84	28	15	104	76	76	137	35	23	12	42									1456	190
35.—LANCASHIRE.																												
453	LIVERPOOL ..	3738	120	16	1	6	214	145	6	8	214	178	145	45	25	4	38	172	34	16	422	364	29	189	29	189	1567	352
454	TOXTETH PARK ..	2291	79	32	53	20	64	47	20	5	64	99	43	19	13	4	31	136	15	7	260	197	8	73	8	73	1086	131
455	WEST DERBY ..	9393	302	50	133	93	349	306	93	35	349	529	242	76	57	21	86	554	62	30	941	893	31	304	31	304	4298	506
456	PRESCOT ..	2542	34	29	42	14	93	30	14	22	93	80	95	25	31	7	30	117	13	12	239	178	16	87	16	87	1347	99
457	ORMSKIRK ..	1522	3	20	4	15	20	23	15	3	20	54	88	21	5	3	11	112	7	7	95	88	12	53	12	53	878	56
458	WIGAN ..	3018	18	19	38	33	148	43	33	42	148	99	63	45	39	7	35	105	12	20	358	282	23	111	23	111	1478	168
459	WARRINGTON ..	1774	12	17	6	10	65	29	10	13	65	66	73	17	30	2	28	95	7	1	191	102	20	78	20	78	912	91
460	LEIGH ..	1401	11	3	10	14	75	46	14	36	75	68	26	23	13	7	14	56	5	5	154	142	8	75	8	75	632	118
461	BOLTON ..	3741	4	26	55	37	149	82	37	9	149	59	115	32	30	12	19	227	15	26	343	316	22	110	22	110	1905	236
462	BURY ..	2154	48	13	35	12	46	12	13	36	46	37	64	21	16	2	20	107	10	12	160	187	12	77	12	77	811	130
463	BARTON UPON IRWELL ..	1595	31	26	7	13	25	35	12	10	25	37	64	21	16	2	69	463	30	40	589	442	21	248	21	248	2832	446
464	CHORLTON ..	6037	144	13	14	35	160	193	35	18	160	379	135	89	74	9	67	211	18	30	415	344	25	134	25	134	1769	283
465	SALFORD ..	4037	84	32	47	78	148	105	78	52	148	257	101	74	41	23	14	80	7	18	243	185	31	131	25	131	758	213
466	MANCHESTER ..	1907	61	7	4	4	113	102	4	2	113	75	51	27	35	1	45	241	22	7	483	343	25	151	31	151	1784	228
467	PRESTWICH ..	4198	89	34	1	15	96	116	63	47	96	291	219	45	22	6	45	241	156	9	18	187	233	19	105	1487	200	
468	ASHTON UNDER LYNE ..	2780	37	18	17	15	69	94	15	26	69	83	117	29	22	6	33											

* 450.—The District of CHESTER comprises the two Poor Law Unions of TARVIN and CHESTER.

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—*continued*.
VIII.—NORTH WESTERN COUNTIES—*continued*.

REGISTRATION DISTRICTS.	CAUSES OF DEATH.																				Inquests.						
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.		Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
35.—LANCASHIRE —continued																											
No. 469	3866	—	122	9	—	31	119	21	—	17	92	118	135	55	31	1	42	214	15	32	351	326	34	126	1975	230	
470	1943	—	4	14	—	26	23	12	—	11	34	70	66	20	13	3	23	128	1	12	153	120	17	66	1127	113	
471	1632	—	20	14	—	22	29	8	—	9	30	49	54	15	16	1	15	112	1	14	108	134	18	54	903	91	
472	3241	—	74	32	—	25	75	24	—	17	148	118	86	35	33	5	24	189	16	20	309	270	35	105	1601	204	
473	288	—	—	—	—	3	2	—	—	—	—	13	9	1	1	1	4	28	—	—	20	21	—	11	174	29	
474	3332	—	65	33	—	43	25	40	—	22	88	70	116	27	27	14	28	222	16	27	268	312	40	116	1733	223	
475	868	1	7	3	—	6	11	14	—	4	13	37	28	12	8	3	4	48	3	13	68	56	5	30	494	40	
476	2572	—	34	15	—	42	11	24	—	24	133	62	121	29	20	20	29	145	13	13	269	187	16	72	1293	109	
477	1446	—	5	6	—	19	12	13	—	16	42	25	58	16	13	2	14	89	7	12	108	93	9	54	833	82	
478	144	—	—	—	—	1	7	—	—	7	30	4	2	1	—	—	2	13	8	—	10	7	2	2	88	5	
479	1164	—	—	—	—	11	11	3	—	—	—	25	71	11	6	—	22	58	1	6	83	75	7	35	688	65	
480	85	—	15	—	—	—	—	—	—	—	—	2	3	1	—	—	1	9	—	3	6	5	—	5	52	7	
481	513	—	52	1	—	4	2	21	—	3	13	18	18	6	3	—	9	30	2	2	25	36	3	18	301	20	
482	904	—	—	4	—	7	28	—	—	1	26	24	28	7	9	—	14	41	2	7	66	77	12	29	449	32	
36.—W. RIDING.																											
No. 483	38	—	—	—	—	1	1	3	—	—	—	—	—	—	1	—	—	3	—	—	1	3	—	—	2	22	2
484	167	—	—	—	—	3	—	—	—	1	2	5	2	1	—	—	—	17	1	—	11	12	—	6	6	105	8
485	627	—	5	9	—	6	15	—	—	3	6	20	22	5	1	—	5	40	2	2	39	55	—	—	33	340	41
486	110	—	—	—	—	—	—	1	—	—	—	8	4	—	—	1	2	9	—	—	2	10	—	—	4	69	5
487	200	—	—	—	—	—	1	—	—	—	2	5	12	—	—	—	1	17	—	—	13	18	—	—	1	125	9

IX.—YORKSHIRE.

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.
IX.—YORKSHIRE—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																ALL CAUSES.									
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis	Tuberculosis Mesenterica.	All other Tuberculous Diseases.		Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
36.—W. RIDING—continued.																											
No.	GREAT OUSEBURN	113	—	1	—	1	5	—	—	1	10	2	2	2	4	—	—	—	12	—	—	8	6	—	2	68	8
488	KNARESBOROUGH	560	—	—	—	—	4	—	—	—	—	12	1	1	4	—	—	6	49	2	—	29	31	17	368	40	
489	WETHERBY	199	—	—	—	—	9	—	—	—	—	10	32	10	6	—	—	3	18	1	—	18	14	6	120	20	
490	WHARFEDALE	838	—	—	—	—	1	—	—	—	2	27	29	13	9	—	—	18	69	1	—	44	33	25	524	35	
491	KEIGHLEY..	1051	—	—	—	—	15	17	—	3	20	38	29	13	10	—	—	14	88	1	—	85	55	29	585	36	
492	TODMORDEN	552	—	—	—	—	10	6	—	4	7	12	13	8	1	—	—	4	43	4	—	46	29	25	308	38	
493	SADDLEWORTH	223	—	—	—	—	9	4	—	—	2	16	4	1	4	—	—	—	17	—	—	17	12	1	11	122	19
494	HUDDERSFIELD ..	2741	—	—	—	—	43	26	—	10	41	96	89	23	17	—	—	39	249	16	15	212	194	20	87	1475	154
495	HALIFAX ..	2573	—	—	—	—	27	32	—	12	29	69	127	22	20	—	—	36	200	14	11	206	192	20	92	1386	176
496	NORTH BIERLEY	1765	—	—	—	—	30	21	—	4	14	56	68	11	19	—	—	23	140	4	9	126	106	14	52	1004	115
497	BRADFORD..	3464	—	—	—	—	36	32	—	28	98	120	168	38	30	—	—	27	264	11	23	273	252	22	108	1765	305
498	BRAMLEY ..	1063	—	—	—	—	34	6	—	—	13	43	41	13	3	—	—	13	72	5	11	74	83	6	40	557	95
499	LEEDS ..	4328	—	—	—	—	77	58	—	21	103	245	106	49	39	—	—	54	324	30	14	424	300	37	189	2080	426
500	HUNSLLET ..	1161	—	—	—	—	32	5	—	—	54	29	39	11	15	—	—	16	63	6	6	139	65	8	41	571	113
501	HOLBECK ..	501	—	—	—	—	12	5	—	—	31	28	16	4	6	—	—	8	26	2	3	66	42	3	18	259	53
502	DEWSBURY ..	2463	—	—	—	—	40	31	—	16	43	74	61	37	21	—	—	21	177	13	16	174	200	27	95	1338	193
503	WAKEFIELD	1948	—	—	—	—	43	11	—	7	44	58	93	32	18	—	—	20	98	12	12	167	136	19	94	1012	190
504	PONTEFRAC	1165	—	—	—	—	8	12	—	11	87	32	34	13	19	—	—	14	48	8	7	110	97	10	54	582	106
505	HEMSWORTH	561	—	—	—	—	26	7	—	3	26	44	57	21	10	—	—	8	20	2	1	44	57	2	30	271	50
506	BARNESLEY ..	2194	—	—	—	—	96	13	—	19	119	44	44	3	32	—	—	24	83	12	9	190	224	25	111	1015	185
507	*WORTLEY {PENISTONE	213	—	—	—	—	1	4	—	5	1	44	10	1	6	—	—	—	15	2	2	16	24	5	11	107	23
508	WORTLEY {WORTLEY	687	—	—	—	—	15	4	—	10	87	136	38	37	13	—	—	3	25	3	5	81	35	5	17	405	26
509	ECCLESALL BIERLOW..	2370	—	—	—	—	60	25	—	6	29	232	41	37	45	—	—	14	165	12	8	231	201	6	43	1185	106
510	SHEFFIELD	4242	—	—	—	—	131	12	—	17	56	48	57	26	20	—	—	37	252	22	11	475	335	30	167	2074	316
511	ROTHERHAM	1954	—	—	—	—	59	12	—	10	22	48	41	15	29	—	—	32	108	6	10	202	131	21	103	957	138
512	DONCASTER	1605	—	—	—	—	19	15	—	10	56	48	32	15	29	—	—	14	88	10	7	151	113	17	86	792	103

* 508.—The District of WORTLEY comprises the two Poor Law Unions of PENISTONE and WORTLEY.

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.

IX.—YORKSHIRE—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
36.—W. RIDING— <i>continued.</i>																											
No.	THORNE ..	257	1	—	—	4	8	—	2	4	7	1	1	1	1	—	2	17	1	3	1	21	18	3	17	148	17
513	GOOLE ..	429	3	—	—	10	3	9	—	10	19	6	13	5	5	—	4	27	3	—	—	44	34	8	20	219	31
514	SELBY ..	217	5	—	—	1	—	1	—	1	5	1	2	2	2	—	5	14	14	—	15	19	2	10	129	14	
515	TADCASTER ..	421	4	—	3	13	1	8	13	13	14	9	3	1	1	2	4	20	20	1	4	38	22	4	24	230	38
37.—E. RIDING <i>(with York).</i>																											
517	YORK ..	1344	10	1	—	35	13	5	5	35	49	49	15	5	4	17	106	5	3	3	102	99	5	50	739	107	
518	POCKLINGTON ..	174	—	—	—	1	3	—	—	1	7	2	3	2	—	1	15	13	2	—	8	15	6	15	103	13	
519	HOWDEN ..	162	—	—	—	—	—	—	—	—	6	6	—	2	—	3	13	21	—	—	23	16	—	11	94	17	
520	BEVERLEY..	334	1	—	—	4	—	2	2	—	22	6	—	2	—	3	13	13	2	—	23	20	16	15	210	20	
521	SCULCOATES ..	2924	58	14	—	189	39	39	21	32	71	139	20	24	2	32	214	13	11	11	195	238	18	86	1464	203	
522	HULL ..	1600	19	3	—	70	29	9	9	19	41	72	14	9	1	19	108	10	7	7	137	108	8	112	804	212	
523	PATRINGTON ..	122	—	—	—	3	1	7	—	3	8	1	1	1	—	1	7	—	—	—	5	6	—	4	69	6	
524	SKIRLAUGH ..	113	—	—	—	3	—	—	1	2	7	1	1	—	—	—	8	—	—	—	8	3	1	5	66	7	
525	DRIFIELD..	269	1	1	—	2	4	2	—	2	12	3	7	2	2	2	14	2	1	3	16	13	—	12	168	20	
526	BRIDLINGTON ..	308	2	—	—	4	3	1	1	4	19	5	4	2	2	1	29	1	1	1	12	13	—	10	193	22	
38.—N. RIDING.																											
527	SCARBOROUGH ..	720	3	5	—	14	7	3	1	1	19	26	9	4	—	6	72	2	3	3	48	29	6	20	427	55	
528	MALTON ..	239	1	—	—	4	3	—	—	7	7	12	4	3	1	7	15	—	—	—	14	8	2	7	146	15	
529	EASINGWOLD ..	133	2	—	—	—	—	1	—	—	3	2	2	—	—	3	17	1	—	—	1	3	1	12	74	16	
530	THIRSK ..	164	1	1	—	—	2	2	—	—	8	1	3	1	—	1	9	—	—	—	9	12	3	6	100	16	

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—*continued*,
IX.—YORKSHIRE—*continued*.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tabes Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever of Heart.	Pneumonia.		Bronchitis.	Chilabirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
No.	38.—N. RIDING— <i>continued.</i>																										
531	*HELMSLEY { HELMSLEY KIRKBY	—	—	—	—	1	1	2	—	—	—	2	—	1	—	—	—	—	6	—	1	5	8	—	7	27	10
532	PICKERING	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	1	5	8	—	—	54	8
533	WHITBY	—	—	—	—	1	1	1	—	—	1	7	—	2	—	—	—	—	1	—	1	1	4	2	2	54	8
534	GUISBOROUGH	—	—	—	—	15	1	1	—	—	19	12	—	—	4	—	—	—	12	—	—	3	12	4	4	91	8
535	MIDDLESBROUGH	—	—	—	—	10	13	1	—	—	8	22	10	5	—	—	—	26	—	—	20	15	13	13	175	19	
536	STOKESLEY	—	—	—	—	10	63	—	—	—	113	61	39	24	3	7	34	126	37	2	4	47	52	22	373	31	
537	NORTHALLERTON	—	—	—	—	4	2	—	24	—	181	61	39	24	1	1	1	10	126	13	11	469	202	22	1288	212	
538	BEDALE	—	—	—	—	3	3	—	2	—	3	9	3	—	—	—	8	15	10	—	—	11	6	7	99	7	
539	LEYBURN	—	—	—	—	3	3	—	1	—	2	4	—	—	—	—	2	5	15	2	—	8	3	2	92	8	
540	AYSGARTH	—	—	—	—	1	2	—	1	—	—	4	2	2	—	—	1	6	6	1	—	7	1	5	54	11	
541	REETH	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	3	3	—	1	3	6	4	34	7	
542	RICHMOND..	—	—	—	—	2	—	—	—	—	—	1	2	—	—	—	—	1	8	—	—	17	3	3	21	3	
		—	—	—	—	—	4	—	—	—	9	2	2	—	—	—	2	2	1	1	—	17	16	9	79	15	

X.—NORTHERN COUNTIES.

No.	39.—DURHAM.																															
543	DARLINGTON	..	874	—	16	7	—	10	13	5	—	—	1	9	24	31	13	7	4	5	55	8	4	60	57	10	26	509	38			
544	STOCKTON	..	1044	—	14	3	—	8	17	12	—	—	7	32	37	42	16	12	7	23	65	5	6	119	93	11	48	467	74			
545	HARTLEPOOL	..	1346	—	22	3	—	19	64	18	—	—	4	32	23	52	22	23	7	20	65	8	4	124	84	12	55	685	89			
546	SEDGFIELD	..	628	—	14	2	—	4	2	6	—	—	10	19	6	46	5	9	7	5	23	3	1	49	37	4	20	356	47			
547	AUCKLAND	..	1471	—	11	9	—	18	14	11	—	—	19	40	31	41	19	24	4	22	68	4	5	118	138	13	61	801	75			

* 531.—The District of HELMSLEY comprises the two Poor Law Unions of HELMSLEY and KIRKBY MOORSIDE.

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.
X.—NORTHERN COUNTIES—continued.

REGISTRATION DISTRICTS.		ALL CAUSES.	CAUSES OF DEATH.																	Inquests.								
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
39.—DURHAM— <i>continued.</i>			290																									
No.	TEESDALE..	548	1	—	—	—	—	5	1	1	—	2	7	11	4	4	—	2	4	24	—	—	19	17	—	14	172	21
549	WEARDALE ..	189	—	—	—	—	—	1	—	8	—	2	28	59	29	1	30	10	14	14	2	14	5	67	8	112	10	
550	LANCHESTER ..	1369	13	—	11	—	18	5	18	8	—	37	24	43	20	18	8	15	57	57	1	141	67	13	54	745	60	
551	DURHAM ..	1252	17	—	6	—	18	15	18	8	—	42	24	26	20	10	4	15	50	42	5	112	95	15	54	674	74	
552	EASINGTON ..	1058	17	—	6	—	8	24	21	7	—	36	26	26	16	30	4	11	42	39	2	89	73	8	41	570	59	
553	HOUGHTON LE SPRING ..	710	1	—	1	—	5	6	3	5	—	22	13	26	8	8	2	7	35	35	—	91	46	10	45	625	58	
554	CHESTER LE STREET ..	1137	4	—	6	—	12	26	16	2	—	77	32	26	21	12	1	13	166	166	3	116	50	9	19	396	29	
555	SUNDERLAND ..	3213	73	—	20	—	24	57	24	16	—	127	84	151	36	25	10	32	166	166	9	258	301	14	131	1648	222	
556	SOUTH SHIELDS ..	2656	47	—	7	—	41	107	29	7	—	95	126	103	42	32	7	22	155	155	16	277	166	18	112	1236	162	
557	GATESHEAD ..	2895	48	1	15	—	16	103	20	11	—	141	70	107	29	29	8	30	130	130	14	279	252	21	84	1482	118	
40.—NORTHUMB- ERLAND.																												
558	NEWCASTLE UPON TYNE	3992	1	79	2	—	21	71	17	—	1	96	187	134	62	39	10	57	293	293	15	334	298	25	173	2061	395	
559	TYNEMOUTH ..	2921	—	80	26	—	28	59	47	—	19	105	81	98	48	37	10	31	135	135	12	277	204	25	104	1482	163	
560	CASTLE WARD ..	547	—	3	—	—	4	5	2	—	1	20	43	22	6	4	1	4	28	28	5	41	26	5	22	305	35	
561	HEXHAM ..	489	—	—	—	—	1	5	1	—	1	7	20	21	9	4	2	11	36	36	3	33	36	4	25	252	26	
562	HALTWHISTLE ..	133	—	8	—	—	1	—	1	—	—	2	6	4	5	2	—	3	13	13	1	5	7	3	3	74	4	
563	BELLINGHAM ..	83	—	—	—	—	1	—	—	—	1	2	2	4	—	—	—	—	4	4	—	8	9	1	3	49	3	
564	MORPETH ..	1167	—	15	2	—	8	13	6	10	—	32	31	57	17	15	4	16	60	60	4	113	68	12	35	640	43	
565	ALNWICK ..	302	—	—	1	—	3	1	1	1	—	4	7	25	5	3	—	5	22	22	2	15	18	4	9	174	13	
566	BELFORD ..	67	—	—	—	—	20	12	1	—	—	—	1	3	6	—	—	—	7	7	—	4	2	2	3	40	4	
567	BERWICK ..	298	—	—	—	—	1	—	3	—	—	—	1	22	1	2	1	6	18	18	1	12	15	1	8	160	16	
568	GLENDALE ..	128	—	—	—	—	1	—	—	—	—	—	5	8	—	—	—	—	12	12	—	12	3	3	1	77	2	
569	ROTHBURY..	81	—	—	—	—	1	—	—	—	—	—	3	2	—	—	—	1	8	8	—	1	7	1	3	57	5	

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—*continued.*

X.—NORTHERN COUNTIES—continued.

REGISTRATION DISTRICTS.		CAUSES OF DEATH.																				ALL CAUSES.					
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phtisis.	Phtisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberc. Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.		Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.
41.-CUMBERLD.																											
No.	ALSTON ..	47																									
570	PENRITH ..	265																									
571	BRAMPTON..	109																									
572	LONGTOWN ..	106																									
573	CARLISLE ..	962																									
574	WIGTON ..	330																									
575	COCKERMOUTH ..	1019																									
576	WHITEHAVEN ..	1073																									
577	BOOTLE ..	204																									
578																											
42.-WESTMORLD.																											
No.	EAST WARD ..	166																									
579	WEST WARD ..	101																									
581	KENDAL ..	527																									

XI.—MONMOUTHSHIRE AND WALES.

[illegible]

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.
XI.—MONMOUTHSHIRE AND WALES—continued.

REGISTRATION DISTRICTS.		ALL CAUSES.	CAUSES OF DEATH.																									
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tuberculosis Mesenterica.	All other Tuberculous Diseases.	Cancer.	Septic Diseases (not Puerperal).	Rheumatic Fever, of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	Inquests.	
43.—MONMOUTHSHIRE—cont.																												
No.																												
585	BEDWELLY ..	1814	144	14	—	15	29	17	—	11	36	43	26	15	11	8	5	56	7	12	236	141	22	113	853	137		
586	PONTYPOOL ..	690	19	1	—	6	10	5	—	3	10	11	8	11	2	1	10	36	3	2	81	72	13	30	356	33		
587	NEWPORT ..	1868	23	10	—	21	53	18	—	7	35	70	56	14	7	2	12	120	5	13	179	94	21	116	992	175		
44.—GLAMORGANSHIRE.																												
588	CARDIFF ..	3319	58	25	—	28	33	35	—	12	75	150	158	44	34	9	41	222	19	13	306	168	24	155	1709	351		
589	PONTYPRIDD ..	3947	120	37	—	37	73	29	—	20	184	105	101	44	28	12	34	141	15	29	453	277	54	211	1943	304		
590	MERTHYR TYDFIL ..	2697	197	17	—	26	40	18	—	8	80	86	84	29	16	9	19	104	21	14	308	202	28	127	1264	181		
591	BRIDGEND ..	1298	23	4	—	26	16	11	—	5	30	55	23	9	11	1	19	67	8	10	123	66	9	70	712	115		
592	NEATH ..	1363	42	2	—	11	27	20	—	2	35	57	33	15	5	5	13	55	6	10	146	84	16	76	708	136		
593	PONTARDAWE ..	567	2	1	—	10	12	8	—	1	6	26	13	9	3	—	1	31	5	7	60	41	5	19	307	28		
594	SWANSEA ..	2287	56	7	—	21	49	20	—	4	37	128	62	45	17	7	24	134	16	17	207	150	16	99	1171	203		
595	GOWER ..	180	1	1	—	2	6	—	—	—	—	13	5	4	1	—	2	15	1	—	8	12	—	16	93	19		
45.—CARMARTHENSHIRE.																												
596	LLANELLY ..	1024	6	5	—	9	30	9	—	1	10	50	32	19	3	—	13	43	8	5	78	60	11	52	580	64		
597	LLANDOVERY ..	151	3	—	—	2	1	—	—	—	2	5	4	1	—	—	1	10	—	—	11	10	2	4	95	5		
598	LLANDILOFAWR ..	466	6	—	—	5	13	5	—	5	5	14	23	3	3	—	—	27	2	1	44	28	6	19	257	24		
599	CARMARTHEN ..	629	3	1	—	6	19	6	—	1	2	33	31	9	4	—	11	44	5	3	47	29	4	17	354	30		
46.—PEMBROKESHIRE.																												
600	NARBERTH ..	265	4	1	—	2	5	10	—	1	3	14	11	1	1	—	4	22	1	—	16	17	2	11	139	18		
601	PEMBROKE ..	426	2	3	—	7	9	3	—	—	3	24	18	3	2	—	2	33	3	3	20	30	1	20	239	27		
602	HAVERFORDWEST ..	591	2	1	—	5	16	7	—	—	11	17	31	4	5	1	7	48	2	2	41	30	5	22	333	33		

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.
XI.—MONMOUTHSHIRE AND WALES—continued.

REGISTRATION DISTRICTS.	ALL CAUSES.	CAUSES OF DEATH.																	Inquests.								
		Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
47.—CARDIGAN-SHIRE.																											
No.	243	—	—	2	—	7	7	—	—	—	5	29	—	3	1	—	—	—	18	1	—	11	11	6	4	143	9
603	324	—	1	—	—	3	2	—	—	—	1	29	4	3	5	—	—	5	18	—	—	22	28	2	5	192	11
604	163	—	—	—	—	4	2	—	—	—	1	10	10	1	—	—	—	3	12	—	—	19	9	1	5	86	4
605	195	—	—	1	—	10	2	—	—	—	1	15	9	1	—	—	—	3	17	—	—	13	16	—	5	97	12
606	359	—	—	1	—	5	—	—	—	—	2	21	15	—	2	—	—	2	29	1	—	30	26	—	8	202	12
607	143	—	—	—	—	2	—	—	—	—	1	8	17	—	—	—	—	2	15	1	—	9	11	—	3	70	6
608																											
48.—BRECKNOCK-SHIRE.																											
609	140	—	3	—	—	2	—	—	—	—	—	10	3	1	1	1	—	2	13	—	—	8	10	1	8	77	7
610	218	—	1	1	—	4	—	—	—	—	1	9	9	1	—	—	—	—	17	4	—	18	17	3	13	119	23
611	299	—	25	2	—	5	—	1	—	5	1	5	3	3	—	—	—	4	12	—	—	31	26	5	7	163	14
612	190	—	1	1	—	6	3	1	—	1	—	2	13	2	2	—	—	1	13	1	—	11	13	—	4	115	8
49.—RADNOR-SHIRE.																											
613	138	—	—	—	—	5	4	6	—	—	1	3	5	3	2	—	—	1	14	—	—	7	2	1	4	79	5
614	105	—	—	—	—	5	—	1	—	—	1	1	4	3	1	—	1	1	11	—	—	4	4	—	2	67	4
50.—MONTGOMERYSHIRE.																											
615	146	—	1	1	—	6	2	—	—	—	—	10	3	2	—	—	—	3	10	1	—	10	3	4	10	79	14
616	273	—	3	1	—	11	—	—	—	1	—	13	12	1	—	—	—	1	16	1	—	15	21	1	5	164	10
617	190	—	—	—	—	8	1	1	—	2	1	2	12	—	1	—	—	—	16	—	—	11	17	5	11	101	20
618	235	—	—	—	—	2	1	1	—	—	1	14	7	3	2	1	—	4	12	—	—	12	21	4	6	143	11

Deaths from several Causes, and Inquest Cases in the Year 1910, in Registration Districts—continued.
 XI.—MONMOUTHSHIRE AND WALES—continued.

REGISTRATION DISTRICTS.		ALL CAUSES.	CAUSES OF DEATH.																	Inquests.								
			Small-pox.	Measles.	Scarlet Fever.	Typhus.	Influenza.	Whooping-cough.	Diphtheria.	Pyrexia, of uncertain origin.	Enteric Fever.	Diarrhoea and Dysentery.	Pulmonary Tuberculosis, Tuberculous Phthisis.	Phthisis, not otherwise defined.	Tuberculous Meningitis.	Tuberculous Peritonitis.	Tubes Mesenterica.	All other Tuberculous Diseases.	Cancer.		Septic Diseases (not Puerperal).	Rheumatic Fever, Rheumatism of Heart.	Pneumonia.	Bronchitis.	Childbirth and Puerperal Septic Diseases.	Violence.	All other Causes.	
51.—FLINTSHIRE.																												
No. 619	HOLYWELL	670	—	6	11	—	—	13	—	26	—	—	7	28	15	2	10	—	5	37	3	3	45	44	4	28	383	36
620	HAWARDEN	312	—	—	3	—	—	2	—	9	—	2	2	4	8	2	1	1	1	12	4	1	28	25	9	12	185	22
52.—DENBIGH-SHIRE.																												
621	WREXHAM	1250	—	114	10	—	—	27	9	8	—	18	38	25	18	14	—	14	65	3	4	130	94	15	45	597	68	
622	RUTHIN	183	—	3	—	—	—	4	1	1	—	—	1	16	3	2	2	2	2	18	—	1	5	10	4	111	7	
623	St. ASAPH	577	—	5	2	—	—	17	3	5	—	2	11	32	5	2	2	9	44	44	8	1	49	21	5	11	344	23
624	LLANRWST	198	—	1	1	—	—	6	—	—	—	3	6	10	1	2	—	2	19	—	—	13	12	3	9	109	9	
53.—MERIONETH-SHIRE.																												
625	CORWEN	262	—	4	2	—	—	6	1	6	—	3	4	14	3	3	3	1	2	29	—	1	18	19	3	5	138	11
626	BALA	97	—	—	—	—	—	—	1	2	—	—	1	1	4	1	—	1	6	6	—	7	5	2	3	63	3	
627	DOLGELLY	212	—	—	5	—	—	—	3	1	—	—	9	5	1	1	—	1	18	18	—	17	7	7	10	120	9	
628	FESTINIOG	401	—	—	1	—	—	7	—	—	—	1	25	15	7	1	1	6	36	36	1	5	23	15	2	13	242	18
54.—CARNARVON-SHIRE.																												
629	PWLLHELI	348	—	4	2	—	—	3	—	1	—	3	11	24	2	2	2	—	3	39	3	1	17	15	1	10	206	11
630	CARNARVON	637	—	1	2	—	—	13	—	2	—	4	34	30	14	13	13	10	54	54	3	1	37	40	6	24	347	26
631	BANGOR	632	—	1	1	—	—	37	4	3	—	1	18	42	5	3	3	7	47	47	4	—	34	26	1	18	377	23
632	CONWAY	517	—	4	1	—	—	18	1	1	—	7	28	26	8	2	2	8	49	49	3	5	38	26	3	17	269	22
55.—ANGLESEY.																												
633	ANGLESEY	227	—	—	1	—	—	6	1	2	—	—	8	9	4	1	1	2	2	31	—	—	7	13	1	5	135	5
634	HOLYHEAD	359	—	1	—	—	—	11	8	9	—	1	19	10	4	8	1	4	4	22	2	2	32	23	4	9	189	10

VIOLENT DEATHS, 1910.

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at DIFFERENT PERIODS OF LIFE, in the YEAR 1910.—**Males.**

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.																75—	85 and up-wards				
			Under 1 Month.	Months.						1—	2—	3—	4—	5—	10—	15—	20—	25—			35—	45—	55—	65—
				1—	3—	6—																		
			328	293	180	125	325	328	260	180	609	433	647	605	1266	1324	1234	1052	697	319	84			
1	TOTAL	10289	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	MINES, QUARRIES, &c.—	1126	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	(a) Coal Mines	40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	(b) Other Mines	133	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	(c) Quarries, Excavations ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	VEHICLES AND HORSES—	688	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	(a) Railways	386	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	(b) Other Vehicles mechanically propelled ..	403	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	(c) Horse drawn vehicles and horses ..	510	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	(d) Other and undefined vehicles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3	SHIPS, BOATS, DOCKS, &c. (excluding drowning).	252	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4	BUILDING OPERATIONS	199	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5	MACHINERY	198	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6	WEAPONS AND IMPLEMENTS ..	78	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7	BURNS, SCALDS, EXPLOSIONS ..	995	1	8	11	45	179	196	144	78	93	20	8	16	34	34	31	35	20	32	10	—	—	
8	POISONS AND POISONOUS VAPOURS ..	322	1	3	11	8	14	10	9	3	15	11	15	20	41	42	45	47	19	5	3	—	—	
9	DROWNING	1871	8	—	2	3	41	55	46	36	250	115	112	127	241	284	255	181	91	21	3	—	—	
10	SUFFOCATION	788	215	275	146	38	17	6	6	—	5	4	4	—	13	11	9	16	14	9	—	—	—	
11	FALLS	1282	2	1	2	16	30	26	17	18	37	42	36	26	88	138	181	184	231	159	48	—	—	
12	WEATHER AGENCIES	136	1	—	1	1	2	—	1	—	3	3	4	5	11	12	22	24	30	13	3	—	—	
13	OTHERWISE OR NOT STATED ..	882	100	5	5	11	13	8	8	8	34	49	71	55	91	107	91	97	83	34	12	—	—	

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life, in the Year 1910.—**Males**—continued.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.																	85 and upwards.		
			Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	35—	45—	55—	65—		75—	
				1—	3—	6—																
1	IN MINES.																					
	(a) COAL MINES.																					
	Fall of Coal, Stone, &c. on	517	—	—	—	—	—	—	—	—	—	—	4	52	57	123	128	90	57	6	—	—
	Crushing ..	21	—	—	—	—	—	—	—	—	—	—	1	6	3	7	1	4	2	—	—	—
	Fall in Pit or Shaft ..	25	—	—	—	—	—	—	—	—	—	—	3	3	3	1	8	2	3	—	—	—
	Fall (not otherwise described)	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	1	2	—	—
	Machinery ..	41	—	—	—	—	—	—	—	—	—	—	—	12	5	11	6	2	3	—	—	—
	Rope Breaking ..	8	—	—	—	—	—	—	—	—	—	—	1	1	3	1	1	1	—	—	—	—
	Wagon, Tram, &c. ..	115	—	—	—	—	—	—	—	—	—	4	18	14	29	16	14	14	14	6	—	—
	Tub ..	111	—	—	—	—	—	—	—	—	—	12	47	10	10	15	15	7	8	2	—	—
	Blasting ..	15	—	—	—	—	—	—	—	—	—	—	—	5	5	3	3	—	2	—	—	—
	Horse ..	9	—	—	—	—	—	—	—	—	—	2	6	—	—	1	1	—	—	—	—	—
	Explosion of Fire-damp	140	—	—	—	—	—	—	—	—	—	—	15	—	25	53	29	12	5	1	—	—
	Explosion (not otherwise described)	8	—	—	—	—	—	—	—	—	—	—	1	3	3	1	1	2	—	—	—	—
	Burn or Scald (manner not stated)	5	—	—	—	—	—	—	—	—	—	1	1	—	—	1	2	—	—	—	—	—
	Drowning ..	7	—	—	—	—	—	—	—	—	—	—	2	—	—	1	4	—	1	—	—	—
	Choke-damp ..	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
	Carbon Monoxide ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Suffocation (manner not stated)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Electric Shock ..	14	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	1	—	—	—	—
	Strain ..	6	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	2	—	—	—	—
	Otherwise, or not stated how	72	—	—	—	—	—	—	—	—	—	3	15	8	6	16	11	10	7	2	—	—
	(b) OTHER MINES.																					
	Fall of Stone, Wood, &c. on	21	—	—	—	—	—	—	—	—	—	—	—	1	4	6	4	2	4	—	—	—
	Fall in Shaft ..	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
	Fall (not otherwise described)	4	—	—	—	—	—	—	—	—	—	—	1	1	—	2	—	1	—	—	—	—
	Machinery ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Blasting ..	4	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	1	—	—	—
	Otherwise, or not stated how	8	—	—	—	—	—	—	—	—	—	—	—	—	1	3	1	3	—	—	—	—

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life, in the Year 1910.—**Males**—continued.

No	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.													85 and upwards.							
			Under 1 Month.	Months.					1—	2—	3—	4—	5—	10—	15—		20—	25—	35—	45—	55—	65—	75—
				1—	3—	6—																	
IN MINES—cont.																							
(c) QUARRIES, EXCAVATIONS.																							
	Fall of Stone, Slate, &c.	86	—	—	—	—	—	—	—	—	—	—	6	6	25	22	11	12	4	—	—	—	
	Crushing ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	
	By Falling ..	16	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	6	1	—	—	—	
	Machinery ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Rope Breaking ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Wagon, Tram, &c.	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	Blasting ..	17	—	—	—	—	—	—	—	—	—	—	2	—	—	1	2	—	—	—	—	—	
	Drowning ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
	Carbon Monoxide	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Otherwise ..	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
VEHICLES AND HORSES.																							
(a) ON RAILWAYS.																							
	Run over on Line	477	—	—	—	—	2	—	1	1	10	12	27	46	98	93	88	68	24	6	1	—	
	Collision ..	9	—	—	—	—	—	—	—	—	—	—	—	—	5	1	2	1	—	—	—	—	
	Carriage, &c. off Rail ..	6	—	—	—	—	—	—	—	—	4	—	—	—	—	3	5	3	2	—	—	—	
	Fall from Carriage or Engine	34	—	—	—	—	—	—	—	—	—	1	—	1	—	7	1	2	1	2	—	—	
	Fall (not otherwise described) ..	6	—	—	—	—	—	—	—	—	4	5	10	9	21	1	11	9	1	—	—	—	
	Crushing by Carriage or Engine	93	—	—	—	—	—	—	—	—	—	—	—	—	—	21	1	—	—	—	—	—	
	Lift ..	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	—	—	—	
	Fall of Heavy Substance on..	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Striking against Bridge	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Electric Shock ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Otherwise, or not stated how	53	—	—	—	—	—	—	—	—	1	3	4	6	14	8	8	7	2	—	—	—	

ENGLAND AND WALES.—DEATHS from ACCIDENT and NEGLIGENCE at different Periods of Life, in the Year 1910.—**Males**—*continued*.

[illegible]

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life, in the Year 1910.—**Males**—continued.

No	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.																85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
			Under 1 Month.	Months.						1—	2—	3—	4—	5—	10—	15—	20—	25—		35—	45—	55—	65—	75—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
				1—	3—	6—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
8	POISONS AND POISONOUS VAPOURS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									</

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life, in the Year 1910.—**Males**—continued.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.																	85 and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			Under 1 Month.	Months.						1—	2—	3—	4—	5—	10—	15—	20—	25—	35—		45—	55—	65—	75—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
				1—	3—	6—	1—	2—	3—																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	POISONS, &c.—cont.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life, in the Year 1910.—**Males**—continued.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.														75—	85 and upwards.						
			Under 1 Month.	Months.					1—	2—	3—	4—	5—	10—	15—	20—			25—	35—	45—	55—	65—	
				1—	3—	6—																		
9	DROWNING (NOT IN MINES, QUARRIES, &C.)	121	—	—	—	—	—	—	—	—	—	—	13	22	37	23	12	9	3	1	1	—	—	—
	Bathing	8	—	—	—	—	—	—	—	—	—	—	2	4	1	—	1	—	—	—	—	—	—	—
	Sliding and Skating	34	—	—	—	—	—	—	—	—	—	—	—	—	2	5	4	7	10	5	—	—	—	—
	Shipwreck	136	—	—	—	—	—	—	—	—	—	2	1	11	19	16	36	23	12	12	1	2	1	—
	Boat upset, Fall overboard	9	—	—	—	—	—	—	—	—	—	—	—	1	—	2	1	—	3	1	1	—	—	—
	Collision	880	—	—	—	—	—	—	39	51	42	32	214	71	37	45	79	90	73	63	30	9	—	—
	Otherwise, or not stated how	683	8	—	1	—	—	—	2	4	4	2	20	6	16	36	108	155	154	99	56	11	—	—
	“ Found ” (open verdict)																							
10	SUFFOCATION.	590	177	254	122	26	—	—	8	6	—	—	—	1	1	—	—	—	—	—	—	—	—	—
	In Bed	97	4	8	11	7	—	—	6	—	—	—	2	1	2	—	8	5	6	13	8	7	—	—
	Food, or other Foreign Body	5	—	—	—	—	—	—	—	—	—	—	2	—	—	—	2	1	—	—	—	—	—	—
	Smothered by Heavy Substance	96	34	13	13	5	—	—	3	—	3	—	1	2	1	—	3	5	3	3	6	1	—	—
	Otherwise, or not stated how																							
11	FALLS.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Diving	72	—	—	—	—	—	—	4	3	2	—	—	2	3	2	15	7	7	10	5	6	—	—
	From Window	296	—	—	—	—	—	—	5	7	2	3	1	1	2	3	10	34	54	62	60	44	—	—
	Down Stairs	75	—	—	—	—	—	—	3	2	1	—	—	1	—	—	—	4	5	11	11	15	—	—
	In Room	838	1	1	5	17	—	—	17	12	12	12	36	39	31	21	62	93	115	101	155	94	—	—
	Otherwise, or not stated how																							
12	WEATHER AGENCIES.	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Lightning	32	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Sunstroke	89	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Gelatio and Exposure to Cold		1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life, in the Year 1910.—**Males**—*continued*.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.													85 and upwards.				
			Under 1 Month.	Months.						5—	10—	15—	20—	25—	35—		45—	55—	65—	75—
				1—	3—	6—	1—	2—	3—											
13	OTHERWISE OR NOT STATED.																			
	Swallowing Foreign Body ..	16	—	1	2	5	1	—	9	8	1	10	15	22	2	3	19	8	2	—
	Fall of Heavy Substance on ..	123	—	—	2	1	—	10	10	6	7	7	8	8	—	4	5	3	2	—
	Blow ..	65	—	—	2	1	—	—	—	1	2	1	1	1	—	1	2	2	—	—
	Fighting, Wrestling, &c. ..	9	—	—	—	—	—	—	1	7	2	8	19	3	—	18	29	19	—	—
	Fracture ..	150	1	—	2	—	—	—	—	2	1	—	—	14	—	—	5	7	10	—
	Injury by Bull or Cow ..	16	—	—	—	2	—	—	4	10	—	—	9	15	11	4	7	1	—	—
	Injury by Horse other than those in sec. 2 (c).	77	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—
	Injuries by Other Animals ..	5	—	1	—	—	—	—	1	3	—	1	1	—	—	—	—	—	—	—
	Football ..	11	—	—	—	—	—	—	2	1	—	5	—	1	—	—	—	—	—	—
	Cricket Ball ..	3	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
	Strain ..	6	—	—	—	—	—	—	—	1	—	—	1	—	—	1	1	—	—	—
	Electric Shock ..	10	—	—	—	—	—	—	—	—	—	2	3	3	—	1	1	—	—	—
	Circumcision ..	4	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Operation (kind not stated)* ..	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Other Wounds (not by Weapons or Imple- ments).	7	—	—	—	—	—	—	—	—	—	1	2	1	1	1	1	—	—	—
	Strangulation ..	15	—	—	1	2	—	—	5	4	—	—	—	1	—	—	2	—	—	—
	Neglect ..	97	95	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Accident (not otherwise described) ..	247	—	3	2	1	—	—	16	27	11	28	31	37	38	26	7	2	2	—
	Violence (cause or kind not stated) ..	20	—	—	—	—	—	—	1	1	2	4	4	3	2	1	—	—	—	—

* When a person dies from an operation performed on account of any disease or injury the nature of which is stated in the certificate, the death is classed under that disease or injury, unless it is certified to have been directly caused by the administration of an Anaesthetic (see under heading "Poisons and Poisonous Vapours," page 459).

ENGLAND AND WALES—DEATHS FROM ACCIDENT AND NEGLIGENCE AT DIFFERENT PERIODS OF LIFE, in the YEAR 1910.—Females.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.														85 and upwards.				
			Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	35—		45—	55—	65—	75—
				1—	3—	6—															
			325	262	185	107	247	231	205	159	362	143	133	120	205	206	279	307	426	474	188
2	TOTAL	4564	—	—	—	—	—	—	—	1	6	2	4	4	4	11	10	11	2	—	—
	VEHICLES AND HORSES—																				
	(a) Railways	55	—	—	—	—	1	—	—	5	31	10	4	4	14	10	15	15	18	4	—
	(b) Other vehicles mechanically propelled.	138	—	—	—	—	1	1	6	—	—	—	—	—	—	—	—	—	—	—	—
	(c) Horse-drawn vehicles and horses	91	—	—	—	—	11	14	6	5	18	1	1	—	3	5	9	7	6	4	1
	(d) Other and undefined vehicles ..	125	—	1	—	2	10	10	9	3	16	6	6	6	6	7	9	14	16	3	1
3	SHIPS, BOATS, DOCKS, &c. (excluding drowning)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
5	MACHINERY	11	—	—	—	—	—	—	—	—	1	2	4	—	1	2	—	1	—	—	—
6	WEAPONS AND IMPLEMENTS ..	11	—	—	—	—	—	—	1	—	—	—	3	2	2	—	—	1	1	1	—
7	BURNS, SCALDS, EXPLOSIONS ..	1330	—	4	12	34	146	154	137	123	210	66	57	42	41	45	53	51	78	61	16
8	POISONS AND POISONOUS VAPOURS	196	—	2	—	3	8	5	1	3	13	10	11	12	35	25	32	21	9	4	2
9	DROWNING	387	11	—	3	3	21	24	22	2	28	17	26	33	55	40	43	36	18	5	—
10	SUFFOCATION	731	206	253	160	50	16	4	5	—	3	2	1	1	7	5	6	5	6	1	—
11	FALLS	1074	1	1	6	8	21	9	13	8	12	15	10	9	26	40	83	111	242	325	134
12	WEATHER AGENCIES	31	3	—	—	—	—	1	—	1	4	4	1	1	1	1	3	5	3	2	1
13	OTHERWISE OR NOT STATED ..	333	104	1	4	7	13	9	5	8	20	8	5	6	10	15	16	28	27	64	33

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.														85 and upwards.				
			Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	35—	45—		55—	65—	75—	
			1—	3—	6—																
2	VEHICLES AND HORSES.																				
	(a) ON RAILWAYS.																				
	Run over on Line	35	—	—	—	—	—	1	5	—	4	2	3	6	5	8	1	—	—	—
	Carriage, &c., off Rail	5	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	
	Fall from Carriage or Engine	10	—	—	—	—	—	—	—	—	—	—	—	4	1	2	—	—	—	
	Crushing by Carriage or Engine	4	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	
	Otherwise, or not stated how	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
	(b) OTHER VEHICLES MECHANICALLY PROPELLED.																				
	Electric Tramcar	15	—	—	—	—	—	1	1	2	—	—	—	1	10	4	2	1	—	—
	Motor Car	66	—	—	—	—	—	3	22	3	2	1	3	2	2	7	5	3	1	—
	Motor Cab	21	—	—	—	—	—	1	1	1	2	—	4	3	1	2	2	—	—	—
	Motor Omnibus	16	—	—	—	—	—	—	1	1	—	2	3	1	2	2	2	—	—	—
	Motor Van, &c.	7	—	—	—	—	—	—	3	—	—	—	—	1	—	—	—	—	—	—
	Motor Cycle	4	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—
	Steam Wagon, &c.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Motor Vehicle (not otherwise described).	...	8	—	—	—	—	—	—	1	—	—	—	2	—	—	—	—	—	—	—	
(c) HORSE-DRAWN VEHICLES AND HORSES.																					
Wagonette	1	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—
Carriage	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
Dog-cart, Trap	12	—	—	—	—	—	—	—	1	—	—	—	—	—	—	4	3	1	—	—
Omnibus	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Tramcar	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Cab	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Van, Wagon	20	—	—	—	—	—	1	3	1	7	1	—	1	—	1	—	—	—	—	—
Dray	5	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—	—	—	—	—
Cart	38	—	—	—	—	—	2	—	—	7	—	—	—	—	6	2	1	1	2	—
Other, or undefined	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Horses	9	—	—	—	—	—	2	—	—	1	—	—	—	3	—	—	—	—	—	1

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life, in the Year 1910.—**Females**—continued.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.																85 and upwards.			
			Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	35—	45—	55—		65—	75—	
				1—	3—	6—																
POISONS, &c.—cont.																						
	Hydrochloric Acid ...	4	—	—	—	—	—	1	—	—	—	—	—	—	1	1	—	—	—	—	—	
	Nitric Acid ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
	Potassium Cyanide ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Potassium Permanganate	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Chlorate of Potash ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Chloride of Mercury ...	5	—	—	—	—	—	—	—	—	—	—	—	—	2	—	1	—	—	—	—	
	Carbolic Acid ...	7	—	—	—	—	—	—	—	—	—	—	2	1	1	—	1	3	—	—	—	
	Oxalic Acid ...	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Prussic Acid ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
ANÆSTHETICS FOR OPERATIONS:—																						
	A. C. E. Mixture ...	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Chloroform ...	37	—	—	—	—	—	—	—	—	—	—	—	—	12	5	2	1	1	—	—	
	Ether ...	9	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
	Chloroform and Ether ...	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Ethyl Chloride and Chloroform	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Kind not stated ...	39	—	—	—	—	—	—	—	—	—	—	—	—	2	3	9	3	—	1	—	
	Opium, Morphia, Laudanum	21	—	1	—	—	—	—	—	—	—	—	—	—	3	2	4	5	4	—	1	
	Sulphonal ...	2	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	
	Veronal ...	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Narcotic (<i>kind not stated</i>) ...	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Belladonna ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	
	Strychnia ...	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Alcohol ...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

ENGLAND AND WALES.—DEATHS FROM ACCIDENT AND NEGLIGENCE at different Periods of Life, in the Year 1910.—**Females**—continued.

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.														85 and upwards.					
			Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—	35—		45—	55—	65—	75—	
				1—	3—	6—																
9	POISONS, &c.— <i>cont.</i>																					
	Camphorated Oil	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Camphor Liniment	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Carbolic Acid and Ammonia Lini- ment.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
	Aromatic Vinegar	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Brooklime	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Sorrel	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
	Sting of Insect	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Coal Gas	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	<i>Others or kind not stated</i>	9	—	—	—	—	1	—	—	—	—	—	—	2	3	2	1	1	—	—	—	
10	DROWNING.																					
	Bathing	2	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
	Sliding and Skating	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Shipwreck	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Boat upset, Fall overboard...	11	—	—	—	—	—	—	—	—	—	—	2	4	1	15	10	1	—	—	—	
	<i>Otherwise</i>	184	—	—	—	3	21	23	19	1	26	12	8	11	38	30	33	9	12	3	—	
	"Found" (open verdict) ...	187	11	—	2	—	—	—	3	1	1	3	15	16	—	—	—	26	6	2	—	
	SUFFOCATION.																					
	In Bed	574	159	230	138	38	7	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	Food, or other Foreign Body	59	4	9	8	7	4	2	—	—	2	2	—	1	—	3	3	3	4	—	—	—
Smothered by Heavy Substance	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	
<i>Otherwise, or not stated how</i>	96	43	14	14	5	5	1	—	—	—	—	1	—	4	2	3	2	1	—	—	—	

No.	CAUSE OR CHARACTER OF ACCIDENT.	ALL AGES.	AGES AT DEATH.													85 and upwards.						
			Under 1 Month.	Months.			1—	2—	3—	4—	5—	10—	15—	20—	25—		35—	45—	55—	65—	75—	
				1—	3—	6—																
11	FALLS.																					
	From Window ...	44	—	—	—	1	2	2	2	2	3	1	2	1	1	3	1	4	7	10	3	2
	Down Stairs ...	326	—	—	—	2	2	3	—	1	2	1	1	1	1	8	20	45	46	99	77	19
	In Room ...	153	—	—	6	6	1	1	1	1	—	1	—	—	1	3	6	5	31	57	31	
	Otherwise ...	551	1	1	2	12	4	7	5	8	11	7	7	7	14	16	28	53	102	188	82	
12	WEATHER AGENCIES.																					
	Lightning ...	5	—	—	—	—	—	—	—	—	1	1	1	—	1	—	1	—	1	—	—	—
	Sunstroke ...	11	1	—	—	—	1	1	1	3	3	—	—	—	—	—	—	2	—	—	—	
	Gelatio and Exposure to Cold ...	15	2	—	—	—	—	—	—	1	—	—	1	—	—	1	2	3	2	2	1	
13	OTHERWISE OR NOT STATED.																					
	Swallowing Foreign Body...	11	—	—	1	1	1	2	2	2	—	1	1	1	1	3	1	—	—	—	—	—
	Fall of Heavy Substance on	21	—	—	—	2	—	1	1	1	1	2	1	1	1	1	—	—	—	—	—	
	Blow ...	14	—	—	—	—	1	—	1	1	1	—	—	—	—	1	—	—	—	—	—	
	Fracture ...	136	2	—	2	4	1	—	—	—	2	1	—	—	1	4	6	18	19	46	30	
	Injury by Bull or Cow ...	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
	Injury by Horse other than in Sec. 2 (c).	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Injuries by other Animals...	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	
	Strain...	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	
	Operation* ...	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	
	Other Wounds (not Weapons or Implements).	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	1	—	—	
	Strangulation ...	12	—	1	4	2	1	—	—	—	—	1	2	—	—	—	1	—	—	—	—	
	Neglect ...	101	99	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
	Accident (not otherwise described)	73	3	—	—	—	4	4	—	—	—	8	4	—	—	4	—	6	5	17	3	
	Violence (cause or kind not stated)	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	

* See note *, page 462.

ENGLAND AND WALES.—DEATHS from **Suicide** at DIFFERENT PERIODS OF LIFE in
the YEAR 1910.—**Males.**

No.	METHOD OF SUICIDE.	ALL AGES.	AGES AT DEATH.									
			5—	10—	15—	20—	25—	35—	45—	55—	65—	75—
	TOTAL	2680	—	9	77	135	400	543	618	561	265	61
2	VEHICLES AND HORSES ..	161	—	1	13	15	27	32	42	21	9	1
6	WEAPONS AND IMPLEMENTS	684	—	—	13	38	99	161	153	127	68	23
7	BURNS, SCALDS, EXPLOSIONS..	1	—	—	—	—	1	—	—	—	—	—
8	POISONS AND POISONOUS VAPOURS	429	—	—	12	25	77	83	115	88	27	2
9	DROWNING	525	—	4	16	19	96	108	109	114	43	14
10	SUFFOCATION	741	—	3	19	32	82	139	171	173	102	15
11	FALLS	48	—	—	2	3	9	8	11	7	4	3
13	OTHERWISE OR NOT STATED	91	—	1	2	3	9	12	17	31	12	3
2	VEHICLES AND HORSES.											
	On Railways	158	—	1	13	15	27	32	40	21	9	—
	Steam Lorry	1	—	—	—	—	—	—	1	—	—	—
	Traction Engine	1	—	—	—	—	—	—	—	—	—	1
	Van	1	—	—	—	—	—	—	1	—	—	—
6	WEAPONS AND IMPLEMENTS.											
	Gun-shot Wound	210	—	—	11	20	38	41	50	31	15	4
	By Knife	474	—	—	2	18	61	120	103	96	53	19
7	BURNS, SCALDS, EXPLOSIONS.											
	Placing Head in Fire	1	—	—	—	—	1	—	—	—	—	—
8	POISONS AND POISONOUS VAPOURS.											
	Arsenic	4	—	—	—	—	—	1	2	1	—	—
	Phosphorus	2	—	—	—	2	—	—	—	—	—	—
	Ammonia	7	—	—	—	—	1	—	4	—	1	1
	Chromic Acid	1	—	—	—	—	—	—	1	—	—	—
	Hydrochloric Acid	57	—	—	2	2	11	14	15	9	4	—
	Nitric Acid	6	—	—	—	—	2	1	1	1	1	—
	Picric Acid.. .. .	1	—	—	—	—	—	1	—	—	—	—
	Sulphuric Acid	3	—	—	—	1	—	1	—	1	—	—
	Chloride of Mercury	1	—	—	—	—	—	—	—	1	—	—
	Mercury	2	—	—	—	—	2	—	—	—	—	—
	Mercuric Iodide	1	—	—	—	—	1	—	—	—	—	—
	Nitrate of Silver	1	—	—	—	—	1	—	—	—	—	—
	Chloride of Zinc	1	—	—	—	—	—	1	—	—	—	—
	Sulphate of Zinc.. .. .	1	—	—	—	—	—	—	—	1	—	—
	Potassium Bichromate	3	—	—	—	1	1	—	1	—	—	—
	Potassium Cyanide	36	—	—	3	3	7	5	11	3	4	—
	Carbolic Acid	25	—	—	1	1	4	5	4	10	—	—
	Oxalic Acid	53	—	—	—	4	8	7	15	16	3	—
	Prussic Acid	32	—	—	2	3	4	7	8	4	4	—
	Chlorodyne	1	—	—	—	—	—	1	—	—	—	—
	Chloroform	1	—	—	—	1	—	—	—	—	—	—
	Nicotine	3	—	—	—	—	—	1	2	—	—	—
	Opium, Laudanum, Morphia	28	—	—	1	2	2	6	12	4	1	—
	Sulphonal	1	—	—	—	—	1	—	—	—	—	—
	Veronal	2	—	—	—	1	—	—	1	—	—	—
	Narcotic (<i>kind not stated</i>)	1	—	—	—	—	—	—	1	—	—	—
	Strychnia, Nux Vomica	7	—	—	1	—	—	1	—	5	—	—
	Weed Killer	2	—	—	—	—	—	1	—	1	—	—
	Vermin Killer	2	—	—	—	—	—	—	1	1	—	—
	Lysol.. .. .	1	—	—	—	—	1	—	—	—	—	—
	Disinfectant	1	—	—	—	—	—	—	—	—	1	—
	Carbon Monoxide	3	—	—	1	—	—	—	1	1	—	—
	Coal Gas	94	—	—	1	—	16	22	28	22	5	—
	Charcoal Fumes	1	—	—	—	—	—	—	—	1	—	—
	<i>Kind not stated</i>	44	—	—	—	4	15	8	7	6	3	1
9	DROWNING	525	—	4	16	19	96	108	109	114	43	14
10	SUFFOCATION.											
	By Hanging	740	—	3	19	32	81	139	171	173	102	15
	Pillow Case in Mouth	1	—	—	—	—	1	—	—	—	—	—
11	FALLS.											
	Jumping from Height	48	—	—	2	3	9	8	11	7	4	3
13	OTHERWISE OR NOT STATED	91	—	1	2	3	9	12	17	31	12	3

ENGLAND AND WALES.—DEATHS from **Suicide** at DIFFERENT PERIODS OF LIFE in
the YEAR 1910.—**Females.**

No.	METHOD OF SUICIDE.	ALL AGES.	AGES AT DEATH.										
			5—	10—	15—	20—	25—	35—	45—	55—	65—	75—	85 and upwards.
	TOTAL	887	—	3	67	81	152	203	191	125	51	13	1
2	VEHICLES AND HORSES.. ..	27	—	—	6	3	6	6	5	—	—	1	—
6	WEAPONS AND IMPLEMENTS..	114	—	—	2	6	19	23	34	18	9	3	—
7	BURNS, SCALDS, EXPLOSIONS..	9	—	—	—	—	4	3	1	1	—	—	—
8	POISONS AND POISONOUS VAPOURS	236	—	—	22	27	47	57	52	24	6	1	—
9	DROWNING	284	—	3	30	33	48	53	60	38	17	1	1
10	SUFFOCATION	162	—	—	6	4	23	44	31	35	13	6	—
11	FALLS	24	—	—	—	4	1	6	5	6	1	1	—
13	OTHERWISE OR NOT STATED..	31	—	—	1	4	4	11	3	3	5	—	—
2	VEHICLES AND HORSES.												
	On Railways	26	—	—	6	3	5	6	5	—	—	1	—
	Electric Tramcar	1	—	—	—	—	1	—	—	—	—	—	—
6	WEAPONS AND IMPLEMENTS.												
	Gun-shot Wound	12	—	—	1	2	2	2	3	1	1	—	—
	By Knife	102	—	—	1	4	17	21	31	17	8	3	—
7	BURNS, SCALDS, EXPLOSIONS.												
	Setting fire to Clothes	3	—	—	—	—	1	1	1	—	—	—	—
	Burns (otherwise)	5	—	—	—	—	3	2	—	—	—	—	—
	Scalds	1	—	—	—	—	—	—	—	1	—	—	—
8	POISONS AND POISONOUS VAPOURS.												
	Lead	1	—	—	—	—	—	—	—	1	—	—	—
	Phosphorus	1	—	—	1	—	—	—	—	—	—	—	—
	Ammonia	7	—	—	1	—	2	3	—	1	—	—	—
	Ammonia and Iodine Tincture	1	—	—	—	—	—	—	1	—	—	—	—
	Ammonia and Turpentine	1	—	—	—	—	—	—	—	—	1	—	—
	Hydrochloric Acid	40	—	—	2	5	5	16	8	4	—	—	—
	Sulphuric Acid	1	—	—	—	—	—	—	1	—	—	—	—
	Bichloride of Mercury	5	—	—	—	1	2	1	1	—	—	—	—
	Red Precipitate	1	—	—	—	1	—	—	—	—	—	—	—
	Potassium Bichromate	1	—	—	—	—	—	—	1	—	—	—	—
	Potassium Cyanide	4	—	—	—	—	1	—	1	—	2	—	—
	Acetic Acid	1	—	—	1	—	—	—	—	—	—	—	—
	Carbolic Acid	37	—	—	6	4	8	9	8	1	1	—	—
	Oxalic Acid	54	—	—	3	10	13	13	6	9	—	—	—
	Prussic Acid	2	—	—	—	1	—	—	—	1	—	—	—
	Opium, Laudanum, Morphia	13	—	—	3	—	2	3	5	—	—	—	—
	Cocaine and Morphia	1	—	—	—	1	—	—	—	—	—	—	—
	Veronal	1	—	—	—	—	—	—	—	1	—	—	—
	Aconite	1	—	—	—	1	—	—	—	—	—	—	—
	Belladonna.. .. .	2	—	—	—	—	—	1	1	—	—	—	—
	Strychnia, Nux Vomica	4	—	—	1	—	1	—	2	—	—	—	—
	Camphor Liniment	1	—	—	—	—	—	—	1	—	—	—	—
	Weed Killer	1	—	—	—	—	1	—	—	—	—	—	—
	Vermis Killer	1	—	—	—	—	—	—	1	—	—	—	—
	Lysol.. .. .	1	—	—	—	—	1	—	—	—	—	—	—
	Carbon Monoxide	1	—	—	—	—	1	—	—	—	—	—	—
	Coal Gas	32	—	—	3	1	4	9	8	6	1	—	—
	Kind not stated	20	—	—	1	2	6	2	7	—	1	1	—
9	DROWNING	284	—	3	30	33	48	53	60	38	17	1	1
10	SUFFOCATION.												
	By Hanging	161	—	—	6	4	22	44	31	35	13	6	—
	Sheet in Mouth	1	—	—	—	—	1	—	—	—	—	—	—
11	FALLS.												
	Jumping from Height	24	—	—	—	4	1	6	5	6	1	1	—
13	OTHERWISE OR NOT STATED..	31	—	—	1	4	4	11	3	3	5	—	—

ENGLAND AND WALES.—DEATHS from **Murder** at DIFFERENT PERIODS of LIFE in the YEAR 1910.—**Males.**

No.	METHOD OF MURDER.	ALL AGES.	AGES AT DEATH.																		
			0-3 Months.	3-6 Months.	6-12 Months.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and up-wards.
	TOTAL	85	30	2	3	4	3	3	1	46	5	2	2	1	6	8	5	6	2	2	—
2	VEHICLES AND HORSES	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
6	WEAPONS AND IMPLEMENTS	29	5	1	1	2	1	2	—	12	1	1	1	1	1	5	2	3	1	1	—
8	POISONS AND POISONOUS VAPOURS	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
9	DROWNING	9	1	1	1	2	1	—	1	7	2	—	—	—	—	—	—	—	—	—	—
10	SUFFOCATION.. ..	3	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
12	WEATHER AGENCIES	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED.. ..	40	19	—	1	—	1	1	—	22	2	—	1	—	5	3	2	3	1	1	—
2	VEHICLES AND HORSES.																				
	Motor Cab.. ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
6	WEAPONS AND IMPLEMENTS.																				
	Gun-shot Wound ..	7	—	—	—	—	1	—	—	1	—	—	—	1	—	2	2	—	—	1	—
	By Knife	22	5	1	1	2	—	2	—	11	1	1	1	—	1	3	—	3	1	—	—
8	POISONS AND POISONOUS VAPOURS.																				
	Oxalic Acid	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
9	DROWNING	9	1	1	1	2	1	—	1	7	2	—	—	—	—	—	—	—	—	—	—
10	SUFFOCATION.																				
	Not stated how	3	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
12	WEATHER AGENCIES.																				
	Exposure to Cold ..	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED.																				
	Blow, Kick	8	2	—	—	—	—	—	—	2	1	—	1	—	2	—	—	1	1	—	—
	Fracture	4	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	1	—	—	—
	Strangulation	7	5	—	1	—	—	—	—	6	—	—	—	—	—	—	—	1	—	—	—
	Murder (not otherwise described).. ..	21	9	—	—	—	1	1	—	11	1	—	—	—	3	3	2	—	—	1	—

ENGLAND AND WALES.—DEATHS from **Murder** at DIFFERENT PERIODS OF LIFE in
the YEAR 1910.—**Females.**

No.	METHOD OF MURDER.	ALL AGES.	AGES AT DEATH.																		
			0-3 Months.	3-6 Months.	6-12 Months.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and upwards.
	TOTAL	96	33	4	6	3	3	1	2	52	3	1	2	10	13	9	3	1	2	—	—
6	WEAPONS AND IM- PLEMENTS	35	2	—	—	2	2	—	1	7	3	1	2	6	6	7	2	—	1	—	—
7	BURNS, SCALDS, EX- PLOSIONS	2	—	—	1	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—
8	POISONS AND POISON- OUS VAPOURS	5	—	—	2	—	—	—	—	2	—	—	—	1	1	—	—	1	—	—	—
9	DROWNING	7	2	2	2	1	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—
10	SUFFOCATION.. ..	5	4	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	1	—	—
12	WEATHER AGENCIES	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED	41	24	2	1	—	1	1	1	30	—	—	—	3	5	2	1	—	—	—	—
6	WEAPONS AND IM- PLEMENTS.																				
	Gun-shot Wound ..	10	—	—	—	—	—	—	—	—	—	—	—	3	3	3	—	—	1	—	—
	By Knife	19	2	—	—	1	2	—	1	6	1	1	2	3	1	3	2	—	—	—	—
	„ Hammer	4	—	—	—	1	—	—	—	1	2	—	—	—	1	—	—	—	—	—	—
	„ Poker	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	„ Coal Pick	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
7	BURNS, SCALDS, EX- PLOSIONS.																				
	Setting Fire to Clothes	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Burns (otherwise) ..	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
8	POISONS AND POISON- OUS VAPOURS.																				
	Bichloride of Mercury	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Prussic Acid	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Strychnia	1	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Hyoscine	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
	Poison (kind not stated)	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
9	DROWNING	7	2	2	2	1	—	—	—	7	—	—	—	—	—	—	—	—	—	—	—
10	SUFFOCATION.																				
	Not stated how	5	4	—	—	—	—	—	—	4	—	—	—	—	—	—	—	—	1	—	—
12	WEATHER AGENCIES.																				
	Exposure to cold ..	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED.																				
	Blow, Kick	3	1	—	—	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	—
	Fracture	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	Strangulation	14	10	1	—	—	—	—	—	11	—	—	—	—	2	—	1	—	—	—	—
	Attempt to procure abortion:—																				
	By drugs	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	„ operation	2	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
	Neglect	3	3	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—
	Murder (not otherwise described)	16	8	1	1	—	1	1	1	13	—	—	—	2	1	—	—	—	—	—	—

ENGLAND AND WALES.—DEATHS from **Manslaughter** at DIFFERENT PERIODS OF LIFE in the YEAR 1910.—**Males.**

No.	METHOD OF MANSLAUGHTER.	ALL AGES.	AGES AT DEATH.																		
			0-3 Months.	3-6 Months.	6-12 Months.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and up- wards.
	TOTAL	55	5	1	1	2	—	—	—	9	2	1	5	7	9	10	7	3	2	—	—
2	VEHICLES AND HORSES	4	—	—	—	—	—	—	—	—	1	—	—	3	—	—	—	—	—	—	—
6	WEAPONS AND IM- PLEMENTS	5	—	—	—	—	—	—	—	—	—	1	1	—	1	1	1	—	—	—	—
13	OTHERWISE-OR NOT STATED	46	5	1	1	2	—	—	—	9	1	—	4	4	8	9	6	3	2	—	—
2	VEHICLES AND HORSES.																				
	Motor Car	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
	Motor Cab.. ..	2	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
	Motor Cycle	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
6	WEAPONS AND IM- PLEMENTS.																				
	Gun-shot Wound ..	3	—	—	—	—	—	—	—	—	—	1	—	—	1	—	1	—	—	—	—
	By Knife	2	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—
13	OTHERWISE OR NOT STATED.																				
	Blow, Kick	18	—	1	—	—	—	—	—	1	—	—	2	2	4	3	3	1	2	—	—
	Fight	2	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
	Fracture	4	—	—	—	—	—	—	—	—	—	—	—	1	1	—	1	1	—	—	—
	Navel Hæmorrhage ..	2	2	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	Starvation.. ..	2	1	—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—
	Neglect	3	1	—	1	—	—	—	—	2	—	—	1	—	—	—	—	—	—	—	—
	Manslaughter (<i>not other- wise described</i>)	13	1	—	—	1	—	—	—	2	1	—	1	—	3	3	2	1	—	—	—
	Justifiable Homicide ..	2	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—

ENGLAND AND WALES.—DEATHS from **Manslaughter** at DIFFERENT PERIODS OF LIFE in the YEAR 1910.—**Females.**

No.	METHOD OF MANSLAUGHTER.	ALL AGES.	AGES AT DEATH.																		
			0-3 Months.	3-6 Months.	6-12 Months.	1-	2-	3-	4-	Total under 5 Years.	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and up-wards.
	TOTAL	51	5	—	1	1	—	—	1	8	1	2	1	6	14	14	2	3	—	—	—
6	WEAPONS AND IM- PLEMENTS	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
7	BURNS, SCALDS, EX- PLOSIONS	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	1	—	—	—
10	SUFFOCATION	2	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
11	FALLS	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED	45	3	—	1	1	—	—	1	6	1	2	1	4	14	13	2	2	—	—	—
6	WEAPONS AND IM- PLEMENTS.																				
	Gunshot Wound.. ..	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
7	BURNS, SCALDS, EX- PLOSIONS.																				
	By Lamp	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	Setting Fire to Clothes	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
10	SUFFOCATION.																				
	Not stated how	2	1	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—	—	—
11	FALLS.																				
	Thrown from Window	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
13	OTHERWISE OR NOT STATED.																				
	Blow, Kick	4	—	—	—	—	—	—	—	—	—	1	—	—	—	1	1	1	—	—	—
	Fracture	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
	Navel Hæmorrhage ..	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Starvation	1	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
	Attempt to procure Abortion:—																				
	By Drugs	7	—	—	—	—	—	—	—	—	—	—	—	1	3	3	—	—	—	—	—
	By Operation	13	—	—	—	—	—	—	—	—	—	—	1	1	7	4	—	—	—	—	—
	Not stated how	5	—	—	—	—	—	—	—	—	—	—	—	1	2	2	—	—	—	—	—
	Neglect	7	1	—	1	1	—	—	1	4	1	1	—	—	—	1	—	—	—	—	—
	Manslaughter (not other- wise described)	6	—	—	—	—	—	—	—	—	—	—	—	1	2	2	1	—	—	—	—

INDEX OF REGISTRATION DISTRICTS.

The following Index furnishes a reference to the *Number* of each REGISTRATION DISTRICT, according to the topographical arrangement adopted in the Tables of Abstracts contained in the Report.* Districts having compound names are placed alphabetically according to the initial letter of the word spoken first locally : thus, East Ashford will be found under the letter E, and *not* under A.

For names of Towns such as Accrington, Queenborough, &c., which are not found in this "Index of Registration Districts," see the "Index of Registration Sub-districts" (pp. 470-479) and "Index of Urban Districts" (pp. 480-590).

<p style="text-align: center;">A</p> <p>Aberayron, 606. Abergavenny, 584. Aberystwith, 607. Abingdon, 117. Alcester, 395. Alnwick, 565. Alresford, 107. Alston, 570. Alton, 108. Alverstokey, 91. Amersham, 143. Amesbury, 252. Amptill, 176. Andover, 112. Anglesey, 633. Ashbourne, 437. Ashby de la Zouch, 404. Ashton under Lyne, 468. Aston, 385. Atcham, 349. Atherstone, 387. Auckland, 547. Axbridge, 314. Axminster, 268. Aylesbury, 146. Aylsham, 223. Aysgarth, 540.</p>	<p>Beamister, 266. Bedale, 538. Bedford, 174. Bedwellty, 585. Belford, 566. Bellingham, 563. Belper, 436. Berkhampstead, 142. Berwick, 567. Bethnal Green, 17. Beverley, 520. Bicester, 154. Bideford, 286. Biggleswade, 175. Billericay, 193. Billesdon, 400. Bingham, 433. Birkenhead, 452. Birmingham, 384. Bishop Stortford, 134. Blaby, 401. Blackburn, 474. Blandford, 259. Blean, 59. Blofield, 228. Blything, 216. Bodmin, 293. Bolton, 461. Bootle, 578. Bosmere, 211. Boston, 415. Bourne, 412. Brackley, 159. Bradfield, 120. Bradford, 498. Bradford on Avon, 248. Braintree, 201. Bramley, 499. Brampton, 572. Brecknock, 610. Brentford, 128. Bridge, 57. Bridgend, 591. Bridgnorth, 346. Bridgwater, 306. Bridlington, 526. Bridport, 267. Brighton, 79. Bristol, 319. Brixworth, 165. Bromley, 42. Bromsgrove, 382. Bromyard, 339.</p>	<p>Buckingham, 149. Bucklow, 445. Builth, 609. Burnley, 472. Burton upon Trent, 365. Bury, 462. Bury St. Edmunds, 207.</p> <p style="text-align: center;">C</p> <p>Caistor, 423. Calne, 244. Camberwell, 27. Cambridge, 181. Camelford, 289. Cannock, 368. Canterbury, 58. Cardiff, 588. Cardigan, 603. Carlisle, 574. Carmarthen, 599. Carnarvon, 630. Castle Ward, 560. Catherington, 105. Caxton, 179. Chapel en le Frith, 440. Chard, 308. Cheadle, 363. Chelmsford, 194. Chelsea, 4. Cheltenham, 333. Chepstow, 582. Chertsey, 32. Chester, 450. Chesterfield, 438. Chester le Street, 554. Chesterton, 180. Chichester, 86. Chippenham, 243. Chipping Norton, 157. Chipping Sodbury, 320. Chorley, 475. Chorlton, 464. Christchurch, 95. Church Stretton, 344. Cirencester, 329. Clebury Mortimer, 345. Clitheroe, 473. Clun, 343.</p>
<p style="text-align: center;">B</p> <p>Bakewell, 439. Bala, 626. Banbury, 158. Bangor, 631. Barnet, 131. Barnsley, 507. Barnstaple, 284. Barrow in Furness, 482. Barrow upon Soar, 406. Barton upon Irwell, 463. Basford, 429. Basingstoke, 110. Bath, 316. Battle, 70.</p>		

* Thus, the number of Births, Illegitimate Births, Deaths, and Marriages in Aberayron District may be ascertained by referring to the "*Abstract of Births, Deaths, and Marriages*," district number 606, which will be found on page 203.

Clutton, 315.
 Cockermouth, 576.
 Colchester, 198.
 Congleton, 448.
 Conway, 632.
 Corwen, 625.
 Cosford, 206.
 Coventry 390.
 Cranbrook, 53.
 Crediton, 281.
 Crickhowell, 611.
 Cricklade, 241.
 Croydon, 39.
 Cuckfield, 76.

D

Darlington, 543.
 Dartford, 43.
 Daventry, 164.
 Depwade, 230.
 Derby, 435.
 Devizes, 246.
 Devonport, 278.
 Dewsbury, 503.
 Docking, 234.
 Dolgelly, 627.
 Doncaster, 512.
 Dorchester, 264.
 Dorking, 36.
 Dover, 65.
 Downham, 237.
 Driffield, 525.
 Droitwich, 381.
 Droxford, 104.
 Dudley, 372.
 Dulverton, 303.
 Dunmow, 202.
 Durham, 551.
 Dursley, 322.

E

Easington, 552.
 Easingwold, 529.
 East Ashford, 56.
 Eastbourne, 71.
 East Grinstead, 75.
 Easthampstead, 124.
 East Preston, 84.
 East Retford, 426.
 Eastry, 64.
 East Stonehouse, 277.
 East Ward, 579.
 Ecclesall Bierlow, 509.
 Edmonton, 132.
 Elham, 66.
 Ellesmere, 351.
 Ely, 184.
 Epping, 189.
 Epsom, 31.
 Erpingham, 222.
 Eton, 144.
 Evesham, 379.
 Exeter, 271.

F

Falmouth, 297.
 Fareham, 92.
 Faringdon, 116.
 Farnham, 34.
 Faversham, 60.
 Festiniog, 628.
 Flegg, 220.
 Foleshill, 389.
 Forden, 617.
 Fordingbridge, 97.
 Forehoe, 226.
 Freebridge Lynn, 235.
 Frome, 311.
 Fulham, 3.
 Fylde, 477.

G

Gainsborough, 425.
 Garstang, 478.
 Gateshead, 557.
 Glanford Brigg, 424.
 Glendale, 568.
 Glossop, 441.
 Gloucester, 325.
 Godstone, 38.
 Goole, 514.
 Gower, 595.
 Grantham, 417.
 Gravesend, 44.
 Great Ouseburn, 488.
 Greenwich, 28.
 Grimsby, 422.
 Guildford, 33.
 Guisborough, 534.

H

Hackney, 11.
 Hailsham, 72.
 Halifax, 496.
 Halstead, 200.
 Haltwhistle, 562.
 Hambledon, 35.
 Hampstead, 8.
 Hardingstone, 162.
 Hartismere, 210.
 Hartlepool, 545.
 Hartley Wintney, 109.
 Haslingden, 471.
 Hastings, 69.
 Hatfield, 138.
 Havant, 89.
 Haverfordwest, 602.
 Hawarden, 620.
 Hay, 612.
 Hayfield, 442.
 Headington, 152.
 Helmsley, 531.
 Helston, 298.
 Hemel Hempstead, 141.

Hemsworth, 506.
 Hendon, 130.
 Henley, 150.
 Henstead, 227.
 Hereford, 337.
 Hertford, 137.
 Hexham, 561.
 Hinckley, 402.
 Hitchin, 136.
 Holbeach, 414.
 Holbeck, 502.
 Holborn, 14.
 Hollingbourn, 52.
 Holsworthy, 287.
 Holyhead, 634.
 Holywell, 619.
 Honiton, 269.
 Hoo, 46.
 Horncastle, 419.
 Horsham, 81.
 Houghton le Spring, 553.
 Howden, 519.
 Huddersfield, 495.
 Hull, 522.
 Hungerford, 115.
 Hunslet, 501.
 Huntingdon, 171.

I

Ipswich, 213.
 Isle of Wight, 93.
 Isles of Scilly, 301.
 Islington, 10.

K

Keighley, 492.
 Kendal, 581.
 Kensington, 2.
 Kettering, 167.
 Keynsham, 317.
 Kidderminster, 374.
 Kingsbridge, 274.
 Kingsclere, 113.
 King's Lynn, 236.
 Kings Norton, 383.
 Kingston, 40.
 Kington, 341.
 Knaresborough, 489.
 Knighton, 613.

L

Lambeth, 25.
 Lampeter, 605.
 Lancaster, 479.
 Lanchester, 550.
 Langport, 307.
 Launceston, 290.
 Ledbury, 335.
 Leeds, 500.
 Leek, 362.

Leicester, 407.
 Leigh, 460.
 Leighton Buzzard, 177.
 Leominster, 340.
 Lewes, 77.
 Lewisham, 29.
 Lexden, 199.
 Leyburn, 539.
 Lichfield, 367.
 Lincoln, 418.
 Linton, 182.
 Liskeard, 292.
 Liverpool, 453.
 Llandilofawr, 598.
 Llandoverly, 597.
 Llanelly, 596.
 Llanfyllin, 618.
 Llanrwst, 624.
 Loddon, 229.
 London City, 15.
 Long Ashton, 318.
 Longtown, 573.
 Loughborough, 405.
 Louth, 421.
 Ludlow, 342.
 Lunesdale, 480.
 Luton, 178.
 Lutterworth, 398.
 Lymington, 94.

M

Macclesfield, 444.
 Machynlleth, 615.
 Madeley, 348.
 Maidenhead, 123.
 Maidstone, 51.
 Maldon, 196.
 Malling, 48.
 Malmesbury, 242.
 Malton, 528.
 Manchester, 466.
 Mansfield, 428.
 Market Bosworth, 403.
 Market Drayton, 354.
 Market Harborough, 399.
 Marlborough, 245.
 Martley, 376.
 Medway, 47.
 Melksham, 247.
 Melton Mowbray, 408.
 Mere, 256.
 Meriden, 386.
 Merthyr Tydfil, 590.
 Middlesbrough, 535.
 Midhurst, 87.
 Mildenhall, 208.
 Mile End Old Town, 21.
 Milton, 61.
 Mitford, 232.
 Monmouth, 583.
 Morpeth, 564.
 Mutford, 218.

N

Nantwich, 449.
 Narberth, 600.
 Neath, 592.
 Newark, 432.
 Newbury, 114.
 Newcastle in Emlyn, 604.
 Newcastle under Lyme, 359.
 Newcastle upon Tyne, 558.
 Newent, 324.
 New Forest, 98.
 Newhaven, 78.
 Newmarket, 183.
 Newport (Monmouth), 587.
 Newport (Salop), 356.
 Newport Pagnell, 148.
 Newton Abbot, 272.
 Newtown, 616.
 Northallerton, 537.
 Northampton, 163.
 North Bierley, 497.
 Northleach, 330.
 Northwich, 447.
 North Witchford, 185.
 Norwich, 225.
 Nottingham, 430.
 Nuneaton, 388.

O

Oakham, 409.
 Okehampton, 280.
 Oldham, 469.
 Ongar, 190.
 Ormskirk, 457.
 Orsett, 192.
 Oswestry, 350.
 Oundle, 169.
 Oxford, 153.

P

Paddington, 1.
 Pateley Bridge, 486.
 Patrington, 523.
 Pembroke, 601.
 Penrith, 571.
 Penzance, 300.
 Pershore, 380.
 Peterborough, 170.
 Petersfield, 106.
 Petworth, 82.
 Pewsey, 251.
 Pickering, 532.
 Plomesgate, 215.
 Plymouth, 276.
 Plympton St. Mary, 275.
 Pocklington, 518.
 Pontardawe, 593.
 Pontefract, 505.
 Pontypool, 586.
 Pontypridd, 589.
 Poole, 261.

Poplar, 22.
 Portsmouth, 90.
 Potterspurty, 161.
 Prescott, 456.
 Preston, 476.
 Prestwich, 467.
 Pwllheli, 629.

R

Reading, 121.
 Redruth, 299.
 Reeth, 541.
 Reigate, 37.
 Rhayader, 614.
 Richmond (Surrey), 41.
 Richmond (Yorks), 542.
 Ringwood, 96.
 Ripon, 487.
 Risbridge, 204.
 Rochdale, 470.
 Rochford, 195.
 Romford, 191.
 Romney Marsh, 67.
 Romsey, 101.
 Ross, 336.
 Rothbury, 569.
 Rotherham, 511.
 Royston, 135.
 Rugby, 391.
 Runcorn, 446.
 Ruthin, 622.
 Rye, 68.

S

Saddleworth, 494.
 Saffron Walden, 203.
 St. Albans, 139.
 St. Asaph, 623.
 St. Austell, 295.
 St. Columb, 294.
 St. Faith's, 224.
 St. George Hanover Sq., 5.
 St. George in the East, 19.
 St. Germans, 291.
 St. Giles, 12.
 St. Ives, 172.
 St. Marylebone, 7.
 St. Neots, 173.
 St. Olave (Bermondsey), 24.
 St. Pancras, 9.
 St. Thomas, 270.
 Salford, 465.
 Salisbury, 253.
 Samford, 212.
 Scarborough, 527.
 Sculcoates, 521.
 Sedbergh, 483.
 Sedgefield, 546.
 Selby, 515.
 Settle, 484.
 Sevenoaks, 49.
 Shaftesbury, 257.
 Shardlow, 434.

Sheffield, 510.
 Sheppey, 62.
 Shepton Mallet, 312.
 Sherborne, 265.
 Shifnal, 347.
 Shipston on Stour, 396.
 Shoreditch, 16.
 Skipton, 485.
 Skirlaugh, 524.
 Sleaford, 416.
 Smallburgh, 221.
 Solihull, 392.
 Southam, 397.
 Southampton, 99.
 South Molton, 283.
 South Shields, 556.
 South Stoneham, 100.
 Southwark, 23.
 Southwell, 431.
 Spalding, 413.
 Spilsby, 420.
 Stafford, 357.
 Staines, 126.
 Stamford, 411.
 Stepney, 20.
 Steyning, 80.
 Stockbridge, 102.
 Stockport, 443.
 Stockton, 544.
 Stokesley, 536.
 Stoke upon Trent, 361.
 Stone, 358.
 Stourbridge, 373.
 Stow, 209.
 Stow on the Wold, 331.
 Strand, 13.
 Stratford on Avon, 394.
 Stratton, 288.
 Strood, 45.
 Stroud, 327.
 Sturminster, 258.
 Sudbury, 205.
 Sunderland, 555.
 Swaffham, 238.
 Swansea, 594.
 Swindon, 240.

T

Tadcaster, 516.
 Tamworth, 366.
 Taunton, 305.
 Tavistock, 279.
 Teesdale, 548.
 Tenbury, 375.
 Tending, 197.
 Tenterden, 54.

Tetbury, 328.
 Tewkesbury, 334.
 Thakeham, 83.
 Thame, 151.
 Thanet, 63.
 Thetford, 239.
 Thirsk, 530.
 Thornbury, 321.
 Thorne, 513.
 Thrapston, 168.
 Ticehurst, 73.
 Tisbury, 255.
 Tiverton, 282.
 Todmorden, 493.
 Tonbridge, 50.
 Torrington, 285.
 Totnes, 273.
 Towcester, 160.
 Toxteth Park, 454.
 Tregaron, 608.
 Truro, 296.
 Tynemouth, 559.

U

Uckfield, 74.
 Ulverston, 481.
 Uppingham, 410.
 Upton on Severn, 378.
 Uttoxeter, 364.
 Uxbridge, 127.

W

Wakefield, 504.
 Wallingford, 119.
 Walsall, 370.
 Walsingham, 233.
 Wandsworth, 26.
 Wangford, 217.
 Wantage, 118.
 Ware, 133.
 Wareham, 262.
 Warminster, 250.
 Warrington, 459.
 Warwick, 393.
 Watford, 140.
 Wayland, 231.
 Weardale, 549.
 Wellingborough, 166.
 Wellington (Salop), 355.
 Wellington (Somerset), 304.

Wells, 313.
 Wem, 352.
 Weobley, 338.
 West Ashford, 55.
 Westbourne, 88.
 West Bromwich, 371.
 Westbury, 249.
 Westbury on Severn, 323.
 West Derby, 455.
 West Ham, 188.
 Westhampnett, 85.
 Westminster, 6.
 West Ward, 580.
 Wetherby, 490.
 Weymouth, 263.
 Wharfedale, 491.
 Wheatenhurst, 326.
 Whitby, 533.
 Whitechurch (Hants), 111.
 Whitechurch (Salop), 353.
 Whitechapel, 18.
 Whitehaven, 577.
 Whittlesey, 186.
 Wigan, 458.
 Wigton, 575.
 Willesden, 129.
 Williton, 302.
 Wilton, 254.
 Wimborne, 260.
 Wincanton, 310.
 Winchcomb, 332.
 Winchester, 103.
 Windsor, 125.
 Winslow, 147.
 Wirral, 451.
 Wisbech, 187.
 Witney, 156.
 Wokingham, 122.
 Wolstanton, 360.
 Wolverhampton, 369.
 Woodbridge, 214.
 Woodstock, 155.
 Woolwich, 30.
 Worcester, 377.
 Worksop, 427.
 Wortley, 508.
 Wrexham, 621.
 Wycombe, 145.

Y

Yarmouth, 219.
 Yeovil, 309.
 York, 517.

In consequence of numerous alterations in districts since the numerical arrangement, 1 to 630, was adopted in the Abstracts for the year 1881, the districts were re-numbered consecutively from 1 to 634 in the Abstracts for the year 1909.

INDEX OF REGISTRATION SUB-DISTRICTS.

In this arrangement the principle is adopted of placing the Sub-Districts (or Registrars' Districts) having *compound names* in alphabetical order according to the initial letter of the word spoken first locally; thus East Grinstead will be found under the letter E, and not as "Grinstead, East"; St. James under the letter S, and not as "James, St." The number against each Sub-District, in the third column, refers to its numerical place in the Tables of Abstracts; thus Abbey Holme (575; 2) is the 2nd Sub-District of the Wigton District (No. 575).

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
A			Ancoats	Manchester ..	466; 1	Bampton	Witney	156; 2
			Andover	Andover	112; 3	Banbury	Banbury	158; 4
			Anston	Worksop	427; 3	Bangor	Bangor	631; 2
			Antony	St. Germans ..	291; 1	Barham	Bridge	57; 2
			Appleby	East Ward	579; 1	Barking Town	Romford	191; 3
			Appleton	Northallerton	537; 1	Barnbrough..	Doncaster	512; 2
			Wiske.			Barmouth	Dolgelly	627; 2
			Ardleigh	Tendring	197; 5	Barnack	Stamford	411; 2
			Ardsey	Wakefield	504; 5	Barnard Castle	Teesdale	548; 2
			Ardwick	Chorlton	464; 2	Barnet	Barnet	131; 2
			Arkholme	Lunesdale	480; 4	Barnoldswick	Skipton	485; 3
			Arncliffe	Settle	484; 5	Barnsbury	Islington	10; 5
			Arnold	Basford	429; 5	Barnsley	Barnsley	507; 2
			Arundel	East Preston ..	84; 3	Barnstaple	Barnstaple	284; 1
			Ashbourne ..	Ashbourne	437; 1	Barnwood	Gloucester	325; 1
			Ashburton	Newton Abbot	272; 4	Barrow in Fur-	Barrow in Fur-	482; 1
			Ashby de la	Ashby de la	404; 3	ness.		
			Zouch.	Zouch.		Barrowden ..	Uppingham ..	410; 3
			Ashford	West Ashford	55; 2	Barrow upon	Barrow upon	406; 1
			Ashington	Morpeth	564; 3	Soar.	Soar.	
			Ashley	Bristol	319; 8	Barton	Barton upon	463; 2
			Ashover	Chesterfield ..	438; 1	Irwell.		
			Ashton in	Wigan	458; 7	Barton	Glanford Brigg	424; 3
			Makerfield.			Baschurch	Ellesmere	351; 4
			Ashton Town	Ashton under	468; 3	Basingstoke ..	Basingstoke ..	110; 1
				Lyne.		Bassingham ..	Newark	432; 2
			Ashwater	Holsworthy ..	287; 4	Batheaston ..	Bath	316; 5
			Askrigg	Aysgarth	540; 1	Bathwick	Bath	316; 2
			Aslackby	Bourne	412; 2	Batley	Dewsbury	503; 2
			Aspull	Wigan	458; 2	Battle	Battle	70; 2
			Aston	Rotherham ..	511; 1	Bawdeswell ..	Mitford	232; 3
			Aston Manor..	Aston	385; 4	Bawtry	Doncaster	512; 5
			Atherstone....	Atherstone	387; 1	Beaminster ..	Beaminster ..	266; 3
			Atherton	Leigh	460; 4	Beaufort	Crickhowell ..	611; 2
			Attercliffe ..	Sheffield	510; 7	Beaumaris	Bangor	631; 1
			Attleborough	Wayland	231; 1	Bebington	Wirral	451; 3
			Audenshaw ..	Ashton under	468; 4	Beccles	Wangford	217; 2
B				Lyne.		Beckenham ..	Bromley	42; 2
			Audley	Newcastle	359; 3	Beckley	Rye	68; 2
				under Lyme.		Bedale	Bedale	538; 1
			Aughton	Ormskirk	457; 3	Bedford and	Bedford	174; 5
			Axbridge	Axbridge	314; 1	Cardington.		
			Axminster	Axminster	268; 2	Bedford and	Bedford	174; 4
			Aycliffe	Darlington	543; 3	Kempston.		
			Aylesbury	Aylesbury	146; 2	Bedlington ..	Morpeth	564; 2
			Aylesford	Malling	48; 1	Bedminster ..	Bristol	319; 3
						Beeston	Basford	429; 3
						Begelly	Narberth	600; 3
						Belbroughton	Bromsgrove ..	382; 2
						Belford	Belford	566; 1
						Belgrave	St. George Han-	5; 2
							over-square.	
						Bellingham ..	Bellingham ..	563; 1
						Belper	Belper	436; 3
						Belton	Mutford	218; 3
						Benington	Boston	415; 2</

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Beverley	Beverley	520; 2	Braintree	Braintree	201; 5			
Bewdley	Kidderminster	374; 5	Bramley	Basingstoke ..	110; 2			
Bexhill	Battle	70; 1	Bramley	Bramley	499; 1			
Bexley	Dartford	43; 1	Brampton	Brampton	572; 2			
Bibury	Northleach....	330; 1	Brandesburton	Skirlaugh	524; 4			
Bicester	Bicester	154; 2	Brandon	Durham	551; 1			
Bickerstaffe ..	Ormskirk	457; 1	Brassington ..	Ashbourne	437; 2			
Biddulph	Leek	362; 2	Bratton Clo-	Okehampton..	280; 1			
Bideford	Bideford	286; 1	velly.					
Biggleswade ..	Biggleswade ..	175; 1	Braughing....	Bishop Stort-	134; 3			
Billesdon	Billesdon	400; 1		ford.				
Billinge	Wigan	458; 6	Breage	Helston	298; 4			
Billinghay	Sleaford	416; 1	Brecknock	Brecknock	610; 2			
Billington	Blackburn	474; 1	Bredbury	Stockport	443; 3			
Bilston	Wolverhampton	369; 7	Brenchley	Tonbridge	50; 3			
Binbrook	Louth	421; 3	Brentford	Brentford	128; 4			
Bingham	Bingham	433; 1	Brentwood	Billericay	193; 1			
Bingley	Keighley	492; 1	Bretton	Wakefield	504; 1			
Binsted	Alton	108; 2	Brewood	Cannock	368; 1			
Birkenhead ..	Birkenhead ..	452; 1	Bridgend	Bridgend.....	591; 4			
Bishop Auck-	Auckland	547; 1	Bridgnorth	Bridgnorth....	346; 2			
land.			Bridgwater ..	Bridgwater ..	306; 2			
Bishops Castle	Clun	343; 2	Bridlington ..	Bridlington ..	526; 2			
Bishops Frome	Bromyard	339; 1	Bridport	Bridport	267; 2			
Bishop's Lyde-	Taunton	305; 4	Brigg	Glanford Brigg	424; 1			
ard.			Brighouse	Halifax	496; 1			
BishopsTawton	Barnstaple	284; 5	Brilley	Kington	341; 1			
Bishopstone ..	Wilton	254; 2	Brinde	Chorley	475; 1			
Bishops Walt-	Droxford	104; 1	Bristol Central	Bristol	319; 2			
ham.			Brixham	Totnes	273; 2			
Bishopthorpe	York	517; 4	Brixton	Lambeth.....	25; 5			
Bisley	Stroud	327; 3	Broadstairs ..	Thanet	63; 3			
Bitton	Keynsham	317; 1	Broadway	Evesham.....	379; 2			
Blackawton ..	Kingsbridge ..	274; 1	Bromley.....	Bromley	42; 1			
Blackburn	Blackburn	474; 4	Bromley	Poplar	22; 2			
Northern.			Bromsgrove ..	Bromsgrove ..	382; 1			
Blackburn	Blackburn	474; 6	Bromyard	Bromyard	339; 2			
South Eastern.			Broomhall....	Ecclesall Bier-	509; 7			
Blackburn	Blackburn	474; 5		low.				
South Western.			Broseley	Madeley	348; 3			
Blackley	Prestwich	467; 3	Broughton ..	Preston	476; 7			
Blackpool	Fyde	477; 3	Broughton ..	Salford	465; 2			
Black Tarring-	Holsworthy ..	287; 3	Broughton ..	Stockbridge ..	102; 1			
ton.			Bryngwran	Holyhead	634; 1			
Blackwell	Mansfield	428; 3	Bubwith	Howden	519; 2			
Blaenavon	Abergavenny ..	584; 4	Buckfastleigh	Totnes	273; 5			
Blagdon	Axbridge.....	314; 4	Buckingham..	Buckingham..	149; 1			
Blandford	Blandford	259; 2	Bucklebury ..	Bradfield.....	120; 1			
Bletchington ..	Bicester	154; 1	Budworth	Runcorn	446; 1			
Blidworth	Mansfield	428; 6	Bugbrooke....	Northampton	163; 3			
Blockley.....	Shipston on	396; 1	Builth	Builth	609; 4			
	Stour.		Bulmer	Malton	528; 5			
			Bulmer	Sudbury	205; 1			
Blofield	Blofield	228; 1	Bulwell	Nottingham ..	430; 5			
Bloxham	Banbury	158; 1	Bunbury	Nantwich	449; 3			
Bloxwich	Walsall.....	370; 2	Bungay	Wangford	217; 1			
Blyth	Tynemouth	559; 5	Buntingford ..	Royston	135; 1			
Bobbingworth	Ongar	190; 1	Burbage	Hinckley	402; 1			
Bocking	Braintree	201; 2	Bures	Sudbury	205; 2			
Bodenham ..	Leominster....	340; 2	Burford	Witney	156; 4			
Bodmin	Bodmin	293; 3	Burgh	Carlisle.....	574; 5			
Bognor	Westhampnett	85; 2	Burgh	Spilsby	420; 4			
Bollington	Macclesfield ..	444; 2	Burghill	Hereford	337; 3			
Bolsover	Chesterfield ..	438; 3	Burnham	Axbridge.....	314; 2			
Bootle	Bootle	578; 2	Burnham	Docking	234; 1			
Bootle	West Derby ..	455; 5	Burnham	Eton	144; 2			
Bordesley	Aston	385; 2	Burslem	Wolstanton...	360; 3			
Boroughbridge	Great Ouse-	488; 1	Burton Brad-	Bridport	267; 1			
	burn.		stock.					
Boscastle.....	Camelford	289; 1	Burton Lati-	Kettering	167; 1			
Boston	Boston	415; 3	mer.					
Botesdale	Hartismere	210; 2	Burton upon	Burton upon	365; 4			
Boughton	Faversham....	60; 1	Trent.	Trent.				
Bourne.....	Bourne	412; 3	Burwell	Newmarket ..	183; 3			
Bournemouth	Christchurch..	95; 2	Bury St. Ed-	Bury St. Ed-	207; 2			
Bourton on the	Stow on the	331; 1	munds.	munds.				
Water.	Wold.		Bushey	Watford	140; 1			
Bow	Crediton	281; 2	Buxton	Ayisham	223; 2			
Bow	Poplar	22; 1	Buxton	Chapel en le	440; 1			
Bowling	Bradford	498; 1		Frith.				
Boxgrove	Westhampnett	85; 4	Byker	Newcastle	558; 6			
Brabourne	East Ashford..	56; 1		upon Tyne				
Brackley	Brackley	159; 1	Bywell.....	Hexham.	521; 1			
Bracknell	Easthampstead	124; 1						
Bradfield	Wortley	508; 6						
Bradford	Prestwich	467; 6						
Bradford	Bradford	498; 2						
Central.								
Bradford on	Bradford on	248; 1						
Avon.	Avon.							
Brading	Isle of Wight..	93; 4						
Bradley	Westbury.....	249; 1						
Brafield	Hardingstone	162; 1						

C

Cadoxton	Neath	592; 4
Caerleon	Newport (Mon-	587; 1
	mouth).	
Cainham.....	Ludlow	342; 3
Caistor	Caistor	423; 1
Calbourne	Isle of Wight..	93; 6
Caldbeck	Wigton	575; 3
Calehill	West Ashford	55; 1
Callington	Liskeard	292; 1
Caine	Calne.....	244; 1
Calstock	Tavistock	279; 1
Calverley	North Bierley	497; 8
Camberwell ..	Camberwell ..	27; 3
North.		
Camberwell ..	Camberwell ..	27; 2
South.		
Camborne ..	Redruth	299; 4
Camelford	Camelford	289; 2
Campsall	Doncaster	512; 4
Canford	Poole	261; 1
Canning Town	West Ham	188; 4
Cannock	Cannock	368; 2
Canterbury ...	Canterbury ..	58; 1
Capel	Dorking	36; 1
Capel St. Mary	Samford	212; 1
Carburton	Workshop	427; 4
Cardigan	Cardigan	603; 2
Carlford	Woodbridge ..	214; 1
Carlton	Basford	429; 6
Carlton	Selby.....	515; 1
Carlton	Workshop	427; 2
Carmarthen ..	Carmarthen ..	599; 3
Carnarvon	Carnarvon	630; 3
Carshalton....	Epsom	31; 1
Cartmel	Ulverston	481; 1
Castle Cary ...	Wincanton	310; 1
Castle Combe	Chippingham..	243; 1
Castle Doning-	Shardlow	434; 1
ton.		
Castleford ...	Pontefract	505; 4
Castle Rising..	Freebridge ..	235; 3
	Lynn.	
Castleton No.1	Rochdale.....	470; 2
Castleton No.2	Rochdale.....	470; 3
Caton	Lunesdale ...	480; 1
Catterick	Richmond	542; 2
	(Yorks).	
Caversham ..	Henley	150; 2
Cawthorne ..	Wortley	508; 1
Caxton	Caxton	179; 1
Cenarth	Newcastle in	604; 3
	Emlyn.	
Central	Manchester ..	466; 2
Central Cardiff	Cardiff	588; 3
Central Hack-	Hackney	11; 3
ney.		
Cerne	Dorchester	284; 4
Chadderton ..	Oldham	169; 4
Chaddesley ..	Kidderminster	374; 1
Corbett.		
Chagford	Okehampton..	280; 4
Chailey	Lewes	77; 1
Chalfont	Amersham	143; 4
Chapel en le	Chapel en le	440; 2
Frith.	Frith.	
Chard	Chard	308; 3
Charlbury	Chipping Nor-	157; 1
	ton.	
Charlton	Woolwich	30; 1
Charlton Kings	Cheltenham ..	333; 1
Chartham	Bridge	57; 1
Chatteris	North Witch-	185; 1
	ford.	
Cheadle	Cheadle	363; 4
Cheadle	Stockport	443; 8
Chedworth ..	Northleach ..	330; 2
Cheetham	Prestwich	467; 1
Chelmsford ..	Chelmsford ..	194; 2

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Chelsea North	Chelsea	4; 1	Constantine ..	Falmouth	297; 3	Diddlebury ..	Ludlow	342; 5
Chelsea South	Chelsea	4; 2	Conway	Conway	632; 1	Didmarton....	Tetbury	328; 1
Cheltenham ..	Cheltenham ..	333; 2	Conwil	Carmarthen ..	599; 4	Didsbury	Chorlton	464; 1
Chepstow	Chepstow	582; 1	Conwil Caio ..	Llandovery ..	597; 7	Dilhorne	Cheadle	363; 2
Cheriton Fitz-	Crediton	281; 4	Corby	Bourne	412; 1	Dilwyn	Weobley	338; 2
paine.			Corfe Castle ..	Wareham	262; 2	Dishforth	Ripon	487; 2
Cherry Hinton	Chesterton ..	180; 2	Cornforth	Sedgefield ..	546; 2	Diss	Depwade	230; 2
Chertsey	Chertsey	32; 2	Corsham.....	Chippenham ..	243; 2	Doncaster	Doncaster	512; 2
Chesham	Amersham	143; 2	Corwen	Corwen	625; 1	Donhead	Tisbury.....	255; 1
Cheshunt	Edmonton	132; 8	Costessey	Forehoe	226; 1	Donington	Spalding	413; 2
Chesterfield ..	Chesterfield ..	438; 2	Cotswold.....	Cirencester....	329; 1	Dorchester....	Dorchester....	264; 1
Chester Castle	Chester.....	450; 2	Cottingham ..	Sculcoates	521; 2	Dore	Ecclesall Bier-	509; 3
Chester Cathed-	Chester.....	450; 3	Coulsdon	Croydon	39; 1		low.	
ral.			Cowbridge....	Bridgend.....	591; 3	Dorking	Dorking	36; 2
Chester le	Chester le	554; 1	Cowes	Isle of Wight..	93; 1	Dover	Dover	65; 2
Street.	Street.		Coxwold	Easingwold ..	529; 3	Downham	Downham	237; 2
Chesterton ..	Chesterton ..	180; 1	Cramlington..	Tynemouth	559; 6	Downton.....	Salisbury	253; 2
Chetton	Bridgnorth....	346; 1	Cranborne	Wimborne ..	260; 1	Driffeld	Driffeld	525; 2
Cheveley.....	Newmarket ..	183; 1	Cranbrook	Cranbrook	53; 1	Drighlington..	North Bierley	497; 2
Chew Magna..	Clutton.....	315; 2	Cranfield.....	Ampthill	176; 3	Droitwich	Droitwich	381; 2
Chichester ..	Chichester	86; 1	Cranley	Hambleton ..	35; 2	Dronfield	Chesterfield ..	438; 5
Chigwell	Epping	189; 1	Crediton	Crediton	281; 3	Drypool	Sculcoates	521; 6
Chippenham..	Chippenham ..	243; 3	Crewe	Nantwich	449; 1	Dudley.....	Dudley.....	372; 4
Chipping.....	Clitheroe.....	473; 3	Crewkerne....	Chard	308; 4	Duddeston	Aston	385; 3
Chipping Nor-	Chipping Nor-	157; 2	Criccieth.....	Pwllheli	629; 1	Duffield	Belper	436; 1
ton.	ton.		Crick	Rugby	391; 2	Dukinfield	Ashton under	468; 7
ChippingOngar	Ongar	190; 2	Crickhowell ..	Crickhowell ..	611; 4		Lyne.	
Chipping Sod-	Chipping Sod-	320; 2	Cricklade	Cricklade	241; 2	Dulverton	Dulverton	303; 1
bury.	bury.		Cromer	Erpingham	222; 1	Dulwich	Camberwell ..	27; 1
Chirbury.....	Fornden	617; 2	Crompton	Oldham	469; 7	Dummer	Basingstoke ..	110; 3
Chislehurst ..	Bromley	42; 4	Cropredy	Banbury	158; 3	Dunchurch	Rugby	391; 3
Chiswick	Brentford	128; 5	Crosby	West Derby ..	455; 1	Dunmow.....	Dunmow	202; 1
Chobham	Chertsey	32; 3	Croston	Chorley	475; 5	Dunnington ..	York	517; 6
Chollerton	Hexham	561; 4	Crowan	Helston	298; 5	Dunstable	Luton	178; 1
Cholsey	Wallingford ..	119; 1	Crowland	Peterborough ..	170; 3	Dunster	Williton	302; 2
Chorley	Chorley	475; 4	Crowle.....	Thorne	513; 3	Durham	Durham	551; 2
Chorlton upon	Chorlton	464; 3	Cuckfield	Cuckfield.....	76; 1	Dursley	Dursley	322; 2
Medlock.			Culcheth.....	Leigh	460; 2	Duxford	Linton	182; 1
Christchurch	Christchurch..	95; 1	Cullompton ...	Tiverton	282; 2			
Christchurch	St. Marylebone	7; 3	Culmstock	Wellington ..	304; 4			
Christchurch	Southwark ..	23; 1		(Somerset).				
and St. Sa-			Cwmdû	Crickhowell ..	611; 1			
viour South-								
wark.								
Christian Mal-	Chippenham ..	243; 4						
ford.								
Chudleigh	Newton Abbot	272; 2						
Church Hulme	Congleton	448; 1						
Church Stret-	Church Stret-	344; 1						
ton.	ton.							
Cilycwm.....	Llandovery ..	597; 6						
Cirencester ..	Cirencester....	329; 2						
Clacton	Tendring.....	197; 1						
Clapham.....	Wandsworth ..	26; 4						
Clarborough ..	East Retford ..	426; 2						
Clare.....	Risbridge	204; 3						
Clawton	Holsworthy ..	287; 5						
Claypole	Newark	432; 5						
Cleckheaton ..	North Bierley	497; 1						
Cleeve	Winchcomb ..	332; 2						
Cleobury Mor-	Cleobury Mor-	345; 1						
timer.	timer.							
Clerkenwell...	Holborn	14; 2						
Clifton	Bristol	319; 1						
Clitheroe.....	Clitheroe.....	473; 4						
Clodock	Hereford	337; 7						
Clun	Clun	343; 1						
Clydey	Newcastle in	604; 2						
	Emlyn.							
Cockermouth	Cockermouth	576; 2						
Coddenham ..	Bosmere	211; 1						
Coggeshall	Braintree	201; 3						
Coker	Yeovil	309; 1						
Colchester	Colchester	198; 2						
North West.								
Colchester	Colchester	198; 1						
South East..								
Coleford	Monmouth	583; 2						
Colleshill	Meriden	386; 1						
Collingbourne	Pewsey.....	251; 2						
Colne	Burnley	472; 5						
Colneis.....	Woodbridge ..	214; 2						
Colton	Ulverston	481; 2						
Colwyn	Builth	609; 3						
Colwyn Bay ..	Conway	632; 3						
Colyton	Axminster	268; 3						
Combe Martin	Barnstaple	284; 3						
Combe St.	Chard	308; 2						
Nicholas.								
Condover	Atcham	349; 1						
Congleton	Congleton	448; 2						
Connett	Lanchester	550; 2						

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Langport	Langport	307; 2	Llanrug	Carnarvon	630; 2	Malmesbury	Malmesbury ..	242; 2
Langtoft	Driffield	525; 4	Llanrwst	Llanrwst	624; 1	Western.	Whitchurch	353; 2
Lanlivery	Bodmin	293; 1	Llansadwrn ..	Llandovery ..	597; 3	Malpas	(Salop).	
Lastingham ..	Pickering	532; 1	Llansamlet ..	Swansea	594; 4	Maltby	Rotherham ..	511; 6
Latham	Ormskirk	457; 8	Llansantffraid	Aberayron	606; 2	Malton	Malton	528; 3
Launceston ..	Launceston	290; 3	Llansantffraid	Llanfyllin	618; 2	Malvern	Upton on Severn	378; 1
Lavenham	Cosford	206; 1	Llansilin	Oswestry	350; 2	Manningham	Bradford	498; 3
Lavington	Devizes	246; 2	Llantarnam ..	Newport (Mon-	587; 4	Manningtree..	Tendring	197; 4
Leake	Loughborough	405; 2		mouth).		Mansfield	Mansfield	428; 5
Leamington ..	Warwick	393; 2	Llantrisant ..	Pontypridd ..	589; 3	Marazion	Penzance	360; 3
Leatherhead..	Epsom	31; 3	Llanvihangel	Abergavenny ..	584; 2	March	North Witch-	185; 2
Ledbury	Ledbury	335; 1	Llanwenog	Lampeter	605; 4		ford.	
Lee	Lewisham	29; 2	Llanwnog	Newtown	616; 2	Maresfield....	Uckfield	74; 4
Leek	Leek	362; 3	Llanwonno	Pontypridd ..	589; 2	Margam	Neath	592; 1
Leek Frith....	Leek	362; 4	Llanwrtyd	Builth	609; 1	Margate	Thanet	63; 2
Leigh	Leigh	460; 3	Llanybyther..	Lampeter	605; 1	Market Bos-	Market Bos-	403; 1
Leigh	Martley	376; 2	Lockington ..	Beverley	520; 3	worth.	worth.	
Leighton Buz-	Leighton Buz-	177; 1	Lockton	Pickering	532; 4	Market Dray-	Market Dray-	354; 1
zard.	zard.		Lockwood	Huddersfield..	495; 9	ton.	ton.	
Leintwardine	Ludlow	342; 1	Loddon	Loddon	229; 2	Market Har-	Market Har-	399; 1
Leiston	Blything	216; 1	Loftus	Guisborough ..	534; 1	borough.	borough.	
Lenham	Hollingbourn .	52; 2	Long Ashton	Long Ashton ..	318; 1	Market Rasen	Caistor	423; 2
Leominster ..	Leominster....	340; 1	Longbenton ..	Tynemouth ..	559; 3	Market	Pocklington ..	518; 3
Leven	Beverley	520; 4	Longbridge	Warminster ..	250; 2	Weighton.		
Leverington ..	Wisbech	187; 1	Deverill			Marlborough	Marlborough..	245; 1
Lewes	Lewes	77; 2	Long Buckby	Daventry	164; 3	Marlow	Wycombe	145; 2
Lewisham	Lewisham	29; 3	Longnor	Leek	362; 5	Marshfield	Chipping Sod-	320; 3
Lewknor	Thame	151; 1	Longparish	Andover	112; 1		bury.	
Leyburn	Leyburn	539; 2	Long Preston	Settle	484; 3	Marske	Guisborough ..	534; 3
Leyland	Chorley	475; 2	Long Sutton ..	Holbeach	414; 2	Martley	Martley	376; 1
Lichfield	Lichfield	367; 1	Longton	Preston	476; 1	Martock	Yeovil	309; 3
Lifton	Tavistock	279; 3	Longton	Stoke upon	361; 4	Marton	Gainsborough	425; 4
Limehouse....	Stepney	20; 2		Trent.		Maryport	Cockermouth	576; 4
Lincoln Home	Lincoln	418; 2	Longtown	Longtown	573; 1	Masham	Bedale	558; 2
Lincoln North-	Lincoln	418; 3	Loce	Liskeard	292; 3	Matlock	Bakewell	459; 2
east.			Loose	Maidstone	51; 2	Mattishall	Mitford	232; 2
Lincoln South-	Lincoln	418; 1	Loughborough	Loughborough	405; 1	Mayfair and	St. George Han-	5; 1
west.			Loughor	Llanelli	596; 1	Knightsbridge.	over Square.	
Linton	Linton	182; 2	Louth	Louth	421; 2	Measham	Ashby de la	404; 1
Liskeard	Liskeard	292; 2	Lower	Islington	10; 4		Zouch.	
Litcham	Mitford	232; 5	Holloway.			Melbourn	Royston	135; 3
Litherland	West Derby ..	455; 2	Lower Merthyr	Merthyr Tydfil	590; 2	Melbourne....	Shardlow	434; 2
Little Bolton..	Bolton	461; 7	Tydfil.			Melford	Sudbury	205; 4
Littleborough	Rochdale	470; 7	Lower Mitton	Kidderminster	374; 4	Melksham	Melksham	247; 1
Littlehampton	East Preston ..	84; 2	Lowestoft	Mutford	218; 2	Mellor	Blackburn	474; 3
Littleport	Ely	184; 4	Lowther	West Ward....	580; 2	Melton Mow-	Melton Mow-	408; 1
Liversedge	Dewsbury	503; 4	Lowton	Leigh	460; 1	bray.	bray.	
Llanarmon	Ruthin	622; 1	Ludham	Smallburgh ..	221; 1	Mendlesham..	Hartismere ..	210; 1
Llanarth	Abergavenny	584; 1	Ludlow	Ludlow	342; 2	Mere	Mere	256; 1
Llanbister	Knights	613; 3	Luton	Luton	178; 2	Meriden	Meriden	386; 2
Llanboidy	Narberth	600; 1	Lutterworth..	Lutterworth ..	398; 1	Methwold	Theford	239; 1
Llandaff	Cardiff	588; 1	Lydbury	Clun	343; 4	Mevagissey ..	St. Austell	295; 3
Llanddausant	Llandovery ..	597; 1	Lydd	Romney Marsh	67; 2	Micheldever ..	Winchester....	103; 1
Llanddeusant.	Holyhead	634; 2	Lydney	Chepstow	582; 2	Michellmersh	Romsey	101; 2
Llandebie	Llandilofawr..	598; 6	Lyme	Axminster	268; 1	Middleham ..	Leyburn	539; 1
Llandilo	Llandilofawr..	598; 4	Lymington ..	Lymington	94; 1	Middlesbrough	Middlesbrough	535; 2
Llandilo Taly-	Swansea	594; 1	Lymm	Bucklow	445; 4	East.		
bont.			Lyncombe	Bath	316; 3	Middlesbrough	Middlesbrough	535; 3
Llandingat....	Llandovery ..	597; 4	Lyndhurst....	New Forest ..	98; 1	West.		
Llandudno....	Conway	632; 2	Lynton	Barnstaple	284; 2	Middleton	Oldham	469; 5
Llandwrog	Carnarvon	630; 1	Lytchett	Poole	261; 3	Middleton ...	Teesdale	548; 3
Llandyrnog ..	Ruthin	622; 5	Lytham	Fyde	477; 2	Middlewich ...	Northwich	447; 4
Llandysilio ..	Aberayron	606; 1	Lythe	Whitby	533; 3	Middlezoy ...	Bridgwater ..	306; 4
Llandyssil....	Newcastle in	604; 4				Midhurst	Midhurst	87; 1
	Emlyn.					MidsomerNor-	Clutton	315; 4
Llanellidan	Ruthin	622; 3				ton.		
Llanelly	Crickhowell ..	611; 3				Milborne Port	Wincanton	310; 2
Llanelly Rural	Llanelly	596; 2				Mildenhall....	Mildenhall....	208; 1
Llanelly Urban	Llanelly	596; 3				Mile End Old	Mile End Old	21; 2
Llanfair	Llanfyllin	618; 1				Town North	Town.	
Llanfairary-	Llandovery ..	597; 5				Eastern.		
bryn.						Mile End Old	Mile End Old	21; 1
Llanfairfechan	Bangor	631; 3				Town South	Town.	
Llanfechell ..	Anglesey	633; 3				Western.		
Llanfynydd ..	Llandilofawr..	598; 2				Milford	Haverfordwest	602; 1
Llangadock ..	Llandovery ..	597; 2				Milford	Lymington....	94; 2
Llangafelach	Swansea	594; 2				Millbrook	South Stone-	100; 3
Llangathen ..	Llandilofawr..	598; 3					ham.	
Llangeini	Anglesey	633; 1				Milnrow	Rochdale	470; 1
Llangeitho	Tregaron	608; 2				Milnthorpe ..	Kendal	581; 4
Llangeneirne	Carmarthen ..	599; 1				Milton	Milton	61; 1
Llangibby	Pontypool	586; 3				Milton Abbas	Blandford	259; 1
Llangollen	Corwen	625; 2				Milton Damerel	Helsworthy ..	287; 1
Llangorse	Brecknock	610; 4				Milverton	Wellington	304; 2
Llanhilleth ..	Pontypool	586; 1					(Somerset).	
Llanidan	Carnarvon	630; 4				Minchinhamp-	Stroud	327; 6
Llanidloes	Newtown	616; 1				ton.		
Llanllechid ..	Bangor	631; 4				Minehead	Williton	302; 1
Llannon	Llanelli	596; 5				Minster	Sheppey	62; 1
Llanrhaiadr ..	Llanfyllin	618; 3				Minster	Thanet	63; 1
Llanrhaiadr ..	Ruthin	622; 4				Mirfield	Dewsbury	503; 5
Llanrhystyd ..	Aberystwith ..	607; 1						

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Missenden	Amersham ..	143 ; 1	Normanton ..	Wakefield	504 ; 7	Orford	Plomesgate....	215 ; 2
Misterton	Gainsborough	425 ; 2	Northallerton	Northallerton	537 ; 2	Ormesby	Middlesbrough	535 ; 1
Mitcham.....	Croydon	39 ; 6	Northam	Bideford	286 ; 2	Ormskirk	Ormskirk	457 ; 2
Modbury	Kingsbridge ..	274 ; 5	North Bierley	North Bierley	497 ; 3	Orpington	Bromley	42 ; 3
Mold.....	Holywell	619 ; 4	North Bury ..	Bury	462 ; 3	Orsett	Orsett	192 ; 2
Monmouth....	Monmouth....	583 ; 3	North Colling-	Newark	432 ; 1	Orton	East Ward	579 ; 3
Montgomery..	Forden	617 ; 1	ham.			Osmaston	Derby	435 ; 1
Morehard	Crediton	281 ; 1	North Croydon	Croydon	39 ; 4	Ossett	Dewsbury	503 ; 8
Bishop.			North Curry ..	Taunton	305 ; 2	Oswaldtwistle	Blackburn	474 ; 7
MoretonHamp-	Newton Abbot	272 ; 3	North East	Fulham	3 ; 4	Oswestry	Oswestry.....	350 ; 3
stead.			Fulham.			Otley	Wharfedale ..	491 ;
Morland	West Ward....	580 ; 1	North East	West Ham	188 ; 6	Ottery St.Mary	Honiton	269 ;
Morley.....	Dewsbury	503 ; 1	Ham.			Oulton Broad	Mutford	218 ;
Morpeth	Morpeth	564 ; 1	North East	Leeds.....	500 ; 5	Oundle.....	Oundle	169 ; 1
Mortlake	Richmond ..	41 ; 2	Leeds.			Over	Northwich	447 ; 3
	(Surrey).		North East	Leicester.....	407 ; 2	Overton	Ellesmere	351 ; 1
Mossley	Ashton under	468 ; 2	Leicester.			Oving	Westhampnett	85 ; 3
	Lyne.		North Elmham	Mitford.....	232 ; 6	Oxford	Oxford	153 ; 1
Mottram.....	Ashton under	468 ; 9	North End and	Portsmouth ..	90 ; 1			
	Lyne.		Buckland.					
Moulton	Spalding	413 ; 5	North Everton	West Derby ..	455 ; 7			
Much Woolton	Prescot	456 ; 2	Northfleet	Strood	45 ; 1			
Muker	Reeth	541 ; 1	North Hackney	Hackney	11 ; 2			
Muncaster	Bootle	578 ; 1	North Ham-	Fulham	3 ; 1			
Munslow	Ludlow	342 ; 4	mersmith.					
Mynyddislwyn	Newport	587 ; 5	North Hill	Launceston....	290 ; 4			
	(Monmouth).		North Horsham	Horsham	81 ; 2			
Myton	Hull	522 ; 2	North Kings	Kings Lynn ..	236 ; 1			
			Lynn.					
			North Leeds ..	Leeds.....	500 ; 2			
			North Leyton	West Ham	188 ; 9			
			North Meols ..	Ormskirk	457 ; 6			
			North Pether-	Bridgwater ..	306 ; 1			
			ton.					
			North Pether-	Launceston ..	290 ; 2			
			win.					
			North Preston	Preston.....	476 ; 3			
			North St. Pan-	St. Pancras	9 ; 4			
			cras.					
			North Sheffield	Sheffield	510 ; 2			
			North Walsham	Smallburgh ..	221 ; 4			
			North West	Wandsworth ..	26 ; 2			
			Battersea.					
			North West	Fulham	3 ; 3			
			Fulham.					
			North West	Leicester.....	407 ; 1			
			Leicester.					
			North West	Rotherham ..	511 ; 3			
			Rotherham.					
			Northwich....	Northwich....	447 ; 2			
			Norton.....	Ecclesall Bier-	509 ; 4			
				low.				
			Norton.....	Leek	362 ; 1			
			Norwood	Lambeth	25 ; 6			
			Nottingham	Nottingham ..	430 ; 3			
			North East.					
			Nottingham	Nottingham ..	430 ; 4			
			North West.					
			Nottingham	Nottingham ..	430 ; 2			
			South East.					
			Nottingham	Nottingham ..	430 ; 1			
			South West.					
			Nuneaton	Nuneaton	388 ; 1			
			Nunney	Frome	311 ; 1			

SUB-DISTRICT.	DISTRICT.	NO.	SUB-DISTRICT.	DISTRICT.	NO.	SUB-DISTRICT.	DISTRICT.	NO.
Portsea and Landport.	Portsmouth ..	90 ; 3	Romford	Romford	191 ; 1	St. Luke	Holborn	14 ; 3
Portsmouth and Mid Southsea.	Portsmouth ..	90 ; 4	Romsey	Romsey	101 ; 1	St. Mabyn	Bodmin	293 ; 2
Potterspurty ..	Potterspurty ..	161 ; 1	Roose	Pembroke	601 ; 3	St. Margaret ..	St. George Han-	5 ; 3
Prees	Weni	352 ; 2	Ropley	Alresford	107 ; 1	and St. John.	over-square.	
Prescot	Prescot	456 ; 4	Ross	Ross	336 ; 2	St. Margaret's	Dover	65 ; 1
Prestbury	Macclesfield ..	444 ; 1	Rothbury	Rothbury	569 ; 1	at Cliffe.		
Presteigne	Knighton	613 ; 1	Rotherfield ..	Uckfield	74 ; 1	St. Martin	Birmingham ..	384 ; 4
Preston	Steyning	80 ; 1	Rotherhithe ..	St. Olave	24 ; 3	St. Martin's ..	Oswestry	350 ; 4
Prestwich	Prestwich	467 ; 2		(Bermondsey).		St. Mary	Atcham	349 ; 2
Princes Ris-	Wycombe	145 ; 3	Rothley	Barrow upon	406 ; 3	St. Mary	Carlisle	574 ; 3
borough.				Soar.		St. Mary	St. Marylebone	7 ; 2
Prittlewell ..	Rochford	195 ; 2	Rothwell	Hunslet	501 ; 3	St. Mary	Reading	121 ; 1
Probus	Truro	296 ; 1	Rothwell	Kettering	167 ; 3	St. Mary Extra	South Stone-	100 ; 1
Puddletown ..	Dorchester ..	264 ; 2	Rougham	Bury	207 ; 1		ham.	
Pudsey	North Bierley	497 ; 9		St. Edmunds.		St. Mary Mag-	Hastings	69 ; 3
Pulborough	Thakeham	83 ; 1	Rowley Regis	Dudley	372 ; 1	dalen.		
Putford	Bideford	286 ; 5	Royston	Royston	135 ; 2	St. Michael....	Garstang	478 ; 2
Putney	Wandsworth ..	26 ; 8	Royton	Oldham	469 ; 6	St. Neots	St. Neots	173 ; 1
Pwllheli	Pwllheli	629 ; 2	Ruabon	Wrexham	621 ; 2	St. Nicholas ..	Cardiff	588 ; 6
			Rugby	Rugby	391 ; 1	St. Nicholas ..	Newcastle upon	558 ; 4
			Rugeley	Lichfield	367 ; 2		Tyne.	
			Runcorn	Runcorn	446 ; 2	St. Olave	St. Olave	24 ; 1
			Ruthin	Ruthin	622 ; 2		(Bermondsey).	
			Ryde	Isle of Wight..	93 ; 3	St. Philip and	Bristol	319 ; 6
			Rye	Rye	68 ; 1	St. Jacob.		
			Ryhope	Sunderland ..	555 ; 5	St. Sepulchre	London City ..	15 ; 2
						and Allhallows.		
						St. Thomas....	St. Thomas....	270 ; 5
						St. Weonards..	Ross	336 ; 3
						Sale	Bucklow	445 ; 3
						Salisbury	Salisbury	253 ; 3
						Saltash	St. Germans ..	291 ; 3
						Saltfleet	Louth	421 ; 4
						Sandal	Wakefield	504 ; 2
						Sandbach	Congleton	448 ; 3
						Sandhurst	Easthampstead	124 ; 2
						Sandwich	Eastray	64 ; 1
						Sankey	Warrington ..	459 ; 3
						Sawtry	Huntingdon ..	171 ; 2
						Scarborough ..	Scarborough ..	527 ; 2
						Scotland	Liverpool	453 ; 1
						Scotter	Gainsborough	425 ; 1
						Seaford	Eastbourne ..	71 ; 3
						Sedbergh	Sedbergh	483 ; 1
						Sedgefield	Sedgefield	546 ; 1
						Sedgley	Dudley	372 ; 3
						Selby	Selby	515 ; 2
						Settle	Settle	484 ; 2
						Sevenoaks	Sevenoaks	49 ; 2
						Shadwell and	Stepney	20 ; 1
						Ratcliff.		
						Shaftesbury ..	Shaftesbury ..	257 ; 1
						Shardlow	Shardlow	434 ; 3
						Sharrow	Eccleshall	509 ; 6
							Bierlow.	
						Shebbear	Torrington	285 ; 3
						Sheffield Park	Sheffield	510 ; 3
						Shepton Mallet	Shepton Mallet	312 ; 1
						Sherborne	Sherborne	265 ; 2
						Sherburn	Scarborough ..	527 ; 4
						Sherburn	Tadcaster	516 ; 3
						Sheringham ..	Erpingham ..	222 ; 2
						Shifnal	Shifnal	347 ; 2
						Shillington ..	Amphill	176 ; 1
						Shippdham	Mitford	232 ; 1
						Shipley	North Bierley	497 ; 6
						Shipston on	Shipston on	396 ; 2
						Stour.		
						Shirebrook ..	Mansfield	428 ; 2
						Shoreditch	Shoreditch	16 ; 3
						North East.		
						Shoreditch	Shoreditch	16 ; 2
						North West.		
						Shoreditch	Shoreditch	16 ; 1
						South.		
						Shorcham	Sevenoaks	49 ; 1
						Shoreham	Steyning	80 ; 3
						Shrivenham ..	Faringdon	116 ; 1
						Silverton	Tiverton	282 ; 1
						Skelton	Guisborough ..	534 ; 2
						Skelton	York	517 ; 1
						Skipsea	Bridlington ..	526 ; 1
						Skipton	Skipton	485 ; 5
						Skirlaugh	Skirlaugh	524 ; 2
						Slaiburn	Clitheroe	473 ; 2
						Slaithwaite ..	Huddersfield ..	495 ; 1
						Slenford	Sleaford	416 ; 2
						Smallburgh ..	Smallburgh ..	221 ; 2
						Smethwick ..	King's Norton	383 ; 4
						Snaith	Goole	514 ; 3
						Snettisham ..	Donkington ..	234 ; 2
						Soham	Newmarket ..	183 ; 4

INDEX OF REGISTRATION SUB-DISTRICTS.

SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.	SUB-DISTRICT.	DISTRICT.	No.
Solihull	Solihull	392; 1	Stockport	Stockport	443; 6	Templenessam.	Hunslet	501; 2
Sollershope ..	Ross	336; 1	Third.			Tenbury	Tenbury	375; 1
Somersham ..	St. Ives	172; 2	Stockton	Stockton	544; 1	Tenby	Pembroke	601; 1
Somerton	Langport.....	307; 1	Stockwell ..	Lambeth	25; 4	Tenterden ...	Tenterden	54; 1
Southill	Dewsbury	503; 7	Stogumber....	Williton	302; 5	Terrington St.	Wisbech	187; 4
Southam	Southam	397; 1	Stogursey	Williton	302; 4	Clement.		
Southampton	Southampton..	99; 1	Stoke	Devonport ...	278; 2	Tetbury	Tetbury	328; 2
Eastern.			Stokenchurch	Wycombe	145; 4	Tetney	Louth	421; 5
Southampton	Southampton..	99; 2	Stoke Newing-	Hackney	11; 1	Tettenhall ...	Wolverhampton	369; 1
Western.			ton.			Tewkesbury ..	Tewkesbury ..	334; 4
South Bury ..	Bury	462; 5	Stokenham ..	Kingsbridge ..	274; 2	Teynham	Faversham ..	60
South Cave ..	Beverley	520; 1	Stoke Rural ..	Stoke upon	361; 5	Thame	Thame	151; 2
Southcoates ..	Sculcoates ..	521; 1		Trent.		Thatcham	Newbury	114; 3
South Croydon	Croydon	39; 2	Stokesley	Stokesley	536; 1	Thaxted	Dunmow	202; 2
South East	Hackney	11; 5	Stoke upon	Stoke upon	361; 2	Thetford	Thetford	239; 2
Hackney.			Trent.	Trent.		Thirsk	Thirsk	530; 2
South East	West Ham	188; 5	Stone	Stone	358; 1	Thornaby	Middlesbrough	535; 4
Ham.			Stonehouse ...	Stroud	327; 1	Thornbury ...	Thornbury	321; 2
South East	Leeds	500; 1	Stortford.....	Bishop Stort-	134; 1	Thorne	Thorne	513; 2
Leeds.				ford.		Thorney	Peterborough..	170; 4
South East	Rotherham ..	511; 2	Stotfold	Biggleswade ..	175; 2	Thornhill	Dewsbury	503; 9
Rotherham.			Stottesden	Cleobury Mor-	345; 2	Thornthwaite	Pateley Bridge	486; 3
South Everton	West Derby ..	455; 8		timer.		Thornton	North Bierley	497; 4
Southfields....	Wandsworth..	26; 7	Stourbridge ..	Stourbridge ..	373; 2	Thorp	Tendring	197; 2
South Fulham	Fulham	3; 5	Stowmarket ..	Stow	209; 3	Thrapston	Thrapston	168; 1
South Ham-	Fulham	3; 2	Stow on the	Stow on the	331; 2	Ticehurst	Ticehurst	73; 1
mersmith.			Wold.	Wold.		Tickhill	Doncaster	512; 1
South Horsham	Horsham	81; 1	Stradbroke ..	Hartismere....	210; 3	Tideswell	Bakewell	439; 3
South Kings	Kings Lynn ..	236; 2	Strand	Strand	13; 1	Tilehurst	Bradfield	120; 2
Lynn.			Stratford.....	West Ham	188; 1	Tingewick	Buckingham..	149; 2
South Leicester	Leicester	407; 3	Stratford on	Stratford on	394; 2	Tipton	Dudley	372; 2
South Leyton .	West Ham	188; 8	Avon.	Avon.		Tisbury	Tisbury	255; 2
South Mimms	Barnet	131; 1	Stratton	Depwade	230; 3	Titchfield	Fareham	92; 2
Southminster	Maldon	196; 1	Stratton	Stratton	288; 2	Tiverton	Tiverton	282; 3
South Molton	South Molton	283; 2	Streatham	Wandsworth..	26; 5	Todmorden ..	Todmorden ..	493; 2
South Pether-	Yeovil	309; 2	Stretford.....	Barton upon	463; 3	Tollesbury ...	Maldon	196; 3
ton.				Irwell.		Tollington ...	Islington	10; 3
South St. Pan-	St. Pancras ..	9; 2	Strood	Strood	45; 2	Tonbridge	Tonbridge	50; 2
cras.			Stroud	Stroud	327; 4	Tonge	Bolton	461; 5
South Sheffield	Sheffield	510; 1	Sturminster ..	Sturminster ..	258; 1	Topcliffe	Thirsk	530; 1
South Shields	South Shields	556; 1	Sturry	Blean	59; 1	Topsham	St. Thomas....	270; 3
South Stone-	South Stone-	100; 2	Sudbury	Sudbury	205; 3	Torquay	Newton Abbot	272; 6
ham.	ham.		Sudbury	Uttoxeter	364; 3	Totnes	Totnes	273; 4
South Walsham	Blofield	228; 2	Sunbury	Staines	126; 1	Towcester	Towcester	160; 1
Southwell	Southwell	431; 1	Sunderland	Sunderland ..	555; 2	Towyn	Machynlleth..	615; 2
South West	Wandsworth..	26; 3	East.			Toxteth Park	Toxteth Park..	454; 3
Battersea.			Sunderland	Sunderland ..	555; 3	Central		
South West	Bolton	461; 2	North.			Toxteth Park	Toxteth Park	454; 4
Bolton.			Sunderland	Sunderland ..	555; 1	East		
South West	Hackney	11; 4	West.			Toxteth Park	Toxteth Park	454; 1
Hackney.			Surbiton	Kingston	40; 3	Toxteth Park	Toxteth Park	454; 2
Southwick....	Sunderland ..	555; 4	Sutton	Ely	184; 2	North West.		
Southwold....	Blything	216; 2	Sutton	Thirsk	530; 3	South West.		
Sowerby	Halifax	496; 4	Sutton Cold-	Aston	385; 6	Tranmere	Birkenhead ..	452; 2
Spalding	Spalding	413; 4	field.			Tredegar	Bedwellty	585; 2
Spaldwick	Huntingdon ..	171; 3	Sutton Court-	Abingdon	117; 3	Trefis	Builth	609; 2
Speen	Newbury	114; 2	enay.	Mansfield	428; 4	Tregaron	Tregaron	608; 3
Spilsby	Spilsby	420; 3	Sutton in Ash-			Tregynon	Newtown	616; 5
Spitalfields....	Whitechapel..	18; 1	field.			Trelleck	Monmouth....	583; 4
Spondon	Shardlow	434; 5	Swaffham	Swaffham	238; 1	Tremadoc	Festiniog	628; 3
Spotland and	Rochdale	470; 4	Swalcliffe	Banbury	158; 2	Tring	Berkhampstead	142; 2
Norden.			Swanage	Wareham	262; 1	Trowbridge ..	Melksham	247; 2
Springfield...	Wandsworth..	26; 6	Swansea	Swansea	594; 3	Tufnell	Islington	10; 1
Springhead ...	Saddleworth..	494; 1	Swavesey	St. Ives	172; 3	Tunbridge	Tonbridge	50; 1
Stafford	Stafford	357; 1	Swindon	Swindon	240; 2	Wells.		
Staindrop	Teesdale	548; 1	Swinefleet	Goole	514; 1	Tunstall	Lunesdale	480; 3
Staines	Staines	126; 2	Sydenham	Lewisham	29; 4	Tunstall	Wolstanton ..	360; 2
Stalham	Smallburgh ..	221; 3	Syston	Barrow upon	406; 4	Turton	Bolton	461; 6
Stalmine	Garstang	478; 1		Soar.		Turvey	Bedford	174; 3
Stalybridge ..	Ashton under	468; 8				Tutbury	Burton upon	365; 1
	Lyne.					Trent.		
Stamford	Stamford	411; 1				Tuxford	East Retford..	426; 4
Stamfordham	Castle Ward ..	560; 4				Twerton	Bath	316; 1
Standish	Wigan	458; 1				Twickenham..	Brentford	128; 2
Standon	Ware	133; 4				Twyford	Winchester ..	103; 3
Stanhope	Weardale	549; 2				Tynemouth ..	Tynemouth ..	559; 2
Stanley	Wakefield	504; 6						
Stanstead	Ware	133; 2						
Stansted	Bishop Stort-	134; 2						
	ford.							
Stanway	Lexden	199; 2						
Stanwix	Carlisle	574; 4						
Stapleford	Shardlow	434; 4						
Stapleton	Bristol	319; 7						
Steyning	Steyning	80; 4						
Stickney	Spilsby	420; 1						
Stillington	Easingwold ..	529; 1						
Stilton	Peterborough..	170; 1						
Stockbridge ..	Stockbridge ..	102; 2						
Stockport First	Stockport	443; 4						
Stockport	Stockport	443; 5						
Second.								

INDEX OF URBAN DISTRICTS.

As existing on 31st December, 1910, together with a reference to the number of the Registration District and Sub-district in which each is situated. See pages 146-205 of this Report.

Urban Districts which are County Boroughs or Municipal Boroughs are indicated by the letters C.B. or M.B. Those Urban Districts marked * have been created, and the boundaries of those marked † have been altered since the Census of 1901. The exact constitution of each Urban District and of each Registration Sub-district at the time of that Census is shown in Tables 9 and 12 respectively of the Census County Volumes. Of the 1,163 Urban Districts (including County, Municipal, and Metropolitan Boroughs) 154 were each co-extensive, at the end of December, 1910, with one or more Registration Areas.

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Aberavon (M.B.)	592 : 1, pt. of.	Ardsley ...	507 : 2, pt. of.	Banbury (M.B.)	158 : 4, pt. of.
Aberayron ...	606 : 2, pt. of.	Ardsley East	504 : 5, pt. of.	Bangor, City of (M.B.)	631 : 2, pt. of.
Abercarn ...	587 : 5, pt. of.	and West.		†Barking Town	191 : 3.
Aberdare ...	590 : 4, pt. of.	Arlecdon and	577 : 1, pt. of.		
Abergavenny (M.B.)	584 : 3, pt. of.	Frizington.		Barkisland ...	496 : 3, pt. of.
Abergele and	623 : 2, pt. of.	Arnold ...	429 : 5, pt. of.	Barmouth ...	627 : 2, pt. of.
Pensarn.		†Arundel (M.B.)	84 : 3, pt. of.	Barnard Castle	548 : 2, pt. of.
Abersychan ...	586 : 2, pt. of.	Ashbourne ...	437 : 1, pt. of.	Barnes... ...	41 : 2.
Abertillery ...	585 : 1, pt. of ; 586 : 1.	Ashburton ...	272 : 4, pt. of.	†Barnet ...	131 : 1, pt. of, 2, pt. of.
Aberystwith (M.B.)	607 : 2, pt. of.	Ashby de la	404 : 3, pt. of.		
Abingdon (M.B.)	117 : 2, pt. of.	Zouch.		Barnoldswick	485 : 3, pt. of.
Abram ...	458 : 4, pt. of.	Ashby Woulds	404 : 2, pt. of.	Barnsley (M.B.)	507 : 2, pt. of.
Accrington (M.B.)	471 : 4.	Ashford ...	55 : 2, pt. of.	Barnstaple (M.B.)	284 : 1, 4, pt. of.
Acton	128 : 6.	†Ashington ...	564 : 3, pt. of.	Barrowford ...	472 : 5, pt. of.
Adlington ...	475 : 3, pt. of.	Ashton in	458 : 7.	Barrow in Fur- ness (C.B.)	482 : 1.
Aldeburgh (M.B.)	215 : 3, pt. of.	Makerfield.		Barry	588 : 6, pt. of.
†Alderley Edge	444 : 6, pt. of ; 445 : 1, pt. of.	Ashton under	468 : 3.	Barton upon	424 : 3, pt. of.
Aldershot ...	34 : 2.	Lyne (M.B.)		Humber.	
Alford... ...	420 : 5, pt. of.	†Ashton upon	445 : 3, pt. of.	Basingstoke (M.B.)	110 : 1, pt. of.
Alfreton ...	436 : 5.	Mersey.		Baslow and	439 : 1, pt. of.
Allerton ...	455 : 11, pt. of.	Aspatria ...	575 : 2, pt. of.	Bubnell.	
Alnwick ...	565 : 2, pt. of.	Aspull... ...	458 : 2, pt. of.	Bath, City of (C.B.)	316 : 2, pt. of, 3, 4.
Alsager ...	448 : 3, pt. of.	Aston Manor (M.B.)	385 : 4.	†Batley (M.B.)	503 : 2, 7, pt. of.
Altofts ...	504 : 7, pt. of.	Atherton ...	460 : 4, pt. of.	Battle	70 : 2, pt. of.
Alton	108 : 1, pt. of.	Audenshaw ...	468 : 4, pt. of.	Beaconsfield ...	143 : 3, pt. of.
Altrincham ...	445 : 2, pt. of.	Audley ...	359 : 3, pt. of.	Beaumaris (M.B.)	631 : 1, pt. of
†Alvaston and	434 : 3, pt. of.	Awre	323 : 1, pt. of.	Beccles (M.B.)	217 : 2, pt. of.
Boulton.		Aylesbury ...	146 : 2, pt. of	†Beckenham ...	42 : 2, pt. of.
Amble... ...	565 : 1, pt. of.			Bedford (M.B.)	174 : 4, pt. of, 5, pt. of.
Amblecote ...	373 : 2, pt. of.	Bacup (M.B.)...	471 : 2.	Bedlington- shire.	564 : 2, pt. of.
Ambleside ...	581 : 1, pt. of.	Baildon ...	491 : 5, pt. of.	Bedwellty ...	585 : 2, pt. of, 3.
*Amlwch ...	633 : 2, pt. of.	†Bakewell ...	439 : 1, pt. of.	Beeston ...	429 : 3, pt. of.
*Ammanford...	598 : 6, pt. of.	Bala	626 : 1, pt. of.	Belper... ...	436 : 3.
Amphill ...	176 : 2, pt. of.	Balby ...	512 : 1, pt. of.	Benfieldside ...	550 : 2, pt. of.
Andover (M.B.)	112 : 3, pt. of.	Balby with		Berwick upon	567 : 1, pt. of.
Annfield Plain	550 : 1, pt. of, 3, pt. of.	Hexthorpe.		Tweed (M.B.)	
Appleby (M.B.)	579 : 1, pt. of.	†Baldock ...	136 : 1, pt. of.	Bethesda ...	631 : 4, pt. of.
		Bampton ...	282 : 4, pt. of.		

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
†Bettws y coed	624 : 2, pt. of.	Bradford on	248 : 1, pt. of.	Burnham ...	314 : 2, pt. of.
Beverley (M.B.)	520 : 2, pt. of.	Avon.		Burnham on	196 : 1, pt. of.
Bewdley (M.B.)	374 : 5, pt. of.	Braintree ...	201 : 5, pt. of.	Crouch.	
Bexhill (M.B.)	70 : 1, pt. of.	Brampton and	438 : 2, pt. of.	Burnley (C.B.)	472 : 1, pt. of,
†Bexley ...	43 : 1, pt. of.	Walton.			2, pt. of.
Bicester ...	154 : 2, pt. of.	Brandon and	551 : 1, pt. of.	*Burry Port ...	596 : 4, pt. of.
Biddulph ...	362 : 2.	Byshottles.		Burton upon	365 : 4, pt. of.
Bideford (M.B.)	286 : 1, pt. of.	Brecknock ...	610 : 2, pt. of.	Trent (C.B.)	
Biggleswade ...	175 : 1, pt. of.	†Bredbury and	443 : 3, pt. of.	Bury (C.B.) ...	462 : 2, pt. of,
Rillinge ...	458 : 6.	Romiley.			3, 5, pt. of.
Bilston ...	369 : 7.	Brentford ...	128 : 4, pt. of.	Bury	207 : 2.
Bingley ...	492 : 1, pt. of ;	†Brentwood ...	193 : 1, pt. of.	St. Edmunds	
	497 : 5.	†Bridgend ...	591 : 4, pt. of.	(M.B.)	
†Birkdale ...	457 : 5, pt. of.	Bridgnorth	346 : 2, pt. of,	*Bushey ...	140 : 1, pt. of.
Birkenhead	452 : 1, 2, pt.	(M.B.)	3, pt. of.	Buxton ...	440 : 1, pt. of.
(C.B.)	of.	Bridgwater	306 : 2, pt. of.		
Birkenshaw ...	503 : 3, pt. of.	(M.B.)			
†Birmingham,	383 : 2, 3,	Bridlington	526 : 2, pt. of.		
City of (C.B.)	384 : 1-4 ;	(M.B.)			
	385 : 1, 2, 3,	†Bridport	267 : 2.		
	5, pt. of.	(M.B.)			
Birstal ...	503 : 3, pt. of.	Brierfield ...	472 : 4, pt. of.		
Bishop Auck-	547 : 1, pt. of.	Brierley Hill...	373 : 3, pt. of.		
land.		Brigg ...	424 : 1, pt. of.		
Bishops	343 : 2, pt. of.	Brighouse	496 : 1, pt. of.		
Castle (M.B.)		(M.B.)			
†Bishop	134 : 1, pt. of.	Brightlingsea	197 : 5, pt. of.	Caerleon ...	587 : 1, pt. of.
Stortford.		Brighton (C.B.)	79 : 1, 2 ; 80 :	Caerphilly ...	589 : 1, pt. of.
*Bispham with	477 : 3, pt. of.		1, pt. of.	*Callington ...	292 : 1, pt. of.
Norbreck.		†Bristol, City	319 : 1-9.	Calne (M.B.) ...	244 : 1, pt. of.
†Blackburn	474 : 4-6.	of (C.B.)		Calverley ...	497 : 8, pt. of.
(C.B.)		Briton Ferry ...	592 : 2, pt. of.	Camborne ...	299 : 4.
Blackpool	477 : 3, pt. of.	Brixham ...	273 : 2, pt. of.	Cambridge	181 : 1, 2.
(C.B.)		Broadstairs and	63 : 3, pt. of.	(M.B.)	
Blackrod ...	458 : 2, pt. of.	St. Peter's.		Cannock ...	368 : 2, pt. of.
Blaenavon ...	584 : 4, pt. of.	Bromborough	451 : 3, pt. of.	Canterbury,	58 : 1.
Blandford	259 : 2, pt. of.	†Bromley	42 : 1.	City of (C.B.)	
Forum (M.B.)		(M.B.)		Cardiff, City of	588 : 2, 3, 4.
†Blaydon ...	557 : 4, pt. of.	Bromsgrove ...	382 : 1, pt. of.	(C.B.)	
†Blyth ...	559 : 5, pt. of.	Bromyard ...	339 : 2, pt. of.	Cardigan	603 : 2, pt. of.
Bodmin (M.B.)	293 : 3, pt. of.	Broughton ...	424 : 1, pt. of.	(M.B.)	
Bognor ...	85 : 2, pt. of.	Brownhills ...	367 : 1, pt. of ;	Carlisle, City	574 : 2, pt. of,
Bollington ...	444 : 2, pt. of.		368 : 2, pt.	of (M.B.)	3.
Bolsover ...	438 : 3, pt. of.		of ; 370 : 4,	Carlton ...	429 : 6, pt. of.
Bolton (C.B.)...	461 : 2, 3, 5,		pt. of.	Carmarthen	599 : 3, pt. of.
	7, 8.	Brumby and	424 : 2, pt. of.	(M.B.)	
Bolton upon	512 : 2, pt. of.	Frodingham.		Carnarvon	630 : 3, pt. of.
Dearne.		Brynmaur ...	611 : 3, pt. of.	(M.B.)	
Bonsall ...	437 : 2, pt. of.	Buckfastleigh	273 : 5, pt. of.	Carnforth ...	479 : 4, pt. of.
†Bootle (C.B.)	455 : 2, pt.	Buckhurst Hill	189 : 1, pt. of.	Carshalton ...	31 : 1, pt. of.
	of, 5.	Buckingham	149 : 1, pt. of.	Castleford ...	505 : 4, pt. of.
		(M.B.)		Caterham ...	38 : 1, pt. of.
Boston (M.B.)	415 : 3, pt. of.	Buckley ...	620 : 1, pt. of.	Caversham ...	150 : 2, pt. of.
Bourne ...	412 : 3, pt. of.	Budleigh Sal-	270 : 1, pt. of.	Chadderton ...	469 : 4.
†Bournemouth	95 : 1, pt. of, 2.	terton.		Chard (M.B.)...	308 : 3, pt. of
(C.B.)		Buglawton ...	448 : 2, pt. of.	Charlton Kings	333 : 1, pt. of.
Bowdon ..	445 : 2, pt. of.	Builth Wells...	609 : 4, pt. of.	Chatham	47 : 1, pt. of.
Bracebridge ...	418 : 2, pt. of.	Bulkington ...	388 : 1, pt. of.	(M.B.)	
Brackley	159 : 1, pt. of.	*Bungay ...	217 : 1, pt. of.	Chatteris ...	185 : 1, pt. of.
(M.B.)		Burgess Hill...	76 : 2, pt. of.	†Cheadle and	443 : 8, pt. of.
Bradford, City	497 : 2, pt. of,	Burley in	491 : 3, pt. of.	Gatley.	
of (C.B.)	3, 4, pt. of,	Wharfedale.			
	7 ; 498 : 1-4.				

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
†Chelmsford (M.B.)	194 : 2, pt. of, 4, pt. of.	Conway (M.B.)	632 : 1, pt. of.	†Dewsbury (M.B.)	503 : 5, pt. of, 6, 7, pt. of, 9.
Cheltenham (M.B.)	333 : 2.	Coseley ...	372 : 3, pt. of.	Diss ...	230 : 2, pt. of.
†Chepping Wycombe (M.B.)	145 : 1, pt. of.	Cottingham ...	521 : 2, pt. of.	Dodworth ...	507 : 2, pt. of.
Chepstow ...	582 : 1, pt. of.	Coventry, City of (C.B.)	390 : 1, pt. of, 2, pt. of.	Dolgelly ...	627 : 2, pt. of.
Cheriton ...	66 : 1, pt. of.	Cowbridge (M.B.)	591 : 3, pt. of.	Doncaster (M.B.)	512 : 3, pt. of.
Chertsey ...	32 : 2, pt. of.	Cowes ...	93 : 1, pt. of.	Dorchester (M.B.)	264 : 1, pt. of.
Chesham ...	143 : 2, pt. of.	Cramlington ...	559 : 6, pt. of.	Dorking ...	36 : 2, pt. of.
Cheshunt ...	132 : 8.	Crediton ...	281 : 3, pt. of.	†Dover (M.B.)	65 : 2.
Chester, City of (C.B.)	450 : 2, pt. of, 3, pt. of.	Crewe (M.B.)	449 : 1, pt. of.	Downham Market	237 : 2, pt. of.
†Chesterfield (M.B.)	438 : 2, pt. of.	Crewkerne ...	308 : 4, pt. of.	Drighlington...	497 : 2, pt. of.
*Chester le Street.	554 : 1 pt. of.	Criccieth ...	629 : 1, pt. of.	Droitwich (M.B.)	381 : 1, pt. of, 2, pt. of.
Chesterton ...	180 : 1, pt. of.	†Cromer ...	222 : 1, pt. of.	Dronfield ...	438 : 5, pt. of.
Chichester, City of (M.B.)	86 : 1.	Crompton ...	469 : 7.	Droylsden ...	468 : 4, pt. of.
Childwall ...	455 : 11, pt. of.	Crook ...	547 : 2, pt. of.	Dudley (C.B.)	372 : 4, pt. of.
Chingford ...	189 : 1, pt. of.	Croston ...	475 : 5, pt. of.	Dukinfield (M.B.)	468 : 7.
Chippenham (M.B.)	243 : 3, pt. of.	Crowle ...	513 : 3, pt. of.	†Dunstable (M.B.)	178 : 1, pt. of.
Chipping Norton (M.B.)	157 : 2, pt. of.	Croydon (C.B.)	39 : 2-4.	†Durham, City of (M.B.)	551 : 2, pt. of.
Chislehurst ...	42 : 4, pt. of.	Cuckfield ...	76 : 1, pt. of.		
Chiswick ...	128 : 5.	Cudworth ...	507 : 1, pt. of.		
Chorley (M.B.)	475 : 4, pt. of.				
Christchurch (M.B.)	95 : 1, pt. of.	Dalton in Fur- ness.	481 : 4, pt. of.	Ealing (M.B.)	128 : 4, pt. of.
Church ...	474 : 7, pt. of.	Darfield ...	507 : 3, pt. of.	*Earby ...	485 : 3, pt. of.
Church Stretton	344 : 1, pt. of.	Darlaston ...	370 : 1, pt. of.	Earsdon ...	559 : 4, pt. of.
Cirencester ...	329 : 2, pt. of.	Darlington (M.B.)	543 : 2, pt. of.	East and West Molesey.	40 : 4, pt. of.
Clacton ...	197 : 1, pt. of.	Dartford ...	43 : 3, pt. of.	East Barnet	131 : 2, pt. of.
Clay Cross ...	438 : 1, pt. of.	Dartmouth (M.B.)	273 : 3, pt. of.	Valley.	
Clayton ...	497 : 4, pt. of.	Darton ...	507 : 1, pt. of, 2, pt. of ; 508 : 1, pt. of.	Eastbourne (M.B.)	71 : 2, pt. of.
Clayton le Moors.	474 : 2, pt. of.			East Cowes ...	93 : 1, pt. of.
Clayton West...	508 : 2, pt. of.	Darwen (M.B.)	474 : 8, pt. of.	East Dereham	232 : 4, pt. of.
Cleator Moor...	577 : 3, pt. of.	Daventry (M.B.)	164 : 2, pt. of.	East Grinstead	75 : 2, pt. of.
Cleckheaton ...	497 : 1, pt. of.	Dawley ...	348 : 1, pt. of.	†East Ham (M.B.)	188 : 5, 6.
†Cleethorpe with Thrunscoe.	422 : 1, pt. of.	Dawlish ...	272 : 1, pt. of.	Eastleigh and Bishopstoke.	100 : 2, pt of ; 103 : 3, pt. of.
Clevedon ...	318 : 2, pt. of.	Deal (M.B.) ...	64 : 4, pt. of.	East Retford (M.B.)	426 : 2, pt. of, 3, pt. of.
Clitheroe (M.B.)	473 : 4, pt. of.	Denbigh (M.B.)	622 : 4, pt. of ; 623 : 3, pt. of.	EastStonehouse	277 : 1.
Coalville ...	404 : 4, pt. of.	Denby and Cumberworth.	495 : 5, pt. of ; 508 : 2, pt. of.	Eastwood ...	429 : 1, pt. of.
Cockermouth...	576 : 2, pt. of.			Ebbw Vale ...	585 : 1, pt. of, 2, pt. of ; 611 : 2, pt. of.
Colchester (M.B.)	198 : 1-2.	Denholme ...	497 : 4, pt. of.		
Coleford ...	583 : 2, pt. of.	Denton ...	468 : 5.	Eccles (M.B.)	463 : 2, pt. of.
Colne (M.B.)...	472 : 5, pt. of.	†Derby (C.B.)	435 : 1, 2, pt. of.	Edmonton ...	132 : 5, pt. of
Colwyn Bay and Colwyn.	632 : 3, pt. of.	Desborough	167 : 3, pt. of.	*Egham ...	125 : 1, pt. of.
*Compstall ...	443 : 3, pt. of.	Devizes (M.B.)	246 : 1, pt. of.	Egremont ...	577 : 3, pt. of.
Congleton (M.B.)	448 : 2, pt. of.	Devonport	278 : 1-3.	Elland ...	496 : 2, pt. of.
Connah's Quay	619 : 3, pt. of.				
Consett ...	550 : 2, pt. of.				

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Ellesmere ...	351 : 3, pt. of.	Frimley ...	34 : 1, pt. of.	Guisborough...	534 : 4, pt. of.
*†Ellesmere Port and Whitby.	450 : 3, pt. of ; 451 : 2, pt. of.	*†Frinton on Sea.	197 : 2, pt. of.	Guiseley ...	491 : 5, pt. of.
Ely, City of ...	184 : 2, pt. of, 3, 4, pt. of.	Frome ...	311 : 2, pt. of.	Gunthwaite and Ingbirch- worth.	508 : 3, pt. of.
Emley ...	504 : 1, pt. of.	Fulwood ...	476 : 7, pt. of.		
Enfield ...	132 : 6.				
Epping ...	189 : 2, pt. of.				
Epsom... ..	31 : 2, pt. of.				
Erdington ...	385 : 5, pt. of.				
Erith	43 : 2.				
Esher and the Dittons.	40 : 4, pt. of.				
Eston	535 : 1. pt. of.	Gainsborough	425 : 3, pt. of.	Hadleigh ...	206 : 2, pt. of.
Eton	144 : 1, pt. of.	*Garforth ...	516 : 1, pt. of.	Hale	445 : 2, pt. of.
Evesham	379 : 1, pt. of.	Gateshead	557 : 1, pt. of, 2.	Halesworth ...	216 : 2, pt. of.
(M.B.)		(C.B.)		†Halifax (C.B.)	496 : 5, 6, pt. of.
Exeter, City of (C.B.)	270 : 4, pt. of, 5, pt. of ; 271 : 1.	*Gelligaer ...	590 : 1.	Halstead ...	200 : 1, pt. of.
Exmouth ...	270 : 1, pt. of.	Gildersome ...	499 : 2.	Ham	40 : 2, pt. of.
Eye (M.B.) ...	210 : 1, pt. of.	†Gillingham (M.B.)	47 : 1, pt. of, 2.	Hampton ...	40 : 5, pt. of.
		Glastonbury (M.B.)	313 : 2, pt. of.	Hampton Wick	40 : 5, pt. of.
		Glemsford ...	205 : 4, pt. of.	*Handforth ...	443 : 8, pt. of.
		Glossop (M.B.)	441 : 1 pt. of.	Handsworth	371 : 1, pt. of.
		Gloucester, City of (C.B.)	325 : 2, 3, pt. of.	(Staffs.)	
		Glyncorwg ...	592 : 3.	†Handsworth (Yorks, W.R.)	510 : 8, pt. of.
Failsworth ...	467 : 4, pt. of.	Godalming (M.B.)	33 : 5, pt. of.	Hanwell ...	128 : 3, pt. of.
Fairfield ...	440 : 1, pt. of.	Godmanchester (M.B.)	171 : 4, pt. of.	Harpenden ...	139 : 1, pt. of.
Falmouth	297 : 2, pt. of.			Harrington ...	577 : 1, pt. of.
(M.B.)				Harrogate	489 : 2, pt. of.
Fareham ...	92 : 1, pt. of.	Golborne ...	460 : 1, pt. of.	(M.B.)	
Farnborough...	109 : 2, pt. of.	Golcar... ..	495 : 10, pt. of.	†Harrow on the Hill.	130 : 1, pt. of.
†Farnham ...	34 : 3, pt. of.	Gomersal ...	503 : 3, pt. of.	Hartlepool	545 : 1, pt. of.
Farnley Tyas...	495 : 2, pt. of.	Goole	514 : 2, pt. of.	(M.B.)	
Farnworth ...	461 : 1, pt. of.	Gosforth ...	560 : 2, pt. of.	Harwich (M.B.)	197 : 3.
Farsley	497 : 8, pt. of.	Gosport and Alverstoke.	91 : 1.	Haslingden (M.B.)	471 : 3.
Faversham	60 : 2, pt. of.	Grange ...	481 : 1, pt. of.	(M.B.)	
(M.B.)		Grantham	417 : 2, pt. of.	Hastings (C.B.)	69 : 1, pt. of, 2, 3 ; 70 : 1, pt. of.
†Featherstone	505 : 3, pt. of.	(M.B.)			
Felixstowe and Walton.	214 : 2, pt. of.	Grasmere ...	581 : 1, pt. of.	†Havant ...	89 : 1, pt. of.
Felling	557 : 1, pt. of.	Gravesend (M.B.)	44 : 1.	Haverfordwest (M.B.)	602 : 2, pt. of.
*Feltham ...	126 : 1, pt. of.				
Fenny Strat- ford.	148 : 1, pt. of.	Grays Thurrock	192 : 1, pt. of.	Haverhill ...	204 : 1, pt. of.
Festiniog ...	628 : 2, pt. of.	Greasbrough ...	511 : 4, pt. of.	Haworth ...	492 : 3, pt. of.
Filey	527 : 1, pt. of.	†Great Berk- hampstead.	142 : 1, pt. of.	Hay	612 : 2, pt. of.
Finchley ...	131 : 3, pt. of.	Great Crosby...	455 : 1, pt. of.	Haydock ...	459 : 1, pt. of.
Finedon ...	166 : 1, pt. of.	Great Driffild	525 : 2, pt. of.	*Hayes	127 : 3, pt. of.
*Fishguard ...	602 : 4 pt. of.	Great Harwood	474 : 2, pt. of.	Hayle	299 : 5, pt. of ; 300 : 1, pt. of.
*Fleet... ..	109 : 1, pt. of.	Great Tarring- ton (M.B.)	285 : 4, pt. of.		
Fleetwood ...	477 : 4, pt. of.	Great Yar- mouth (C.B.)	219 : 1-3 ; 220 : 1, pt. of.	Hayward's Heath.	76 : 1, pt. of.
Flint (M.B.) ...	619 : 3, pt. of.	Greenford ...	128 : 3, pt. of.	†Hazel Grove and Bramhall.	443 : 1, pt. of.
Flockton ...	504 : 1, pt. of.	†Greetland ...	496 : 2, pt. of.	Heage... ..	436 : 4, pt. of.
Folkestone	66 : 1, pt. of.	Grimsby (C.B.)	422 : 1, pt. of.	Heanor	429 : 1, pt. of, 2, pt. of.
(M.B.)		†Guildford (M.B.)	33 : 4, pt. of.		
*†Foots Cray...	42 : 4, pt. of.				
*Formby	457 : 5, pt. of.				
Friern Barnet	131 : 3, pt. of.				

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Heath Town or Wednesfield Heath.	369 : 6, pt. of.	Hove (M.B.) ...	80 : 2, pt. of.	Kendal (M.B.)	581 : 2, pt. of.
†Heaton Norris	443 : 7.	Hoylake and West Kirby.	451 : 4, pt. of.	Kenilworth ...	393 : 3, pt. of.
Heavitree ...	270 : 4, pt. of.	Hoyland	507 : 3, pt. of.	Keswick ...	576 : 1, pt. of.
Hebburn ...	556 : 2, pt. of.	Nether.	508 : 3, pt. of.	Kettering ...	167 : 2.
Hebden Bridge	493 : 1, pt. of.	Hoyland	508 : 3, pt. of.	Kidderminster	374 : 3, pt. of.
Heckmondwike	503 : 4, pt. of.	Swaine.	429 : 4, pt. of.	(M.B.)	
Hedon (M.B.)...	521 : 5, pt. of.	Hucknall	429 : 4, pt. of.	†Kids Grove ...	359 : 3, pt. of ; 360 : 2, pt. of.
Helston (M.B.)	298 : 2, pt. of.	Torkard.	495 : 6, 8, 9.	Kidwelly	596 : 4, pt. of.
Hemel Hemp- stead (M.B.)	141 : 1, pt. of.	Huddersfield		(M.B.)	
Hendon ...	130 : 3.	Hull (see		Kingsbridge ...	274 : 3, pt. of, 4, pt. of.
Henley on	150 : 1, pt. of.	Kingston- upon-Hull).		Kingsbury ...	130 : 2, pt. of.
Thames(M.B.)		Hunsworth ...	497 : 1, pt. of.	King's Lynn	236 : 1, 2, pt. of.
Hereford, City of (M.B.)	337 : 4.	Huntingdon	171 : 4, pt. of.	(M.B.)	383 : 1.
Herne Bay ...	59 : 2, pt. of.	(M.B.)		Kings Norton and North- field.	
Hertford	137 : 2, pt. of.	Hurst ...	468 : 2, pt. of.	Kingston upon	521 : 1, pt. of, 4, pt. of, 6, 7, 8 ; 522 : 1, 2.
(M.B.)		Huthwaite ...	428 : 4, pt. of.	Hull, City of	
Hessle ...	521 : 4, pt. of.	Huyton with	456 : 4, pt. of.	(C.B.)	
Heston and	128 : 1.	Roby.		Kingston upon	40 : 2, pt. of.
Isleworth.		Hyde (M.B.) ...	443 : 2 ; 468 : 6.	Thames (M.B.)	
Hetton ...	553 : 2, pt. of.	Hythe (M.B.)...	66 : 3, pt. of.	Kingswood ...	317 : 2, pt. of.
Hexham ...	561 : 2, pt. of.			Kington ...	341 : 3, pt. of.
Heysham ...	479 : 2, pt. of.			Kirkburton ...	495 : 5, pt. of.
Heywood	462 : 4, pt. of.			Kirkby in	429 : 1, pt. of.
(M.B.)				Ashfield.	
Higham Ferrers	166 : 2, pt. of.			Kirkby	581 : 3, pt. of.
(M.B.)				Lonsdale.	
Highbridge ...	314 : 2, pt. of.	†Ilford ...	191 : 2.	Kirkham ...	477 : 1, pt. of.
Higher	451 : 3, pt. of.	Ilfracombe ...	284 : 4, pt. of.	Kirkheaton ...	495 : 7, pt. of.
Bebington.		Ilkeston (M.B.)	429 : 2, pt. of.	Kirklington	538 : 1, pt. of.
Hinckley ...	402 : 2, pt. of.	Ilkley ...	491 : 4, pt. of.	cum Upsland.	
Hinderwell ...	533 : 3, pt. of.	Ilminster ...	308 : 1, pt. of.	†Knaresborough	489 : 1, pt. of.
Hindley ...	458 : 4, pt. of.	Ince in Maker- field.	458 : 4, pt. of.	Knighton ...	613 : 2, pt. of.
Hipperholme...	496 : 1, pt. of.	Ipswich (C.B.)	213 : 1, 2.	Knottingley ...	505 : 1, pt. of.
Hitchin ...	136 : 2, pt. of.	Irlam ...	463 : 2, pt. of.	Knutsford ...	445 : 5, pt. of.
Hoddesdon ...	133 : 1, pt. of.	*Irthling- borough.	166 : 2, pt. of.		
Holbeach ...	414 : 1, pt. of, 3, pt. of.	Itchen... ...	100 : 1, pt. of.		
Hollingworth	468 : 9, pt. of.	Ivybridge ...	275 : 1, pt. of.		
Holme... ...	495 : 3, pt. of.				
Holme Cultram	575 : 1, pt. of, 2, pt. of.				
Holmfirth ...	495 : 3, pt. of, 4, pt. of.				
Holsworthy ...	287 : 2, pt. of.				
Holyhead ...	634 : 3, pt. of.				
Holywell ...	619 : 2, pt. of.				
Honiton (M.B.)	269 : 1, pt. of.	Jarrow (M.B.)	556 : 2, pt. of.	Lampeter	605 : 3, pt. of.
Honley ...	495 : 2, pt. of.			(M.B.)	
Hoole ...	450 : 3, pt. of.			Lancaster	479 : 3.
Horbury ...	504 : 3, pt. of.			(M.B.)	
Horncastle ...	419 : 2, pt. of.			Lathom and	457 : 8, pt. of.
Hornsea ...	524 : 3, pt. of.			Burscough.	
Hornsey (M.B.)	132 : 1.			Launceston	290 : 3
Horsforth ...	491 : 1, pt. of.	Kearsley ...	461 : 1, pt. of.	(otherwise	
†Horsham ...	81 : 2, pt. of.	Keighley	492 : 2, pt. of.	Dunneheved)	
Horwich ...	461 : 4, pt. of.	(M.B.)		(M.B.)	
Houghton le Spring.	553 : 1, pt. of.	Kempston ...	174 : 4, pt. of.		

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Leadgate ...	550 : 2, pt. of.	Llanidloes (M.B.)	616 : 1, pt. of.	Loughton ...	189 : 1, pt. of.
Leatherhead ...	31 : 3, pt. of.	Llanrwst ...	624 : 1, pt. of.	Louth (M.B.)...	421 : 2, pt. of.
Ledbury ...	335 : 1, pt. of.	Llantarnam ...	587 : 4, pt. of.	Lower Bebing- ton.	451 : 3, pt. of.
Leeds, City of (C.B.)	499 : 1, 3 ; 500 : 1-4, 5, pt. of ; 501 : 1 ; 502 : 1 pt. of.	*Llanwrtyd ...	609 : 1, pt. of.	Lowestoft (M.B.)	218 : 2.
Leek ...	362 : 3, pt. of.	Loftus... ..	534 : 1, pt. of.	Luddenden Foot.	496 : 4, pt. of.
Lees ...	468 : 1, pt. of.	London:—		Ludgvan ...	300 : 1, pt. of.
Leicester (C.B.)	407 : 1-3.	City of Lon- don.	15 : 1, 2.	†Ludlow(M.B.)	342 : 2, pt. of.
Leigh (M.B.)...	460 : 2, pt. of, 3.	Metropolitan Boroughs:—		Luton (M.B.)...	178 : 2, pt. of.
Leigh on Sea...	195 : 2, pt. of.	Battersea ...	26 : 1-3.	Lydd (M.B.) ...	67 : 2, pt. of.
Leighton Buzzard.	177 : 1, pt. of.	Bermondsey	24 : 1-3.	Lye and Wol- lescote.	373 : 2, pt. of.
Leiston cum Sizewell.	216 : 1, pt. of.	Bethnal Green.	17 : 1, 2.	Lyme Regis (M.B.)	268 : 1, pt. of.
Leominster (M.B.)	340 : 1, pt. of, 2, pt. of.	Camberwell	27 : 1-6.	Lymington (M.B.)	94 : 1, pt. of.
Lepton ...	495 : 7, pt. of.	Chelsea ...	4 : 1, 2.	Lymm... ..	445 : 4, pt. of.
Lewes (M.B.)...	77 : 2, pt. of ; 78 : 1, pt. of.	Deptford ...	28 : 1, 2, pt. of, 3.	Lynton ...	284 : 2, pt. of.
Leyland ...	475 : 2, pt. of.	Finsbury ...	14 : 1, pt. of, 2, 3.	Lytham ...	477 : 2, pt. of.
Leyton ...	188 : 8, 9.	Fulham ...	3 : 3-5.		
Lichfield, City of (M.B.)	367 : 1, pt. of.	Greenwich...	28 : 2, pt. of, 4, 5 ; 30 : 1.		
Lincoln, City of (C.B.)	418 : 2, pt. of.	†Hackney ...	11 : 2-5.		
Linslade ...	177 : 1, pt. of.	Hammer- smith.	3 : 1, 2.		
Linthwaite ...	495 : 10, pt. of.	Hampstead...	8 : 1.		
Liskeard(M.B.)	292 : 2, pt. of.	Holborn ...	12 : 1 ; 14 : 1, pt. of.	Mablethorpe ...	421 : 1, pt. of.
Litherland ...	455 : 2, pt. of.	Islington ...	10 : 1-7.	Macclesfield (M.B.)	444 : 4.
Littleborough	470 : 7.	Kensington	2 : 1-3.	Machynlleth ...	615 : 1, pt. of.
Little Crosby...	455 : 1, pt. of.	Lambeth ...	25 : 1-6.	Madron ...	300 : 4, pt. of.
Littlehampton	84 : 2, pt. of.	Lewisham ...	29 : 2-4.	Maesteg ...	591 : 1, pt. of.
Little Hulton...	461 : 1, pt. of.	Paddington	1 : 1-3.	Maidenhead	123 : 1, pt. of.
Little Lever ...	461 : 1, pt. of.	Poplar ...	22 : 1-3.	(M.B.)	
Little Woolton	456 : 2, pt. of.	St. Maryle- bone.	7 : 1-4.	Maidstone(M.B.)	51 : 3.
†Liverpool, City of (C.B.)	453 : 1-3 ; 454 : 1-4 ; 455 : 3, pt. of, 4, 6, 7, 8, 9, 10, 11, pt. of.	St. Pancras...	9 : 1-4.	Maldon (M.B.)	196 : 2, pt. of.
Liversedge ...	503 : 4, pt. of.	Shoreditch...	16 : 1-3.	Mallwyd ...	627 : 1, pt. of.
Llandilo ...	598 : 4, pt. of.	Southwark...	23 : 1-5.	Malmesbury (M.B.)	242 : 2, pt. of.
Llandovery (M.B.)	597 : 4, pt. of.	Stepney ...	18 : 1-2 ; 19 : 1 ; 20 : 1, 2 ; 21 : 1, 2.	Malton ...	528 : 3, pt. of.
Llandrindod Wells.	609 : 3, pt. of ; 614 : 2, pt. of.	Stoke	11 : 1.	Malvern ...	335 : 1, pt. of ; 378 : 1, pt. of.
Llandudno ...	632 : 2, pt. of.	Newington.		†Manchester, City of (C.B.)	464 : 1-4 ; 466 : 1-3 ; 467 : 1, 3, 4, pt. of, 5, 6.
Llanelly ...	596 : 3.	†Wandsworth	26 : 4-8.		
Llanfairfechan	631 : 3, pt. of.	Westminster, City of.	5 : 1-3 ; 6 : 1 ; 13 : 1.	Mansfield (M.B.)	428 : 5.
Llanfrechfa Upper.	586 : 3, pt. of.	Woolwich ...	29 : 1 ; 30 : 2-4.	Mansfield Woodhouse.	428 : 1, pt. of.
Llanfyllin (M.B.)	618 : 2, pt. of.	Long Eaton ...	434 : 4, pt. of.	March... ..	185 : 2, pt. of.
Llangefni ...	633 : 1, pt. of.	Longridge ...	476 : 6, pt. of.	Margam ...	592 : 1, pt. of.
Llangollen ...	625 : 2, pt. of.	Long Sutton ...	414 : 2, pt. of.	Margate (M.B.)	63 : 2, pt. of.
		Looe ...	292 : 3, pt. of.	Market Har- borough.	399 : 1, pt. of.
		Lostwithiel (M.B.)	293 : 1, pt. of.		
		Loughborough (M.B.)	405 : 1, pt. of.		

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Market Rasen	423 : 2, pt. of.	Nailsworth ...	327 : 7, pt. of.	Northam ...	286 : 1, pt. of,
†Marlborough	245 : 1, pt. of.	Nantwich ...	449 : 2, pt. of.	Northampton	2, pt. of.
(M.B.)		Nantyglo and	585 : 1, pt. of.	(C.B.)	162 : 2, pt. of ;
Marlow ...	145 : 2, pt. of.	Blaina.			163 : 1, pt.
Marple ...	443 : 1, pt. of.	*Narberth ...	600 : 2, pt. of.	North Broms-	of, 2, pt. of.
Marsden ...	495 : 1, pt. of.	Neath (M.B.)...	592 : 2, pt. of.	grove.	382 : 1, pt. of.
Maryport ...	576 : 4, pt. of.	Nelson (M.B.)	472 : 4, pt. of.	North Darley...	439 : 2, pt. of.
Masham ...	538 : 2, pt. of ;	Neston and	451 : 1, pt. of.	Northfleet ...	45 : 1, pt. of.
	539 : 1, pt.	Parkgate.		North Walsham	221 : 4, pt. of.
	of.	Netherthong ...	495 : 2, pt. of.	Northwich ...	447 : 1, pt. of,
Matlock ...	439 : 2, pt. of.	Newark (M.B.)	432 : 3, pt. of.		2, pt. of.
Matlock Bath	439 : 2, pt. of.	†Newbiggin by	564 : 3, pt. of.	Norton ...	528 : 3, pt. of.
and Scarthin		the Sea.		†Norwich, City	225 : 1, 2.
Nick.		†Newbold and	438 : 2, pt. of.	of (C.B.)	
Melksham ...	247 : 1, pt. of.	Dunston.		Nottingham,	430 : 1-5.
Meltham ...	495 : 2, pt. of.	Newburn ...	560 : 3, pt. of.	City of (C.B.)	
Melton Mow-	408 : 1, pt. of.	Newbury	114 : 1.	†Nuneaton	388 : 1, pt. of.
bray.		(M.B.)		(M.B.)	
Menai Bridge...	631 : 1, pt. of.	Newcastle	604 : 3, pt. of.		
Merthyr Tydfil	590 : 2, 3, pt.	Emlyn.		Oakengates ...	347 : 2, pt. of ;
(C.B.)	of.	Newcastle	359 : 2, pt. of.		355 : 3 ; 356 :
*Merton ...	39 : 6, pt. of.	under Lyme		Oakworth ...	1, pt. of.
Methley ...	505 : 4, pt. of.	(M.B.)			492 : 2, pt. of,
Mexborough ...	512 : 2, pt. of.	†Newcastle	558 : 1, 2, 3, 4,	Ogmore and	3, pt. of.
Middlesbrough	535 : 2, 3.	upon Tyne,	pt. of, 5, 6 ;	Garw.	591 : 2, pt. of.
(C.B.)		City of (C.B.)	559 : 3, pt.	Okehampton	280 : 3, pt. of.
Middleton	469 : 5.		of.	(M.B.)	
(M.B.)		Newhaven ...	78 : 1, pt. of.	Oldbury ...	371 : 2.
Middlewich ...	447 : 4, pt. of.	†New Hunstan-	234 : 2, pt. of.	*Old Fletton...	170 : 2, pt. of.
Midgley ...	496 : 4, pt. of.	ton.		Oldham (C.B.)	469 : 1, 2, 3.
Midsomer	315 : 4, pt. of.	Newmarket ...	183 : 2.	Ormesby ...	535 : 1, pt. of.
Norton.		New Mill ...	495 : 3, pt. of,	Ormskirk ...	457 : 2.
Milford Haven	602 : 1, pt. of.		4, pt. of.	Orrell ...	458 : 5, pt. of.
Millom ...	578 : 2, pt. of.	New Mills ...	442 : 1, pt. of.	Ossett (M.B.)...	503 : 8.
Milnrow ...	470 : 1.	Newnham ...	323 : 1, pt. of.	Oswaldtwistle	474 : 7, pt. of.
Milton Regis	61 : 1, pt. of.	†Newport (C.B.)	587 : 2, pt. of.	Oswestry	350 : 3, pt. of.
Minehead ...	302 : 1, pt. of.	(Mon.)		(M.B.)	
Mirfield ...	503 : 5, pt. of.	Newport (M.B.)	93 : 2, pt. of.	†Otley... ...	491 : 2, pt. of,
Mold ...	619 : 4, pt. of.	(Isle of			3, pt. of.
Monk Bretton	507 : 2, pt. of.	Wight).		Ottery St. Mary	269 : 2, pt. of.
Monmouth	583 : 3, pt. of.	Newport	356 : 1, pt. of.	*Oulton Broad	218 : 1, pt. of.
(M.B.)		(Salop).		Oundle ...	169 : 1, pt. of.
Montgomery	617 : 1, pt. of.	Newport	148 : 2.	Oxenhope ...	492 : 3, pt. of.
(M.B.)		Pagnell.		Oxford, City of	117 : 1, pt. of ;
Morecambe	479 : 2, pt. of.	New Quay ...	606 : 1, pt. of.	(C.B.)	152 : 2, pt.
(M.B.)		†Newquay ...	294 : 2, pt. of,	Oystermouth...	of ; 153 : 1.
Morley (M.B.)	502 : 1, pt. of ;		3, pt. of.		595 : 1, pt. of.
	503 : 1.	New Romney	67 : 1, pt. of.	Padiham ...	472 : 3, pt. of.
Morpeth (M.B.)	564 : 1, pt. of.	(M.B.)		Padstow ...	294 : 1, pt. of.
Mossley (M.B.)	468 : 2, pt. of.	Newton Abbot	272 : 5, pt. of.	Paignton ...	273 : 1, pt. of.
Mottram in	468 : 9, pt. of.	Newton in	459 : 1, pt. of.		
Longdendale.		Makerfield.			
Mountain Ash	589 : 1, pt. of,	Newtown and	616 : 4.		
	2, pt. of.	Llanllwch-			
Much Woolton	456 : 2, pt. of.	aiarn.			
*Mynyddislwyn	587 : 5, pt. of.	New Windsor	125 : 2, pt. of.		
Mytholmroyd...	493 : 1, pt. of.	(M.B.)			
		Neyland ...	601 : 3, pt. of.		
		Norden ...	470 : 4, pt. of.		
		†Normanton ...	504 : 7, pt. of.		
		Northallerton	537 : 2, pt. of.		

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Panteg ...	586 : 2, pt. of, 3, pt. of.	Radcliffe ...	462 : 5, pt. of, 6.	Royal ...	393 : 2, pt. of.
Paul ...	300 : 4, pt. of.	Radstock ...	315 : 4, pt. of.	Leamington ...	
Pembroke ...	601 : 1, pt. of, (M.B.) 2, pt. of.	Rainford ...	456 : 6.	Spa (M.B.)	
Penarth ...	588 : 5, pt. of.	Ramsbottom ...	462 : 1, pt. of.	Royston ...	135 : 2, pt. of, 3, pt. of.
Penge ...	39 : 5.	Ramsey ...	171 : 1, pt. of.	(Herts)	
Penistone ...	508 : 3, pt. of.	Ramsgate ...	63 : 4, pt. of.	Royston ...	507 : 1, pt. of.
Penmaenmawr ...	632 : 1, pt. of.	(M.B.)		(Yorks, W.R.)	
Penrith ...	571 : 1, pt. of.	Raunds ...	168 : 2, pt. of.	Royton ...	469 : 6.
Penryn (M.B.)	297 : 1, pt. of.	Rawdon ...	491 : 1, pt. of.	Rugby ...	391 : 1, pt. of.
Penzance ...	300 : 4, pt. of.	Rawmarsh ...	511 : 4, pt. of.	Rugeley ...	367 : 2, pt. of.
(M.B.)		Rawtenstall ...	471 : 1.	*Ruislip- ...	127 : 2, pt. of.
Perry Barr ...	371 : 1, pt. of.	(M.B.)		Northwood.	
Peterborough, ...	170 : 2, pt. of.	Reading (C.B.)	121 : 1, 2.	Runcorn ...	446 : 2, pt. of.
City of (M.B.)		Redcar ...	534 : 3, pt. of.	Rushden ...	166 : 2, pt. of.
Petersfield ...	106 : 1, pt. of.	Redditch ...	382 : 3, pt. of ; 395 : 1, pt. of.	Ruskington ...	416 : 1, pt. of.
Phillack ...	299 : 5, pt. of.			Ruthin (M.B.)	622 : 2, pt. of.
Pickering ...	532 : 2, pt. of.	Redruth ...	299 : 2.	Ryde (M.B.) ...	93 : 3, pt. of.
Plymouth ...	276 : 1-3.	Reigate (M.B.)	37 : 2.	Rye (M.B.) ...	68 : 1, pt. of.
(C.B.)		Rhondda ...	589 : 2, pt. of, 3, pt. of, 4.	Ryton ...	557 : 4, pt. of.
†Pocklington...	518 : 2, pt. of.	Rhyl ...	623 : 1, pt. of.		
Pontefract ...	505 : 3, pt. of.	Rhymney ...	585 : 2, pt. of ; 611 : 2, pt. of.		
(M.B.)					
Pontypool ...	586 : 2, pt. of.	Richmond ...	41 : 1.		
Pontypridd ...	589 : 1, pt. of, 2, pt. of, 3, pt. of.	(M.B.)			
†Poole (M.B.)	261 : 1, pt. of, 2, 3, pt. of.	(Surrey).			
Porthcawl ...	591 : 4, pt. of.	Richmond ...	542 : 1, pt. of.		
Portishead ...	318 : 3, pt. of.	(M.B.)			
Portland ...	263 : 3.	(Yorks, N.R.)		Saddleworth ...	494 : 2.
Portslade by ...	80 : 3, pt. of.	Rickmansworth	140 : 3, pt. of.	Saffron Walden ...	203 : 2, pt. of.
Sea.		Ripley... ...	436 : 4, pt. of.	(M.B.)	
†Portsmouth ...	90 : 1-4.	Ripon, City of ...	487 : 2, pt. of.	St. Albans, City ...	139 : 1, pt. of, 2, pt. of.
(C.B.)		(M.B.)		of (M.B.)	
Poulton-le ...	477 : 4, pt. of.	Risca ...	587 : 3, pt. of.	St. Anne's on ...	477 : 2, pt. of.
Fylde.		Rishton ...	474 : 2, pt. of.	the Sea.	
Preesall with ...	478 : 1, pt. of.	Rishworth ...	496 : 3, pt. of.	St. Austell ...	295 : 2, pt. of.
Hackinsall.		Rochdale (C.B.)	470 : 2, 3, 4, pt. of, 5, 6, pt. of.	St. Helens ...	456 : 5, pt. of.
Prescot ...	456 : 4, pt. of.			(C.B.)	
Prestatyn ...	623 : 1, pt. of.	Rochester, City ...	45 : 2, pt. of ; 47 : 1, pt. of.	(Lancs.)	
Presteigne ...	613 : 1, pt. of.	of (M.B.)		St. Helens (Isle ...	93 : 3, pt. of.
Preston (C.B.)	476 : 2, 3, 4.			of Wight).	
†Prestwich ...	467 : 2.	Romford ...	191 : 1, pt. of.	St. Ives (M.B.)	300 : 2, pt. of.
*Prudhoe	561 : 1, pt. of.	Romsey (M.B.)	101 : 1, pt. of.	(Cornwall).	
Pudsey (M.B.)	497 : 9.			St. Ives (M.B.)	172 : 4, pt. of.
Pwllheli (M.B.)	629 : 1, pt. of, 2, pt. of.	†Ross ...	336 : 2, pt. of.	(Hunts).	
		Rothbury ...	569 : 1, pt. of.	St. Just ...	300 : 5, pt. of.
		Rotherham ...	511 : 2, pt. of, 3.	St. Neots ...	173 : 1, pt. of.
		(C.B.)		Salcombe ...	274 : 3, pt. of.
		Rothwell ...	167 : 3, pt. of.	†Sale ...	445 : 3, pt. of.
		(Northamp- ton).		Salford (C.B.)	465 : 1, pt. of, 2, 3, 4.
		Rothwell ...	501 : 3, pt. of ; 504 : 5, pt. of.	†Salisbury, City ...	253 : 3.
		(Yorks, W.R.)		of (M.B.)	
Quarry Bank...	373 : 3, pt. of.			Saltash (M.B.)	291 : 3, pt. of.
Queenborough ...	62 : 1, pt. of.	Rowley Regis	372 : 1.	Salthurn by ...	534 : 3, pt. of.
(M.B.)		Roxby cum	424 : 2, pt. of.	the Sea.	
Queensbury ...	496 : 6, pt. of.	Risby.		Sandbach ...	448 : 3, pt. of.
Quorndon ...	406 : 2, pt. of.			Sandgate ...	66 : 1, pt. of.

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Sandown ...	93 : 4, pt. of	Smethwick	383 : 4.	Stourport ...	374 : 4 ; 381 : 1, pt. of.
Sandwich	64 : 1, pt. of.	(C.B.)		Stowmarket ...	209 : 3, pt. of.
(M.B.)		Southall	127 : 3, pt. of.	Stow on the	331 : 2, pt. of.
Sawbridge-	134 : 1, pt. of.	Norwood.		Wold.	
worth.		Southampton	99 : 1 ; 2.	Stratford on	394 : 2, pt. of.
Saxmundham	215 : 3, pt. of.	(C.B.)		Avon (M.B.)	
*Scalby ..	527 : 2, pt. of.	South Bank in	535 : 1, pt. of.	Stratton and	288 : 2, pt. of.
Scammonden...	495 : 10, pt. of.	Normanby.		Bude.	
Scarborough	527 : 2, pt. of.	Southborough	50 : 1, pt. of.	Street ...	313 : 2, pt. of.
(M.B.)		South Crosland	495 : 2, pt. of.	Stretford ...	463 : 3, pt. of.
Scunthorpe ...	424 : 2, pt. of.	South Darley...	439 : 2, pt. of.	Stroud ...	327 : 4, pt. of.
Seaford ...	71 : 3, pt. of ; 78 : 1, pt. of.	Southend on Sea (M.B.)	195 : 2, pt. of.	Sudbury (M.B.)	205 : 3, pt. of.
Seaham	552 : 2, pt. of.	Southgate ...	132 : 5, pt. of.	Sunbury on	126 : 1, pt. of.
Harbour.		South Molton	283 : 2, pt. of.	Thames.	
Seaton... ..	268 : 3, pt. of.	(M.B.)		Sunderland	555 : 1, 2, 3.
Sedgley ...	372 : 3, pt. of.	Southowram ...	496 : 1, pt. of.	(C.B.)	
Seghill ...	559 : 4, pt. of.	Southport	457 : 6, pt. of.	Surbiton ...	40 : 3.
Selby	515 : 2, pt. of.	(C.B.)		Sutton ...	31 : 1, pt. of.
Sevenoaks ...	49 : 2, pt. of.	†South Shields	556 : 1, pt. of.	Sutton Bridge	414 : 2, pt. of.
Shaftesbury	257 : 1, pt. of.	(C.B.)		Sutton Cold-	385 : 6, pt. of.
(M.B.)		Southwick ...	80 : 3, pt. of.	field (M.B.)	
Shanklin ...	93 : 4, pt. of.	Southwick on	555 : 4, pt. of.	Sutton in Ash-	428 : 4, pt. of.
*Shap	580 : 1, pt. of.	Wear.		field.	
Sheerness ...	62 : 1, pt. of.	Southwold	216 : 2, pt. of.	Swadlincote	365 : 3, pt. of.
†Sheffield, City	509 : 1, 2, 4, pt. of, 5, 6, 7 ; 510 : 1-7, 8, pt. of.	(M.B.)		District.	
of (C.B.).		Sowerby ...	496 : 4, pt. of.	Swaffham ...	238 : 1, pt. of.
		Sowerby Bridge	496 : 4, pt. of.	Swanage ...	262 : 1, pt. of.
		Soyland ...	496 : 3, pt. of.	Swansea (C.B.)	594 : 2, pt. of, 3.
		Spalding ...	413 : 4, pt. of.		
Shelf	496 : 6, pt. of.	Spennymoor ...	546 : 2, pt. of ; 547 : 1, pt. of ; 551 : 1, pt. of.	Swindon (M.B.)	240 : 2, pt. of.
Shelley ...	495 : 5, pt. of.			Swinton ...	511 : 5, pt. of.
Shepley ...	495 : 5, pt. of.	Springhead ...	494 : 1.	†Swinton and	463 : 1, pt. of ; 465 : 1, pt. of.
Shepshed ...	405 : 1, pt. of.	Stafford (M.B.)	357 : 1, pt. of.	Pendlebury.	
Shepton Mallet	312 : 1, pt. of.	Staines ...	126 : 2, pt. of.		
Sherborne ...	265 : 2, pt. of.	Stainland with	496 : 2, pt. of.		
*Sheringham	222 : 2, pt. of.	Old Lindley.			
Shildon and	547 : 1, pt. of.	Stalybridge	468 : 8, pt. of.		
East Thickley.		(M.B.)			
Shipley ...	497 : 6.	Stamford	411 : 1, pt. of.	Tamworth	366 : 1, pt. of.
Shoeburyness	195 : 3, pt. of.	(M.B.)		(M.B.)	
†Shoreham-by-	80 : 3, pt. of.			Tanfield ...	550 : 1, pt. of.
Sea.		Standish with	458 : 1, pt. of.	Tarporley ...	450 : 1, pt. of.
Short Heath ...	369 : 6, pt. of.	Langtree.		Taunton (M.B.)	305 : 3, pt. of.
Shrewsbury	349 : 2, pt. of, 3, pt. of.	Stanhope ...	549 : 2, pt. of.	Tavistock ...	279 : 2, pt. of.
(M.B.)		Stanley	550 : 1, pt. of, 3, pt. of.	Teddington ...	40 : 5, pt. of.
Sidmouth ...	269 : 2, pt. of.	(Durham).		Teignmouth ...	272 : 1, pt. of.
Silsden ...	485 : 4, pt. of.	Stanley	504 : 6, pt. of.	Tenby (M.B.)...	601 : 1, pt. of.
Sittingbourne	61 : 1, pt. of.	(Yorks, W.R.)		Tenterden	54 : 1, pt. of.
Skegness ...	420 : 4, pt. of.	Stevenage ...	136 : 1, pt. of.	(M.B.)	
Skelmanthorpe	495 : 5, pt. of.	†Stockport	443 : 4-6.	Tetbury ...	328 : 2, pt. of.
Skelmersdale...	457 : 8, pt. of.	(C.B.)		Tettenhall ...	369 : 1, pt. of.
Skelton and	534 : 1, pt. of, 2.	Stocksbridge ...	508 : 6, pt. of.	Tewkesbury	334 : 1, pt. of.
Brotton.		Stockton on	544 : 1, pt. of.	(M.B.)	
Skipton ...	485 : 5, pt. of.	Tees (M.B.)		Thame... ..	151 : 2, pt. of.
Slaithwaite ...	495 : 1, pt. of.	†Stoke on	360 : 2, pt. of, 3, pt. of ; 361 : 1-4.	The Maldens and Coombe.	40 : 2, pt. of.
Sleaford ...	416 : 2, pt. of.	Trent (C.B.)		Thetford (M.B.)	239 : 2, pt. of.
Slough ...	144 : 1, pt. of.			Thornaby on	535 : 4, pt. of.
†Smallthorne	360 : 2, pt. of, 3, pt. of ; 362 : 1, pt. of.	Stone	358 : 1, pt. of.	Tees (M.B.)	
		Stourbridge ...	373 : 2, pt. of.		

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	No. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Thornton ...	477 : 4, pt. of.	Wadebridge ...	293 : 4, pt. of.	West Bridgford	429 : 6, pt. of.
Thurlstone ...	508 : 3, pt. of.	†Wakefield, City of (M.B.)	504 : 2, pt. of, 4.	West Bromwich (C.B.)	371 : 3, 4.
Thurmaston ...	406 : 4, pt. of.	Wallasey (M.B.)	452 : 3.	†Westbury ...	249 : 2, pt. of.
*Thurnscoe ...	512 : 2, pt. of.	Wallingford (M.B.)	119 : 2, pt. of.	Westbury on Severn.	323 : 1, pt. of.
Thurstonland...	495 : 5, pt. of.	†Wallsend (M.B.)	559 : 1, 3, pt. of.	West Ham (C.B.)	188 : 1-4.
Tickhill ...	512 : 1, pt. of.	†Walmer ...	64 : 4, pt. of.	West Hartlepool (C.B.)	545 : 1, pt. of.
Tipton... ..	372 : 2.	Walsall (C.B.)	370 : 2, pt. of, 3, 4, pt. of.	Westhoughton	461 : 4, pt. of.
Tiverton (M.B.)	282 : 3.	Walsoken ...	187 : 5, pt. of.	†Weston super Mare.	314 : 3, pt. of.
Todmorden (M.B.)	493 : 2.	Waltham Holy Cross.	132 : 7.	Weybridge	32 : 1, pt. of.
Tonbridge ...	50 : 2, pt. of.	Walthamstow...	188 : 10, pt. of.	Weymouth and Melcombe Regis (M.B.)	263 : 2, pt. of.
*Torpoint ...	291 : 1, pt. of.	Walton le Dale	476 : 5, pt. of.	Wheatley (Oxon.)	152 : 1, pt. of.
Torquay (M.B.)	272 : 6, pt. of.	Walton on Thames.	32 : 1, pt. of.	Wheatley (Yorks, W.R.)	512 : 3, pt. of.
Totnes (M.B.)	273 : 4, pt. of.	†Walton on the Naze.	197 : 2, pt. of.	Whickham ...	557 : 3.
†Tottenham ...	132 : 3, 4.	Wanstead ...	188 : 7.	Whitby ...	533 : 2, pt. of.
Tottington ...	462 : 1, pt. of.	Wantage ...	118 : 1, pt. of.	Whitchurch ...	353 : 1, pt. of.
Tow Law ...	549 : 3, pt. of ; 550 : 3, pt. of.	†Warblington...	89 : 1, pt. of.	Whitefield ...	462 : 7, pt. of.
Towyn ...	615 : 2, pt. of.	Wardle ...	470 : 6, pt. of.	Whitehaven (M.B.)	577 : 2, pt. of.
Trawden ...	472 : 5, pt. of.	Ware	133 : 3, pt. of.	Whitley and Monkseaton.	559 : 4, pt. of.
Tredegar ...	585 : 2, pt. of ; 611 : 2, pt. of.	Wareham (M.B.)	262 : 3, pt. of.	Whitley Upper	495 : 7, pt. of.
Tring	142 : 2, pt. of.	Warminster ...	250 : 1, pt. of.	Whitstable ...	59 : 3, pt. of.
Trowbridge ...	247 : 2, pt. of.	Warrington (C.B.)	459 : 4.	Whittington ...	438 : 2, pt. of.
Truro, City of (M.B.)	296 : 4, pt. of, 5, pt. of.	Warsop ...	428 : 1, pt. of.	Whittlesey ...	186 : 1, pt. of.
Tunbridge Wells (M.B.)	50 : 1, pt. of ; 73 : 2, pt. of.	*Watchet ...	302 : 3, pt. of.	Whitwood ...	505 : 4, pt. of.
Turton ...	461 : 6.	Waterloo with Seaforth.	455 : 1, pt. of.	Whitworth ...	470 : 6, pt. of.
Twickenham...	128 : 2.	†Watford ...	140 : 2.	Widnes (M.B.)	456 : 3, pt. of.
Tyldesley with Shakerley.	460 : 4, pt. of.	Wath upon Dearne.	511 : 5, pt. of.	†Wigan (C.B.)	458 : 3, 5, pt. of.
Tynemouth (C.B.)	559 : 2.	†Wealdstone ...	130 : 1, pt. of.	Wigston Magna	401 : 1, pt. of.
		Wednesbury (M.B.)	371 : 5.	Wigton ...	575 : 1, pt. of.
Uckfield ...	74 : 3, pt. of.	Wednesfield ...	369 : 6, pt. of.	Willenhall ...	369 : 6, pt. of.
Ulverston ...	481 : 3, pt. of.	Weetslade ...	559 : 3, pt. of.	Willesden ...	129 : 1.
Upholland ...	458 : 5, pt. of.	Wellingborough	166 : 1, pt. of.	Willington ...	551 : 1, pt. of.
Urmston ...	463 : 3, pt. of.	†Wellington (Salop).	355 : 2, pt. of.	Wilmslow ...	445 : 1, pt. of.
Usk	586 : 4, pt. of.	Wellington (Somerset).	304 : 3, pt. of.	Wilton (M.B.)	254 : 1, pt. of.
Uttoxeter ...	364 : 1, pt. of.	Wells (Norfolk).	233 : 3, pt. of.	Wimbledon (M.B.)	40 : 1.
Uxbridge ...	127 : 1, pt. of, 2, pt. of.	Wells, City of (M.B.) (Somerset).	313 : 1, pt. of.	Wimborne Minster.	260 : 2, pt. of.
		Welshpool (M.B.)	617 : 3, pt. of ; 618 : 2, pt. of.	Winchester, City of (M.B.)	103 : 2, pt. of.
Ventnor ...	93 : 5, pt. of.	Wem	352 : 1, pt. of.	†Windermere...	581 : 1, pt. of.
		Wembley ...	130 : 1, pt. of.	*Windlesham...	32 : 3, pt. of.
		Wenlock (M.B.)	348 : 2, pt. of, 3.	Winsford ...	447 : 3, pt. of.
				Winterton ...	424 : 2, pt. of.
				Wirksworth ...	436 : 6, pt. of.
				Wisbech (M.B.)	187 : 2.
				†Witham ...	201 : 4, pt. of.
				Withernsea ...	523 : 1, pt. of.
				Withnell ...	475 : 1, pt. of.

COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.	COUNTY BOROUGH, MUNICIPAL BOROUGH, AND OTHER URBAN DISTRICTS.	NO. OF REGISTRATION DISTRICT AND SUB-DISTRICT IN WHICH SITUATED.
Witney ...	156 : 3, pt. of.	Woodstock	155 : 2, pt. of.	Yarmouth (<i>see</i> Great Yar- mouth).	
Wiveliscombe...	304 : 1, pt. of.	(M.B.)		Yeadon ...	491 : 5, pt. of.
Wivenhoe ...	199 : 1, pt. of.	Worcester, City	377 : 1, pt. of.	Yeardsley cum	444 : 3, pt. of.
†Woking ...	32 : 3, pt. of ; 33 : 1, pt. of.	of (C.B.)		Whaley.	
Wokingham	122 : 1, pt. of.	Workington	576 : 3, pt. of.	†Yeovil (M.B.)	309 : 4, pt. of.
(M.B.)		(M.B.)		Ynyscynhaiarn	628 : 3, pt. of.
*Wolstanton	360 : 1.	Worksop ...	427 : 1, pt. of.	York, City of	517 : 2, 3.
United.		Worsborough...	507 : 4, pt. of.	(C.B.)	
Wolverhampton	369 : 4, 5.	Worsley ...	463 : 1, pt. of.		
(C.B.)		†Worthing	84 : 1, pt. of.		
Wombwell ...	507 : 3, pt. of.	(M.B.)			
Woodbridge ...	214 : 3, pt. of.	Wrexham	621 : 3, pt. of.		
Woodford ...	188 : 10, pt. of.	(M.B.)			
Wood Green ...	132 : 2.	Wrotham ...	48 : 2, pt. of.		
Woodhall Spa...	419 : 3, pt. of.				

CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN THE YEAR 1910.

Changes in Registration boundaries are made by order of the Registrar-General, with the consent of the Local Government Board. Those changes which affect the boundaries of Registration Districts are necessitated by changes in the boundaries of Poor Law Unions.

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Population.	
	Decreased by change.		Increased by change.			1901.	1911.
	Name.	No.	Name.	No.			
1910. 1 May	KENSINGTON - Kensington Town (abolished).	2 1	KENSINGTON - Brompton (re-named Kensington South (1)).	2 2	Kensington Civil Parish and Metropolitan Borough (part of), viz.: Earls Court Ward (part of). Holland Ward - - Queens Gate Ward (part of).	5,584 20,391 11,044	? 20,254 ?
"	KENSINGTON - Kensington Town (abolished).	2 1	KENSINGTON - Kensington Central (new sub- district).	2 2	Kensington Civil Parish and Metropolitan Borough (part of), viz.: Norland Ward - - Pembroke Ward -	23,449 19,325	21,208 18,619
"	KENSINGTON - Kensington Town (abolished).	2 1	KENSINGTON - Kensington North (new sub- district).	2 3	Kensington Civil Parish and Metropolitan Borough (part of), viz.: Golborne Ward - - St. Charles Ward -	26,307 21,937	25,588 22,779
1 Dec.	WHITECHAPEL - Mile End New Town.	18 2	WHITECHAPEL Spitalfields -	18 1	Mile End New Town (part of), viz.: Mile End New Town Ward, part of (Stepney Metro- politan Borough, part of).	12,615	10,741
"	18.—WHITECHAPEL: On this date Mile End New Town (2), as reduced, and Goodmans Fields (3) sub-districts were united and called Whitechapel (2).						
1 Aug.	GREENWICH - Deptford North	28 1	GREENWICH - Deptford Central (re-named Deptford East).	28 2	St. Paul, Deptford (part of), viz.: East Ward (part of) (part of Deptford Metropolitan Borough). St. Nicholas, Deptford, viz.: St. Nicholas, Dept- ford, Ward (part of Greenwich Metro- politan Borough).	6,007 7,321	? 7,291
"	GREENWICH - Deptford Central (re-named Deptford East)	28 2	GREENWICH - Deptford North	28 1	St. Paul, Deptford (part of), viz.: North Ward (part of) North West Ward (part of), (part of Deptford Metro- politan Borough).	5,554 19,165	? ?

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN
THE YEAR 1910—continued.

Date when change came into operation	DISTRICT and Sub-District.				Name of Parish transferred.	Population.	
	Decreased by change.		Increased by change.			1901.	1911.
	Name.	No.	Name.	No.			
1910. 1 Aug.	GREENWICH - Deptford Central (re-named Deptford East).	28 2	GREENWICH - Deptford South	28 3	St. Paul, Deptford (<i>part of</i>), viz.: South West Ward (<i>part of</i>). (<i>part of</i> Deptford Metro- politan Borough).	4,309	3,945
1 Dec.	HAMBLEDON - Witley - -	35 1	HAMBLEDON - Cranley - -	35 2	Hascombe - - -	415	393
1 Feb.	BROMLEY - - Bromley - -	42 1	BROMLEY - - Beckenham -	42 2	Beckenham (<i>part of</i>) -	66	68
"	BROMLEY - - Beckenham -	42 2	BROMLEY - - Bromley - -	42 1	Bromley (<i>part of</i>) - -	109	85
1 Dec.	DARTFORD - Bexley - -	43 1	BROMLEY - - Chislehurst -	42 4	Foots Cray (<i>part of</i>) -	1,103	1,868
1 June	BRIDGE - - Chartham -	57 1	CANTERBURY - Canterbury -	58 1	Thanington Within -	663	718
"	BLEAN - - Sturry - -	59 1	CANTERBURY - Canterbury -	58 1	Holy Cross, Westgate Without.	750	712
"					Christchurch - - -	203	151
"					St. Dunstan Within -	1,775	1,650
"					St. Gregory the Great -	1,207	1,132
"					Staplegate - - -	320	333
"					The Archbishop's Palace Precincts.	177	113
1 Nov.	SOUTH STONEHAM. South Stoneham.	100 2	SOUTH STONEHAM. St. Mary Extra	100 1	Bitterne - - - -	2,406	3,142
1 Aug.	BRENTFORD - Brentford -	128 4	BRENTFORD - Hanwell (new sub- district).	128 3	Twyford Abbey - -	87	126
"	BRENTFORD - Acton - -	128 6	BRENIFORD - Hanwell (new sub- district).	128 3	Greenford - - -	672	843
"					Hanwell - - -	10,438	19,131
"					Perivale - - -	60	95
1 Mar.	WARE - - Hoddesdon -	133 1	WARE - - Ware - -	133 3	Ware Urban (<i>part of</i>) -	341	?
1 Apr.	HEADINGTON - St. Clement -	152 2	HEADINGTON - Wheatley -	152 1	Beckley - - -	300	248
"					Horton cum Studley -	213	246
"					Stowood - - -	43	34
"					Studley - - -	60	52
"	212.—SAMFORD: On this date Capel St. Mary (1) and Holbrook (2) sub-districts were united and called Capel St. Mary (1).						
1 Feb.	DORCHESTER - Maiden Newton	264 3	DORCHESTER - Dorchester -	264 1	Dorchester St. Peter (<i>part of</i>).	Nil	?
1 Apr.	AXMINSTER - Axminster -	268 2	AXMINSTER - Colyton - -	268 4	Combpyne - - -	101	104
1 Sept.	268.—AXMINSTER: On this date Axminster (2) and Chardstock (3) sub-districts were united and called Axminster (2).						

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN
THE YEAR 1910—continued.

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Population.	
	Decreased by change.		Increased by change.			1901.	1911.
	Name.	No.	Name	No.			
1910. 1 Oct.	BROMYARD - Bromyard - (abolished).	339 1	BROMYARD - Bishops Frome	339 2	Felton - - - -	68	56
					Moreton Jeffries - -	40	60
					Stoke Lacy - - -	310	318
					Ullingswick - - -	281	251
"	BROMYARD - Bromyard - (abolished).	339 1	BROMYARD - Brockhampton (renamed Bromyard 2).	339 3	Bredenbury - - -	119	90
					Bromyard - - -	1,663	1,703
					Grendon Bishop - -	128	135
					Little Cowarne - -	151	160
					Pencombe with Grendon Warren.	300	280
					Wacton - - - -	111	121
					Winslow - - - -	372	412
1 June	KINGTON - - Radnor - -	341 2	KINGTON - - Kington - -	341 3	Lower Harpton - -	64	66
"	354.—MARKET DRAYTON: On this date Moreton Say (1) and Market Drayton (2) sub-districts were united and called Market Drayton (1).						
1 Nov.	WELLINGTON - Wombidge -	355 3	WELLINGTON - Wellington -	355 2	Preston on the Weald Moors.	231	228
1 May	STOKE UPON TRENT. Fenton - -	361 3	STOKE UPON TRENT. Stoke Rural -	361 5	Stoke Rural (part of) ..	4	5
1 Dec.	WALSALL - - Walsall - -	370 3	WALSALL - - Bloxwich - -	370 2	Walsall Civil Parish and County Borough (part of), viz.:— Leamore Ward (part of).	2,927	3,871
"	WALSALL - - Walsall - -	370 3	WALSALL - - Aldridge - -	370 4	Walsall Civil Parish and County Borough (part of), viz.:— Hatherton Ward (part of).	4,024	3,738
"	WALSALL - - Aldridge - -	370 4	WALSALL - - Bloxwich - -	370 2	Walsall Civil Parish and County Borough (part of), viz.:— Leamore Ward (part of).	174	721
"	WALSALL - - Aldridge - -	370 4	WALSALL - - Walsall - -	370 3	Walsall Civil Parish and County Borough (part of), viz.:— Paddock Ward (part of).	Nil	Nil.
1 Aug.	ASTON - - Duddesdon -	385 3	ASTON - - Deritend - -	385 1	Aston (part of), viz.:— St. Bartholomew's Ward (part of). City of Birmingham (part of),	1,103	981
1 Apr.	WARWICK - - Warwick - -	393 1	WARWICK - - Kenilworth -	393 3	Guy's Cliffe - - -	20	17
"	ALCESTER - - Feckenham -	395 1	ALCESTER - - Alcester - -	395 2	Weethley - - - -	33	21

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN
THE YEAR 1910—*continued*.

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Population.	
	Decreased by change.		Increased by change.			1901.	1911.
	Name.	No.	Name.	No.			
1910.							
1 Apr.	LEICESTER - North West Leicester.	407 1	LEICESTER - North East Leicester.	407 2	Leicester Civil Parish and County Borough (<i>part of</i>), viz.:— Charnwood Ward (<i>part of</i>).	912	?
"	LEICESTER - North East Leicester.	407 2	LEICESTER - South Leicester	407 3	Leicester Civil Parish and County Borough (<i>part of</i>), viz.:— De Montfort Ward (<i>part of</i>). Knighton Ward (<i>part of</i>).	534 3,008	489 ?
"	LEICESTER - South Leicester	407 3	LEICESTER - North East Leicester.	407 2	Leicester Civil Parish and County Borough (<i>part of</i>), viz.:— Charnwood Ward (<i>part of</i>). Wycliffe Ward (<i>part of</i>).	1,693 2221	? 1,856
1 Feb.	BOSTON - - - Kirton - - -	415 1	BOSTON - - - Benington - -	415 2	Copping Syke (<i>part of</i>) -	Nil	Nil.
"	BOSTON - - - Kirton - - -	415 1	BOSTON - - - Boston - - -	415 3	Skirbeck (<i>part of</i>) - -	Nil	Nil.
"	BOSTON - - - Benington - -	415 2	BOSTON - - - Kirton - - -	415 1	Kirton (<i>part of</i>) - -	9	7
"	GAINSBOROUGH Gainsborough -	425 3	GAINSBOROUGH Misterton -	425 2	East Stockwith - - - Walkerith - - -	366 78	374 80
1 Oct.	MANSFIELD - Pleasley - - (re-named Shirebrook).	428 2	MANSFIELD - Sutton in Ashfield.	428 4	Teversall - - - -	473	465
1 Feb.	SHARDLOW - Melbourne -	434 2	SHARDLOW - Shardlow -	434 3	Sinfin Moor (<i>part of</i>) -	30	19
1 Dec.	MACCLESFIELD - Sutton - - - (abolished).	444 5	MACCLESFIELD - Macclesfield -	444 4	Macclesfield (<i>part of</i>) -	4,887	4,862
"	MACCLESFIELD - Sutton - - - (abolished).	444 5	MACCLESFIELD - Gawsworth -	444 6	Sutton - - - - Wildboardclough - - Wincle - - - -	1,294 200 261	1,257 182 248
1 Oct.	CHESTER - - - Chester Castle	450 2	CHESTER - - - Chester Cathedral.	450 3	Chester (<i>part of</i>), viz.:— Trinity Ward (<i>part of</i>) City of Chester (<i>part of</i>).	Nil	?
1 Apr.	462.—BURY: On this date Ramsbottom (1) and Tottington (2) sub-districts were united and called Ramsbottom (1).						
"	LEEDS - - - North Leeds -	500 2	LEEDS - - - Chapelton - - (re-named North East Leeds).	500 5	Leeds Civil Parish and County Borough (<i>part of</i>), viz.:— North East Ward (<i>part of</i>).	22,874	?
"	LEEDS - - - West Leeds -	500 3	LEEDS - - - North Leeds -	500 2	Leeds Civil Parish and County Borough (<i>part of</i>), viz.:— Central Ward (<i>part of</i>)	273	183

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN
THE YEAR 1910—*continued*.

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Population.	
	Decreased by change.		Increased by change.			1901.	1911.
	Name.	No.	Name.	No.			
1910. 1 Apr.	LEEDS - - Chapelton - (re-named North East Leeds).	500 5	LEEDS - - North Leeds -	500 2	Leeds Civil Parish and County Borough (<i>part</i> <i>of</i>) viz.:— North Ward (<i>part of</i>)	21,696	25,788
"	LEEDS - - Chapelton - (re-named North East Leeds).	500 5	LEEDS - - West Leeds -	500 3	Leeds Civil Parish and County Borough (<i>part</i> <i>of</i>), viz.:— Brunswick Ward (<i>part</i> <i>of</i>), North West Ward (<i>part of</i>).	2,629 86	? ?
"	LEEDS - - Chapelton - (re-named North East Leeds).	500 5	LEEDS - - Kirkstall -	500 4	Leeds Civil Parish and County Borough (<i>part</i> <i>of</i>), viz.:— Headingley Ward (<i>part of</i>).	1,224	1,866
17 Oct.	DONCASTER - Bawtry -	512 5	DONCASTER - Doncaster -	512 3	Wheatley - - -	3,580	5,363
1 Jan.	524.—SKIRLAUGH: On this date Skirlaugh (2) and Aldbrough (3) sub-districts were united and called Skirlaugh (2).						
1 Oct.	MIDDLESBROUGH Middlesbrough (abolished).	535 1	MIDDLESBROUGH Ormesby -	535 1	Marton - - - -	819	1,239
"	MIDDLESBROUGH Middlesbrough (abolished).	535 1	MIDDLESBROUGH Middlesbrough East (new sub- district).	535 2	Middlesbrough Civil Parish and County Borough (<i>part of</i>), viz.:— Exchange Ward - Grove Hill Ward - Linthorpe Ward - Vulcan Ward -	9,302 3,993 7,319 9,647	8,828 8,277 9,122 9,090
"	MIDDLESBROUGH Middlesbrough (abolished).	535 1	MIDDLESBROUGH Middlesbrough West (new sub- district).	535 3	Middlesbrough Civil Parish and County Borough (<i>part of</i>), viz.:— Acklam Ward - Ayresome Ward - Cannon Ward - Cleveland Ward - Newport Ward - St. Hilda's Ward -	5,931 4,570 13,029 11,100 11,505 14,906	10,751 11,921 11,423 10,722 11,593 13,060
"	MIDDLESBROUGH Middlesbrough (abolished).	535 1	MIDDLESBROUGH Thornaby -	535 4	Linthorpe - - - West Acklam - - -	417 130	438 140
1 Dec.	DURHAM - - St. Oswald - (re-named Brandon).	551 1	DURHAM - - St. Nicholas - (re-named Durham).	551 2	Crossgate - - - Elvet - - - - Framwellgate - Nevilles Cross - St. Oswald's -	3,852 3,823 3,049 858 537	4,723 3,934 3,235 962 631

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

CHANGES IN REGISTRATION DISTRICTS AND SUB-DISTRICTS IN
THE YEAR 1910—*continued.*

Date when change came into operation.	DISTRICT and Sub-District.				Name of Parish transferred.	Population.	
	Decreased by change.		Increased by change.			1901.	1911.
	Name.	No.	Name.	No.			
1910. 1 Feb.	SOUTH SHIELDS South Shields -	556 1	SOUTH SHIELDS Jarrow - -	556 2	Monkton (<i>part of</i>) - -	92	66
"	NEWPORT - - Rogerstone -	587 3	NEWPORT - - Newport - -	587 2	Newport (<i>part of</i>) - -	Nil	Nil
1 Sept.	LLANELLY - - Loughor - -	596 1	LLANELLY - - Llanelly Rural (new sub-district).	596 2	Llanelly Rural (<i>part of</i>) -	3,044	?
"	LLANELLY - - Loughor - -	596 1	LLANELLY - - Llannon - -	596 5	Langennech - - -	2,224	2,619
"	LLANELLY - - Llanelly - - (re-named Llanelly Urban) (3).	596 2	LLANELLY - - Llanelly Rural (new sub-district).	596 2	Llanelly Rural (<i>part of</i>) -	4,599	?
"	LLANELLY - - Llannon - -	596 5	LLANELLY - - Llanelly Rural (new-sub-district).	596 2	Llanelly Rural (<i>part of</i>) -	1,311	?
1 Apr.	FORDEN - - Montgomery -	617 1	FORDEN - - Welshpool -	617 3	Brithdir - - - -	86	80

NOTE.—The entries are arranged in the numerical order of the Registration Districts from which areas have been transferred.

ALPHABETICAL INDEX

TO THE
REGISTRAR-GENERAL'S SEVENTY-THIRD ANNUAL
REPORT.

ENGLAND AND WALES.

(1910.)

	PAGES		PAGES
ABORTION, MISCARRIAGE ...	lxxiv	AMERICA, Vital Statistics of ...	
Deaths at Ages ...	305	(See Canada, Province of	
in London ...	325	Ontario; United States.)	
Deaths ...	384	ANÆMIA, LEUCOCYTHÆMIA:	
in Counties ...	384-390	Deaths by Sexes at Ages ...	296, 297
1891-1910 ...	32, 60	in London ...	316, 317
per million living ...	33, 61	Deaths by Sexes ...	356
ABSCESS:		in Counties ...	356-362
Deaths by Sexes at Ages ...	306, 307	1891-1910 ...	26, 40, 54
in London ...	326, 327	per million living ...	27, 41, 55
Deaths by Sexes ...	391	ANÆSTHETICS, Deaths under	
in Counties ...	391-397	by Sexes at Ages ...	449, 457
1891-1910 ...	34, 48, 62	ANASARCA. (See Dropsy.)	
per million living ...	35, 49, 63	ANEURYSM:	
ACCIDENTAL DEATHS ...	lxxvii	Deaths by Sexes at Ages ...	300, 301
by Sexes at Ages from Various		in London ...	320, 321
Causes ...	441-459	Deaths by Sexes ...	370
(See also the Kinds of Acci-		in Counties ...	370-376
dent.)		1891-1910 ...	28, 42, 56
AGE CONSTITUTION:		per million living ...	29, 43, 57
of Population ...	xiii, 108	ANGINA PECTORIS ...	lxxi
in certain British Colonies		Deaths by Sexes at Ages ...	298, 299
and foreign countries ...	108, 109	in London ...	318, 319
of persons married ...	xvi, xvii	Deaths by Sexes ...	363
AGES at DEATH. (See Deaths.)		in Counties ...	363-369
AGES at MARRIAGE. (See Mar-		1891-1910 ...	28, 42, 56
riages.)		per million living ...	29, 43, 57
ALBUMINURIA. (See Bright's		ANTHRAX (SPLENIC FEVER):	
Disease.)		Deaths by Sexes at Ages ...	292, 293
ALCOHOLISM AND CIRRHOSIS OF		in London ...	312, 313
LIVER ...	lix	Deaths by Sexes ...	342
ALCOHOLISM, DELIRIUM TRE-		in Counties ...	342-348
MENS ...	lix	1891-1910 ...	22, 36, 50
Deaths by Sexes at Ages ...	294, 295	per million living ...	23, 37, 51
in London ...	314, 315	APOPLEXY, HEMIPLEGIA ...	lxxi
Deaths by Sexes ...	349	Deaths by Sexes at Ages ...	300, 301
in Counties ...	349-355	in London ...	320, 321
1891-1910 ...	24, 38, 52	Deaths by Sexes ...	370
per million living ...	25, 39, 53	in Counties ...	370-376
Deaths per million living, in		1891-1910 ...	28, 42, 56
quinquennia 1876-1910...	21	per million living ...	29, 43, 57

	PAGES		PAGES
APPENDICITIS, PERITYPHLITIS	lxxii	ATROPHY, DEBILITY— <i>continued</i> .	
Deaths by Sexes at Ages	... 302, 303	Mortality at ages under five :	
in London	... 322, 323	by Sexes	... 74-79
Deaths by Sexes	... 377	in Urban and Rural Coun-	
in Counties	... 377-383	ties	... 80-83
1901-1910	... 30, 44, 58	1905-1909, 1910	... 84
per million living	... 31, 45, 59	Mortality of Legitimate and	
		Illegitimate Infants	... 85
AREA of :		(<i>See also</i> Wasting Diseases.)	
Channel Islands	... 92	AUSTRALIAN COMMONWEALTH :	
England and Wales	... 2, 206	Vital Statistics of, 1881-	
Ireland	... 3	1910	... lxxxiv, 108, 110, 116
Isle of Man	... 92	AUSTRIA, Vital Statistics of,	
Registration Counties	... 206, 208	1881-1910	... lxxxiv, 109, 111, 128
Registration Districts and			
Sub-Districts	... 146-205	AUTHORISED PERSONS, Mar-	
Scotland	... 3	riages before :	
United Kingdom	... 2	in Counties	... 206, 208
ARMY, Strength and Mortality		per 1,000 marriages, 1861-	
of, 1871-1910	... lxxxiii, 93	1910	... 8
ARSENICAL and OTHER POISON-		in London	... 9
ING (INDUSTRIAL) :		in Counties, 1910	... 12
Deaths by Sexes at Ages	... 294, 295	No. of buildings for mar-	
in London	... 314, 315	riages by	... xxi
Deaths by Sexes	... 349		
in Counties	... 349-355		
1901-1910	... 26, 40, 54		
per million living	... 27, 41, 55		
ARTHRITIS, PERIOSTITIS :		BANNS (<i>See</i> Marriages, Manner	
Deaths by Sexes at Ages	... 304, 305	of Solemnization.)	
in London	... 324, 325	BAPTISTS :	
Deaths by Sexes	... 384	No. of buildings for solemniza-	
in Counties	... 384-390	tion of marriage	... xx, 7
1891-1910	... 32, 46, 60	by authorised person	... xxi
per million living	... 33, 47, 61	BATHING. (<i>See</i> Drowning.)	
Rheumatoid. (<i>See</i> Rheuma-		BATTLE :	
toid Arthritis.)		Deaths from wounds in,	
ASCITES. (<i>See</i> Dropsy.)		1897-1910	... 34, 48
ASTHMA, EMPHYSEMA :		per million living	... 35, 49
Deaths by Sexes at Ages	... 300, 301	BEDSORE. (<i>See</i> Ulcer.)	
in London	... 320, 321	BEEF, Prices of, 1861-1910	... 95
Deaths by Sexes	... 370	BELGIUM, Vital Statistics of,	
in Counties	... 370-376	1881-1910	... lxxxiv, 109, 111, 134
1891-1910	... 30, 44, 58	BIRTHS	... xxiii
per million living	... 31, 45, 59	by Sexes :	
ASYLUMS FOR THE INSANE :		1861-1910	... 4
Deaths in	... lxxxix, 225-276	in Counties	... 144, 145
ATELECTASIS :		in Registration Districts and	
Deaths by Sexes at Ages	... 296, 297	Sub-districts	... 146-205
in London	... 316, 317	in Isle of Man and Channel	
Deaths by Sexes	... 356	Islands, 1886-1910	... 92
in Counties	... 356-362	in several Countries, 1881-	
1891-1910	... 26, 40, 54	1910	... lxxxvi, 112-140
per million living	... 27, 41, 55	in United Kingdom	... lxxxii
ATROPHY, DEBILITY :		at sea	... lxxxiv
Deaths by Sexes at Ages	... 306, 307	total on Register, 1861-1910	... 91
in London	... 326, 327	excess over deaths. (<i>See</i>	
per 1,000 births in Urban		Natural Increase.)	
and Rural Counties	... xxxiv	legitimate and illegitimate :	
Deaths by Sexes	... 391	1861-1910	... 4
in Counties	... 391-397	in Counties	... 144, 145
1891-1910	... 34, 48, 62	in Registration Districts	
per million living	... 35, 49, 63	and Sub-districts	... 146-205
at ages, 1910	... xxxiii		

	PAGES
BIRTH-RATES:	
1861-1910	5
in Groups of Years, 1838-1910	6
in quarters	6
in Counties, 1900-1909, 1910...	14
in several Countries:	
1881-1910... ..lxxxvi,	110-140
in quinquennia, 1881-	
1910; 1909, 1910 ...	lxxxvi
in United Kingdom... ..	lxxxii
legitimate	
to 1,000 living:	
1861-1910... ..	5
in Groups of Years, 1838-	
1910	6
to 1,000 married women	
aged 15-45	lxxxvii
in several Countries,	
1880-2 to 1900-2 ...	lxxxvii
illegitimate	xxiv
to 1,000 living:	
1861-1910... ..	5
1876-1910... ..	xxv
in Groups of Years, 1838-	
1910	6
in 1,000 births:	
1861-1910... ..	5
1876-1910... ..	xxv
in Groups of Years, 1838-	
1910	6
in Counties, 1900-1909,	
1910	14
to 1,000 unmarried females	
aged 15-45	lxxxviii
in Counties, 1870-2 to	
1900-2	xxiv, xxvi
in several Countries,	
1880-2 to 1900-2 ...	lxxxviii
Sex proportions	xxiii
male births to 1,000 female	
births:	
1861-1910... ..	5
in Counties, 1900-1909,	
1910	14
in Groups of Years, 1838-	
1910	6
BLADDER AND PROSTATE,	
Diseases of:	
Deaths by Sexes at Ages ...	302, 303
in London	322, 323
Deaths by Sexes	377
in Counties	377-383
1891-1910	32, 46, 60
per million living ...	33, 47, 61
BLOOD VESSELS, Diseases of ...	lxxi
Deaths by Sexes at Ages ...	288, 289
300, 301	
in London	308, 309, 320, 321
Deaths by Sexes	328, 370
in Counties	328-334, 370-376
1891-1910	28, 42, 56
per million living ...	29, 43, 57
(See also Heart and Blood	
Vessels.)	
BONES, Diseases of. (See Loco-	
motor System.)	

	PAGES
BRAIN, Inflammation of. (See	
Meningitis.)	
BRAIN, Softening of. (See	
Softening of Brain.)	
BRAIN TUMOUR (not Specific).	
Deaths by Sexes at Ages ...	298, 299
in London	318, 319
Deaths by Sexes	363
in Counties	363-369
1901-1910	28, 42, 56
per million living ...	29, 43, 57
BREAST MILK, Want of. (See	
Want of Breast Milk.)	
BRIGHT'S DISEASE, ALBU-	
MINURIA	lxxiii
Deaths by Sexes at Ages ...	302, 303
in London	322, 323
Deaths by Sexes	377
in Counties	377-383
1891-1910	32, 46, 60
per million living ...	33, 47, 61
BRIGHT'S DISEASE and ACUTE	
NEPHRITIS	lxxiii
Deaths per million living in	
quinquennia, 1876-1910...	21
BRITISH COLONIES:	
Birth and Death-rates, 1881-	
1910	110
(See also Names of Colonies.)	
BRONCHITIS	lxxii
Deaths by Sexes at Ages ...	300, 301
in London	320, 321
Percentage of deaths at each	
age to those at all ages ...	lii
Deaths by Sexes	370
in Counties	370-376, 398-409
per million living ...	66-71
1891-1910	30, 44, 58
per million living ...	31, 45, 59
Deaths per million living:	
by Sexes at Ages, 1901-	
1910	lii
in quinquennia, 1876-1910	
Deaths in Registration Dis-	
tricts	410-440
Deaths under one to 1,000	
births in Counties ...	88
Mortality at Ages under five:	
by Sexes	74-79
1905-1909, 1910	84
in Urban and Rural	
Counties	80-83
Mortality of Legitimate and	
Illegitimate Infants ...	85
Deaths under five to 1,000	
living in Counties ...	89
BRONCHITIS and PNEUMONIA	li
Diagram of ratio of Male to	
Female Mortality from...	liv
Infantile Mortality per 1,000	
births at Ages in Urban	
and Rural Counties ...	xxxiv
Ratio of Male to Female Mor-	
tality at Age Groups,	
1901-1910... ..	lv

	PAGES
BRONCHITIS and PNEUMONIA— <i>continued.</i>	
Reduction in infantile Mor- tality 1910 as compared with 1905–1909	xxxii
BRONCHO - PNEUMONIA. (<i>See</i> Pneumonia.)	
BUILDING OPERATIONS :	
Deaths at Ages	306, 441
in London	326
from Various Causes	446
Deaths	391
in Counties	391–397
1901–1910	34, 48
per million living	35, 49
BUILDINGS :	
Certified for Religious Wor- ship	xx
Registered for Solemnization of Marriage	xx, 7
in Counties	7
BULGARIA, Vital Statistics of, 1881–1910	lxxxiv, 109, 111, 131
BURNS, SCALDS, CONFLAGRA- TIONS, EXPLOSIONS :	
Deaths by Sexes at Ages	306, 307
in London	326, 327
Accident	441, 453
from Various Causes	447, 456
Manslaughter	465
Murder	463
Suicide	460, 461
Deaths by Sexes	391
in Counties	391–397
1901–1910	34, 48, 62
per million living	35, 49, 63
(<i>See also</i> Mines, &c., Railways and Ships and Boats.)	
CALCULUS (not Biliary) :	
Deaths by Sexes at Ages	302, 303
in London	322, 323
Deaths by Sexes	377
in Counties	377–383
1891–1910	32, 46, 60
per million living	33, 47, 61
CALVINISTIC METHODISTS :	
No. of buildings for solem- nization of marriage	xx, 7
by authorised persons	xxi
CANADA, Province of Ontario :	
Vital Statistics of 1881–1910 lxxxiv, 110, 118	
CANCER	lix
Deaths by Sexes at Ages	296, 297
in London	316, 317
per million living, 1905– 1909, 1910	1xi
in Urban and Rural Counties	lx

	PAGES
CANCER— <i>continued.</i>	
Deaths by Sexes at Ages— <i>continued.</i>	
Increase in	1x
showing parts of body af- fected, 1901–1910	lxii–lxv
per million living	lxvi, lxvii
per cent. of total deaths at each age	lxviii
Deaths by Sexes	356
in Counties	356–362, 398–409
per million living	66–71
1891–1910	26, 40, 54
per million living	27, 41, 55
1905–1909, 1910	1x
in Urban and Rural Counties	1x
Deaths :	
in Registration Districts	410–440
per million living in quin- quennia, 1876–1910	21
in several Countries :	
1881–1910... ..	112–141
per 1,000 living in quinquennia, 1881– 1886 to 1906–1910, 1909, 1910	xviii
Diagrams of corrected death rates at all ages :	
1860–1909 ... (<i>facing p. 1x</i>)	
showing parts of body affected ... 1897–1910, 1xix, 1xx	
CARBUNCLE. (<i>See</i> Phlegmon.)	
CARCINOMA. (<i>See</i> Cancer.)	
CARIES, NECROSIS :	
Deaths by Sexes at Ages	304, 305
in London... ..	324, 325
Deaths by Sexes	384
in Counties	384–390
1891–1910	32, 46, 60
per million living	33, 47, 61
CATHOLIC APOSTOLIC CHURCH:	
Number of buildings for solemnization of marriage	xx, 7
CAUSES of DEATH	xxxviii
Certification of	lxxviii
Diagram of Principal	xxxix
showing greatest increases or decreases 1876–80–1910	xl
Ill-defined or not specified	lxxvi
Inquiries concerning... ..	lxxvi
List of	22
Manual of the International List of	vii
(<i>See also</i> Deaths, and Names of Diseases, &c.)	
CENTENARIANS, Deaths of	xxxvi
CEREBRAL HÆMORRHAGE, CE- REBRAL EMBOLISM	lxxi
Deaths by Sexes at Ages	300, 301
in London	320, 321
Deaths by Sexes	370
in Counties	370–376
1901–1910	28, 42, 56
per million living	29, 43, 57

	PAGES		PAGES
CEREBRO-SPINAL FEVER ...	xlvi	CHILI, Vital Statistics of, 1881-1910 ...	lxxxiv, 111, 140
Deaths by Sexes at Ages ...	290, 291	CHOLERA : (<i>see</i> Diarrhoea, and Diarrhoeal Diseases).	
in London ...	310, 311	CHOLERA, Asiatic :	
Deaths by Sexes ...	335	1891-1910 ...	22, 36, 50
in Counties ...	335-341	per million living ...	23, 37, 51
1891-1910 ...	22, 36, 50	Deaths in several countries, 1881-1910...	112-141
per million living ...	23, 37, 51	CHOREA :	
CERTIFICATES ...	xcix	Deaths by Sexes at Ages ...	298, 299
Fees received for, 1861-1910 ...	91	in London ...	318, 319
Number issued, 1866-1910 ...	c	Deaths by Sexes ...	363
CERTIFICATION of CAUSES of DEATH ...	lxxviii	in Counties ...	363-369
CERTIFIED PLACES of WORSHIP ...	xx	1891-1910 ...	28, 42, 56
CEYLON, Vital Statistics of, 1881-1909 ...	lxxxiv, 110, 119	per million living ...	29, 43, 57
CHANGES in REGISTRATION DISTRICTS and SUB-DIS- TRICTS ...	491-496	CHURCH, Established :	
CHANGE in form of PUBLICA- TION, for future Reports ...	vi	Marriages according to Rites of :	
CHANNEL ISLANDS :		in 1,000 Marriages :	
Area and Population ; Births and Deaths, 1886-1910 ...	92	1851-1910 ...	xxi, xxii
CHAPELS, Numbers Registered for Solemnization of Mar- riage ...	xx	in Counties ...	206, 208
in Registration Counties ...	7	in 1,000 Marriages :	
CHICKEN-POX :		1861-1910 ...	8
Deaths by Sexes at Ages ...	290, 291	in London ...	9
in London ...	310, 311	in Counties ...	12
Deaths by Sexes ...	335	Numbers for Solemnization of Marriages in Registra- Counties ...	7
in Counties ...	335-341	CIRRHOSIS OF LIVER ...	lix
1891-1910 ...	22, 36, 50	Deaths by Sexes at Ages ...	302, 303
per million living ...	23, 37, 51	in London ...	322, 323
Mortality at ages under five :		Deaths by Sexes ...	377
by Sexes ...	74-79	in Counties ...	377-383
1905-1909, 1910 ...	84	1891-1910 ...	30, 44, 58
in Urban and Rural Coun- ties ...	80-83	per million living ...	31, 45, 59
Mortality of Legitimate and Illegitimate Infants ...	85	Deaths per million living, in quinquennia, 1876-1910 ...	21
CHILDBIRTH and PREGNANCY, Accidents of ...	lxxiii	CIVIL MARRIAGES. (<i>See</i> Mar- riages.)	
Deaths at Ages ...	289, 305	COAL MINES, Violent Deaths in at Ages, from Various Causes ...	441, 442
in London ...	309, 325	COAL, Prices of, 1873-1910 ...	95
Deaths ...	328, 384	COLD, Exposure to (<i>See</i> Weather Agencies).	
in Counties ...	328-334, 384-390	COLONIAL VITAL STATISTICS. (<i>See</i> International Vital Statistics.)	
1891-1910 ...	32, 60	CONFLAGRATIONS. (<i>See</i> Burns.)	
per million living ...	33, 61	CONGENITAL DEFECTS, HYDRO- CEPHALUS :	
Deaths from other Causes, associated with Child- birth ...	lxxiv	Deaths by Sexes at Ages ...	296, 297
(<i>See also</i> Puerperal Septic Diseases.)		in London ...	316, 317
CHILD MORTALITY, (Deaths under five) :		Deaths by Sexes ...	356
per 1,000 living in Counties ...	89	in Counties ...	356-362
at Ages, from various Causes :		1891-1910 ...	26, 40, 54
by Sexes ...	74-79	per million living ...	27, 41, 55
1905-1909, 1910 ...	84	per 1,000 births :	
in Urban and Rural Coun- ties ...	80-83	in Urban and Rural Counties ...	xxxiv
		Deaths per million living, in quinquennia, 1876-1910 ...	21
		Mortality at Ages under five :	
		by Sexes ...	74-79

	PAGES		PAGES
CONGENITAL DEFECTS, HYDRO- CEPHALUS— <i>continued</i> .		CROUP :	
Mortality at ages under five— <i>continued</i> .		Deaths by Sexes at Ages...xlili, 300, 301	
1905-1909, 1910	84	in London	320, 321
in Urban and Rural		Deaths by Sexes	370
Counties	80-83	in Counties	370-376
Mortality of Legitimate and		1891-1910	30, 44, 58
Illegitimate Infants	85	per million living	31, 45, 59
CONGENITAL HYDROCEPHALUS.		Deaths per million living, in	
(See Congenital Defects.)		quinquennia, 1876-1910	21
CONGREGATIONALISTS :		(See also Diphtheria and	
No. of buildings for solemniza-		Croup.)	
tion of marriage	xx, 7		
by authorised person	xxi		
CONSOLS, Prices of, 1861-1910	95	DEATHS	xxvii
CONVICTIONS for Offences		Diagram of :	
against the Registration		Principal Causes	xxxix
Acts... ..	xcix	Increase or Decrease in 1910	
CONVULSIONS	lxxi	compared with 1876-1880	xl
Deaths by Sexes at Ages	298, 299	from Various Causes	xxxviii
in London	318, 319	by Sexes at Ages	290-307
per 1,000 births in Urban		(Summary)	288, 289
and Rural Counties	xxxiv	in London	310-327
Deaths by Sexes	363	(Summary)	308, 309
in Counties	363-369	by Sexes :	
1891-1910	28, 42, 56	in Counties	335-397
per million living	29, 43, 57	(Summary)	328-334
Mortality at Ages under five :		1891-1910... ..	22-62
by Sexes	74-79	per million living	23-63
1905-1909, 1910	84	in Registration Districts	410-440
in Urban and Rural		to a million from all	
Counties	80-83	Causes	90
Mortality of Legitimate and		by Sexes at Ages	xxxix, 278
Illegitimate Infants	85	in Counties	280-286
Puerperal. (See Puerperal		by Sexes :	
Convulsions.)		in Counties	144, 145
Reduction in Infantile Mor-		1861-1910	4
tality from 1905-1909,		in Registration Districts	
1910	xxxii	and Sub-Districts	146-205
CONVULSIONS and MENINGITIS :		classification of causes of	vii
Deaths under one to 1,000		distribution of Deaths	vi
births in Counties	88	in Army at Home and Abroad	
Deaths under five to 1,000		1871-1910	lxxxiii, 93
living in Counties	89	in Public Institutions, lxxxix, 225-276	
CORD. (See Spinal Cord.)		in Merchant Service, 1891-	
CORONERS :		1910	lxxxiv, 94
Proportion of uncertified		in Navy... ..	lxxxiv, 93
deaths reported to lxxxviii-lxxx		in Channel Islands and Isle	
(See also Inquests.)		of Man, 1886-1910	92
COUNTESS OF HUNTINGDON'S		in several Countries, 1881-	
CONNEXION :		1910	lxxxviii, 112-141
No. of buildings for solemniza-		in United Kingdom	lxxxii
tion of marriage... ..	xx, 7	at Sea	lxxxiv
COUNTRY DISTRICTS. (See		per cent. of total in Counties :	
Rural.)		certified by Registered	
COWPOX. (See Vaccination.)		Medical Practitioners	lxxxix
CRETINISM, footnote	32, 46, 60	certified by Coroners after	
		Inquest... ..	lxxxix
		uncertified	lxxxix
		per cent. of total Certified,	
		Inquests, or uncertified,	
		1901-1910... ..	lxxxviii
		total on Register, 1861-1910	91
		(See also Causes of Death,	
		&c.)	
		DEATH-RATES :	
		Diagram of :	
		inquennia, 1838-1910... ..	xxviii

	PAGES		PAGES
DEATH-RATES— <i>continued.</i>		DELIRIUM TREMENS. (<i>See</i> Alcoholism.)	
before and after correction :		DENMARK, Vital Statistics of,	
in Several Countries ...	xc	1881-1910	lxxxiv, 108, 110, 121
1905-1910 in selected Urban		DENOMINATIONS, Various :	
and Rural Counties ...	xxxvii	Buildings for Solemnization	
to 1,000 living :		of Marriage ...	xx, 7
in Counties, 1900-1909,		DIABETES MELLITUS ...	lxx
1910 ...	14	Deaths by Sexes at Ages ...	296, 297
in England and Wales		in London ...	316, 317
and in selected Urban		Deaths by Sexes ...	356
and Rural Counties,		in Counties ...	356-362
1905-1909, 1910, at		1891-1910 ...	26, 40, 54
Ages ...	xxxvii	per million living	27, 41, 55
by Sexes at 12 groups of		Deaths per million living in	
Ages :—		quinquennia, 1876-1910	21
in Counties ...	19, 20	DIARRHŒA ...	xlix
1861-1910 ...	15, 16, 17	Deaths by Sexes at Ages ...	290, 291
in groups of years, 1838-		in London ...	310, 311
1910 ...	18	Deaths by Sexes in Counties	335-341,
by Sexes :—			398-409
1861-1910 ...	5	in Registration Districts ...	410-440
corrected for Sex and		per million living	66-71
Age constitution, 1838-		1891-1910 ...	22, 36, 50
1910 ...	xxix, 16, 17	per million living	23, 37, 51
in groups of years, 1838-		Deaths per million living :	
1910 ...	6	in quinquennia, 1876-1910	21
in Counties, 1900-1909,		1861-1910 and in groups of	
1910 ...	14	years, 1838-1910 ...	64
in each quarter in groups		in London ...	65
of years 1838-1910 ...	6	in several Countries, 1881-	
analysis of excess of male over		1910 ...	112-141
female mortality ...	xxx	per million living in Coun-	
from Various Causes to a		ties, 1900-1909, 1910 ...	73
million living :		DIARRHŒAL DISEASES... ..	xlix
in quinquennia, 1876-1910...	21	Deaths by sexes at ages in	
by Sexes, 1891-1910 ...	23-63	Urban and Rural Counties	xxxiv
in Counties, 1910 ...	66-71	Deaths under one to 1,000	
of Infants under one year.		births in Counties ...	88
(<i>See</i> Infantile Mortality.)		Deaths under five to 1,000	
of Children under five years.		living in Counties ...	89
(<i>See</i> Child Mortality.)		Mortality at Ages under five :	
in Army at Home and Abroad	lxxxiii	by Sexes ...	1, 74-79
1871-1910... ..	93	1905-1909, 1910 ...	84
in Merchant Service ...	lxxxiv, 94	in Urban and Rural	
from Disease and from		Counties ...	1, 80-83
Violence, 1891-1910 ...	94	Mortality of Legitimate and	
in Navy ...	lxxxiv, 93	Illegitimate Infants ...	85
from Disease and from		Reduction in Infantile	
Violence, 1871-1910 ...	93	Mortality from 1905-09,	
in several Countries :		1910 ...	xxxii
1881-1910 ...	lxxxviii, 110-141	DIGESTIVE SYSTEM, Diseases of:	
by Sexes in 11 groups of		Deaths by Sexes at Ages ...	288, 289
Ages ...	xc, xcii		302, 303
in quinquennia, 1881-1910,		in London ...	308, 309, 322, 323
1909, 1910 ...	lxxxix	Deaths by Sexes ...	328, 377
in United Kingdom ...	lxxxii	in Counties ...	328-334, 377-383
Sex proportions ...	xxix	1891-1910 ...	30, 44, 58
Male to Female rate :		per million living	31, 45, 59
1861-1910... ..	5	(<i>See also</i> Enteritis, Hernia,	
in groups of years, 1838-		&c.)	
1910 ...	6		
DEBILITY. (<i>See</i> Atrophy, De-			
bility.)			
DEFECTS, Congenital. (<i>See</i> Con-			
genital Defects.)			

	PAGES		PAGES
ENTERIC FEVER... ..	xlvi	EPILEPSY— <i>continued.</i>	
Areas of excessive mortality	lxviii	Deaths by Sexes	363
Deaths by Sexes at Ages ...	290, 291	in Counties	363-369
in London	310, 311	1891-1910	28, 42, 56
per million living 1905-		per million living ...	29, 43, 57
1909, 1910, in Select-		Deaths per million living in	
ed Urban and Rural		quinquennia, 1876-1910...	21
Counties	xlix		
Deaths by Sexes	335	EPISTAXIS. (<i>See</i> Nose, Diseases	
per million living 1905-		of.)	
1909, 1910, in Select-			
ed Urban and Rural		ERYSIPELAS :	
Counties	xlvi	Deaths by Sexes at Ages ...	292, 293
in Counties	335-341, 398-409	in London	312, 313
per million living	66-71	Deaths by Sexes	342
1891-1910	22, 36, 50	in Counties	342-348
per million living ...	23, 37, 51	1891-1910	24, 38, 52
Deaths—		per million living ...	25, 39, 53
in Metropolitan Asylums		Mortality at Ages under five :	
Board Hospitals, and		Deaths per million living in	
admissions thereto, in		quinquennia, 1876-1910...	21
quinquennia, 1876-		by Sexes	74-79
1910	xlvi	1905-1909, 1910	84
in Registration Districts ...	410-440	in Urban and Rural	
in several Countries, 1881-		Counties	80-83
1910	112-141	Mortality of Legitimate and	
per 1,000 living in quin-		Illegitimate Infants	85
quennia, 1881-1886,			
to 1906-1910, 1909,		ESTABLISHED CHURCH. (<i>See</i>	
1910	xcvii	Church.)	
per million living :		EXCAVATIONS. (<i>See</i> Mines and	
in Counties, 1900-1909, 1910	73	Quarries.)	
in quinquennia, 1876-1910	21		
1861-1910, and in groups of		EXECUTION	lxxvii
years, 1838-1910	64	Deaths by Sexes at Ages ...	306
in London	65	in London	326
Diagram of, 1869-1910 ...	xlvi	Deaths by Sexes	391
		in Counties	391-397
		1891-1910	34, 48, 62
		per million living ...	35, 49, 63
ENTERITIS (Not Epidemic) ...	xlix		
Deaths by Sexes at Ages ...	302, 303	EXPLOSIONS. (<i>See</i> Burns.)	
in London	322, 323		
Deaths by Sexes	377	EXPOSURE TO COLD. (<i>See</i>	
in Counties	377-383	Weather Agencies.)	
1904-1910	30, 44, 58		
per million living ...	31, 45, 59	EYE, Diseases of :	
Mortality at Ages under		Deaths by Sexes at Ages ...	298, 299
five :		in London	318, 319
by Sexes	74-79	Deaths by Sexes	363
1905-1909, 1910	84	in Counties	363-369
in Urban and Rural		1891-1910	28, 42, 56
Counties	80-83	per million living ...	29, 43, 57
Mortality of Legitimate and			
Illegitimate Infants	85		
(<i>See also</i> Diarrhoeal Diseases.)			
		FALLS :	
ENTERITIS, Infective. (<i>See</i>		Deaths by Sexes at Ages ...	306, 307
Diarrhoea.)		in London	326, 327
EPIDEMIC DIARRHOEA. (<i>See</i>		accident	441, 453
Diarrhoea.)		from various Causes ...	451, 459
EPIDEMIC PNEUMONIA. (<i>See</i>		manslaughter	465
Pneumonia.)		suicide (jumping from	
		height)	460, 461
EPILEPSY :		Deaths by Sexes	391
Deaths by Sexes at Ages ...	298, 299	in Counties	391-397
in London	318, 319	1901-1910	34, 48, 62
		per million living ...	35, 49, 63

	PAGES		PAGES
FATTY DEGENERATION of HEART :		GASTRITIS, GASTRIC CATARRH—	
Deaths by Sexes at Ages ...	298, 299	<i>continued.</i>	
in London ...	318, 319	Mortality at Ages under	
Deaths by Sexes ...	363	five :	
in Counties ...	363-369	by Sexes ...	74-79
1901-1910 ...	28, 42, 56	1905-9, 1910 ...	84
per million living ...	29, 43, 57	in Urban and Rural	
		Counties ...	80-83
FEES RECEIVED for SEARCHES		Mortality of Legitimate and	
and CERTIFICATES, 1861-1910 xcix,	91	Illegitimate Infants ...	85
FEVERS. (See Enteric, Scarlet,		GASTRO-ENTERITIS ...	xlix
&c.)		Deaths by Sexes at Ages ...	302, 303
FERTILITY RATE. (See Birth-		in London ...	322, 323
rate.)		Deaths by Sexes ...	377
FIBROID DISEASE of LUNG :		in Counties ...	377-383
Deaths by Sexes at Ages ...	300, 301	1901-1910 ...	30, 44, 58
in London ...	320, 321	per million living ...	31, 45, 59
Deaths by Sexes ...	370	Mortality at Ages under	
in Counties ...	370-376	five :	
1901-1910 ...	30, 44, 58	by Sexes ...	74-79
per million living ...	31, 45, 59	1905-1909, 1910 ...	84
FINLAND, Vital Statistics of,		in Urban and Rural Counties	80-83
1881-1910 ... lxxxiv,	108, 110, 125	Mortality of Legitimate and	
FLOODING. (See Placenta		Illegitimate Infants ...	85
Prævia.)		GASTRO-INTESTINAL CATARRH:	xlix
FOOD, DIARRHŒA DUE TO. (See		Mortality at Ages under	
Diarrhœa.)		five :	
FOREIGN VITAL STATISTICS.		by Sexes ...	74-79
(See International Vital		1905-1909, 1910 ...	84
Statistics.)		in Urban and Rural	
FRANCE, Vital Statistics of,		Counties ...	80-83
1881-1910 ... lxxxiv,	109, 111, 135	Mortality of Legitimate and	
		Illegitimate Infants ...	85
GALL BLADDER. (See Liver.)		GELATIO. (See Weather	
GANGRENE, SENILE :—		Agencies.)	
Deaths by Sexes at Ages ...	300, 301	GENERAL DISEASES ...	xli
in London ...	320, 321	Deaths by Sexes at Ages ...	288, 289
Deaths by Sexes ...	370	in London ...	308, 309
in Counties ...	370-376	Deaths by Sexes in Counties	328-334
1891-1910 ...	28, 42, 56	GENERAL PARALYSIS of INSANE :	
per million living ...	29, 43, 57	Deaths by Sexes at Ages ...	298, 299
GASTRIC CATARRH. (See Gastritis.)		in London ...	318, 319
GASTRIC ULCER ...	lxxii	Deaths by Sexes ...	363
Deaths by Sexes at Ages ...	302, 303	in Counties ...	363-369
in London ...	322, 323	1901-1910 ...	28, 42, 56
Deaths by Sexes ...	377	per million living ...	29, 43, 57
in Counties ...	377-383	GENERATIVE and MAMMARY	
1901-1910 ...	30, 44, 58	ORGANS, Diseases of :	
per million living ...	31, 45, 59	Deaths by Sexes at Ages ...	288, 289,
GASTRITIS, GASTRIC CATARRH :			304, 305
Deaths by Sexes at Ages ...	302, 303	in London ...	308, 309, 324, 325
in London ...	322, 323	Deaths by Sexes ...	328, 384
Deaths by Sexes ...	377	in Counties ...	328-334, 384-390
in Counties ...	377-383	1891-1910 ...	32, 46, 60
1901-1910 ...	30, 44, 58	per million living ...	33, 47, 61
per million living ...	31, 45, 59	GERMAN EMPIRE, Vital Sta-	
		tistics of :	
		1881-1910 ... lxxxiv,	109, 110, 126

	PAGES
GERMAN MEASLES :	
Deaths by Sexes at Ages ...	290, 291
in London ...	310, 311
Deaths by Sexes ...	335
in Counties ...	335-341
1891-1910 ...	22, 36, 50
per million living ...	23, 37, 51
GLANDERS :	
Deaths by Sexes at Ages ...	292, 293
in London ...	312, 313
Deaths by Sexes ...	342
in Counties ...	342-348
1891-1910 ...	22, 36, 50
per million living ...	23, 37, 51
GONORRHOEA :	
Deaths by Sexes at Ages ...	292, 293
in London ...	312, 313
Deaths by Sexes ...	342
in Counties ...	342-348
1891-1910 ...	22, 36, 50
per million living ...	23, 37, 51
GOUT :	
Deaths by Sexes at Ages ...	296, 297
in London ...	316, 317
Deaths by Sexes ...	356
in Counties ...	356-362
1891-1910 ...	26, 40, 54
per million living ...	27, 41, 55
Rheumatic. (<i>See Rheumatoid Arthritis.</i>)	
GUERNSEY and ADJACENT ISLANDS :	
Area and Population; Births and Deaths, 1886-1910 ...	92
HÆMOPHILIA :	
Deaths by Sexes at Ages ...	296, 297
in London ...	316, 317
Deaths by Sexes ...	356
in Counties ...	356-362
1901-1910 ...	26, 40, 54
per million living ...	27, 41, 55
HÆMORRHAGE :	
Deaths by Sexes at Ages ...	306, 307
in London ...	326, 327
Deaths by Sexes ...	391
in Counties ...	391-397
1891-1910 ...	34, 48, 62
per million living ...	35, 49, 63
HÆMORRHAGIC DIATHESIS. (<i>See Hæmophilia.</i>)	
HEART, Diseases of ...	lxxi
Deaths by Sexes at Ages ...	288, 289, 298, 299
in London ...	308, 309, 318, 319
Deaths by Sexes ...	328, 363

	PAGES
HEART, Diseases of— <i>continued.</i>	
Deaths by Sexes— <i>continued.</i>	
in Counties ...	328-334, 363-369
1891-1910 ...	28, 42, 56
per million living ...	29, 43, 57
HEART, Rheumatism of. (<i>See Rheumatic Fever.</i>)	
HEART and BLOOD VESSELS, Diseases of :	
Deaths per million living in quinquennia, 1876-1910...	21
HEMIPLEGIA. (<i>See Apoplexy.</i>)	
HERNIA :	
Deaths by Sexes at Ages ...	302, 303
in London ...	322, 323
Deaths by Sexes ...	377
in Counties ...	377-383
1891-1910 ...	30, 44, 58
per million living ...	31, 45, 59
HOLLAND. (<i>See Netherlands.</i>)	
HOMICIDE ...	lxxvii
Deaths by Sexes at Ages ...	306, 307
in London ...	326, 327
Deaths by Sexes ...	391
in Counties ...	391-397
1891-1910 ...	34, 48, 62
per million living ...	35, 49, 63
(<i>See also Manslaughter, Murder.</i>)	
HORSES, Deaths caused by :	
by Sexes at Ages ...	441, 444, 453, 454
(<i>See also Vehicles.</i>)	
HOSPITALS, Deaths in ...	lxxxix, 225-276
HUNGARY, Vital Statistics of, 1881-1910 ...	lxxxiv, 109, 111, 129
HYDROCEPHALUS :	
Acute (<i>See Meningitis, Tuberculous.</i>)	
Congenital. (<i>See Congenital Defects.</i>)	
HYDROPHOBIA. (<i>See Rabies.</i>)	
HYPERTROPHY of HEART :	
Deaths by Sexes at Ages ...	298, 299
in London ...	318, 319
Deaths by Sexes ...	363
in Counties ...	363-369
1891-1910 ...	28, 42, 56
per million living ...	29, 43, 57

	PAGES		PAGES
IDIOT ASYLUMS,		INFECTIVE ENDOCARDITIS.	
Deaths in ...	lxxxi, 225-276	(See Endocarditis, Infective.)	
ILL-DEFINED CAUSES OF DEATH	lxxvi	INFECTIVE ENTERITIS. (See	
Deaths by Sexes at Ages ...	288, 289, 306, 307	Diarrhoea.)	
in London ...	308, 309, 326, 327	INFECTIVE PROCESSES ...	1
Deaths by Sexes ...	328, 391	Deaths by Sexes at Ages ...	292, 293
in Counties ...	328-334, 391-397	in London ...	312, 313
1891-1910 ...	34, 48, 62	Deaths by Sexes ...	342
per million living ...	35, 49, 63	in Counties ...	342-348
Inquiries concerning... ..	lxxvi	1901-1910 ...	24, 38, 52
ILLEGITIMATE BIRTHS. (See		per million living ...	25, 39, 53
Births.)		INFECTIOUS DISEASES :	
ILLEGITIMATE CHILDREN,		Reduction in Infantile	
Deaths of. (See Infantile		Mortality from, 1905-	
Mortality.)		1909, 1910 ...	xxxii
ILLITERATE MARRIAGES. (See		(See also names of diseases.)	
Marriages, Signature by		INFIRMARIES, Deaths in..	lxxxi, 225-276
Mark.)		INFLAMMATION of the BRAIN.	
IMBECILE ASYLUMS,		(See Meningitis.)	
Deaths in ...	lxxxi, 225-276	INFLUENZA ...	xliii
IMMIGRATION, Balance on		Deaths by Sexes at Ages ...	290, 291
Passenger Movement into		in London ...	310, 311
and out of the United King-		Deaths by Sexes ...	335
dom, 1895-1910 ...	92	in Counties ...	335-341, 398-409
INDEX of :		per million living ...	66-71
Registration Districts and		1891-1910 ...	22, 36, 50
Sub-districts ...	466-479	per million living ...	23, 37, 51
Urban Districts ...	480-490	Deaths in Registration Dis-	
INDUSTRIAL POISONING :		tricts ...	410-440
(See Arsenic, Lead, Phosphorus.)		INJURY at BIRTH :	
INFANTILE MORTALITY ...	xxx	Deaths by Sexes at Ages ...	296, 297
1861-1910 ...	5	in London ...	316, 317
1861-1910 and in groups of		Deaths by Sexes ...	356
years, 1838-1910... ..	64	in Counties ...	356-362
in London ...	65	1891-1910 ...	26, 40, 54
at Ages in Urban and Rural		per million living ...	27, 41, 55
Counties ...	xxxiv	Mortality at Ages under five :	
in Counties :		by Sexes ...	74-79
Diagram of ... facing page	xxxiv	1905-1909, 1910 ...	84
Highest and Lowest rates	xxxvi	in Urban and Rural Coun-	
in quinquennia, 1876-1910	xxxv	ties ...	80-83
1900-1909, 1910 ...	14	Mortality of Legitimate and	
in several Countries :		Illegitimate Infants ...	85
1881-1910 ...	xciii, 112-140	INQUESTS :	
in quinquennia :		in England and Wales and in	
1881-1886 to 1906-1910,		Counties ...	398-409
1909, 1910 ...	xciv	in Registration Districts ...	410-440
in United Kingdom ...	lxxxiii	Per cent. of total Deaths in	
from Pneumonia and Bron-		Counties... ..	lxxix
chitis, 1901-10 ...	liii	Per cent of total, 1901-1910...	lxxviii
from several Causes :		INSANITY :	
in Counties ...	88	Deaths by Sexes at Ages ...	298, 299
at Ages, 1905-1909, 1910 ...	84	in London ...	318, 319
by Sexes at Ages ...	74-79	Deaths by Sexes ...	363
in Urban and Rural Coun-		in Counties ...	363-369
ties ...	xxxiv, 80-83	1901-1910 ...	28, 42, 56
Legitimate and Illegitimate...		per million living ...	29, 43, 57
xxxiii, 85-87		INSTITUTIONS, Deaths in, lxxxi,	225-276
Percentage of reduction in :		INTERNATIONAL VITAL STA-	
from certain causes, 1905-		TISTICS ...	lxxxiv, 108-141
1909, 1910 ...	xxxii	(See also Names of Countries.)	
Ratio of Male to Female			
Mortality... ..	xxxiii		

	PAGES
INTESTINAL OBSTRUCTION :	
Deaths by Sexes at Ages ...	302, 303
in London ...	322, 323
Deaths by Sexes ...	377
in Counties ...	377-383
1891-1910 ...	30, 44, 58
per million living ...	31, 45, 59
INTESTINES, Diseases of :	
Deaths by Sexes at Ages ...	302, 303
in London ...	322, 323
Deaths by Sexes ...	377
in Counties ...	377-383
1901-1910 ...	30, 44, 58
per million living ...	31, 45, 59
INTESTINES, Ulceration of :	
Deaths by Sexes at Ages ...	302, 303
in London ...	322, 323
Deaths by Sexes ...	377
in Counties ...	377-383
1891-1910 ...	30, 44, 58
per million living ...	31, 45, 59
(See also Enteritis.)	
IRELAND :	
Age Constitution of Popula- tion ...	108
Area ; Population, 1861-1910	3
Vital Statistics, 1881-1910 ...	lxxxix, lxxxiv, 110, 115
ISLANDS in BRITISH SEAS :	
Area and Population ; Births and Deaths, 1886-1910 ...	92
ISLE OF MAN :	
Area and Population ; Births and Deaths, 1886-1910 ...	92
ITALY, Vital Statistics of, 1881-1910 ...	lxxxiv, 109, 111, 138
JAMAICA, Vital Statistics of, 1881-1910 ...	lxxxiv, 110, 120
JAPAN, Vital Statistics of, 1881 - 1910 ...	lxxxiv, 111, 139
JERSEY :	
Area and Population ; Births and Deaths, 1886-1910 ...	92
JEWISH MARRIAGES ...	xxiii
in London Districts ...	xxiii
(See also Marriages—Manner of Solemnization.)	

	PAGES
KIDNEY, Diseases of. (See Nephritis, &c.)	
LARYNGISMUS STRIDULUS :	
Deaths by Sexes at Ages ...	298, 299
in London ...	318, 319
Deaths by Sexes ...	363
in Counties ...	363-369
1891-1910 ...	28, 42, 56
per million living ...	29, 43, 57
LARYNGITIS ...	lxxii
Deaths by Sexes at Ages ...	300, 301
in London ...	320, 321
Deaths by Sexes ...	370
in Counties ...	370-376
1901-1910 ...	30, 44, 58
per million living ...	31, 45, 59
Mortality at Ages under five :	
by Sexes ...	74-79
1905-1909, 1910 ...	84
in Urban and Rural Counties ...	80-83
Mortality of Legitimate and Illegitimate Infants ...	85
(See also Diphtheria and Croup, p. xliii.)	
LARYNGITIS, Membranous ...	lxxii
Deaths by Sexes at Ages ...	300, 301
in London ...	320, 321
Deaths by Sexes ...	370
in Counties ...	370-376
1901-1910 ...	30, 44, 58
per million living ...	31, 45, 59
LARYNX and TRACHEA, Dis- eases of :	
Deaths by Sexes at Ages ...	300, 301
in London ...	320, 321
Deaths by Sexes ...	370
in Counties ...	370-376
1891-1910 ...	30, 44, 58
per million living ...	31, 45, 59
LEAD POISONING (Industrial):	
Deaths by Sexes at Ages ...	294, 295
in London ...	314, 315
Deaths by Sexes ...	349
in Counties ...	349-355
1891-1910 ...	26, 40, 54
per million living ...	27, 41, 55
LEGITIMATE BIRTHS. (See Births.)	
LEGITIMATE CHILDREN, deaths among — (See Infantile Mortality.)	
LEUCOCYTHÆMIA. (See Anæmia.)	
LICENCE, Marriages by : (See Marriages, Manner of Solemnization.)	

	PAGES		PAGES
LIGHTNING. (<i>See</i> Weather Agencies.)		MALARIA :	
LIVER, Diseases of	lxxiii	Deaths by Sexes at Ages ...	292, 293
Deaths by Sexes at Ages ...	302, 303	in London	312, 313
in London	322, 323	Deaths by Sexes	342
Deaths by Sexes	377	in Counties	342-348
in Counties	377-383	1891-1910	22, 36, 50
1891-1910	30, 44, 58	per million living ...	23, 37, 51
per million living ...	31, 45, 59	Deaths per million living in quinquennia, 1876-1910...	21
LOBAR PNEUMONIA. (<i>See</i> Pneumonia.)		MALIGNANT DISEASE. (<i>See</i> Cancer.)	
LOCOMOTOR ATAXY :		MAMMARY ORGANS, Diseases of. (<i>See</i> Generative.)	
Deaths by Sexes at Ages ...	298, 299	MANIA, Puerperal. (<i>See</i> Puerperal Mania.)	
in London	318, 319	MANSLAUGHTER... ..	lxxvii
Deaths by Sexes	363	Deaths by Sexes at Ages by Various Methods ...	464, 465
in Counties	363-369	MARASMUS. (<i>See</i> Atrophy, Debility.)	
1901-1910	28, 42, 56	MARINE REGISTER BOOK :	
per million living ...	29, 43, 57	Births and Deaths at Sea ...	lxxxiv
LOCOMOTOR SYSTEM, Diseases of :		MARRIAGE ACT, 1898	xxi
Deaths by Sexes at Ages ...	288, 239	Number and Denomination of Buildings registered under	xxi
in London	308, 309, 324, 325	Marriages before persons authorised under, 1861-1910	8
Deaths by Sexes	328, 384	to 1,000 Marriages, 1899-1910	xxiii
in Counties	328-334, 384-390	in London	9
1891-1910	32, 46, 60	in Counties, 1910	12
per million living ...	33, 47, 61	MARRIAGES	xiii
(<i>See also</i> Arthritis, Caries, &c.)		1861-1910	4
LUNATIC ASYLUMS,		Ages at Marriage	xiv, 210-216
Deaths in	lxxxix, 225-276	Age-constitution of Persons at Marriage, 1886-1910	xvi, xvii
LUNG, Diseases of. (<i>See</i> Respiratory System.)		in London	218-224
LUPUS :		Mean Age at Marriage	xviii
Deaths by Sexes at Ages ...	294, 295	in single years 1896-1910	xviii, xix
in London	314, 315	in London	xix
Deaths by Sexes	349	Minors	xvii
in Counties	349-355	in Counties	207, 209
1891-1910	24, 38, 52	Unstated Ages	xiv
per million living ...	25, 39, 53	Buildings registered for Solemnization of ...	xx, 7
LYMPHATIC SYSTEM, Diseases of :		Civil Condition :	
Deaths by Sexes at Ages ...	288, 289, 302, 303	at Ages	210-216
in London	308, 309, 322, 323	in London	218-224
Deaths by Sexes	328, 377	in Counties	207, 209
in Counties	328-334, 377-383	Divorced Persons re-married	xiv
1891-1910	32, 46, 60	Average numbers of, 1876-1910	xiv
per million living ...	33, 47, 61	in Counties	144-145, 206-208
MACHINERY, Deaths caused by :		in Quarters	207, 209
by Sexes at Ages	306, 307, 441, 453	in Registration Districts ...	146-205
in London	326, 327	in several Countries, 1881-1910	lxxxiv, 112-140
from Various Causes ...	446, 455	in United Kingdom	lxxxii
by Sexes	391	Manner of Solemnization ...	xxi
in Counties	391-397	in Counties	206, 208
1901-1910	34, 48, 62	Signature by Mark in Register	xix
per million living ...	35, 49, 63	in Counties	207, 209
(<i>See also</i> Mines, &c., Ships and Boats.)		Total on Register 1861-1910	91

	PAGES		PAGES
MARRIAGE-RATES :		MEASLES— <i>continued</i> .	
to 1,000 living :		Deaths under five to 1,000	
1861-1910	5	living in Counties ...	89
in Counties, 1900-1909, 1910	13	Mortality at Ages under five :	
in groups of years, 1838-		by Sexes	74-79
1910	6	1905-1909, 1910	84
in Quarters	6	in Urban and Rural Coun-	
in several Countries :		ties	80-83
1881-1910... ..	112-140	Mortality of Legitimate and	
in quinquennia, 1881-1885		Illegitimate Infants ...	85
to 1906-1910, 1909, 1910	lxxxv	German. (<i>See</i> German	
in United Kingdom ...	lxxxii	Measles.)	
to 1,000 Marriageable Persons :		MEAT : Prices of Beef and Mut-	
at ages, 1880-1902 ...	xv	ton, 1861-1910	95
in several Countries, 1880-2		MEMBRANOUS CROUP. (<i>See</i>	
to 1900-2	lxxxv	Diphtheria.)	
in 1,000 Marriages :		MEMBRANOUS LARYNGITIS.	
First Marriages and Re-		(<i>See</i> Laryngitis.)	
marriages	xiii	MENINGITIS :	
1861-1910... ..	10	Deaths by Sexes at Ages ...	298, 299
in London	11	in London	318, 319
Minors by Sexes	xviii	Deaths by Sexes	363
1861-1910... ..	10	in Counties	363-369
in London	11	1891-1910	28, 42, 56
in Counties, 1900-1909,		per million living ...	29, 43, 57
1910	13	Mortality at Ages under five :	
Manner of Solemnization :		by Sexes	74-79
1851-1910... ..	xxi	1905-1909, 1910	84
according to rites of		in Urban and Rural Coun-	
Established Church ...	xxii	ties	80-83
1861-1910... ..	8	Mortality of Legitimate and	
in London	9	Illegitimate Infants ...	85
in Counties	12	MENINGITIS, Tuberculous ...	lvii
Signature by Mark, by Sexes		Deaths by Sexes at Ages ...	294, 295
1861-1910... ..	10	in London	314, 315
in London	11	Deaths by Sexes	349
in Counties, 1900-1909,		in Counties	349-355, 398-409
1910	13	per million living ...	66-71
MASTOID DISEASE. (<i>See</i> Otitis.)		1891-1910	24, 38, 52
MEASLES	xli	per million living ...	25, 39, 53
Areas of excessive mortality...	xli	Deaths :	
Deaths by Sexes at Ages ...	290, 291	in Registration Districts	410-440
in London	310, 311	Mortality at Ages under five :	
Deaths by Sexes	335	by Sexes	74-79
in Counties	335-341, 398-409	1847-1910	lviii
per million living ...	66-71	1905-1909, 1910	84
1891-1910	22, 36, 50	in Urban and Rural	
per million living ...	23, 37, 51	Counties	80-83
Deaths :		Mortality of Legitimate and	
in Registration Districts ...	410-440	Illegitimate Infants ...	85
in several Countries, 1881-		MENINGITIS and CONVUL-	
1910	112-141	SIONS :	
per 1,000 living, in quin-		Deaths under one to 1,000	
quennia, 1881-1885		births in Counties ...	88
to 1906-1910, 1909,		Deaths under five to 1,000	
1910	xcv	living in Counties ...	89
per million living :		MENSTRUATION, Disorders of :	
in quinquennia 1876-		Deaths at Ages	305
1910	21	in London	325
1861-1910 and in groups		Deaths	384
of years, 1838-1910	64	in Counties	384-390
in London	65	1891-1910	32, 60
in Counties, 1900-1909,		per million living ...	33, 61
1910	72		
Deaths under one to 1,000			
births in Counties ...	88		

	PAGES		PAGES
MERCANTILE MARINE :		MOUTH, Diseases of :	
Mortality and Numbers Em-		Deaths by Sexes at Ages ...	302, 303
ployed, 1891-1910	lxxxiv, 94	in London ...	322, 323
METALLIC POISONING, Indus-		Deaths by Sexes ...	377
trial. (<i>See</i> Arsenical Poison-		in Counties ...	377-383
ing.)		1901-1910 ...	30, 44, 58
METEOROLOGICAL TABLES :		per million living	31, 45, 59
Greenwich Observatory :		MUMPS :	
1861-1910 ...	96-97	Deaths by Sexes at Ages ...	290, 291
in Quarters, 1910 ...	98-99	in London ...	310, 311
in Months, 1910 ...	100-101	Deaths by Sexes ...	335
at Various Places ...	102-107	in Counties ...	335-341
METEOROLOGY :		1891-1910 ...	22, 36, 50
Remarks by Dr. Shaw ...	ci	per million living	23, 37, 51
METHODISTS :		MURDER ...	lxxvii
No. of buildings for solem-		Deaths by Sexes at Ages by	
nization of marriage ...	xx, 7	Various Methods ...	462, 463
by authorised person ...	xxi	MUTTON, Prices of, 1861-1910	95
METROPOLITAN ASYLUMS		MYXEDEMA, footnote ...	32, 46, 60
BOARD :			
Deaths in Hospitals and		NAMES, NUMBERS on REGIS-	
Asylums of ...	228-241	TERS, 1861-1910 ...	91
Admissions to, and deaths in		NATURAL INCREASE :	
Hospitals of persons		Rate of, 1876-1910 ...	xxvii
suffering from :		Rate of, in several Countries,	
diphtheria, 1891-95 to		in quinquennia, 1881-	
1906-10 ...	xlvi	1885 to 1906-1910, 1909,	
enteric fever, 1876-80 to		1910 ...	xciii
1906-10 ...	xlvi		
scarlet fever, 1876-80 to		NAVY ...	lxxxiv
1906-10 ...	xlii	Mortality from Disease and	
MIGRATION, Balance on Pas-		from Violence, 1871-1910	93
senger Movement, United		NECROSIS. (<i>See</i> Caries.)	
Kingdom, 1895-1910 ...	92	NEGLIGENCE, Deaths from.	
MILK, Want of Breast. (<i>See</i>		(<i>See</i> Accidental Deaths.)	
Want of, &c.)		NEPHRITIS AND BRIGHT'S DISEASE :	
MINES and QUARRIES, Violent		Deaths per million living in	
Deaths in :		quinquennia 1876-1910 ...	21
at Ages... ...	306, 326, 441	(<i>See also</i> Bright's Disease.)	
by Sexes, 1901-1910 ...	34, 48, 62	NEPHRITIS, URÆMIA ...	lxxiii
per million living ...	35, 49, 63	Deaths by Sexes at Ages ...	302, 303
Deaths ...	391	in London ...	322, 323
in Counties ...	391-397	Deaths by Sexes ...	377
from Various Causes ...	442	in Counties ...	377-383
MINORS, Marriages of. (<i>See</i>		1891-1910 ...	32, 46, 60
Marriages and Marriage-		per million living	33, 47, 61
rates.)		NERVOUS SYSTEM, Diseases of :	
MISCARRIAGE. (<i>See</i> Abortion.)		Deaths by Sexes at Ages ...	288, 289,
MORBILLI. (<i>See</i> Measles.)		298, 299	
MORPHIA HABIT. (<i>See</i> Opium.)		in London ...	308, 309, 318, 319
MORTALITY. (<i>See</i> Death-rates.)		Deaths by Sexes ...	328, 363
MOTOR VEHICLES :		in Counties ...	328-334, 363-369
Accidental Deaths by Sexes		1891-1910 ...	28, 42, 56
at Ages ...	444, 454	per million living	29, 43, 57
Murder ...	462	(<i>See also</i> Meningitis, Epi-	
		lepsy, &c.)	

PAGES		PAGES	
NETHERLANDS, Vital Statistics of, 1881-1910 lxxxiv, 109, 111, 133		OTITIS, Mastoid Disease :	
NEURITIS :		Deaths by Sexes at Ages ...	298, 299
Deaths by Sexes at Ages ...	298, 299	in London ...	318, 319
in London ...	318, 319	Deaths by Sexes ...	363
Deaths by Sexes ...	363	in Counties ...	363-369
in Counties ...	363-369	1891-1910 ...	28, 42, 56
1901-1910 ...	28, 42, 56	per million living ...	29, 43, 57
per million living ...	29, 43, 57	OVARIAN TUMOUR. (<i>See</i> Ovary, Diseases of.)	
NEW JERUSALEM CHURCH.		OVARY, Diseases of :	
No. of buildings for solemn- ization of marriage ...	xx, 7	Deaths at Ages ...	305
NEW SOUTH WALES, (<i>see</i> Australian Commonwealth).		in London ...	325
NEW ZEALAND, Vital Statistics of, 1881-1910 lxxxiv, 108, 110, 117		Deaths ...	384
NONCONFORMIST MARRIAGES. (<i>See</i> Marriages, Manner of Solemnization.)		in Counties ...	384-390
NORWAY, Vital Statistics of, 1881-1910 ... lxxxiv, 110, 122		1891-1910 ...	32, 60
NOSE, Diseases of :		per million living ...	33, 61
Deaths by Sexes at Ages ...	298, 299	PARALYSIS OF INSANE. (<i>See</i> General Paralysis of Insane.)	
in London ...	318, 319	PARAPLEGIA. (<i>See</i> Spinal Cord.)	
Deaths by Sexes ...	363	PARASITIC DISEASES :	
in Counties ...	363-369	Deaths by Sexes at Ages ...	294, 295
1891-1910 ...	28, 42, 56	in London ...	314, 315
per million living ...	29, 43, 57	Deaths by Sexes ...	349
NOT SPECIFIED CAUSES. (<i>See</i> Ill-defined Causes of Death.)		in Counties ...	349-355
OBSTRUCTION, Intestinal. (<i>See</i> Intestinal Obstruction.)		1891-1910 ...	24, 38, 52
ESOPHAGUS, Diseases of. (<i>See</i> Mouth.)		per million living ...	25, 39, 53
OLD AGE :		PASSENGER MOVEMENT ...	
Deaths by Sexes at Ages ...	306, 307	PAUPERS :	
in London ...	326, 327	In-door and Out-door, per 1,000 population, 1861- 1910 ...	95
Deaths by Sexes ...	391	PEMPHIGUS :	
in Counties ...	391-397	Deaths by Sexes at Ages ...	304, 305
1891-1910 ...	34, 48, 62	in London ...	324, 325
per million living ...	35, 49, 63	Deaths by Sexes ...	384
Deaths per million living, in quinquennia, 1876-1910...	21	in Counties ...	384-390
ONTARIO, Province of :		1891-1910 ...	32, 46, 60
Vital Statistics of :		per million living ...	33, 47, 61
1881-1910 ... lxxxiv, 110, 118		PERICARDITIS :	
OPHTHALMIA. (<i>See</i> Eye, Dis- eases of.)		Deaths by Sexes at Ages ...	298, 299
OPIUM-, MORPHIA-HABIT :		in London ...	318, 319
Deaths by Sexes at Ages ...	294, 295	Deaths by Sexes ...	363
in London ...	314, 315	in Counties ...	363-369
Deaths by Sexes ...	349	1891-1910 ...	28, 42, 56
in Counties ...	349-355	per million living ...	29, 43, 57
1901-1910 ...	26, 40, 54	PERIOSTITIS. (<i>See</i> Arthritis.)	
per million living ...	27, 41, 55	PERIPHERAL NEURITIS. (<i>See</i> Neuritis.)	
		PERITONITIS (not PUERPERAL or TUBERCULOUS)...	
		Deaths by Sexes at Ages ...	302, 303
		in London ...	322, 323
		Deaths by Sexes ...	377
		in Counties ...	377-383
		1891-1910 ...	30, 44, 58
		per million living ...	31, 45, 59

	PAGES
PERITONITIS, TUBERCULOUS ...	lviii
Deaths by Sexes at Ages ...	294, 295
in London ...	314, 315
Deaths by Sexes ...	349
in Counties ...	349-355, 398-409
per million living ...	66-71
1901-1910 ...	24, 38, 52
per million living ...	25, 39, 53
1847-1910—	
per 100,000 living under five ...	lviii
Deaths :	
in Registration Districts ...	410-440
PERITONITIS, TUBERCULOUS, and TABES MESENTERICA	lviii
Deaths by Sexes, 1891-1910...	24, 38, 52
per million living ...	25, 39, 53
Mortality at Ages under five :	
by Sexes ...	74-79
1905-1909, 1910 ...	84
in Urban and Rural Counties ...	80-83
Mortality of Legitimate and Illegitimate Infants ...	85
(See also Tabes Mesenterica.)	
PERITYPHLITIS. (See Appendicitis.)	
PHAGEDÆNA :	
Deaths by Sexes at Ages ...	292, 293
in London ...	312, 313
Deaths by Sexes ...	342
in Counties ...	342-348
1891-1910 ...	24, 38, 52
per million living ...	25, 39, 53
PHARYNX, Diseases of. (See Mouth.)	
PHLEBITIS :	
Deaths by Sexes at Ages ...	300, 301
in London ...	320, 321
Deaths by Sexes ...	370
in Counties ...	370-376
1891-1910 ...	28, 42, 56
per million living ...	29, 43, 57
PHLEGMASIA ALBA DOLENS. (See Puerperal Septic Diseases.)	
PHLEGMON, CARBUNCLE :	
Deaths by Sexes at Ages ...	292, 293
in London ...	312, 313
Deaths by Sexes ...	342
in Counties ...	342-348
1891-1910 ...	24, 38, 52
per million living ...	25, 39, 53
PHOSPHORUS, Poisoning by (Industrial) :	
Deaths by Sexes at Ages ...	294, 295
in London ...	314, 315
Deaths by Sexes ...	349
in Counties ...	349-355
1901-1910 ...	26, 40, 54
per million living ...	27, 41, 55
PHTHISIS... ..	lv
Deaths by Sexes at Ages ...	294, 295
per million living, 1905-1909, 1910 ...	lvii
in Urban and Rural Counties ...	lvii
in London ...	314, 315

	PAGES
PHTHISIS—continued.	
Deaths by Sexes ...	349
per million living, 1905-1909, 1910 ...	lvi
in Urban and Rural Counties ...	lvi
in Counties ...	349-355, 398-409
per million living ...	66-71
1891-1910 ...	24, 38, 52
per million living ...	25, 39, 53
Deaths :	
in Registration Districts ...	410-440
per million living :	
Diagram of, in quinquennia, 1851-1910 ...	lvi
in Counties, 1900-1909, 1910 ...	73
in quinquennia, 1876-1910 ...	21
in several Countries :	
1881-1910... ..	112-141
per 1,000 living in quinquennia, 1881-1886 to 1906-1910, 1909, 1910	xcvii, xcvi
PLACENTA PRÆVIA, FLOODING ...	lxxiv
Deaths at Ages ...	305
in London ...	325
Deaths ...	384
in Counties ...	384-390
1891-1910 ...	32, 60
per million living ...	33, 61
PLAGUE :	
Deaths by Sexes... ..	290, 291, 335, 337
1891-1910 ...	22, 36, 50
per million living ...	23, 37, 51
PLEURISY :	
Deaths by Sexes at Ages ...	300, 301
in London ...	320, 321
Deaths by Sexes ...	370
in Counties ...	370-376
1891-1910 ...	30, 44, 58
per million living ...	31, 45, 59
PNEUMONIA	li
Deaths by Sexes at Ages ...	292, 293
in London ...	312, 313
per million living 1901-1910 ...	liii
percentage of deaths at each age to those at All Ages	liii
Deaths by Sexes ...	342
in Counties ...	342-348, 398-409
per million living ...	66-71
1891-1910 ...	24, 38, 52
per million living ...	25, 39, 53
Male Mortality :	
per cent. of female mortality at each age-group 1901-10 ...	liv, lv
Deaths :	
in Registration Districts ...	410-440
per million living in quinquennia, 1876-1910 ...	21

	PAGES
PNEUMONIA—<i>continued.</i>	
Deaths under one to 1,000 births in Counties ...	88
Deaths under five to 1,000 living in Counties ...	89
Mortality at ages under five: by Sexes	74-79
1905-1909, 1910	84
in Urban and Rural Counties	80-83
Mortality of Legitimate and Illegitimate Infants ...	85
Proportion of Mortality from various forms of, 1901-10	li
PNEUMONIA and BRONCHITIS. (<i>See</i> Bronchitis and Pneumonia.)	
POISON, Deaths from :	
by Sexes at Ages	306, 307
in London	326, 327
by Sexes	391
in Counties	391-397
1901-1910	34, 48, 62
per million living ...	35, 49, 63
by Sexes at Ages and kinds of Poison :	
accident	441, 448, 453, 456
murder	462-463
suicide	460-461
POLY-NEURITIS. (<i>See</i> Neuritis.)	
POPULATION	xi
age and sex constitution of...	108
in certain British Colonies and Foreign Countries	108, 109
enumerated :	
in Channel Islands and in Isle of Man, 1881-1911	92
in Counties	206, 208
in England and Wales ...	206
in Registration Districts and Sub-districts ...	146-205
estimated :	
in British Colonies, 1881- 1910	116-120
in Counties and Sexes (England and Wales) 1910	66-71
in England and Wales, 1861-1910	2
in Foreign Countries, 1881- 1910	121-141
in Ireland	lxxxix
1861-1910	3
in Scotland	lxxxix
1861-1910	3
in United Kingdom ...	lxxxix
1861-1910	2
in Urban and Rural Groups of Counties, 1910 ...	xxxvi
Increase of. (<i>See</i> Natural Increase.)	
Methods of estimating ...	xi
Revision of estimates of ...	v, xi
PREGNANCY, Accidents of. (<i>See</i> Childbirth.)	
PREMATURE BIRTH :	
Deaths by Sexes at Ages ...	296, 297
in London	316, 317

	PAGES
PREMATURE BIRTH—<i>continued.</i>	
Deaths by Sexes at Ages— <i>continued.</i>	
per 1,000 births :	
by Sexes	xxxiii
in Urban and Rural Counties	xxxiv
Deaths by Sexes	356
in Counties	356-362
1891-1910	26, 40, 54
per million living ...	27, 41, 55
Deaths per million living in quinquennia, 1876-1910...	21
Mortality at ages under five :	
by Sexes	74-79
1905-1909, 1910	84
in Urban and Rural Counties	80-83
Mortality of Legitimate and Illegitimate Infants ...	85
PRESBYTERIANS :	
Number of buildings for solemnisation of marriage	xx, 7
PRICES ; of Consols, Wheat, Meat and Coal, 1861-1910 ...	95
PRIMITIVE METHODISTS :	
Number of buildings for solemnisation of marriage by authorised person ...	xx, 7 xxi
PROSTATE, Diseases of. (<i>See</i> Bladder.)	
PRUSSIA, Vital Statistics of, 1881-1910	lxxxiv, 109, 111, 127
PUERPERAL CONVULSIONS :	
Deaths at Ages	305
in London	325
Deaths	384
in Counties	384-390
1891-1910	32, 60
per million living ...	33, 61
PUERPERAL FEVER	1, li
(<i>See also</i> Puerperal Septic Diseases.)	
PUERPERAL MANIA :	
Deaths at Ages	305
in London	325
Deaths	384
in Counties	384-390
1891-1910	32, 60
per million living ...	33, 61
PUERPERAL PYÆMIA. (<i>See</i> Puerperal Septic Diseases.)	
PUERPERAL SEPTIC DISEASES	1, li
Deaths at Ages	293
in London	313
Deaths	342
in Counties	342-348
1891-1910	24, 52
per million living ...	25, 53
PUERPERAL SEPTIC DISEASES and CHILDBIRTH	lxxiii
Deaths :	
in Counties	398-409
per million living ...	67, 69, 71
to 1,000 births, 1900-1909, 1910	73
in Registration Districts ...	410-440
in quinquennia, 1876-1910, per million living ...	21
(<i>See also</i> Childbirth.)	

	PAGES		PAGES
PULMONARY TUBERCULOSIS. (See Phthisis.)		RAINFALL	cii
PURPURA :		at Greenwich, 1861-1910 ...	96
Deaths by Sexes at Ages ...	296, 297	in months, 1910 ...	101
in London ...	316, 317	in quarters, 1910 ...	99
Deaths by Sexes ...	356	at various places ...	103-107
in Counties ...	356-362	REGISTERS :	
1901 to 1901... ..	26, 40, 54	Total Names on, 1861-1901... ..	xcix, 91
per million living ...	27, 41, 55	Number of Searches and Amount of Fees received, 1861-1910... ..	xcix, 91
PYÆMIA (not Puerperal) ...	1	REGISTER OFFICE :	
Deaths by Sexes at Ages ...	292, 293	Marriages at. (See Mar- riages, Manner of Solem- nization.)	
in London ...	312, 313	REGISTRATION ACTS :	
Deaths by Sexes ...	342	Convictions for Offences against	xcix
in Counties ...	342-348	Registers made pursuant to ...	xcix
1891-1910 ...	24, 38, 52	REGISTRATION COUNTIES :	
per million living ...	25, 39, 53	Births, Deaths, and Marriages in	144-145
(See also SEPTICÆMIA.)		List of selected Urban and Rural	xxxvi
PYREXIA (Origin uncertain) :		REGISTRATION DISTRICTS and SUB-DISTRICTS :	
Deaths by Sexes at Ages ...	290, 291	Changes in	491-496
in London ...	310, 311	Index of	466-479
Deaths by Sexes ...	335	Area ; Population, Births, Deaths and Marriages in ...	146-205
in Counties ...	335-341, 398-409	RELAPSING FEVER :	
per million living ...	66-71	Deaths by Sexes at Ages ...	290, 291
1891-1910 ...	22, 36, 50	in London ...	310, 311
per million living ...	23, 37, 51	Deaths by Sexes ...	335
Deaths :		in Counties ...	335-341
in Registration Districts ...	410-440	1891-1910 ...	22, 36, 50
per million living :		per million living ...	23, 37, 51
in quinquennia, 1876-1910 ...	21	RESPIRATORY SYSTEM :	
1861-1910 and in groups of years, 1838-1910 ...	64	Deaths by Sexes at Ages 288, 289, 300, 301	
in London ...	65	in London ...	308, 309, 320, 321
in Counties, 1900-1909, 1910 ...	73	Deaths by Sexes ...	328, 370
QUAKERS, Marriages of. (See Marriages — Manner of Solemnization.)		in Counties ...	328-334, 370-376
QUARRIES, Violent Deaths in. (See Mines.)		1891-1910 ...	30, 44, 58
QUEENSLAND. (See Australian Commonwealth.)		per million living ...	31, 45, 59
QUINSY. (See Tonsillitis.)		(See also Asthma, Bronchitis, &c.)	
RABIES	1	RHEUMATIC FEVER	lix
Deaths by Sexes at Ages ...	292, 293	RHEUMATIC FEVER and RHEUMATISM of HEART :	
in London ...	312, 313	Deaths by Sexes at Ages ...	296, 297
Deaths by Sexes ...	342	in London ...	316, 317
in Counties ...	342	Deaths by Sexes ...	356
1891-1910 ...	22, 36, 50	in Counties ...	356-362, 398-409
per million living ...	23, 37, 51	per million living ...	66-71
Deaths per million living in quinquennia, 1876-1910 ...	21	1891-1910 ...	26, 40, 54
RAILWAYS :		per million living ...	27, 41, 55
Accidental Deaths :		Deaths in Registration Dis- tricts	410-440
by Sexes at Ages ...	441, 453	Deaths per million living in quinquennia, 1876-1910 ...	21
from various causes ...	443, 454		
Suicide on, by Sexes at Ages	460, 461		

	PAGES
RHEUMATISM :	
Deaths by Sexes at Ages ...	296, 297
in London ...	316, 317
Deaths by Sexes ...	356
in Counties ...	356-362
1891-1910 ...	26, 40, 54
per million living ...	27, 41, 55
in quinquennia, 1876-1910 ...	21
RHEUMATOID ARTHRITIS, RHEUMATIC GOUT :	
Deaths by Sexes at Ages ...	296, 297
in London ...	316, 317
Deaths by Sexes ...	356
in Counties ...	356-362
1901-1910 ...	26, 40, 54
per million living ...	27, 41, 55
RICKETS :	
Deaths by Sexes at Ages ...	296, 297
in London ...	316, 317
Deaths by Sexes ...	356
in Counties ...	356-362
1891-1910 ...	26, 40, 54
per million living ...	27, 41, 55
Mortality at Ages under five :	
by Sexes ...	74-79
1905-1909, 1910 ...	84
in Urban and Rural Counties ...	80-83
Mortality of Legitimate and Illegitimate Infants ...	85
ROMAN CATHOLIC MARRIAGES :	
in Counties ...	206, 208
Number of buildings for solemnization of ...	xx, 7
Proportion in 1,000 Marriages :	
1851-1910 ...	xxi
1861-1910 ...	8
in London ...	9
in Counties ...	12
ROUMANIA, Vital Statistics of :	
1881-1910 ...	lxxxiv, 111, 130
RURAL COUNTIES, List of selected ...	xxxvi
RURAL MORTALITY ...	xxxvi
among Infants under one year, per 1,000 births at Ages :	
Legitimate and Illegitimate from several Causes ...	xxxiii
Deaths by Sexes to 1,000 living, 1905-1909, 1910...	xxxvii
at Ages ...	xxxvii
from Diphtheria and Croup at Ages ...	xliv
from Enteric Fever ...	xlvi
at Ages ...	xlvi
from Phthisis ...	lvi
at Ages ...	lvii
from Cancer ...	lx
at Ages ...	lxi

	PAGES
RURAL MORTALITY—continued.	
Mortality at Ages under five, from several Causes ...	82
Mortality of Legitimate and Illegitimate Infants ...	85-87
RUSSIA, Vital Statistics of :	
1881-1910 ...	lxxxiv, 108, 110, 124
SALVATION ARMY :	
No. of buildings registered for solemnization of marriage ...	xx
SARCOMA. (See Cancer.)	
SCALDS. (See Burns.)	
SCARLET FEVER ...	xlii
Areas of excessive mortality ...	xlii
Deaths by Sexes at Ages ...	290, 291
in London ...	310, 311
Deaths by Sexes ...	335
in Counties ...	335-341, 398-409
per million living ...	66-71
1891-1910 ...	22, 36, 50
per million living ...	23, 37, 51
Deaths :	
in Metropolitan Asylums Board Hospitals and admissions thereto, in quinquennia, 1876-1910 ...	xlii
in Registration Districts ...	410-440
in several Countries, 1881-1910 ...	112-141
per 1,000 living, in quinquennia, 1881-1885 to 1906-1910, 1909, 1910...	xcv
per million living :	
in Counties, 1900-1909, 1910 ...	72
inquinquennia, 1876-1910 ...	21
1861-1910, and in groups of years, 1838-1910...	64
in London ...	65
Deaths under five to 1,000 living :	
in Counties ...	89
Mortality at Ages under five :	
by Sexes ...	74-79
1905-1909, 1910 ...	84
in Urban and Rural Counties ...	80-83
Mortality of Legitimate and Illegitimate Infants ...	85
SCOTLAND :	
Age Constitution of Population ...	108
Area, Population, 1861-1910...	3
Vital Statistics of ...	lxxxi, lxxxiv
1881-1910 ...	110, 114
SCROFULA :	
Deaths by Sexes at Ages ...	294, 295
in London ...	314, 315
Deaths by Sexes ...	349
in Counties ...	349-355
1901-1910 ...	24, 38, 52
per million living ...	25, 39, 53

	PAGES		PAGES
SCURVY :		(See also Eczema, Pemphigus, &c.)	
Deaths by Sexes at Ages ...	294, 295	SMALL-POX ...	xli
in London ...	314, 315	Deaths by Sexes at Ages ...	290, 291
Deaths by Sexes ...	349	in London ...	310, 311
in Counties ...	349-355	Deaths by Sexes ...	335
1891-1910 ...	24, 38, 52	in Counties ...	335-341, 398-409
per million living ...	25, 39, 53	per million living ...	66-71
SEA, Births and Deaths at ...	lxxxiv	1891-1910 ...	22, 36, 50
SEAMEN, Merchant Service :		per million living ...	23, 37, 51
Mortality and Numbers Em-		Deaths :	
ployed, 1891-1910 ...	lxxxiv, 94	in Registration Districts ...	410-440
SEARCHES and CERTIFICATES ..	xcix	in several Countries, 1881-	
Fees received for, 1861-1910 ..	91	1910 ...	112-141
Total Searches and Certificates		per million living :	
issued, 1866-1910 ...	c	in Counties, 1900-1909,	
SENILE DECAY, SENILITY.		1910 ...	72
(See Old Age.)		inquinquennia, 1876-1910	21
SENILE GANGRENE. (See Gan-		1861-1910, and in groups	
grene.)		of years, 1838-1910...	64
SEPTIC DISEASES :		in London ...	65
Deaths by Sexes ...	398	Mortality at Ages under five :	
in Counties ...	398-409	by Sexes ...	74-79
per million living ...	66-71	1905-1909, 1910 ...	84
Deaths in Registration Dis-		in Urban and Rural	
tricts ...	410-440	Counties ...	80-83
(See also names of Diseases.)		Mortality of Legitimate and	
SEPTICÆMIA (not PUERPERAL) :	1	Illegitimate Infants ...	85
Deaths by Sexes at Ages ...	292, 293	SOFTENING of BRAIN :	
in London ...	312, 313	Deaths by Sexes at Ages ...	298, 299
Deaths by Sexes ...	342	in London ...	318, 319
in Counties ...	342-348	Deaths by Sexes ...	363
1891-1910 ...	24, 38, 52	in Counties ...	363-369
per million living ...	25, 39, 53	1891-1910 ...	28, 42, 56
SERVIA, Vital Statistics of,		per million living ...	29, 43, 57
1881-1910 ...	lxxxiv, 111, 132	SOUTH AUSTRALIA. (See Aus-	
SEX PROPORTIONS :		tralian Commonwealth.)	
Male to Female Births ...	xxiii	SPAIN, Vital Statistics of,	
1861-1910 ...	5	1881-1910 ...	lxxxiv, 109, 111, 137
in groups of years 1838-1910	6	SPINAL CORD, Diseases of :	
in Counties 1900-1909, 1910	14	Deaths by Sexes at Ages ...	298, 299
Male to Female Rate of Mor-		in London ...	318, 319
tality ...	xxix	Deaths by Sexes ...	363
1861-1910 ...	5	in Counties ...	363-369
in groups of years, 1838-1910	6	1891-1910 ...	28, 42, 56
SHIPS, BOATS, DOCKS :		per million living ...	29, 43, 57
Accidental Deaths(not Drown-		SPLEEN, Diseases of :	
ing) :		Deaths by Sexes at Ages ...	302, 303
by Sexes at Ages ...	306, 307, 441, 453	in London ...	322, 323
in London...	326, 327	Deaths by Sexes ...	377
from various Causes ...	445, 446, 455	in Counties ...	377-383
by Sexes ...	391	1891-1910 ...	32, 46, 60
in Counties ...	391-397	per million living ...	33, 47, 61
1901-1910 ...	34, 48, 62	SPLenic FEVER. (See Anthrax.)	
per million living ...	35, 49, 63	STARVATION :	
SIMPLE CONTINUED FEVER.		Deaths by Sexes at Ages ...	294, 295
(See Pyrexia.)		in London ...	314, 315
SKIN, Diseases of :		Deaths by Sexes ...	349
Deaths by Sexes at Ages ...	288, 289,	in Counties ...	349-355
	304, 305	1891-1910 ...	24, 38, 52
in London ...	308, 309, 324, 325	per million living ...	25, 39, 53
Deaths by Sexes ...	328, 384	Mortality under five. (See	
in Counties ...	328-334, 384-390	Want of Breast Milk.)	
1891-1910 ...	32, 46, 60		
per million living ...	33, 47, 61		

	PAGES
STOMACH, Diseases of :	
Deaths by Sexes at Ages ...	302, 303
in London ...	322, 323
Deaths by Sexes ...	377
in Counties ...	377-383
1891-1910 ...	30, 44, 58
per million living ...	31, 45, 59
SUB-ACUTE RHEUMATISM. (<i>See</i> Rheumatic Fever.)	
SUB-DISTRICTS, Registration :	
Area, Population, Births and Deaths ...	146-205
Index of ...	470-479
Changes in ...	491-496
SUDDEN Deaths (cause unascertained):	
by Sexes at Ages ...	306, 307
in London ...	326, 327
by Sexes ...	391
in Counties ...	391-397
1891-1910 ...	34, 48, 62
per million living ...	35, 49, 63
SUFFOCATION :	
Deaths by Sexes at Ages ...	306, 307
in London ...	326, 327
Deaths by Sexes ...	391
in Counties ...	391-397
1901-1910 ...	34, 48, 62
per million living ...	35, 49, 63
Mortality at Ages under five :	
by Sexes ...	74-79
1905-1909, 1910 ...	84
in Urban and Rural Counties ...	80-83
Mortality of Legitimate and Illegitimate Infants ...	85
Accidental Deaths :	
by Sexes at Ages ...	441, 453
from Various Causes ...	451, 458
Manslaughter ...	465
Murder ...	462, 463
Suicide (hanging) ...	460, 461
SUICIDE ...	lxxvii
Deaths by Sexes at Ages ...	306, 307
in London ...	326, 327
by various methods ...	460, 461
Deaths by Sexes ...	391
in Counties ...	391-397
1891-1910 ...	34, 48, 62
per million living ...	35, 49, 63
SUNSHINE ...	civ
at Greenwich in months, 1910 ...	100
at Various Places ...	102-106
SUNSTROKE. (<i>See</i> Weather Agencies.)	
SUPRA-RENAL CAPSULES, Diseases of :	
Deaths by Sexes at Ages ...	302, 303
in London ...	322, 323
Deaths by Sexes ...	377
in Counties ...	377-383
1891-1910 ...	32, 46, 60
per million living ...	33, 47, 61

	PAGES
SWEDEN, Vital Statistics of, 1881-1910 ...	lxxxiv, 108, 110, 123
SWITZERLAND, Vital Statistics of, 1881-1910 ...	lxxxiv, 109, 111, 136
SYNCOPE. (<i>See</i> Heart, Diseases of.)	
SYPHILIS :	
Deaths by Sexes at Ages ...	292, 293
in London ...	312, 313
Deaths by Sexes ...	342
in Counties ...	342-348
1891-1910 ...	22, 36, 50
per million living ...	23, 37, 51
Deaths per million living in quinquennia 1876-1910...	21
Mortality at Ages under five :	
by Sexes ...	74-79
1905-1909, 1910 ...	84
in Urban and Rural Counties ...	80-83
Mortality of Legitimate and Illegitimate Infants ...	85
TABES MESENTERICA ...	lviii
Deaths by Sexes at Ages ...	294, 295
in London ...	314, 315
Deaths by Sexes ...	349
in Counties ...	349-355, 398-409
per million living ...	66-71
1891-1910 ...	24, 38, 52
per million living ...	25, 39, 53
Deaths in Registration Dis- tricts ...	410-440
Mortality at Ages under five. (<i>See</i> Peritonitis, Tuberculous.)	
TASMANIA. (<i>See</i> Australian Commonwealth.)	
TEETHING :	
Deaths by Sexes at Ages ...	296, 297
in London ...	316, 317
Deaths by Sexes ...	356
in Counties ...	356-362
1891-1910 ...	26, 40, 54
per million living ...	27, 41, 55
TEMPERATURE ...	civ
at Greenwich :	
1861-1910 ...	96, 97
in Months ...	100
in Quarters ...	98, 99
Various Places ...	102-106
TESTES, PENIS, Diseases of. (<i>See</i> Generative System.)	

	PAGES		PAGES
TETANUS :		TUBERCULOUS PERITONITIS.	
Deaths by Sexes at Ages ...	292, 293	(See Peritonitis, Tuberc.)	
in London ...	312, 313	TUBERCULOUS PHTHISIS. (See	
Deaths by Sexes ...	342	Phthisis.)	
in Counties ...	342-348	TUMOUR (Organ not stated) :	
1891-1910 ...	22, 36, 50	Deaths by Sexes at Ages ...	306, 307
per million living ...	23, 37, 51	in London ...	326, 327
THROMBOSIS. (See Embolism.)		Deaths by Sexes ...	391
THYROID BODY, Diseases of :		in Counties ...	391-397
Deaths by Sexes at Ages ...	302, 303	1891-1910 ...	34, 48, 62
in London ...	322, 323	per million living ...	35, 49, 63
Deaths by Sexes ...	377	(See also the Organs affected.)	
in Counties ...	377-383	TYPHOID FEVER. (See Enteric	
1891-1910 ...	32, 46, 60	Fever.)	
per million living ...	33, 47, 61	TYPHUS :	
TONSILLITIS, Quinsy :		Deaths by Sexes at Ages ...	290, 291
Deaths by Sexes at Ages ...	302, 303	in London ...	310, 311
in London ...	322, 323	Deaths by Sexes ...	335
Deaths by Sexes ...	377	in Counties ...	335-341, 398-409
in Counties ...	377-383	per million living ...	66-71
1901-1910 ...	30, 44, 58	1891-1910 ...	22, 36, 50
per million living ...	31, 45, 59	per million living ...	23, 37, 51
TOWN DISTRICTS. (See Urban		Deaths :	
Counties.)		in Registration Districts ...	410-440
TRACHEA. (See Larynx.)		per million living :	
TUBERCULOSIS ...	lv	in Counties 1900-1909,	
TUBERCULOSIS, General ...		1910 ...	73
Deaths by Sexes at Ages ...	294, 295	in quinquennia, 1876-1910	21
in London ...	314, 315	1861-1910 and in groups	
Deaths by Sexes ...	349	of years, 1838-1910...	64
in Counties ...	349-355	in London ...	65
1891-1910 ...	24, 38, 52	ULCER, Bed sore :	
per million living ...	25, 39, 53	Deaths by Sexes at Ages ...	304, 305
TUBERCULOSIS, Pulmonary.		in London ...	324, 325
(See Phthisis.)		Deaths by Sexes ...	384
TUBERCULOUS DISEASES ...	lv-lix	in Counties ...	384-390
Deaths by Sexes :		1891-1910 ...	32, 46, 60
in Counties ...	398-409	per million living ...	33, 47, 61
per million living ...	66-71	ULCERATION of INTESTINES.	
At ages under 1 per 1,000		(See Intestines.)	
births in Urban and Rural		UNCERTIFIED DEATHS... ...	lxxviii
Counties ...	xxxiv	by Sex, Age and Cause ...	lxxx
Deaths in Registration Dis-		per cent. of total deaths in	
tricts... ..	410-440	Counties ...	lxxix
Deaths under one to 1,000		reported and not reported	
births in Counties ...	88	to Coroners ...	lxxviii, lxxix
Deaths under five to 1,000		per cent. of total, 1901-1910	lxxviii
living in Counties ...	89	UNITARIANS :	
Mortality at Ages under five :		Number of buildings for	
by Sexes ...	74-79	solemnization of marriage	xx, 7
1905-1909, 1910 ...	84	UNITED KINGDOM :	
in Urban and Rural Coun-		Area ; Population, 1861-1910	2
ties... ..	80-83	Passenger Movement, to and	
Mortality of Legitimate and		from, 1895-1910 ...	92
Illegitimate Infants ...	85	Vital Statistics of ...	lxxxi
Reduction in Infantile Mor-		1881-1910 ...	110, 112
tality from 1905-1909, 1910	xxxii		
Diagram of, in quinquennia,			
1851-1910 ...	lvi		
(See also Lupus, Phthisis, &c.)			
TUBERCULOUS MENINGITIS.			
(See Meningitis Tuberc.)			

	PAGES		PAGES
WANT OF BREAST MILK :		WESLEYAN METHODISTS :	
Deaths by Sexes at Ages ...	296, 297	No. of buildings for solemnization of marriage ...	xx, 7
in London ...	316, 317	by authorised person ...	xxi
Deaths by Sexes ...	356		
in Counties ...	356-362	WESTERN AUSTRALIA:	
1891-1910 ...	26, 40, 54	(See Australian Commonwealth.)	
per million living ...	27, 41, 55		
Mortality at Ages under five :		WHEAT, Prices of :	
by Sexes ...	74-79	1861-1910 ...	95
1905-1909, 1910 ...	84		
in Urban and Rural Counties ...	80-83	WHOOPING COUGH ...	xliii
Mortality of Legitimate and Illegitimate Infants ...	85	Deaths by Sexes at Ages ...	290, 291
		in London ...	310, 311
WASTING DISEASES :		in 1,000 births in Urban and Rural Counties ...	xxxiv
Mortality at Ages under five :		Deaths by Sexes ...	335
by Sexes ...	74-79	in Counties ...	335-341, 398-409
1905-1909, 1910 ...	84	per million living ...	66-71
in Urban and Rural Counties ...	80-83	1891 to 1910... ..	22, 36, 50
Mortality of Legitimate and Illegitimate Infants ...	85	per million living ...	23, 37, 51
Deaths under one to 1,000 births in Counties ...	88	Deaths :	
Reduction in Infantile Mortality from 1905-1909, 1910	xxxii	in Registration Districts ...	410-440
		in several Countries, 1881-1910 ...	112-141
WEAPONS and IMPLEMENTS,		per 1,000 living in quinquennia, 1881-1886 to 1906-1910, 1909, 1910	xevi
Deaths caused by :		per million living :	
by Sexes at Ages 306, 307, 441, 453		in Counties, 1900-1909, 1910 ...	72
in London ...	326, 327	in quinquennia, 1876-1910	21
by Sexes ...	391	1861-1910 and in groups of years, 1838-1910	64
in Counties ...	391-397	in London ...	65
1901-1910... ..	34, 48, 62	Deaths under one to 1,000 births :	
per million living ...	35, 49, 63	at Ages... ..	xxxiii
Deaths by Sexes at Ages, distinguishing those from gun-shot wounds :		in Counties ...	88
accident ...	446, 455	Deaths under five to 1,000 living in Counties ...	89
manslaughter ...	464, 465	Mortality at Ages under five by Sexes ...	74-79
murder ...	462, 463	1905-1909, 1910 ...	84
suicide ...	460, 461	in Urban and Rural Counties	80-83
		Mortality of Legitimate and Illegitimate Infants ...	85
WEATHER. (See Meteorology and Meteorological Tables.)			
WEATHER AGENCIES, Deaths caused by :		WIDOWS, WIDOWERS, Numbers re-married. (See Marriages and Marriage-rates, First Marriages and re-marriages.)	
by Sexes at Ages 306, 307, 441, 453			
murder ...	462, 463	WORKHOUSES, WORKHOUSE INFIRMARIES AND SCHOOLS :	
in London ...	326, 327	Deaths in ...	lxxxix, 225-276
from several causes ...	451, 459		
by Sexes ...	391	WORSHIP, CERTIFIED PLACES	
in Counties ...	391-397	OF ...	xx, 7
1901-1910 ...	34, 48, 62		
per million living ...	35, 49, 63		



